
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4065294/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Medial prefrontal cortex and the self in major depression. Journal of Affective Disorders, 2012, 136, e1-e11.	4.1	306
2	Olfactory system and emotion: Common substrates. European Annals of Otorhinolaryngology, Head and Neck Diseases, 2011, 128, 18-23.	0.7	295
3	Self-Referential Processing, Rumination, and Cortical Midline Structures in Major Depression. Frontiers in Human Neuroscience, 2013, 7, 666.	2.0	257
4	Can voxel based morphometry, manual segmentation and automated segmentation equally detect hippocampal volume differences in acute depression?. NeuroImage, 2009, 45, 29-37.	4.2	254
5	Brain effects of antidepressants in major depression: A meta-analysis of emotional processing studies. Journal of Affective Disorders, 2011, 130, 66-74.	4.1	248
6	A meta-analysis of the anterior cingulate contribution to social pain. Social Cognitive and Affective Neuroscience, 2015, 10, 19-27.	3.0	247
7	In search of the depressive self: extended medial prefrontal network during self-referential processing in major depression. Social Cognitive and Affective Neuroscience, 2009, 4, 305-312.	3.0	208
8	Episodic autobiographical memory in depression: Specificity, autonoetic consciousness, and self-perspective. Consciousness and Cognition, 2006, 15, 258-268.	1.5	204
9	Association between antidepressant use and reduced risk of intubation or death in hospitalized patients with COVID-19: results from an observational study. Molecular Psychiatry, 2021, 26, 5199-5212.	7.9	183
10	Association of Self-reported COVID-19 Infection and SARS-CoV-2 Serology Test Results With Persistent Physical Symptoms Among French Adults During the COVID-19 Pandemic. JAMA Internal Medicine, 2022, 182, 19.	5.1	183
11	Association between Dietary Patterns and Depressive Symptoms Over Time: A 10-Year Follow-Up Study of the GAZEL Cohort. PLoS ONE, 2012, 7, e51593.	2.5	145
12	The eye of the self: precuneus volume and visual perspective during autobiographical memory retrieval. Brain Structure and Function, 2014, 219, 959-968.	2.3	127
13	Self-referential processing and the prefrontal cortex over the course of depression: A pilot study. Journal of Affective Disorders, 2010, 124, 196-201.	4.1	115
14	Prospective association between ultra-processed food consumption and incident depressive symptoms in the French NutriNet-Santé cohort. BMC Medicine, 2019, 17, 78.	5.5	113
15	Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. European Heart Journal, 2013, 34, 2697-2705.	2.2	103
16	Negative affectivity, self-referential processing and the cortical midline structures. Social Cognitive and Affective Neuroscience, 2011, 6, 426-433.	3.0	96
17	Hostility May Explain the Association between Depressive Mood and Mortality: Evidence from the French GAZEL Cohort Study. Psychotherapy and Psychosomatics, 2010, 79, 164-171.	8.8	85
18	Association between depression and anemia in otherwise healthy adults. Acta Psychiatrica Scandinavica, 2016, 134, 150-160.	4.5	77

#	Article	IF	CITATIONS
19	Cognitive avoidance of intrusive memories and autobiographical memory: Specificity, autonoetic consciousness, and self-perspective. Memory, 2009, 17, 1-7.	1.7	76
20	Field perspective deficit for positive memories characterizes autobiographical memory in euthymic depressed patients. Behaviour Research and Therapy, 2008, 46, 322-333.	3.1	73
21	The Inflammatory Potential of the Diet Is Associated with Depressive Symptoms in Different Subgroups of the General Population. Journal of Nutrition, 2017, 147, 879-887.	2.9	60
22	Explanations of educational differences in major depression and generalised anxiety disorder in the Irish population. Journal of Affective Disorders, 2011, 134, 304-314.	4.1	58
23	Treating empty nose syndrome as a somatic symptom disorder. General Hospital Psychiatry, 2015, 37, 273.e9-273.e10.	2.4	57
24	Lyme borreliosis and other tick-borne diseases. Guidelines from the French Scientific Societies (I): prevention, epidemiology, diagnosis. Médecine Et Maladies Infectieuses, 2019, 49, 318-334.	5.0	55
25	Appropriate training based on Balint groups can improve the empathic abilities of medical students: A preliminary study. Journal of Psychosomatic Research, 2014, 76, 426-429.	2.6	54
26	Association Between Electronic Cigarette Use and Smoking Reduction in France. JAMA Internal Medicine, 2019, 179, 1193.	5.1	53
27	Geriatric assessment findings independently associated with clinical depression in 1092 older patients with cancer: the ELCAPA Cohort Study. Psycho-Oncology, 2016, 25, 104-111.	2.3	52
28	Differences in Emotion Processing in Patients With Essential and Secondary Hypertension. American Journal of Hypertension, 2010, 23, 515-521.	2.0	51
29	Depressive Symptoms and Vegetarian Diets: Results from the Constances Cohort. Nutrients, 2018, 10, 1695.	4.1	49
30	Occupational Status Moderates the Association Between Current Perceived Stress and High Blood Pressure. Hypertension, 2013, 61, 571-577.	2.7	47
31	A comprehensive model of predictors of suicide attempt in heavy drinkers: Results from a national 3-year longitudinal study. Drug and Alcohol Dependence, 2018, 186, 44-52.	3.2	45
32	Simulation in psychiatry for medical doctors: A systematic review and metaâ€analysis. Medical Education, 2020, 54, 696-708.	2.1	45
33	Diet and physical activity in the association between depression and metabolic syndrome: Constances study. Journal of Affective Disorders, 2019, 244, 25-32.	4.1	44
34	Cognitive appraisal and life stress moderate the effects of the 5â€HTTLPR polymorphism on amygdala reactivity. Human Brain Mapping, 2011, 32, 1856-1867.	3.6	41
35	A comprehensive model of predictors of persistence and recurrence in adults with major depression: Results from a national 3-year prospective study. Journal of Psychiatric Research, 2017, 95, 19-27.	3.1	41
36	Lyme borreliosis and other tick-borne diseases. Guidelines from the French scientific societies (II). Biological diagnosis, treatment, persistent symptoms after documented or suspected Lyme borreliosis. Médecine Et Maladies Infectieuses, 2019, 49, 335-346.	5.0	41

#	Article	IF	CITATIONS
37	Depression and the Risk of Cancer: A 15-year Follow-up Study of the GAZEL Cohort. American Journal of Epidemiology, 2013, 178, 1712-1720.	3.4	40
38	Delay discounting of gains and losses, glycemic control and therapeutic adherence in type 2 diabetes. Behavioural Processes, 2016, 132, 42-48.	1.1	40
39	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. BMC Public Health, 2019, 19, 566.	2.9	40
40	Promoting empathy among medical students: A two-site randomized controlled study. Journal of Psychosomatic Research, 2017, 103, 102-107.	2.6	38
41	Repurposing antidepressants inhibiting the sphingomyelinase acid/ceramide system against COVID-19: current evidence and potential mechanisms. Molecular Psychiatry, 2021, 26, 7098-7099.	7.9	38
42	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. PLoS ONE, 2019, 14, e0222361.	2.5	37
43	Personality and the Risk of Cancer. Psychosomatic Medicine, 2013, 75, 262-271.	2.0	35
44	Observational study of haloperidol in hospitalized patients with COVID-19. PLoS ONE, 2021, 16, e0247122.	2.5	35
45	Antidepressant short-term and long-term brain effects during self-referential processing in major depression. Psychiatry Research - Neuroimaging, 2016, 247, 17-24.	1.8	34
46	Metabolic syndrome among older adults with schizophrenia spectrum disorder: Prevalence and associated factors in a multicenter study. Psychiatry Research, 2019, 275, 238-246.	3.3	34
47	Neural basis of autobiographical memory retrieval in schizophrenia. British Journal of Psychiatry, 2012, 201, 473-480.	2.8	33
48	Observational Study of Chlorpromazine in Hospitalized Patients with COVID-19. Clinical Drug Investigation, 2021, 41, 221-233.	2.2	33
49	Prospective association between combined healthy lifestyles and risk of depressive symptoms in the French NutriNet-Santé cohort. Journal of Affective Disorders, 2018, 238, 554-562.	4.1	32
50	Comorbidity of Late-Life Depression in the United States: A Population-based Study. American Journal of Geriatric Psychiatry, 2014, 22, 1292-1306.	1.2	31
51	A dimensional liability model of age differences in mental disorder prevalence: Evidence from a national sample. Journal of Psychiatric Research, 2015, 64, 107-113.	3.1	31
52	Subsyndromal and syndromal depressive symptoms among older adults with schizophrenia spectrum disorder: Prevalence and associated factors in a multicenter study. Journal of Affective Disorders, 2019, 251, 60-70.	4.1	31
53	Electronic cigarette use is associated with depressive symptoms among smokers and former smokers: Cross-sectional and longitudinal findings from the Constances cohort. Addictive Behaviors, 2019, 90, 85-91.	3.0	31
54	High level of depressive symptoms as a barrier to reach an ideal cardiovascular health. The Paris Prospective Study III. Scientific Reports, 2016, 6, 18951.	3.3	30

#	Article	IF	CITATIONS
55	Gender differences in the association between depressive mood and mortality: A 12-year follow-up population-based study. Journal of Affective Disorders, 2012, 136, 267-275.	4.1	29
56	Mortality associated with depression as compared with other severe mental disorders: A 20-year follow-up study of the GAZEL cohort Journal of Psychiatric Research, 2013, 47, 851-857.	3.1	29
57	Do Anxiety and Depression Predict Persistent Physical Symptoms After a Severe COVID-19 Episode? A Prospective Study. Frontiers in Psychiatry, 2021, 12, 757685.	2.6	29
58	Genetics and personality affect visual perspective in autobiographical memory. Consciousness and Cognition, 2009, 18, 823-830.	1.5	28
59	Microvascular Contribution to Late-Onset Depression: Mechanisms, Current Evidence, Association With Other Brain Diseases, and Therapeutic Perspectives. Biological Psychiatry, 2021, 90, 214-225.	1.3	28
60	Heart Rate and Completed Suicide. Psychosomatic Medicine, 2011, 73, 731-736.	2.0	27
61	Are Occupational Factors and Mental Difficulty Associated With Occupational Injury?. Journal of Occupational and Environmental Medicine, 2011, 53, 1452-1459.	1.7	27
62	Perceived stress, sex and occupational status interact to increase the risk of future high blood pressure. Journal of Hypertension, 2014, 32, 1979-1986.	0.5	27
63	Linear association between social anxiety symptoms and neural activations to angry faces: from subclinical to clinical levels. Social Cognitive and Affective Neuroscience, 2014, 9, 880-886.	3.0	26
64	Combining Postcards, Crisis Cards, and Telephone Contact Into a Decision-Making Algorithm to Reduce Suicide Reattempt. Journal of Clinical Psychiatry, 2018, 79, .	2.2	26
65	Cognitive hostility and suicide. Acta Psychiatrica Scandinavica, 2011, 124, 62-69.	4.5	25
66	First human facial retransplantation: 30-month follow-up. Lancet, The, 2020, 396, 1758-1765.	13.7	25
67	Work environment mediates a large part of social inequalities in the incidence of several common cardiovascular risk factors: Findings from the Gazel cohort. Social Science and Medicine, 2018, 216, 59-66.	3.8	24
68	Mental health-related risk factors and interventions in patients with heart failure: a position paper endorsed by the European Association of Preventive Cardiology (EAPC). European Journal of Preventive Cardiology, 2022, 29, 1124-1141.	1.8	24
69	The dark side of self-focus: brain activity during self-focus in low and high brooders. Social Cognitive and Affective Neuroscience, 2014, 9, 1808-1813.	3.0	23
70	Medial prefrontal disengagement during self-focus in formerly depressed patients prone to rumination. Journal of Affective Disorders, 2019, 247, 36-44.	4.1	23
71	Socio-economic and psychological impact of the COVID-19 outbreak on private practice and public hospital radiologists. European Journal of Radiology, 2020, 132, 109285.	2.6	23
72	Therapeutic alliance and glycaemic control in type 1 diabetes: A pilot study. Diabetes and Metabolism, 2010, 36, 499-502.	2.9	21

#	Article	IF	CITATIONS
73	Low social support is associated with an increased risk of postoperative delirium. Journal of Clinical Anesthesia, 2012, 24, 126-132.	1.6	21
74	A Comprehensive Model of Predictors of Suicide Attempt in Depressed Individuals and Effect of Treatment-Seeking Behavior. Journal of Clinical Psychiatry, 2018, 79, .	2.2	21
75	Carotid Artery Stiffness and Incident Depressive Symptoms: The Paris Prospective Study III. Biological Psychiatry, 2019, 85, 498-505.	1.3	20
76	Depression, treatable cardiovascular risk factors and incident cardiac events in the Gazel cohort. International Journal of Cardiology, 2019, 284, 90-95.	1.7	20
77	Effectiveness of simulation in psychiatry for nursing students, nurses and nurse practitioners: A systematic review and metaâ€analysis. Journal of Advanced Nursing, 2022, 78, 332-347.	3.3	20
78	Congenital anosmia and emotion recognition: A case-control study. Neuropsychologia, 2015, 72, 52-58.	1.6	19
79	Metabolically healthy obesity and depressive symptoms: 16-year follow-up of the Gazel cohort study. PLoS ONE, 2017, 12, e0174678.	2.5	19
80	Prospective association between adherence to dietary recommendations and incident depressive symptoms in the French NutriNet-Santé cohort. British Journal of Nutrition, 2018, 120, 290-300.	2.3	19
81	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. PLoS ONE, 2018, 13, e0196330.	2.5	19
82	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. Journal of Affective Disorders, 2019, 256, 164-175.	4.1	19
83	The Inflammatory Potential of the Diet is Directly Associated with Incident Depressive Symptoms Among French Adults. Journal of Nutrition, 2019, 149, 1198-1207.	2.9	19
84	Psychological and psychiatric aspects of face transplantation: Lessons learned from the long-term follow-up of six patients. Journal of Psychosomatic Research, 2019, 119, 42-49.	2.6	19
85	Personality and breast cancer screening in women of the <scp>GAZEL</scp> cohort study. Cancer Medicine, 2018, 7, 515-524.	2.8	17
86	Cardiovascular risk goes up as your mood goes down: Interaction of depression and socioeconomic status in determination of cardiovascular risk in the CONSTANCES cohort. International Journal of Cardiology, 2018, 262, 99-105.	1.7	17
87	Association of Hearing Impairment with Incident Depressive Symptoms: A Community-Based Prospective Study. American Journal of Medicine, 2019, 132, 1441-1449.e4.	1.5	17
88	Lyme borreliosis and other tick-borne diseases. Guidelines from the French scientific societies. Médecine Et Maladies Infectieuses, 2019, 49, 296-317.	5.0	17
89	Effects of Psychiatric Disorders on Suicide Attempt. Journal of Clinical Psychiatry, 2018, 79, .	2.2	16
90	Latent class analysis of the feared situations of social anxiety disorder: A population-based study. Depression and Anxiety, 2016, 33, 1178-1187.	4.1	15

#	Article	IF	CITATIONS
91	When Blue-Collars Feel Blue. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	15
92	Depressive Symptom Profiles and Survival in Older Patients with Cancer: Latent Class Analysis of the ELCAPA Cohort Study. Oncologist, 2019, 24, e458-e466.	3.7	15
93	Association between current perceived stress and incident diabetes is dependent on occupational status: Evidence from the IPC cohort study. Diabetes and Metabolism, 2016, 42, 328-335.	2.9	14
94	A Global View of the Relationships between the Main Behavioural and Clinical Cardiovascular Risk Factors in the GAZEL Prospective Cohort. PLoS ONE, 2016, 11, e0162386.	2.5	14
95	Erectile dysfunction and depressive mood in men with coronary heart disease. International Journal of Cardiology, 2010, 138, 277-280.	1.7	13
96	Childhood adversity and depressive symptoms following retirement in the Gazel cohort. Journal of Psychiatric Research, 2016, 82, 80-90.	3.1	13
97	Effectiveness of simulation in psychiatry for initial and continuing training of healthcare professionals: protocol for a systematic review. BMJ Open, 2018, 8, e021012.	1.9	13
98	Smoking and the Association Between Depressive Symptoms and Absolute Neutrophil Count in the Investigations Préventives et Cliniques Cohort Study. Psychosomatic Medicine, 2015, 77, 1039-1049.	2.0	12
99	Perceived stress, common carotid intima media thickness and occupational status: The Paris Prospective Study III. International Journal of Cardiology, 2016, 221, 1025-1030.	1.7	12
100	Balint groups and narrative medicine compared to a control condition in promoting students' empathy. BMC Medical Education, 2020, 20, 412.	2.4	12
101	Risk of Death in Individuals Hospitalized for COVID-19 With and Without Psychiatric Disorders: An Observational Multicenter Study in France. Biological Psychiatry Global Open Science, 2023, 3, 56-67.	2.2	12
102	Persistent symptoms after the first wave of COVID-19 in relation to SARS-CoV-2 serology and experience of acute symptoms: A nested survey in a population-based cohort. Lancet Regional Health - Europe, The, 2022, 17, 100363.	5.6	12
103	Hostility and the risk of peptic ulcer in the GAZEL cohort Health Psychology, 2015, 34, 181-185.	1.6	11
104	Potential influence of Type A personality on plasma C-reactive protein levels in people with diabetes. Diabetes and Metabolism, 2016, 42, 88-95.	2.9	11
105	Plasma vitamin D status and recurrent depressive symptoms in the French SU.VI.MAX cohort. European Journal of Nutrition, 2017, 56, 2289-2298.	3.9	11
106	Depression, antidepressants and low hemoglobin level in the Paris Prospective Study III: A cross-sectional analysis. Preventive Medicine, 2020, 135, 106050.	3.4	11
107	Depression, Cognitive Functions, and Impaired Functioning in Middle-Aged Adults From the CONSTANCES Cohort. Journal of Clinical Psychiatry, 2018, 79, .	2.2	11
108	Personality and hormone therapy use among postmenopausal women in the GAZEL cohort study. Fertility and Sterility, 2012, 98, 929-936.	1.0	10

#	Article	IF	CITATIONS
109	A comprehensive model of predictors of suicide attempt in individuals with panic disorder: Results from a national 3-year prospective study. General Hospital Psychiatry, 2020, 67, 127-135.	2.4	10
110	Physicians' degree of motivation regarding their perception of hypertension, and blood pressure control. Journal of Hypertension, 2010, 28, 1130-1139.	0.5	10
111	Primary Cardiovascular Disease Risk Factors Predicted by Poor Working Conditions in the GAZEL Cohort. American Journal of Epidemiology, 2017, 186, 815-823.	3.4	9
112	Suicide attempts by jumping and length of stay in general hospital: A retrospective study of 225 patients. Journal of Psychosomatic Research, 2019, 119, 34-41.	2.6	9
113	Management of Cardiovascular Health in People with Severe Mental Disorders. Current Cardiology Reports, 2021, 23, 7.	2.9	9
114	Hydroxyzine Use and Mortality in Patients Hospitalized for COVID-19: A Multicenter Observational Study. Journal of Clinical Medicine, 2021, 10, 5891.	2.4	9
115	Association between benzodiazepine receptor agonist use and mortality in patients hospitalised for COVID-19: a multicentre observational study. Epidemiology and Psychiatric Sciences, 2022, 31, e18.	3.9	9
116	Personality Moderates the Improvement of Depressive Symptoms After Retirement: Evidence from the GAZEL Cohort. American Journal of Geriatric Psychiatry, 2015, 23, 941-949.	1.2	8
117	Systematic prevention of severe constipation induced by antipsychotic agents: A quasi-experimental study. European Neuropsychopharmacology, 2016, 26, 1690-1691.	0.7	8
118	Adherence to dietary guidelines as a protective factor against chronic or recurrent depressive symptoms in the French SU.VI.MAX cohort. Preventive Medicine, 2016, 91, 335-343.	3.4	8
119	Hostility predicts alcohol consumption over a 21-year follow-up in the Gazel cohort. Drug and Alcohol Dependence, 2017, 177, 112-123.	3.2	8
120	Examining sex differences in DSM-IV-TR narcissistic personality disorder symptom expression using Item Response Theory (IRT). Psychiatry Research, 2018, 260, 500-507.	3.3	8
121	Personality traits are associated with cognitive empathy in medical students but not with its evolution and interventions to improve it. Journal of Psychosomatic Research, 2021, 144, 110410.	2.6	8
122	SARS-CoV-2 Psychiatric Sequelae: An Urgent Need of Prevention. Frontiers in Psychiatry, 2021, 12, 738696.	2.6	8
123	Relationship between personality dimensions and medical specialty in 1661 residents. Journal of Psychosomatic Research, 2015, 79, 331-332.	2.6	7
124	Differences in symptom expression between unipolar and bipolar spectrum depression: Results from a nationally representative sample using item response theory (IRT). Journal of Affective Disorders, 2016, 204, 24-31.	4.1	7
125	Genesis and dissemination of a controversial disease: Chronic Lyme. Infectious Diseases Now, 2021, 51, 86-89.	1.6	7
126	De laÂpathomimie ÃÂlaÂdépendance auxÂsoinsÂ: approche dimensionnelle etÂperspectives thérapeutiques. Annales Medico-Psychologiques, 2006, 164, 676-681.	0.4	6

#	Article	IF	CITATIONS
127	Psychiatric consequences of intraoperative awareness: short review and case series. General Hospital Psychiatry, 2015, 37, 94-95.	2.4	6
128	Facial transplantation: facing the limits, planning the future. Lancet, The, 2017, 389, 1293-1294.	13.7	6
129	Self-reference in suicidal behaviour. Cognitive Neuropsychiatry, 2017, 22, 486-494.	1.3	6
130	Effort–reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. Journal of Epidemiology and Community Health, 2019, 73, 993-1001.	3.7	6
131	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. American Journal of Public Health, 2019, 109, 119-125.	2.7	6
132	Anticholinergic Activity of Psychotropic Drugs and Cognitive Impairment Among Participants Aged 45 and Over: The CONSTANCES Study. Drug Safety, 2021, 44, 565-579.	3.2	6
133	Factors associated with psychological symptoms in hospital workers of a French hospital during the COVID-19 pandemic: Lessons from the first wave. PLoS ONE, 2022, 17, e0267032.	2.5	6
134	Impact of Switching or Initiating Antipsychotic Treatment on Body Weight During a 6-Month Follow-Up in a Cohort of Patients With Schizophrenia. Journal of Clinical Psychopharmacology, 2012, 32, 672-677.	1.4	5
135	Perceived stress is inversely related to ideal cardiovascular health: The Paris Prospective Study III. International Journal of Cardiology, 2018, 270, 312-318.	1.7	5
136	Association of depressive symptoms and socioeconomic status in determination of blood pressure levels and hypertension: The CONSTANCES population based study. Journal of Affective Disorders, 2021, 279, 282-291.	4.1	5
137	Association between the timing of consultation-liaison psychiatry interventions and the length of stay in general hospital. British Journal of Psychiatry, 2021, 218, 204-209.	2.8	5
138	Introducing an Open-Source Course Management System (Moodle) for Blended learning on infectious diseases and microbiology: A pre-post observational study. Infectious Diseases Now, 2021, 51, 477-483.	1.6	5
139	Climate and Prevalence of Mood Disorders. Journal of Clinical Psychiatry, 2014, 75, 408.	2.2	5
140	Depressive symptoms and non-adherence to treatable cardiovascular risk factors' medications in the CONSTANCES cohort. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 280-286.	3.0	5
141	Clinical and nonclinical predictors of test ordering in psychiatric emergency. General Hospital Psychiatry, 2008, 30, 356-359.	2.4	4
142	Mémoire émotionnelle du soi. Annales Medico-Psychologiques, 2011, 169, 116-119.	0.4	4
143	Association Between Alexithymia and Risk of Incident Cardiovascular Diseases in the SUpplémentation en Vltamines et Minéraux AntioXydants (SU.VI.MAX) Cohort. Psychosomatic Medicine, 2018, 80, 460-467.	2.0	4
144	Poor Perceived Health is Associated with Current use of Electronic Cigarette among Current and Former Smokers: Findings from the CONSTANCES Cohort. European Addiction Research, 2019, 25, 310-319.	2.4	4

#	Article	IF	CITATIONS
145	Does substance use explain social differences in terms of depression? Findings from the Constances cohort. Comprehensive Psychiatry, 2020, 102, 152203.	3.1	4
146	Obesity moderates the benefit of retirement on health: A 21-year prospective study in the GAZEL cohort. Journal of Psychosomatic Research, 2020, 131, 109938.	2.6	4
147	Using filled prescription sequences to rank antidepressants according to their acceptability in the general population: The Constances cohort. Journal of Psychiatric Research, 2020, 123, 72-80.	3.1	4
148	Is sexual harassment and psychological abuse among medical students a fatality? A 2-year study in the Paris Descartes School of Medicine. Medical Teacher, 2021, 43, 1054-1062.	1.8	4
149	Feasibility of large-scale eOSCES: the simultaneous evaluation of 500 medical students during a mock examination. Medical Education Online, 2022, 27, .	2.6	4
150	Can transcultural psychiatry help us to understand the predicament of C-L psychiatry?. Journal of Psychosomatic Research, 2009, 67, 461-462.	2.6	3
151	Depressive Mood and Subsequent Cancer Diagnosis in Patients Undergoing a Colonoscopy. Psychosomatics, 2012, 53, 356-362.	2.5	3
152	Serotonin and norepinephrine reuptake inhibitors antidepressant use is related to lower baroreflex sensitivity independently of the severity of depressive symptoms. A community-study of 9213 participants from the Paris Prospective Study III. Atherosclerosis, 2016, 251, 55-62.	0.8	3
153	More than Light Alcohol Consumption Predicts Early Cessation from Employment in French Middle-Aged Men. Alcohol and Alcoholism, 2016, 51, 224-231.	1.6	3
154	Type A personality is not associated with poor glycaemic control: Data from cross-sectional and longitudinal surveys of people with type 1 or type 2 diabetes. Diabetes and Metabolism, 2017, 43, 176-179.	2.9	3
155	Postsurgical Disfigurement Influences Disgust Recognition: A Case-Control Study. Psychosomatics, 2018, 59, 177-185.	2.5	3
156	Type A competitiveness traits correlate with downregulation of c-Fos expression in patients with type 1 diabetes. Diabetes and Metabolism, 2019, 45, 582-585.	2.9	3
157	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. Nutrients, 2020, 12, 2700.	4.1	3
158	Diagnostic Performance of the 4-Item Geriatric Depression Scale for Depression Screening in Older Patients with Cancer: The ELCAPA Cohort Study. Oncologist, 2021, 26, e983-e991.	3.7	3
159	Changes in benzodiazepine use in the French general population after November 2015 terrorist attacks in Paris: an interrupted time series analysis of the national CONSTANCES cohort. BMJ Open, 2021, 11, e044891.	1.9	3
160	Groupes Balint de Formation à la Relation Thérapeutique chez les étudiants en 4e année de médecine. Effets sur l'empathie clinique par un essai randomisé multicentrique contrÃ1é. Psycho-oncologie, 2018, 12, 8-12.	0.1	3
161	Emotional and Cognitive Consequences of Social Rejection: An Entry Door to Major Depression. , 2019, , 211-224.		3
162	Study protocol for an online randomised controlled trial among non-treatment seeking problem gamblers: training inhibition in online problem gambling (TRAIN-online) trial. BMJ Open, 2021, 11, e051641.	1.9	3

#	Article	IF	CITATIONS
163	III-Dépression et cancers: facteur de risque ou perte de chance ?. Psycho-oncologie, 2010, 4, 281-282.	0.1	2
164	Autobiographical Memory, Mental Disorders, and Emotional Valence: Comment on Young, <i>et al.</i> (2012). Psychological Reports, 2013, 113, 18-22.	1.7	2
165	Excess nonâ€psychiatric hospitalizations among employees with mental disorders: a 10â€year prospective study of the GAZEL cohort. Acta Psychiatrica Scandinavica, 2015, 131, 307-317.	4.5	2
166	A Case of Violent Suicide Attempt in a Context of Myxedema Psychosis following Radioiodine Treatment in a Patient with Graves' Disease. Case Reports in Psychiatry, 2019, 2019, 1-3.	0.5	2
167	Hostility, depression and incident cardiac events in the GAZEL cohort. Journal of Affective Disorders, 2020, 266, 381-386.	4.1	2
168	Do the associations between the use of electronic cigarettes and smoking reduction or cessation attempt persist after several years of use? Longitudinal analyses in smokers of the CONSTANCES cohort. Addictive Behaviors, 2021, 117, 106843.	3.0	2
169	Work Conditions are Associated with Alcohol Use after Taking into Account Life Conditions Outside of Work: Findings from a French Occupational Health Service. Substance Use and Misuse, 2021, 56, 2259-2263.	1.4	2
170	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort. Scientific Reports, 2022, 12, 661.	3.3	2
171	Early liaison psychiatry consultations and general hospital readmission: A retrospective cohort study. General Hospital Psychiatry, 2022, 77, 29-36.	2.4	2
172	Consultation-Liaison and Emergency Psychiatry. International Journal of Mental Health, 2009, 38, 39-55.	1.3	1
173	L'imagerie cérébrale fonctionnelleÂ: un outil au service de la psychopathologieÂ?. European Psychiatry, 2015, 30, S3-S4.	0.2	1
174	Post-traumatic stress disorder and comorbid physical conditions. Journal of Psychosomatic Research, 2019, 126, 109818.	2.6	1
175	Informing on individual cardiovascular risk: from wishful thinking to hard facts. Heart, 2019, 105, 973-974.	2.9	1
176	The role of being a former smoker in the association between electronic cigarette and alcohol use. Addiction, 2021, 116, 973-975.	3.3	1
177	Psychological features of adult patients with langerhans cell histiocytosis. PLoS ONE, 2021, 16, e0246604.	2.5	1
178	Four Questions Nurses Can Ask to Predict PTSD 1 Year After a Motor Vehicle Crash. Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses, 2022, 29, 70-79.	0.5	1
179	P.1.f.011 Global impairment in the controlled access to the episodic autobiographical memory in depression: state or trait marker?. European Neuropsychopharmacology, 2006, 16, S279.	0.7	0
180	The biology of visual perspective and depression: A reply to Sutin. Consciousness and Cognition, 2009, 18, 834-836.	1.5	0

#	Article	IF	CITATIONS
181	Ont Collaboré aux Éditions Précédentes. , 2010, , vii.		0
182	Les bases communes du système olfactif et des émotions. Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale, 2011, 128, 20-26.	0.0	0
183	Liste des Collaborateurs par Spécialité. , 2011, , vii.		0
184	Souvenirs intrusifs au cours des troubles de l'humeur. Annales Medico-Psychologiques, 2012, 170, 193-196.	0.4	0
185	Une prise en charge psychologique peut-elle infléchir le risque cardiovasculaire�. European Psychiatry, 2013, 28, 39-39.	0.2	0
186	Analyse du rapport bénéfice/risque d'un traitement antidépresseur par IRSNa dans un contexte d'A étude d'un cas. European Psychiatry, 2013, 28, 103-103.	VCÂ: 0.2	0
187	Troubles mentaux et perte de chances en soins somatiques. European Psychiatry, 2014, 29, 572-573.	0.2	0
188	Présent et avenir des troubles somatoformes. European Psychiatry, 2015, 30, S40-S41.	0.2	0
189	SMP – Diagnostic et traitement personnalisés des dépressionsÂ: enjeux et perspectives d'avenir. European Psychiatry, 2015, 30, S81-S81.	0.2	0
190	L'imagerie cérébrale, un outil au service de la psychopathologie�. Annales Medico-Psychologiques, 2015, 173, 275-278.	0.4	0
191	Electronic cigarette use and smoking reduction – longitudinal data from CONSTANCES cohort study. European Journal of Public Health, 2019, 29, .	0.3	0
192	DEPRESSIVE SYMPTOM PROFILES AND SURVIVAL IN OLDER PATIENTS WITH CANCER: LATENT CLASS ANALYSIS OF THE ELCAPA COHORT STUDY. Journal of Geriatric Oncology, 2019, 10, S26.	1.0	0
193	Does a standardized screening for alcohol use disorder at the Emergency Department inform the risk of repeated ED visit?. General Hospital Psychiatry, 2021, 69, 115-116.	2.4	0
194	Medical students' learning processes the first time they role-play in psychiatry: A grounded theory study. L'Encephale, 2021, , .	0.9	0
195	Liste des Collaborateurs par Spécialité. , 2008, , vii.		0
196	Urgence psychiatrique et comorbidité. , 2008, , 34-45.		0
197	ONT COLLABORÉ AUX ÉDITIONS PRÉCÉDENTES. , 2012, , VII.		0
198	Autobiographical Memory, Mental Disorders, and Emotional Valence: Comment On Young,et al.(2012)1. Psychological Reports, 0, , 130820100840004.	1.7	0

#	Article	IF	CITATIONS
199	Troubles mentaux sévères et qualité des soins en oncologie. Psycho-oncologie, 2018, 12, 93-98.	0.1	0
200	Abstract 112: Carotid Artery Stiffness Increases the Risk of Incident Depressive Symptoms: The Paris Prospective Study 3. Hypertension, 2018, 72, .	2.7	0
201	La dépression unipolaire comme facteur de risque et pronostic des maladies somatiques. French Journal of Psychiatry, 2018, 1, S89-S90.	0.1	0
202	Stress et cancer : mythes et réalités. Psycho-oncologie, 2019, 13, 156-163.	0.1	0
203	Abstract P6-11-07: Impact of chemotherapy on the health related quality of life among elderly patients with localized breast cancer: Findings from the prospective CANTO cohort. , 2020, , .		0
204	Association between severity of alcohol use disorder and consent to follow up in the emergency department. European Journal of Emergency Medicine, 2021, 28, 72-74.	1.1	0
205	Persistent Symptoms After the First Wave of COVID-19 in Relation to SARS-CoV-2 Serology and Experience of Acute Symptoms: A Nested Survey in a Population-Based Cohort. SSRN Electronic Journal, 0, , .	0.4	Ο
206	Towards quantifying the reciprocal associations between frequency of cannabis use and alcohol consumption: a cross-lagged analysis from the CONSTANCES cohort. BMJ Open, 2022, 12, e052819.	1.9	0
207	Serology Test Results and Other Important Characteristics of Patients With Persistent COVID-19 Symptoms—Reply. JAMA Internal Medicine, 2022, , .	5.1	0