

Guillaume Airagnes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4068672/publications.pdf>

Version: 2024-02-01

64
papers

980
citations

567281

15
h-index

501196

28
g-index

87
all docs

87
docs citations

87
times ranked

1282
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between antidepressant use and reduced risk of intubation or death in hospitalized patients with COVID-19: results from an observational study. <i>Molecular Psychiatry</i> , 2021, 26, 5199-5212.	7.9	183
2	Benzodiazepine Misuse in the Elderly: Risk Factors, Consequences, and Management. <i>Current Psychiatry Reports</i> , 2016, 18, 89.	4.5	124
3	Appropriate training based on Balint groups can improve the empathic abilities of medical students: A preliminary study. <i>Journal of Psychosomatic Research</i> , 2014, 76, 426-429.	2.6	54
4	A comprehensive model of predictors of suicide attempt in heavy drinkers: Results from a national 3-year longitudinal study. <i>Drug and Alcohol Dependence</i> , 2018, 186, 44-52.	3.2	45
5	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. <i>BMC Public Health</i> , 2019, 19, 566.	2.9	40
6	Interventions focusing on psychosocial risk factors for patients with non-chronic low back pain in primary care—a systematic review. <i>Family Practice</i> , 2014, 31, 379-388.	1.9	37
7	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. <i>PLoS ONE</i> , 2019, 14, e0222361.	2.5	37
8	Observational study of haloperidol in hospitalized patients with COVID-19. <i>PLoS ONE</i> , 2021, 16, e0247122.	2.5	35
9	Observational Study of Chlorpromazine in Hospitalized Patients with COVID-19. <i>Clinical Drug Investigation</i> , 2021, 41, 221-233.	2.2	33
10	Subsyndromal and syndromal depressive symptoms among older adults with schizophrenia spectrum disorder: Prevalence and associated factors in a multicenter study. <i>Journal of Affective Disorders</i> , 2019, 251, 60-70.	4.1	31
11	Electronic cigarette use is associated with depressive symptoms among smokers and former smokers: Cross-sectional and longitudinal findings from the Constances cohort. <i>Addictive Behaviors</i> , 2019, 90, 85-91.	3.0	31
12	Alcohol withdrawal syndrome management: Is there anything new?. <i>Revue De Medecine Interne</i> , 2019, 40, 373-379.	1.0	25
13	Abdominal stab wounds: Self-inflicted wounds versus assault wounds. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2013, 20, 270-273.	1.0	20
14	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. <i>PLoS ONE</i> , 2018, 13, e0196330.	2.5	19
15	Daily alcohol consumption and sickness absence in the GAZEL cohort. <i>European Journal of Public Health</i> , 2017, 27, 482-488.	0.3	18
16	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	3.3	16
17	Childhood adversity and depressive symptoms following retirement in the Gazel cohort. <i>Journal of Psychiatric Research</i> , 2016, 82, 80-90.	3.1	13
18	Family history of alcohol use disorder is associated with brain structural and functional changes in healthy first-degree relatives. <i>European Psychiatry</i> , 2019, 62, 107-115.	0.2	12

#	ARTICLE	IF	CITATIONS
19	Risk of Death in Individuals Hospitalized for COVID-19 With and Without Psychiatric Disorders: An Observational Multicenter Study in France. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 56-67.	2.2	12
20	A comprehensive model of predictors of suicide attempt in individuals with panic disorder: Results from a national 3-year prospective study. <i>General Hospital Psychiatry</i> , 2020, 67, 127-135.	2.4	10
21	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort. <i>PLoS ONE</i> , 2020, 15, e0232262.	2.5	10
22	Management of Cardiovascular Health in People with Severe Mental Disorders. <i>Current Cardiology Reports</i> , 2021, 23, 7.	2.9	9
23	Association between benzodiazepine receptor agonist use and mortality in patients hospitalised for COVID-19: a multicentre observational study. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e18.	3.9	9
24	Personality Moderates the Improvement of Depressive Symptoms After Retirement: Evidence from the GAZEL Cohort. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 941-949.	1.2	8
25	Hostility predicts alcohol consumption over a 21-year follow-up in the Gazel cohort. <i>Drug and Alcohol Dependence</i> , 2017, 177, 112-123.	3.2	8
26	Consequences of the new zolpidem prescription regulations: a cohort study from the French national healthcare database. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 89-95.	1.9	8
27	Personality traits are associated with cognitive empathy in medical students but not with its evolution and interventions to improve it. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110410.	2.6	8
28	Homicide and Associated Steroid Acute Psychosis: A Case Report. <i>Case Reports in Medicine</i> , 2011, 2011, 1-4.	0.7	7
29	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	1.6	7
30	Psychiatric consequences of intraoperative awareness: short review and case series. <i>General Hospital Psychiatry</i> , 2015, 37, 94-95.	2.4	6
31	Effort-reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 993-1001.	3.7	6
32	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. <i>American Journal of Public Health</i> , 2019, 109, 119-125.	2.7	6
33	Tobacco-related cardiovascular risk in women: New issues and therapeutic perspectives. <i>Archives of Cardiovascular Diseases</i> , 2021, 114, 694-706.	1.6	5
34	Contributing Factors to Heterogeneity in the Timing of the Onset of Nonfatal Suicidal Behavior. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	5
35	Poor Perceived Health is Associated with Current use of Electronic Cigarette among Current and Former Smokers: Findings from the CONSTANCES Cohort. <i>European Addiction Research</i> , 2019, 25, 310-319.	2.4	4
36	Does substance use explain social differences in terms of depression? Findings from the Constances cohort. <i>Comprehensive Psychiatry</i> , 2020, 102, 152203.	3.1	4

#	ARTICLE	IF	CITATIONS
37	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. <i>Nutrients</i> , 2020, 12, 2700.	4.1	3
38	Predictors of Smoking Cessation Attempt and Continued Abstinence among Low-Income Disabled Smokers: Evidence from the French National Smoking Cessation Cohort CDT-Net. <i>Substance Use and Misuse</i> , 2020, 55, 1724-1731.	1.4	3
39	Changes in benzodiazepine use in the French general population after November 2015 terrorist attacks in Paris: an interrupted time series analysis of the national CONSTANCES cohort. <i>BMJ Open</i> , 2021, 11, e044891.	1.9	3
40	The use of electronic cigarette by smokers and ex-smokers is associated with a poor perceived health status in the population-based Constances cohort. , 2018, , .		3
41	Do the associations between the use of electronic cigarettes and smoking reduction or cessation attempt persist after several years of use? Longitudinal analyses in smokers of the CONSTANCES cohort. <i>Addictive Behaviors</i> , 2021, 117, 106843.	3.0	2
42	L'insight des spécificités dans la schizophrénie. <i>Perspectives Psy</i> , 2012, 51, 14-21.	0.1	2
43	Work Conditions are Associated with Alcohol Use after Taking into Account Life Conditions Outside of Work: Findings from a French Occupational Health Service. <i>Substance Use and Misuse</i> , 2021, 56, 2259-2263.	1.4	2
44	Pertinence du placebo dans les stratégies thérapeutiques des troubles psychiatriques. <i>Perspectives Psy</i> , 2013, 52, 321-325.	0.1	2
45	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort. <i>Scientific Reports</i> , 2022, 12, 661.	3.3	2
46	Early liaison psychiatry consultations and general hospital readmission: A retrospective cohort study. <i>General Hospital Psychiatry</i> , 2022, 77, 29-36.	2.4	2
47	Tomodensitometric survey of the distance between thoracic and abdominal vital organs and the wall according to BMI, abdominal diameter and gender: Proposition of an indicative chart for the forensic activities. <i>Forensic Science International</i> , 2013, 229, 167.e1-167.e6.	2.2	1
48	The contribution of Micro-CT to the evaluation of trabecular bone at the posterior part of the auricular surface in men. <i>International Journal of Legal Medicine</i> , 2018, 132, 1231-1239.	2.2	1
49	The role of being a former smoker in the association between electronic cigarette and alcohol use. <i>Addiction</i> , 2021, 116, 973-975.	3.3	1
50	Sociodemographic and Clinical Characteristics of Vapers Using E-Cigarettes Exclusively: The French Vapoquid Study. <i>Substance Use and Misuse</i> , 2021, 56, 1-9.	1.4	1
51	L'origine du placebo. <i>Perspectives Psy</i> , 2013, 52, 314-320.	0.1	1
52	Existence des facteurs de vulnérabilité psychologique au fait d'être victime de violence ?. <i>European Psychiatry</i> , 2014, 29, 627-628.	0.2	0
53	Douleur chronique: la place du psychiatre. <i>Annales Medico-Psychologiques</i> , 2014, 172, 146-153.	0.4	0
54	Addiction au travail: quels facteurs organisationnels favorisant et quelle prise en charge individuelle et collective?. <i>European Psychiatry</i> , 2015, 30, S3-S3.	0.2	0

#	ARTICLE	IF	CITATIONS
55	PMH5 - HELP-SEEKING BEHAVIOR AND RISK OF SUICIDE ATTEMPT IN HEAVY DRINKERS: RESULTS FROM A NATIONAL 3-YEAR LONGITUDINAL STUDY. Value in Health, 2018, 21, S276-S277.	0.3	0
56	Does a standardized screening for alcohol use disorder at the Emergency Department inform the risk of repeated ED visit?. General Hospital Psychiatry, 2021, 69, 115-116.	2.4	0
57	Group Support for Smoking Cessation: Importance of the Smoker's Choice for Better Outcomes. Behaviour Change, 2021, 38, 208-220.	1.3	0
58	Alcohol use disorder severity and readiness to change: The moderating roles of sex, age and referral to treatment in at-risk alcohol users visiting the emergency department. General Hospital Psychiatry, 2021, 73, 133-134.	2.4	0
59	Le placebo, quel rôle dans la recherche clinique ?. Perspectives Psy, 2013, 52, 326-331.	0.1	0
60	l'usage des benzodiazépines : quelle concertation pharmacienpsychiatre ?. French Journal of Psychiatry, 2018, 1, S96.	0.1	0
61	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat intake. European Journal of Public Health, 2021, 31, .	0.3	0
62	Association between severity of alcohol use disorder and consent to follow up in the emergency department. European Journal of Emergency Medicine, 2021, 28, 72-74.	1.1	0
63	Towards quantifying the reciprocal associations between frequency of cannabis use and alcohol consumption: a cross-lagged analysis from the CONSTANCES cohort. BMJ Open, 2022, 12, e052819.	1.9	0
64	Cannabis Use Increases the Risk of Sickness Absence: Longitudinal Analyses From the CONSTANCES Cohort. Frontiers in Public Health, 2022, 10, .	2.7	0