

Guillaume Airagnes

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4068672/publications.pdf>

Version: 2024-02-01

64
papers

980
citations

567281

15
h-index

501196

28
g-index

87
all docs

87
docs citations

87
times ranked

1282
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of Death in Individuals Hospitalized for COVID-19 With and Without Psychiatric Disorders: An Observational Multicenter Study in France. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 56-67.	2.2	12
2	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort. <i>Scientific Reports</i> , 2022, 12, 661.	3.3	2
3	Towards quantifying the reciprocal associations between frequency of cannabis use and alcohol consumption: a cross-lagged analysis from the CONSTANCES cohort. <i>BMJ Open</i> , 2022, 12, e052819.	1.9	0
4	Association between benzodiazepine receptor agonist use and mortality in patients hospitalised for COVID-19: a multicentre observational study. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e18.	3.9	9
5	Early liaison psychiatry consultations and general hospital readmission: A retrospective cohort study. <i>General Hospital Psychiatry</i> , 2022, 77, 29-36.	2.4	2
6	Cannabis Use Increases the Risk of Sickness Absence: Longitudinal Analyses From the CONSTANCES Cohort. <i>Frontiers in Public Health</i> , 2022, 10, .	2.7	0
7	Does a standardized screening for alcohol use disorder at the Emergency Department inform the risk of repeated ED visit?. <i>General Hospital Psychiatry</i> , 2021, 69, 115-116.	2.4	0
8	The role of being a former smoker in the association between electronic cigarette and alcohol use. <i>Addiction</i> , 2021, 116, 973-975.	3.3	1
9	Management of Cardiovascular Health in People with Severe Mental Disorders. <i>Current Cardiology Reports</i> , 2021, 23, 7.	2.9	9
10	Observational Study of Chlorpromazine in Hospitalized Patients with COVID-19. <i>Clinical Drug Investigation</i> , 2021, 41, 221-233.	2.2	33
11	Observational study of haloperidol in hospitalized patients with COVID-19. <i>PLoS ONE</i> , 2021, 16, e0247122.	2.5	35
12	Association between antidepressant use and reduced risk of intubation or death in hospitalized patients with COVID-19: results from an observational study. <i>Molecular Psychiatry</i> , 2021, 26, 5199-5212.	7.9	183
13	Personality traits are associated with cognitive empathy in medical students but not with its evolution and interventions to improve it. <i>Journal of Psychosomatic Research</i> , 2021, 144, 110410.	2.6	8
14	Do the associations between the use of electronic cigarettes and smoking reduction or cessation attempt persist after several years of use? Longitudinal analyses in smokers of the CONSTANCES cohort. <i>Addictive Behaviors</i> , 2021, 117, 106843.	3.0	2
15	Group Support for Smoking Cessation: Importance of the Smoker's Choice for Better Outcomes. <i>Behaviour Change</i> , 2021, 38, 208-220.	1.3	0
16	Changes in benzodiazepine use in the French general population after November 2015 terrorist attacks in Paris: an interrupted time series analysis of the national CONSTANCES cohort. <i>BMJ Open</i> , 2021, 11, e044891.	1.9	3
17	Alcohol use disorder severity and readiness to change: The moderating roles of sex, age and referral to treatment in at-risk alcohol users visiting the emergency department. <i>General Hospital Psychiatry</i> , 2021, 73, 133-134.	2.4	0
18	Sociodemographic and Clinical Characteristics of Vapers Using E-Cigarettes Exclusively: The French Vapoquid Study. <i>Substance Use and Misuse</i> , 2021, 56, 1-9.	1.4	1

#	ARTICLE	IF	CITATIONS
19	Tobacco-related cardiovascular risk in women: New issues and therapeutic perspectives. Archives of Cardiovascular Diseases, 2021, 114, 694-706.	1.6	5
20	Work Conditions are Associated with Alcohol Use after Taking into Account Life Conditions Outside of Work: Findings from a French Occupational Health Service. Substance Use and Misuse, 2021, 56, 2259-2263.	1.4	2
21	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat intake. European Journal of Public Health, 2021, 31, .	0.3	0
22	Association between severity of alcohol use disorder and consent to follow up in the emergency department. European Journal of Emergency Medicine, 2021, 28, 72-74.	1.1	0
23	Consequences of the new zolpidem prescription regulations: a cohort study from the French national healthcare database. European Journal of Clinical Pharmacology, 2020, 76, 89-95.	1.9	8
24	Does substance use explain social differences in terms of depression? Findings from the Constances cohort. Comprehensive Psychiatry, 2020, 102, 152203.	3.1	4
25	A comprehensive model of predictors of suicide attempt in individuals with panic disorder: Results from a national 3-year prospective study. General Hospital Psychiatry, 2020, 67, 127-135.	2.4	10
26	Dietary Restrictions and Depressive Symptoms: Longitudinal Results from the Constances Cohort. Nutrients, 2020, 12, 2700.	4.1	3
27	Predictors of Smoking Cessation Attempt and Continued Abstinence among Low-Income Disabled Smokers: Evidence from the French National Smoking Cessation Cohort CDT-Net. Substance Use and Misuse, 2020, 55, 1724-1731.	1.4	3
28	Association between unemployment and the co-occurrence and clustering of common risky health behaviors: Findings from the Constances cohort. PLoS ONE, 2020, 15, e0232262.	2.5	10
29	Contributing Factors to Heterogeneity in the Timing of the Onset of Nonfatal Suicidal Behavior. Journal of Clinical Psychiatry, 2020, 81, .	2.2	5
30	Poor Perceived Health is Associated with Current use of Electronic Cigarette among Current and Former Smokers: Findings from the CONSTANCES Cohort. European Addiction Research, 2019, 25, 310-319.	2.4	4
31	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. PLoS ONE, 2019, 14, e0222361.	2.5	37
32	Family history of alcohol use disorder is associated with brain structural and functional changes in healthy first-degree relatives. European Psychiatry, 2019, 62, 107-115.	0.2	12
33	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. BMC Public Health, 2019, 19, 566.	2.9	40
34	Alcohol withdrawal syndrome management: Is there anything new?. Revue De Medecine Interne, 2019, 40, 373-379.	1.0	25
35	Subsyndromal and syndromal depressive symptoms among older adults with schizophrenia spectrum disorder: Prevalence and associated factors in a multicenter study. Journal of Affective Disorders, 2019, 251, 60-70.	4.1	31
36	Effort-reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. Journal of Epidemiology and Community Health, 2019, 73, 993-1001.	3.7	6

#	ARTICLE	IF	CITATIONS
37	Electronic cigarette use is associated with depressive symptoms among smokers and former smokers: Cross-sectional and longitudinal findings from the Constances cohort. <i>Addictive Behaviors</i> , 2019, 90, 85-91.	3.0	31
38	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. <i>American Journal of Public Health</i> , 2019, 109, 119-125.	2.7	6
39	The contribution of Micro-CT to the evaluation of trabecular bone at the posterior part of the auricular surface in men. <i>International Journal of Legal Medicine</i> , 2018, 132, 1231-1239.	2.2	1
40	Sociodemographic Differences Between Alcohol Use and Sickness Absence: Pooled Analysis of Four Cohort Studies. <i>Alcohol and Alcoholism</i> , 2018, 53, 95-103.	1.6	7
41	A comprehensive model of predictors of suicide attempt in heavy drinkers: Results from a national 3-year longitudinal study. <i>Drug and Alcohol Dependence</i> , 2018, 186, 44-52.	3.2	45
42	PMH5 - HELP-SEEKING BEHAVIOR AND RISK OF SUICIDE ATTEMPT IN HEAVY DRINKERS: RESULTS FROM A NATIONAL 3-YEAR LONGITUDINAL STUDY. <i>Value in Health</i> , 2018, 21, S276-S277.	0.3	0
43	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. <i>PLoS ONE</i> , 2018, 13, e0196330.	2.5	19
44	Sickness absence diagnoses among abstainers, low-risk drinkers and at-risk drinkers: consideration of the U-shaped association between alcohol use and sickness absence in four cohort studies. <i>Addiction</i> , 2018, 113, 1633-1642.	3.3	16
45	The use of electronic cigarette by smokers and ex-smokers is associated with a poor perceived health status in the population-based Constances cohort. , 2018, , .		3
46	l'usage des benzodiazépines : quelle concertation pharmacienpsychiatre ?. <i>French Journal of Psychiatry</i> , 2018, 1, S96.	0.1	0
47	Hostility predicts alcohol consumption over a 21-year follow-up in the Gazel cohort. <i>Drug and Alcohol Dependence</i> , 2017, 177, 112-123.	3.2	8
48	Daily alcohol consumption and sickness absence in the GAZEL cohort. <i>European Journal of Public Health</i> , 2017, 27, 482-488.	0.3	18
49	Childhood adversity and depressive symptoms following retirement in the Gazel cohort. <i>Journal of Psychiatric Research</i> , 2016, 82, 80-90.	3.1	13
50	Benzodiazepine Misuse in the Elderly: Risk Factors, Consequences, and Management. <i>Current Psychiatry Reports</i> , 2016, 18, 89.	4.5	124
51	Psychiatric consequences of intraoperative awareness: short review and case series. <i>General Hospital Psychiatry</i> , 2015, 37, 94-95.	2.4	6
52	Personality Moderates the Improvement of Depressive Symptoms After Retirement: Evidence from the GAZEL Cohort. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 941-949.	1.2	8
53	Addiction au travail : quels facteurs organisationnels favorisant et quelle prise en charge individuelle et collective?. <i>European Psychiatry</i> , 2015, 30, S3-S3.	0.2	0
54	Appropriate training based on Balint groups can improve the empathic abilities of medical students: A preliminary study. <i>Journal of Psychosomatic Research</i> , 2014, 76, 426-429.	2.6	54

#	ARTICLE	IF	CITATIONS
55	Interventions focusing on psychosocial risk factors for patients with non-chronic low back pain in primary care—a systematic review. <i>Family Practice</i> , 2014, 31, 379-388.	1.9	37
56	Existe-t-il des facteurs de vulnérabilité psychologique au fait d'être victime de violence ?. <i>European Psychiatry</i> , 2014, 29, 627-628.	0.2	0
57	Douleur chronique: la place du psychiatre. <i>Annales Medico-Psychologiques</i> , 2014, 172, 146-153.	0.4	0
58	Tomodensitometric survey of the distance between thoracic and abdominal vital organs and the wall according to BMI, abdominal diameter and gender: Proposition of an indicative chart for the forensic activities. <i>Forensic Science International</i> , 2013, 229, 167.e1-167.e6.	2.2	1
59	Abdominal stab wounds: Self-inflicted wounds versus assault wounds. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2013, 20, 270-273.	1.0	20
60	Pertinence du placebo dans les stratégies thérapeutiques des troubles psychiatriques. <i>Perspectives Psy</i> , 2013, 52, 321-325.	0.1	2
61	L'origine du placebo. <i>Perspectives Psy</i> , 2013, 52, 314-320.	0.1	1
62	Le placebo, quel rôle dans la recherche clinique ?. <i>Perspectives Psy</i> , 2013, 52, 326-331.	0.1	0
63	L'insight et ses spécificités dans la schizophrénie. <i>Perspectives Psy</i> , 2012, 51, 14-21.	0.1	2
64	Homicide and Associated Steroid Acute Psychosis: A Case Report. <i>Case Reports in Medicine</i> , 2011, 2011, 1-4.	0.7	7