
## Masao Uchida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4069514/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Surface displacement induced by seasonal ground thaw, measured by synthetic aperture radar in the Daisetsu Mountains, Japan. Journal of the Japanese Society of Snow and Ice, 2022, 84, 13-27.	0.1	0
2	Projections of surface air temperature required to sustain permafrost and importance of adaptation to climate change in the Daisetsu Mountains, Japan. Scientific Reports, 2021, 11, 15518.	3.3	7
3	Response and feedback of the Indian summer monsoon and the Southern Westerly Winds to a temperature contrast between the hemispheres during the last glacial–interglacial transitional period. Earth-Science Reviews, 2019, 197, 102917.	9.1	10
4	Signs of biological activities of 28,000-year-old mammoth nuclei in mouse oocytes visualized by live-cell imaging. Scientific Reports, 2019, 9, 4050.	3.3	25
5	The respective characteristics of millennial-scale changes of the India summer monsoon in the Holocene and the Last Glacial. Palaeogeography, Palaeoclimatology, Palaeoecology, 2018, 496, 155-165.	2.3	9
6	Distinctive Roles of Two Aggregate Binding Agents in Allophanic Andisols: Young Carbon and Poorly-Crystalline Metal Phases with Old Carbon. Soil Systems, 2018, 2, 29.	2.6	24
7	Organic Carbon Aging During Acrossâ€Shelf Transport. Geophysical Research Letters, 2018, 45, 8425-8434.	4.0	43
8	Radiocarbon age differences between benthic-planktonic foraminifera in sediment cores from the Shatsky Rise, central North Pacific. Journal of the Sedimentological Society of Japan, 2017, 76, 17-27.	0.3	1
9	InSAR Detection and Field Evidence for Thermokarst after a Tundra Wildfire, Using ALOS-PALSAR. Remote Sensing, 2016, 8, 218.	4.0	40
10	Geomorphological and geochemistry changes in permafrost after the 2002 tundra wildfire in Kougarok, Seward Peninsula, Alaska. Journal of Geophysical Research F: Earth Surface, 2016, 121, 1697-1715.	2.8	20
11	Intensification of North Pacific intermediate water ventilation during the Younger Dryas. Geo-Marine Letters, 2016, 36, 353-360.	1.1	5
12	Diffusive summer methane flux from lakes to the atmosphere in the Alaskan arctic zone. Polar Science, 2016, 10, 303-311.	1.2	7
13	Response of the Bering Sea to 11â€year solar irradiance cycles during the BÃ,llingâ€AllerÃ,d. Geophysical Research Letters, 2014, 41, 2892-2898.	4.0	5
14	Increasing summer rainfall in arid eastern-Central Asia over the past 8500 years. Scientific Reports, 2014, 4, 5279.	3.3	99
15	Enhanced modern carbon and biogenic organic tracers in Northeast Asian aerosols during spring/summer. Journal of Geophysical Research D: Atmospheres, 2013, 118, 2362-2371.	3.3	43
16	An interlaboratory study of TEX <sub>86</sub> and BIT analysis of sediments, extracts, and standard mixtures. Geochemistry, Geophysics, Geosystems, 2013, 14, 5263-5285.	2.5	76
17	Variation of Δ <sup>14</sup> C and δ <sup>13</sup> C Values of Dissolved Humic and Fulvic Acids in the Tokachi River System in Northern Japan. Radiocarbon, 2013, 55, 1007-1016.	1.8	2
18	Variation of Δ14C and Î′13C Values of Dissolved Humic and Fulvic Acids in the Tokachi River System in Northern Japan. Radiocarbon, 2013, 55, .	1.8	0

Masao Uchida

#	Article	IF	CITATIONS
19	Abrupt changes of intermediate water properties on the northeastern slope of the Bering Sea during the last glacial and deglacial period. Paleoceanography, 2012, 27, .	3.0	50
20	High Contribution of Recalcitrant Organic Matter to DOC in a Japanese Oligotrophic Lake Revealed by 14C Measurements. Radiocarbon, 2010, 52, 1078-1083.	1.8	6
21	High organic carbon deposition in the northern margin of the Aleutian Basin (Bering Sea) before the last deglaciation. Ocean Science Journal, 2010, 45, 203-211.	1.3	14
22	Effects of Vegetation Switch and Subsequent Change in Soil Invertebrate Composition on Soil Carbon Accumulation Patterns, Revealed by Radiocarbon Concentrations. Radiocarbon, 2010, 52, 1471-1486.	1.8	15
23	Spatial Distribution of Δ <sup>14</sup> C Values of Organic Matter in Surface Sediments Off Saru River in Northern Japan, One Year After a Flood Event in 2006. Radiocarbon, 2010, 52, 1068-1077.	1.8	0
24	Contributions of modern and dead organic carbon to individual fatty acid homologues in spring aerosols collected from northern Japan. Journal of Geophysical Research, 2010, 115, .	3.3	10
25	Ecological variations in diatom assemblages in the Paleo-Kathmandu Lake linked with global and Indian monsoon climate changes for the last 600,000Âyears. Quaternary Research, 2009, 72, 377-387.	1.7	13
26	Late Pleistocene stratigraphy and palaeoceanographic implications in northern Bering Sea slope sediments: evidence from the radiolarian species <i>Cycladophora davisiana</i> . Journal of Quaternary Science, 2009, 24, 856-865.	2.1	42
27	An interlaboratory study of TEX <sub>86</sub> and BIT analysis using highâ€performance liquid chromatography–mass spectrometry. Geochemistry, Geophysics, Geosystems, 2009, 10, .	2.5	52
28	Organic carbon and microbial biomass in a raised beach deposit under terrestrial vegetation in the High Arctic, Ny-Ãlesund, Svalbard. Polar Research, 2008, 27, 23-27.	1.6	12
29	Age discrepancy between molecular biomarkers and calcareous foraminifera isolated from the same horizons of Northwest Pacific sediments. Chemical Geology, 2005, 218, 73-89.	3.3	34
30	Northward and southward migrations of frontal zones during the past 40 kyr in the Kuroshio-Oyashio transition area. Geochemistry, Geophysics, Geosystems, 2004, 5, n/a-n/a.	2.5	43
31	Compound-Specific Radiocarbon Ages of Fatty Acids in Marine Sediments from the Western North Pacific. Radiocarbon, 2001, 43, 949-956.	1.8	35