

# Alaide Chieffo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4074118/publications.pdf>

Version: 2024-02-01

394  
papers

30,697  
citations

7568

77  
h-index

5539

163  
g-index

406  
all docs

406  
docs citations

406  
times ranked

18331  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. European Heart Journal, 2020, 41, 407-477.  | 2.2  | 4,210     |
| 2  | 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. European Heart Journal, 2021, 42, 1289-1367.   | 2.2  | 3,048     |
| 3  | Incidence, Predictors, and Outcome of Thrombosis After Successful Implantation of Drug-Eluting Stents. JAMA - Journal of the American Medical Association, 2005, 293, 2126.   | 7.4  | 2,769     |
| 4  | Anatomical and clinical characteristics to guide decision making between coronary artery bypass surgery and percutaneous coronary intervention for individual patients: development and validation of SYNTAX score II. Lancet, The, 2013, 381, 639-650.   | 13.7 | 679       |
| 5  | Cessation of dual antiplatelet treatment and cardiac events after percutaneous coronary intervention (PARIS): 2 year results from a prospective observational study. Lancet, The, 2013, 382, 1714-1722.   | 13.7 | 537       |
| 6  | The Lancet women and cardiovascular disease Commission: reducing the global burden by 2030. Lancet, The, 2021, 397, 2385-2438.  | 13.7 | 530       |
| 7  | Coronary Thrombosis and Major Bleeding After PCI With Drug-Eluting Stents. Journal of the American College of Cardiology, 2016, 67, 2224-2234.  | 2.8  | 445       |
| 8  | Incidence and Predictors of Drug-Eluting Stent Thrombosis During and After Discontinuation of Thienopyridine Treatment. Circulation, 2007, 116, 745-754.  | 1.6  | 430       |
| 9  | Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. Lancet, The, 2019, 394, 1325-1334.   | 13.7 | 406       |
| 10 | Second-Generation Drug-Eluting Stent Implantation Followed by 6- Versus 12-Month Dual Antiplatelet Therapy. Journal of the American College of Cardiology, 2014, 64, 2086-2097.   | 2.8  | 388       |
| 11 | An EAPCI Expert Consensus Document on Ischaemia with Non-Obstructive Coronary Arteries in Collaboration with European Society of Cardiology Working Group on Coronary Pathophysiology & Microcirculation Endorsed by Coronary Vasomotor Disorders International Study Group. European Heart Journal, 2020, 41, 3504-3520. | 2.2  | 385       |
| 12 | ST-Elevation Myocardial Infarction in Patients With COVID-19. Circulation, 2020, 141, 2113-2116.  | 1.6  | 376       |
| 13 | Early and Mid-Term Results of Drug-Eluting Stent Implantation in Unprotected Left Main. Circulation, 2005, 111, 791-795.  | 1.6  | 358       |
| 14 | Clinical and Angiographic Outcome After Implantation of Drug-Eluting Stents in Bifurcation Lesions With the Crush Stent Technique. Journal of the American College of Cardiology, 2005, 46, 613-620.  | 2.8  | 320       |
| 15 | Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. Journal of the American College of Cardiology, 2016, 68, 1851-1864.   | 2.8  | 319       |
| 16 | Percutaneous Treatment With Drug-Eluting Stent Implantation Versus Bypass Surgery for Unprotected Left Main Stenosis. Circulation, 2006, 113, 2542-2547.  | 1.6  | 287       |
| 17 | In-stent restenosis in small coronary arteries. Journal of the American College of Cardiology, 2002, 40, 403-409.   | 2.8  | 244       |
| 18 | Treating chronic total occlusions using subintimal tracking and reentry: The STAR Technique. Catheterization and Cardiovascular Interventions, 2005, 64, 407-411.   | 1.7  | 243       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Modified T-stenting technique with crushing for bifurcation lesions: Immediate results and 30-day outcome. Catheterization and Cardiovascular Interventions, 2003, 60, 145-151.   | 1.7  | 237       |
| 20 | Long-Term Outcomes After Stenting of Bifurcation Lesions With the “Crush” Technique. Journal of the American College of Cardiology, 2006, 47, 1949-1958.  | 2.8  | 228       |
| 21 | Novel Approaches for Preventing or Limiting Events (Naples) II Trial. Journal of the American College of Cardiology, 2009, 54, 2157-2163.   | 2.8  | 223       |
| 22 | Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. Lancet, The, 2018, 392, 835-848. | 13.7 | 215       |
| 23 | Percutaneous coronary intervention for coronary bifurcation disease: consensus from the first 10 years of the European Bifurcation Club meetings. EuroIntervention, 2014, 10, 545-560.  | 3.2  | 213       |
| 24 | A prospective, randomized trial of intravascular-ultrasound guided compared to angiography guided stent implantation in complex coronary lesions: The AVIO trial. American Heart Journal, 2013, 165, 65-72.   | 2.7  | 212       |
| 25 | Incidence, Predictors, and Implications of Access Site Complications With Transfemoral Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2012, 110, 1361-1367.   | 1.6  | 210       |
| 26 | Results and Long-Term Predictors of Adverse Clinical Events After Elective Percutaneous Interventions on Unprotected Left Main Coronary Artery. Circulation, 2002, 106, 698-702.  | 1.6  | 199       |
| 27 | First Clinical Experience With a Paclitaxel Derivate “Eluting Polymer Stent System Implantation for In-Stent Restenosis. Circulation, 2002, 105, 1883-1886.   | 1.6  | 188       |
| 28 | Percutaneous coronary intervention for the left main stem and other bifurcation lesions: 12th consensus document from the European Bifurcation Club. EuroIntervention, 2018, 13, 1540-1553.   | 3.2  | 185       |
| 29 | Favorable Long-Term Outcome After Drug-Eluting Stent Implantation in Nonbifurcation Lesions That Involve Unprotected Left Main Coronary Artery. Circulation, 2007, 116, 158-162.  | 1.6  | 182       |
| 30 | Percutaneous coronary intervention for coronary bifurcation disease: 11th consensus document from the European Bifurcation Club. EuroIntervention, 2016, 12, 38-46.   | 3.2  | 181       |
| 31 | Transcatheter Aortic Valve Implantation With the Edwards SAPIEN Versus the Medtronic CoreValve Revalving System Devices. Journal of the American College of Cardiology, 2013, 61, 830-836.  | 2.8  | 176       |
| 32 | A Bicuspid Aortic Valve Imaging Classification for the TAVR Era. JACC: Cardiovascular Imaging, 2016, 9, 1145-1158.  | 5.3  | 174       |
| 33 | A collaborative systematic review and meta-analysis on 1278 patients undergoing percutaneous drug-eluting stenting for unprotected left main coronary artery disease. American Heart Journal, 2008, 155, 274-283.                                     | 2.7  | 170       |
| 34 | Incidence, Predictors, Management, Immediate and Long-Term Outcomes Following Grade III Coronary Perforation. JACC: Cardiovascular Interventions, 2011, 4, 87-95.   | 2.9  | 170       |
| 35 | Preliminary Observations Regarding Angiographic Pattern of Restenosis After Rapamycin-Eluting Stent Implantation. Circulation, 2003, 107, 2178-2180.  | 1.6  | 168       |
| 36 | Machine learning-based prediction of adverse events following an acute coronary syndrome (PRAISE): a modelling study of pooled datasets. Lancet, The, 2021, 397, 199-207.   | 13.7 | 164       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Longest Available Clinical Outcomes After Drug-Eluting Stent Implantation for Unprotected Left Main Coronary Artery Disease. Journal of the American College of Cardiology, 2008, 51, 2212-2219.  | 2.8  | 160       |
| 38 | Percutaneous coronary intervention for bifurcation coronary lesions: the 15 <sup>th</sup> consensus document from the European Bifurcation Club. EuroIntervention, 2021, 16, 1307-1317.   | 3.2  | 147       |
| 39 | Treatment of saphenous vein graft lesions with drug-eluting stents. Journal of the American College of Cardiology, 2005, 45, 989-994.   | 2.8  | 142       |
| 40 | Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11473 patients. European Heart Journal, 2017, 38, ehw627. | 2.2  | 138       |
| 41 | 5-Year Outcomes Following Percutaneous Coronary Intervention With Drug-Eluting Stent Implantation Versus Coronary Artery Bypass Graft for Unprotected Left Main Coronary Artery Lesions. JACC: Cardiovascular Interventions, 2010, 3, 595-601.  | 2.9  | 136       |
| 42 | Cardiovascular health after menopause transition, pregnancy disorders, and other gynaecologic conditions: a consensus document from European cardiologists, gynaecologists, and endocrinologists. European Heart Journal, 2021, 42, 967-984.  | 2.2  | 136       |
| 43 | Immediate and mid-term outcomes of sirolimus-eluting stent implantation for chronic total occlusions. European Heart Journal, 2005, 26, 1056-1062.  | 2.2  | 133       |
| 44 | Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management. Journal of the American College of Cardiology, 2017, 69, 2592-2603.   | 2.8  | 132       |
| 45 | Effects of hydroxymethylglutaryl coenzyme A reductase inhibitor simvastatin on smooth muscle cell proliferation in vitro and neointimal formation in vivo after vascular injury. Journal of the American College of Cardiology, 2000, 35, 214-221.  | 2.8  | 129       |
| 46 | Safety and efficacy of drug-eluting stents in women: a patient-level pooled analysis of randomised trials. Lancet, The, 2013, 382, 1879-1888.   | 13.7 | 127       |
| 47 | Predictors of moderate-to-severe paravalvular aortic regurgitation immediately after corevalve implantation and the impact of postdilatation. Catheterization and Cardiovascular Interventions, 2011, 78, 432-443.  | 1.7  | 125       |
| 48 | Outcomes After Transcatheter Aortic Valve Implantation With Both Edwards-SAPIEN and CoreValve Devices in a Single Center. JACC: Cardiovascular Interventions, 2010, 3, 1110-1121.   | 2.9  | 124       |
| 49 | Drug-Eluting Stent for Left Main Coronary Artery Disease. JACC: Cardiovascular Interventions, 2012, 5, 718-727.   | 2.9  | 121       |
| 50 | The European bifurcation club Left Main Coronary Stent study: a randomized comparison of stepwise provisional vs. systematic dual stenting strategies (EBC MAIN). European Heart Journal, 2021, 42, 3829-3839.  | 2.2  | 119       |
| 51 | Comparison of Incidence and Predictors of Left Bundle Branch Block After Transcatheter Aortic Valve Implantation Using the CoreValve Versus the Edwards Valve. American Journal of Cardiology, 2013, 112, 554-559.  | 1.6  | 118       |
| 52 | Adverse impact of bleeding and transfusion on the outcome post-transcatheter aortic valve implantation: Insights from the Pooled-Rotterdam-Milano-Toulouse In Collaboration Plus (PRAGMATIC) Tj ETQq0 0.7gBT /Over 10 T   | 0.7  | 117       |
| 53 | Transcatheter vs surgical aortic valve replacement in intermediate-surgical-risk patients with aortic stenosis: A propensity score-matched case-control study. American Heart Journal, 2012, 164, 910-917.  | 2.7  | 111       |
| 54 | Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. Journal of the American College of Cardiology, 2017, 69, 2011-2022.   | 2.8  | 109       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Racial Differences in Ischaemia/Bleeding Risk Trade-Off during Anti-Platelet Therapy: Individual Patient Level Landmark Meta-Analysis from Seven RCTs. <i>Thrombosis and Haemostasis</i> , 2019, 119, 149-162.   | 3.4 | 107       |
| 56 | EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. <i>European Heart Journal</i> , 2020, 41, 1839-1851.   | 2.2 | 106       |
| 57 | Effects of Balloon Injury on Neointimal Hyperplasia in Streptozotocin-Induced Diabetes and in Hyperinsulinemic Nondiabetic Pancreatic Isletâ€“Transplanted Rats. <i>Circulation</i> , 2001, 103, 2980-2986.  | 1.6 | 104       |
| 58 | Incidence, predictors, in-hospital, and late outcomes of coronary artery perforations. <i>American Journal of Cardiology</i> , 2004, 93, 213-216.  | 1.6 | 103       |
| 59 | Multiple Overlapping Drug-Eluting Stents to Treat Diffuse Disease of the Left Anterior Descending Coronary Artery. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1570-1573.   | 2.8 | 103       |
| 60 | The EBC TWO Study (European Bifurcation Coronary TWO). <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .   | 3.9 | 102       |
| 61 | Consensus from the 7th European Bifurcation Club meeting. <i>EuroIntervention</i> , 2013, 9, 36-45.  | 3.2 | 102       |
| 62 | Current management of left main coronary artery disease. <i>European Heart Journal</i> , 2012, 33, 36-50.  | 2.2 | 100       |
| 63 | Late and very late stent thrombosis following drug-eluting stent implantation in unprotected left main coronary artery: a multicentre registry. <i>European Heart Journal</i> , 2008, 29, 2108-2115.   | 2.2 | 99        |
| 64 | Clinical and angiographic outcome after sirolimus-eluting stent implantation in aorto-ostial lesions. <i>Journal of the American College of Cardiology</i> , 2004, 44, 967-971.  | 2.8 | 97        |
| 65 | Percutaneous coronary intervention in left main coronary artery disease: the 13th consensus document from the European Bifurcation Club. <i>EuroIntervention</i> , 2018, 14, 112-120.  | 3.2 | 94        |
| 66 | Drug-Eluting Stent Restenosis. <i>Journal of the American College of Cardiology</i> , 2006, 47, 2399-2404.   | 2.8 | 92        |
| 67 | Incidence, Management, and Outcomes of Cardiac Tamponade During Transcatheter Aortic Valve Implantation. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 1264-1272.   | 2.9 | 91        |
| 68 | Incidence and outcomes of emergent cardiac surgery during transfemoral transcatheter aortic valve implantation (TAVI): insights from the European Registry on Emergent Cardiac Surgery during TAVI (EuRECS-TAVI). <i>European Heart Journal</i> , 2018, 39, 676-684. | 2.2 | 91        |
| 69 | Incidence, predictors, and outcomes of coronary dissections left untreated after drug-eluting stent implantationâ€“. <i>European Heart Journal</i> , 2006, 27, 540-546.  | 2.2 | 89        |
| 70 | Intraprocedural Stent Thrombosis During Implantation of Sirolimus-Eluting Stents. <i>Circulation</i> , 2004, 109, 2732-2736.   | 1.6 | 88        |
| 71 | Treatment of multivessel coronary artery disease with sirolimus-eluting stent implantation: immediate and mid-term results. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1154-1160.  | 2.8 | 88        |
| 72 | Gadolinium-based contrast agents and nephrotoxicity in patients undergoing coronary artery procedures. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 67, 175-180.  | 1.7 | 88        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Dual Antiplatelet Therapy After Percutaneous Coronary Intervention With Stent Implantation in Patients Taking Chronic Oral Anticoagulation. JACC: Cardiovascular Interventions, 2008, 1, 56-61.  | 2.9 | 85        |
| 74 | Acute and 30-Day Outcomes in Women After TAVR. JACC: Cardiovascular Interventions, 2016, 9, 1589-1600.   | 2.9 | 85        |
| 75 | Routine Screening of Coronary Artery Disease With Computed Tomographic Coronary Angiography in Place of Invasive Coronary Angiography in Patients Undergoing Transcatheter Aortic Valve Replacement. Circulation: Cardiovascular Interventions, 2015, 8, e002025.        | 3.9 | 80        |
| 76 | The role of sex on VARC outcomes following transcatheter aortic valve implantation with both Edwards SAPIEN <sup>3</sup> and Medtronic CoreValve ReValving System <sup>®</sup> devices: the Milan registry. EuroIntervention, 2011, 7, 556-563.                          | 3.2 | 80        |
| 77 | Repeated drug-eluting stent implantation for drug-eluting stent restenosis: The same or a different stent. American Heart Journal, 2007, 153, 354-359.   | 2.7 | 79        |
| 78 | Comparison of Results of Transcatheter Aortic Valve Implantation in Patients With Severely Stenotic Bicuspid Versus Tricuspid or Nonbicuspid Valves. American Journal of Cardiology, 2014, 113, 1390-1393.   | 1.6 | 79        |
| 79 | Rotational atherectomy followed by drug-eluting stent implantation in calcified coronary lesions. EuroIntervention, 2009, 5, 370-374.  | 3.2 | 78        |
| 80 | Impact of preoperative chronic kidney disease on short- and long-term outcomes after transcatheter aortic valve implantation: A Pooled-Rotterdam-Milano-Toulouse In Collaboration Plus (PRAGMATIC-Plus) initiative substudy. American Heart Journal, 2013, 165, 752-760. | 2.7 | 77        |
| 81 | 1-Year Clinical Outcomes in Women After Transcatheter Aortic Valve Replacement. JACC: Cardiovascular Interventions, 2018, 11, 1-12.  | 2.9 | 77        |
| 82 | Predictors of Advanced Conduction Disturbances Requiring a Late (≥48 H) Permanent Pacemaker Following Transcatheter Aortic Valve Replacement. JACC: Cardiovascular Interventions, 2018, 11, 1519-1526.   | 2.9 | 77        |
| 83 | Long-Term Clinical Outcomes After Percutaneous Coronary Intervention for Ostial/Mid-Shaft Lesions Versus Distal Bifurcation Lesions in Unprotected Left Main Coronary Artery. JACC: Cardiovascular Interventions, 2013, 6, 1242-1249.                                    | 2.9 | 75        |
| 84 | Predictors of cardiac death in patients with coronary chronic total occlusion not revascularized by PCI. International Journal of Cardiology, 2013, 168, 1402-1409.  | 1.7 | 73        |
| 85 | Heyde's Syndrome Incidence and Outcome in Patients Undergoing Transcatheter Aortic Valve Implantation. Journal of the American College of Cardiology, 2013, 61, 687-689.   | 2.8 | 73        |
| 86 | Progression Rate of Ascending Aortic Dilation in Patients With Normally Functioning Bicuspid and Tricuspid Aortic Valves. American Journal of Cardiology, 2006, 98, 249-253.   | 1.6 | 72        |
| 87 | Coronary chronic total occlusions. Catheterization and Cardiovascular Interventions, 2012, 79, 20-27.  | 1.7 | 71        |
| 88 | Elective versus provisional intraaortic balloon pumping in unprotected left main stenting. American Heart Journal, 2006, 152, 565-572.   | 2.7 | 69        |
| 89 | Long-Term Outcomes After the Percutaneous Treatment of Drug-Eluting Stent Restenosis. JACC: Cardiovascular Interventions, 2011, 4, 155-164.  | 2.9 | 66        |
| 90 | Impact of design of coronary stents and length of dual antiplatelet therapies on ischaemic and bleeding events: a network meta-analysis of 64 randomized controlled trials and 102 735 patients. European Heart Journal, 2017, 38, 3160-3172.                            | 2.2 | 66        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Transapical Versus Transfemoral Aortic Valve Implantation: A Multicenter Collaborative Study. <i>Annals of Thoracic Surgery</i> , 2014, 97, 22-28.  | 1.3 | 64        |
| 92  | A Practical Approach to the Management of Complications During Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1797-1810.   | 2.9 | 64        |
| 93  | Periprocedural and Short-Term Outcomes of Transfemoral Transcatheter Aortic Valve Implantation With the Sapien XT as Compared With the Edwards Sapien Valve. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 743-750.              | 2.9 | 62        |
| 94  | SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 232-241.   | 1.7 | 62        |
| 95  | Late Restenosis Following Sirolimus-Eluting Stent Implantation. <i>American Journal of Cardiology</i> , 2007, 100, 41-44.   | 1.6 | 60        |
| 96  | In-hospital and nine-month outcome of treatment of coronary bifurcational lesions with sirolimus-eluting stent. <i>American Journal of Cardiology</i> , 2005, 95, 757-760.  | 1.6 | 59        |
| 97  | Effect of Body Mass Index on Short- and Long-Term Outcomes After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2013, 111, 231-236.   | 1.6 | 58        |
| 98  | Clinical outcomes of a real-world cohort following bioresorbable vascular scaffold implantation utilising an optimised implantation strategy. <i>EuroIntervention</i> , 2017, 12, 1730-1737.  | 3.2 | 58        |
| 99  | Meta-Analysis of the Duration of Dual Antiplatelet Therapy in Patients Treated With Second-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2016, 117, 1714-1723.  | 1.6 | 57        |
| 100 | European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 1067-1079.                                       | 1.7 | 57        |
| 101 | The occupational effects of interventional cardiology: results from the WIN for Safety survey. <i>EuroIntervention</i> , 2012, 8, 658-663.  | 3.2 | 57        |
| 102 | Drug-Eluting Stent Update 2007. <i>Circulation</i> , 2007, 116, 1424-1432.  | 1.6 | 56        |
| 103 | A novel approach to chronic total occlusions: The crosser system. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 68, 29-35.  | 1.7 | 54        |
| 104 | Long-Term Follow-Up on a Large Cohort of "Full-Metal Jacket" Percutaneous Coronary Intervention Procedures. <i>Circulation: Cardiovascular Interventions</i> , 2009, 2, 416-422.  | 3.9 | 54        |
| 105 | Histopathology of Clinical Coronary Restenosis in Drug-Eluting Versus Bare Metal Stents. <i>American Journal of Cardiology</i> , 2009, 104, 1660-1667.  | 1.6 | 54        |
| 106 | Time-Dependent Associations Between Actionable Bleeding, Coronary Thrombotic Events, and Mortality Following Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1349-1357.                        | 2.9 | 54        |
| 107 | Stent Thrombosis: Incidence, Predictors and New Technologies. <i>Thrombosis</i> , 2012, 2012, 1-12.   | 1.4 | 53        |
| 108 | Comparison of early clinical outcomes between ABSORB bioresorbable vascular scaffold and everolimus-eluting stent implantation in a real-world population. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, E10-E15. | 1.7 | 53        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Safety and Efficacy of New-Generation Drug-Eluting Stents in Women Undergoing Complex Percutaneous Coronary Artery Revascularization. JACC: Cardiovascular Interventions, 2016, 9, 674-684.   | 2.9 | 51        |
| 110 | Observational multicentre registry of patients treated with IMPella mechanical circulatory support device in Italy: the IMP-IT registry. EuroIntervention, 2020, 15, e1343-e1350.   | 3.2 | 51        |
| 111 | Incidence and Management of Restenosis After Treatment of Unprotected Left Main Disease With Drug-Eluting Stents. Journal of the American College of Cardiology, 2009, 54, 1131-1136.   | 2.8 | 50        |
| 112 | Trends in outcome after transfemoral transcatheter aortic valve implantation. American Heart Journal, 2013, 165, 183-192.   | 2.7 | 49        |
| 113 | Comparable Clinical Outcomes With Paclitaxel- and Sirolimus-Eluting Stents in Unrestricted Contemporary Practice. Journal of the American College of Cardiology, 2007, 49, 2320-2328.   | 2.8 | 48        |
| 114 | Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. BMJ, The, 2016, 355, i5483.     | 6.0 | 48        |
| 115 | Provisional vs. two-stent technique for unprotected left main coronary artery disease after ten years follow up: A propensity matched analysis. International Journal of Cardiology, 2016, 211, 37-42.  | 1.7 | 48        |
| 116 | Clinical expert consensus document on the use of percutaneous left ventricular assist support devices during complex high-risk indicated PCI. International Journal of Cardiology, 2019, 293, 84-90.  | 1.7 | 46        |
| 117 | Comparison of VerifyNow-P2Y12 test and Flow Cytometry for monitoring individual platelet response to clopidogrel. What is the cut-off value for identifying patients who are low responders to clopidogrel therapy?. Thrombosis Journal, 2009, 7, 4.            | 2.1 | 45        |
| 118 | Clinical and Angiographic Outcomes After Percutaneous Recanalization of Chronic Total Saphenous Vein Graft Occlusion Using Modern Techniques. American Journal of Cardiology, 2010, 106, 1721-1727.   | 1.6 | 45        |
| 119 | Long-Term Clinical Outcomes After Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting for Ostial/Midshaft Lesions in Unprotected Left Main Coronary Artery From the DELTA Registry. JACC: Cardiovascular Interventions, 2014, 7, 354-361. | 2.9 | 45        |
| 120 | Impact of Strut Width in Periprocedural Myocardial Infarction. JACC: Cardiovascular Interventions, 2015, 8, 900-909.  | 2.9 | 44        |
| 121 | Impact of Sirolimus-Eluting and Paclitaxel-Eluting Stents on Outcome in Patients With Diabetes Mellitus and Stenting in More Than One Coronary Artery. American Journal of Cardiology, 2006, 98, 362-366.   | 1.6 | 43        |
| 122 | Drug-Coated Balloons Versus Second-Generation Drug-Eluting Stents for the Management of Recurrent Multimetall-Layered In-Stent Restenosis. JACC: Cardiovascular Interventions, 2015, 8, 1586-1594.  | 2.9 | 43        |
| 123 | Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. BMJ, The, 2016, 354, i4935.   | 6.0 | 43        |
| 124 | Transcatheter valve-in-valve implantation with the Edwards SAPIEN in patients with bioprosthetic heart valve failure: the Milan experience. EuroIntervention, 2012, 7, 1275-1284.   | 3.2 | 43        |
| 125 | Clinical Outcome Following Aleatory Implantation of Paclitaxel-Eluting or Sirolimus-Eluting Stents in Complex Coronary Lesions. American Journal of Cardiology, 2005, 96, 1663-1668.  | 1.6 | 42        |
| 126 | Coronary Sinus Reducer Implantation for the Treatment of Chronic Refractory Angina. JACC: Cardiovascular Interventions, 2018, 11, 784-792.  | 2.9 | 42        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | The Role of Drug-Eluting Balloons Alone or in Combination With Drug-Eluting Stents in the Treatment of De Novo Diffuse Coronary Disease. JACC: Cardiovascular Interventions, 2013, 6, 1153-1159.   | 2.9 | 41        |
| 128 | The DELTA 2 Registry. JACC: Cardiovascular Interventions, 2017, 10, 2401-2410.   | 2.9 | 41        |
| 129 | Validation of Predictors of Intraprocedural Stent Thrombosis in the Drug-Eluting Stent Era. American Journal of Cardiology, 2005, 95, 1466-1468.   | 1.6 | 40        |
| 130 | Preliminary experience with the frontrunner coronary catheter: Novel device dedicated to mechanical revascularization of chronic total occlusions. Catheterization and Cardiovascular Interventions, 2005, 64, 146-152.  | 1.7 | 40        |
| 131 | Impact of Kissing Balloon in Patients Treated With Ultrathin Stents for Left Main Lesions and Bifurcations. Circulation: Cardiovascular Interventions, 2020, 13, e008325.  | 3.9 | 39        |
| 132 | Usefulness of Predilation Before Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2016, 118, 107-112.  | 1.6 | 38        |
| 133 | Incidence and Management of Restenosis After Treatment of Unprotected Left Main Disease With Second-Generation Drug-Eluting Stents (from Failure in Left Main Study With 2nd Generation) Tj ETQq1 1 0.7843146BT / Overlock 107                                 | 1.6 | 38        |
| 134 | Joint EAPCI/ACVC expert consensus document on percutaneous ventricular assist devices. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 570-583.   | 1.0 | 38        |
| 135 | Impact of permanent pacemaker on mortality after transcatheter aortic valve implantation: the PRAGMATIC (Pooled Rotterdam-Milan-Toulouse in Collaboration) Pacemaker substudy. EuroIntervention, 2016, 12, 1185-1193.  | 3.2 | 38        |
| 136 | Multicenter international registry of unprotected left main coronary artery percutaneous coronary intervention with drug-eluting stents in patients with myocardial infarction. Catheterization and Cardiovascular Interventions, 2009, 73, 15-21.             | 1.7 | 37        |
| 137 | Sex-Based Differences in Cessation of Dual-Antiplatelet Therapy Following Percutaneous Coronary Intervention With Stents. JACC: Cardiovascular Interventions, 2016, 9, 1461-1469.  | 2.9 | 37        |
| 138 | The European Bifurcation Club Left Main Study (EBC MAIN): rationale and design of an international, multicentre, randomised comparison of two stent strategies for the treatment of left main coronary bifurcation disease. EuroIntervention, 2016, 12, 47-52. | 3.2 | 37        |
| 139 | SCAI consensus document on occupational radiation exposure to the pregnant cardiologist and technical personnel. EuroIntervention, 2011, 6, 866-874.   | 3.2 | 37        |
| 140 | Angiographic patterns of restenosis after paclitaxel-eluting stent implantation. Journal of the American College of Cardiology, 2005, 45, 805-806.   | 2.8 | 36        |
| 141 | Single-Antiplatelet Therapy in Patients with Contraindication to Dual-Antiplatelet Therapy After Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2017, 119, 1088-1093.  | 1.6 | 36        |
| 142 | Anticoagulation for Percutaneous Ventricular Assist Device-Supported Cardiogenic Shock. Journal of the American College of Cardiology, 2022, 79, 1949-1962.  | 2.8 | 36        |
| 143 | Impact of Angiographic Result After Predilatation on Outcome After Drug-Coated Balloon Treatment of In-Stent Coronary Restenosis. American Journal of Cardiology, 2016, 118, 1460-1465.  | 1.6 | 34        |
| 144 | Clinical and Angiographic Follow-Up of Small Vessel Lesions Treated With Paclitaxel-Eluting Stents (from the TRUE Registry). American Journal of Cardiology, 2008, 102, 1002-1008.   | 1.6 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | First Experience With the Coronary Sinus Reducer System for the Management of Refractory Angina in Patients Without Obstructive Coronary Artery Disease. JACC: Cardiovascular Interventions, 2017, 10, 1901-1903.   | 2.9 | 33        |
| 146 | Female-specific survival advantage from transcatheter aortic valve implantation over surgical aortic valve replacement: Meta-analysis of the gender subgroups of randomised controlled trials including 3758 patients. International Journal of Cardiology, 2018, 250, 66-72.           | 1.7 | 33        |
| 147 | Mid-term outcomes after percutaneous interventions in coronary bifurcations. International Journal of Cardiology, 2019, 283, 78-83.   | 1.7 | 33        |
| 148 | Impact of Clinical Presentation (Stable Angina Pectoris vs Unstable Angina Pectoris or Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 632 Td (No Outcomes in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. American Journal of Cardiology, 2015, 116, 845-852.    | 1.6 | 32        |
| 149 | Early and mid-term outcomes of 1904 patients undergoing transcatheter balloon-expandable valve implantation in Italy: results from the Italian Transcatheter Balloon-Expandable Valve Implantation Registry (ITER). European Journal of Cardio-thoracic Surgery, 2016, 50, 1139-1148.   | 1.4 | 32        |
| 150 | Correlates and Impact of Coronary ArteryÂCalcifications in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. JACC: Cardiovascular Interventions, 2016, 9, 1890-1901.  | 2.9 | 32        |
| 151 | White Blood Cell Count and Major Adverse Cardiovascular Events After Percutaneous Coronary Intervention in the Contemporary Era. Circulation: Cardiovascular Interventions, 2017, 10, .   | 3.9 | 32        |
| 152 | Effect of Chronic Kidney Disease in WomenÂUndergoing Percutaneous CoronaryÂIntervention With Drug-ElutingÂStents. JACC: Cardiovascular Interventions, 2016, 9, 28-38.   | 2.9 | 31        |
| 153 | Evaluation of intermediate coronary stenosis with intravascular ultrasound and fractional flow reserve: Its use and abuse. Catheterization and Cardiovascular Interventions, 2009, 73, 441-448.   | 1.7 | 30        |
| 154 | A â€œmodified crossover techniqueâ€•for vascular access management in highâ€risk patients undergoing transfemoral transcatheter aortic valve implantation. Catheterization and Cardiovascular Interventions, 2013, 81, 579-583.   | 1.7 | 30        |
| 155 | A comparison of the femoral and radial crossover techniques for vascular access management in transcatheter aortic valve implantation: The milan experience. Catheterization and Cardiovascular Interventions, 2014, 83, 156-161.   | 1.7 | 30        |
| 156 | Italian Society of Interventional Cardiology ( GISE ) position paper for Cath labâ€specific preparedness recommendations for healthcare providers in case of suspected, probable or confirmed cases of COVID â€19. Catheterization and Cardiovascular Interventions, 2020, 96, 839-843. | 1.7 | 30        |
| 157 | Unplanned Percutaneous Coronary Revascularization After TAVR. JACC: Cardiovascular Interventions, 2021, 14, 198-207.  | 2.9 | 30        |
| 158 | Clinical and Procedural Predictors of Suboptimal Outcome After the Treatment of Drug-Eluting Stent Restenosis in the Unprotected Distal Left Main Stem. Circulation: Cardiovascular Interventions, 2012, 5, 491-498.  | 3.9 | 29        |
| 159 | Transcatheter Aortic Valve Implantation in Patients With Advanced Chronic Kidney Disease. American Journal of Cardiology, 2017, 119, 1438-1442.   | 1.6 | 29        |
| 160 | Clinical Outcomes After Unrestricted Implantation of Everolimus-Eluting Stents. JACC: Cardiovascular Interventions, 2009, 2, 1219-1226.   | 2.9 | 28        |
| 161 | Balancing the Risk of Bleeding and Stroke in Patients WithÂAtrial Fibrillation After Percutaneous Coronary Intervention (from the AVIATOR Registry). American Journal of Cardiology, 2015, 116, 37-42.  | 1.6 | 28        |
| 162 | Effects of Body Mass Index on ClinicalÂOutcomes in Female Patients Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. JACC: Cardiovascular Interventions, 2018, 11, 68-76.   | 2.9 | 28        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Are we ready for a gender-specific approach in interventional cardiology?. International Journal of Cardiology, 2019, 286, 226-233.   | 1.7 | 28        |
| 164 | Antigen-Driven Evolution of B Lymphocytes in Coronary Atherosclerotic Plaques. Journal of Immunology, 2009, 183, 2537-2544.   | 0.8 | 27        |
| 165 | Aspirin intolerance and the need for dual antiplatelet therapy after stent implantation: A proposed alternative regimen. International Journal of Cardiology, 2013, 165, 444-447.   | 1.7 | 27        |
| 166 | Impact of Mixed Aortic Valve Stenosis on <scp>VARC</scp> Outcomes and Postprocedural Aortic Regurgitation in Patients Undergoing Transcatheter Aortic Valve Implantation. Catheterization and Cardiovascular Interventions, 2015, 86, 875-885.          | 1.7 | 27        |
| 167 | Frequency of Slow Coronary Flow Following Successful Stent Implantation and Effect of Nitroprusside. American Journal of Cardiology, 2007, 99, 916-920.   | 1.6 | 26        |
| 168 | Long-Term Outcomes of Percutaneous Coronary Interventions or Coronary Artery Bypass Grafting for Left Main Coronary Artery Disease in Octogenarians (from a Drug-Eluting stent for Left main) Tj ETQq0 0 0 rgBTU/Overlock210 Tf 50 5                    | 1.6 | 26        |
| 169 | Computing Methods for Composite Clinical Endpoints in Unprotected Left Main Coronary Artery Revascularization. JACC: Cardiovascular Interventions, 2016, 9, 2280-2288.  | 2.9 | 26        |
| 170 | Two-year outcomes following unprotected left main stenting with first vs. new-generation drug-eluting stents: the FINE registry. EuroIntervention, 2013, 9, 809-816.  | 3.2 | 26        |
| 171 | 17-Beta-Estradiol Eluting Stent Versus Phosphorylcholine-Coated Stent for the Treatment of Native Coronary Artery Disease. American Journal of Cardiology, 2005, 96, 664-667.   | 1.6 | 25        |
| 172 | Early Outcome of Treatment of Ostial De Novo Left Anterior Descending Coronary Artery Lesions With Drug-Eluting Stents. American Journal of Cardiology, 2006, 97, 187-191.  | 1.6 | 25        |
| 173 | Sirolimus-eluting and paclitaxel-eluting stents for the treatment of coronary bifurcations. American Heart Journal, 2008, 156, 745-750.   | 2.7 | 25        |
| 174 | Successful Percutaneous Anterograde Transcatheter Valve-in-Valve Implantation in the Mitral Position. JACC: Cardiovascular Interventions, 2011, 4, 1246-1247.   | 2.9 | 25        |
| 175 | Clinical outcomes following bioresorbable scaffold implantation for bifurcation lesions: Overall outcomes and comparison between provisional and planned double stenting strategy. Catheterization and Cardiovascular Interventions, 2015, 86, 644-652. | 1.7 | 25        |
| 176 | Long-term Safety and Efficacy of New-Generation Drug-Eluting Stents in Women With Acute Myocardial Infarction. JAMA Cardiology, 2017, 2, 855.   | 6.1 | 25        |
| 177 | Computed tomography predictors of mortality, stroke and conduction disturbances in women undergoing TAVR: A sub-analysis of the WIN-TAVI registry. Journal of Cardiovascular Computed Tomography, 2018, 12, 338-343.                                    | 1.3 | 25        |
| 178 | Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. Journal of the American College of Cardiology, 2022, 80, 63-88.  | 2.8 | 25        |
| 179 | Comparison of Sirolimus Versus Paclitaxel Eluting Stents for Treatment of Coronary In-Stent Restenosis. American Journal of Cardiology, 2006, 97, 1182-1187.  | 1.6 | 24        |
| 180 | Clinical outcome and quality of life in octogenarians following transcatheter aortic valve implantation (TAVI) for symptomatic aortic stenosis. International Journal of Cardiology, 2013, 168, 281-286.  | 1.7 | 24        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Impact of Residual Chronic Total Occlusion of Right Coronary Artery on the Long-term Outcome in Patients Treated for Unprotected Left Main Disease. <i>Circulation: Cardiovascular Interventions</i> , 2013, 6, 154-160.   | 3.9 | 24        |
| 182 | Incidence, Patterns, and Impact of Dual Antiplatelet Therapy Cessation Among Patients With and Without Chronic Kidney Disease Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006144.   | 3.9 | 24        |
| 183 | Incidence of Bleeding and Compliance on Prolonged Dual Antiplatelet Therapy (Aspirin +) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 1477-1481.  | 1.6 | 23        |
| 184 | Risk of contrast-induced nephropathy in patients undergoing complex percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2019, 290, 59-63.   | 1.7 | 23        |
| 185 | Procedural outcomes of patients with calcified lesions treated with bioresorbable vascular scaffolds. <i>EuroIntervention</i> , 2016, 11, 1355-1362.   | 3.2 | 23        |
| 186 | Comparison of ticlopidine vs. clopidogrel in addition to aspirin after paclitaxel-eluting stent implantation: Insights from the TRUE (Taxusâ„¢ in Real-life Usage Evaluation) Study. <i>International Journal of Cardiology</i> , 2006, 108, 406-407.  | 1.7 | 22        |
| 187 | The Long-Term Clinical Outcome of T-Stenting and Small Protrusion Technique for Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 554-561.  | 2.9 | 22        |
| 188 | Optimal duration of dual antiplatelet therapy after second-generation drug-eluting stent implantation in patients with diabetes: The SECURITY (Second-Generation Drug-Eluting Stent) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 <i>International Journal of Cardiology</i> , 2016, 207, 168-176. | 1.7 | 22        |
| 189 | Impact of Mitral Annular Calcium on Outcomes after Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017, 120, 2233-2240.  | 1.6 | 22        |
| 190 | Effect of Increasing Stent Length on 3-Year Clinical Outcomes in Women Undergoing Percutaneous Coronary Intervention With New-Generation Drug-Eluting Stents. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 53-65.   | 2.9 | 22        |
| 191 | Impact of coronary artery disease and percutaneous coronary intervention in women undergoing transcatheter aortic valve replacement: From the WINâ„¢AVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 1124-1131.   | 1.7 | 22        |
| 192 | Percutaneous Transcatheter Aortic Valve Implantation. <i>Cardiology in Review</i> , 2010, 18, 111-124.   | 1.4 | 21        |
| 193 | Incidence of Overall Bleeding in Patients Treated With Intra-Aortic Balloon Pump During Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 350-357.  | 2.9 | 21        |
| 194 | First- versus second-generation drug-eluting stents for the treatment of coronary bifurcations. <i>Cardiovascular Revascularization Medicine</i> , 2013, 14, 311-315.  | 0.8 | 21        |
| 195 | Incidence, predictors, and outcomes of DAPT disruption due to non-compliance vs. bleeding after PCI: insights from the PARIS Registry. <i>Clinical Research in Cardiology</i> , 2019, 108, 643-650.  | 3.3 | 21        |
| 196 | Bleeding Risk, Dual Antiplatelet Therapy Cessation, and Adverse Events After Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008226.   | 3.9 | 21        |
| 197 | Gender-based issues in interventional cardiology: a consensus statement from the Women in Innovations (WIN) initiative. <i>EuroIntervention</i> , 2010, 5, 773-779.  | 3.2 | 21        |
| 198 | Quality of life improvement is maintained up to two years after transcatheter aortic valve implantation in high-risk surgical candidates. <i>EuroIntervention</i> , 2012, 8, 429-436.  | 3.2 | 21        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Comparison of clinical and angiographic outcome of sirolimus-eluting stent implantation versus cutting balloon angioplasty for coronary in-stent restenosis. American Journal of Cardiology, 2004, 94, 1297-1300.                    | 1.6 | 20        |
| 200 | Comparison of First- and Second-Generation Drug-Eluting Stents in Saphenous Vein Grafts Used as Aorto-Coronary Conduits. American Journal of Cardiology, 2013, 112, 318-322.   | 1.6 | 20        |
| 201 | Usefulness of Baseline Activated Clotting Timeâ€“Guided Heparin Administration in Reducing Bleeding Events During Transfemoral Transcatheter Aortic Valve Implantation. JACC: Cardiovascular Interventions, 2014, 7, 140-151.        | 2.9 | 20        |
| 202 | Drugâ€“Eluting Balloon in the Treatment of Inâ€“Stent Restenosis and Diffuse Coronary Artery Disease: Realâ€“World Experience from Our Registry. Journal of Interventional Cardiology, 2014, 27, 348-355.                            | 1.2 | 20        |
| 203 | Long-Term (â‰¥10ÂˆYears) Safety of Percutaneous Treatment of Unprotected Left Main Stenosis With Drug-Eluting Stents. American Journal of Cardiology, 2016, 118, 32-39.  | 1.6 | 20        |
| 204 | Procedural and Long-Term Outcomes of Bioresorbable Scaffolds Versus Drug-Eluting Stents in Chronic Total Occlusions. Circulation: Cardiovascular Interventions, 2016, 9, .   | 3.9 | 20        |
| 205 | Impact of Final Kissing Balloon and of Imaging on Patients Treated on Unprotected Left Main Coronary Artery With Thin-Strut Stents (From the RAIN-CARDIOGROUP VII Study). American Journal of Cardiology, 2019, 123, 1610-1619.      | 1.6 | 20        |
| 206 | Angiographic Analysis of Pattern of Late Luminal Loss in Sirolimus- and Paclitaxel-Eluting Stents. American Journal of Cardiology, 2007, 99, 593-598.  | 1.6 | 19        |
| 207 | Comparison of Long-Term Clinical and Angiographic Outcomes Following Implantation of Bare Metal Stents and Drug-Eluting Stents in Aorto-Ostial Lesions. American Journal of Cardiology, 2011, 108, 1055-1060.                        | 1.6 | 19        |
| 208 | The role of intravascular ultrasound and quantitative angiography in the functional assessment of intermediate coronary lesions: Correlation with fractional flow reserve. Cardiovascular Revascularization Medicine, 2014, 15, 3-7. | 0.8 | 19        |
| 209 | Impact of gender on long-term mortality in patients with unprotected left main disease: The Milan and New-Tokyo (MITO) Registry. Cardiovascular Revascularization Medicine, 2016, 17, 369-374.                                       | 0.8 | 19        |
| 210 | Comparison Between 1- and 2-Stent Strategies in Unprotected Distal Left Main Disease. Circulation: Cardiovascular Interventions, 2016, 9, .  | 3.9 | 19        |
| 211 | Dual Antiplatelet Therapy Cessation and Adverse Events After Drug-Eluting Stent Implantation in Patients at High Risk for Atherothrombosis (from the PARIS Registry). American Journal of Cardiology, 2018, 122, 1638-1646.          | 1.6 | 19        |
| 212 | The importance of achieving sex- and gender-based equity in clinical trials: a call to action. European Heart Journal, 2021, 42, 2990-2994.  | 2.2 | 19        |
| 213 | ACS and STEMI treatment: gender-related issues. EuroIntervention, 2012, 8, P27-P35.  | 3.2 | 19        |
| 214 | Drug-eluting balloon versus second-generation drug-eluting stent for the treatment of restenotic lesions involving coronary bifurcations. EuroIntervention, 2016, 11, 989-995.   | 3.2 | 19        |
| 215 | EAPCI Position Statement on Invasive Management of Acute Coronary Syndromes during the COVID-19 pandemic. EuroIntervention, 2020, 16, 233-246.   | 3.2 | 19        |
| 216 | Effectiveness of sirolimus-eluting stent implantation for treatment of in-stent restenosis after brachytherapy failure. American Journal of Cardiology, 2004, 94, 351-354.   | 1.6 | 18        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Polymer-Based Paclitaxel-Eluting Coronary Stents. Herz, 2004, 29, 147-151.   | 1.1  | 18        |
| 218 | Sirolimus-eluting stent implantation in diabetic patients with multivessel coronary artery disease. American Heart Journal, 2005, 150, 807-813.  | 2.7  | 18        |
| 219 | Recognition and management of complications during transcatheter aortic valve implantation. Expert Review of Cardiovascular Therapy, 2011, 9, 913-926.   | 1.5  | 18        |
| 220 | Managing Patients With an Indication for Anticoagulant Therapy After Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2013, 111, 237-242.  | 1.6  | 18        |
| 221 | The impact of main branch restenosis on long term mortality following drug-eluting stent implantation in patients with <i>de novo</i> unprotected distal left main bifurcation coronary lesions: The Milan and Newâ€‘Tokyo (MITO) registry. Catheterization and Cardiovascular Interventions, 2014, 84, 341-348. | 1.7  | 18        |
| 222 | Dual Antiplatelet Therapy after Drug-Eluting Stents â€” How Long to Treat?. New England Journal of Medicine, 2014, 371, 2225-2226.   | 27.0 | 18        |
| 223 | Does pre-existing aortic regurgitation protect from death in patients who develop paravalvular leak after TAVI?. International Journal of Cardiology, 2017, 233, 52-60.  | 1.7  | 18        |
| 224 | Shortâ€‘versus longâ€‘term Dual Antiplatelet therapy after drugâ€‘eluting stent implantation in women versus men: A sexâ€‘specific patientâ€‘level pooledâ€‘analysis of six randomized trials. Catheterization and Cardiovascular Interventions, 2017, 89, 178-189.  | 1.7  | 18        |
| 225 | Impact of Baseline Atrial Fibrillation on Outcomes Among Women Who Underwent Contemporary Transcatheter Aortic Valve Implantation (from the Win-TAVI Registry). American Journal of Cardiology, 2018, 122, 1909-1916.  | 1.6  | 18        |
| 226 | Genderâ€‘based issues in interventional cardiology: A consensus statement from the Women in Innovations (WIN) Initiative. Catheterization and Cardiovascular Interventions, 2010, 75, 145-152.   | 1.7  | 17        |
| 227 | Comparison of the Long-Term Safety and Efficacy of Drug-Eluting and Bare-Metal Stent Implantation in Saphenous Vein Grafts. Circulation: Cardiovascular Interventions, 2010, 3, 249-256.   | 3.9  | 17        |
| 228 | â€‘Procedural trauma risks longitudinal shortening of the promus elementâ€‘,â€‘ stent platformâ€‘. Catheterization and Cardiovascular Interventions, 2013, 81, 810-817.  | 1.7  | 17        |
| 229 | Feasibility of ultra-low contrast 64-slice computed tomography angiography before transcatheter aortic valve implantation: a real-world experience. European Heart Journal Cardiovascular Imaging, 2015, 17, 175.  | 1.2  | 17        |
| 230 | Incidence, Patterns, and Associations Between Dual-Antiplatelet Therapy Cessation and Risk for Adverse Events Among Patients With and Without Diabetes Mellitus Receiving Drug-Eluting Stents. JACC: Cardiovascular Interventions, 2017, 10, 645-654.  | 2.9  | 17        |
| 231 | Influence of Baseline Anemia on Dual Antiplatelet Therapy Cessation and Risk of Adverse Events After Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2019, 12, e007133.   | 3.9  | 17        |
| 232 | Longâ€‘term followâ€‘up of covered stent implantation for various coronary artery diseases. Catheterization and Cardiovascular Interventions, 2019, 94, 571-577.   | 1.7  | 17        |
| 233 | Impella RP support in refractory right ventricular failure complicating acute myocardial infarction with unsuccessful right coronary artery revascularization. International Journal of Cardiology, 2020, 302, 135-137.  | 1.7  | 17        |
| 234 | Prevalence, predictors, and outcomes of patient prosthesis mismatch in women undergoing <sc>TAVI</sc> for severe aortic stenosis: Insights from the <sc>WINâ€‘TAVI</sc> registry. Catheterization and Cardiovascular Interventions, 2021, 97, 516-526.   | 1.7  | 17        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Long-term clinical outcomes after percutaneous coronary intervention versus coronary artery bypass grafting for acute coronary syndrome from the DELTA registry: a multicentre registry evaluating percutaneous coronary intervention versus coronary artery bypass grafting for left main treatment. <i>EuroIntervention</i> , 2016, 12, e623-e631. | 3.2 | 17        |
| 236 | Treatment of unprotected left main coronary artery disease with drug-eluting stents: is it time for a randomized trial?. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2005, 2, 396-400.   | 3.3 | 16        |
| 237 | Long-term clinical outcomes following drug-eluting stent implantation for unprotected distal trifurcation left main disease: The Milan-New Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 530-538.   | 1.7 | 16        |
| 238 | Bioresorbable Scaffolds for the Management of Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 989-1000.   | 2.9 | 16        |
| 239 | Long-Term Outcomes After Transcatheter Aortic Valve Implantation from a Single High-Volume Center (The Milan Experience). <i>American Journal of Cardiology</i> , 2016, 117, 813-819.  | 1.6 | 16        |
| 240 | Clinical relevance of ticagrelor monotherapy following 1-month dual antiplatelet therapy after bifurcation percutaneous coronary intervention: Insight from GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 100-111.   | 1.7 | 16        |
| 241 | Device-related complications after Impella mechanical circulatory support implantation: an IMP-IT observational multicentre registry substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 999-1006.  | 1.0 | 16        |
| 242 | Treatment of iatrogenic occlusive coronary dissections: a novel approach. <i>EuroIntervention</i> , 2011, 7, 106-111.  | 3.2 | 16        |
| 243 | Treatment of drug-eluting stent restenosis: Comparison between drug-eluting balloon versus second-generation drug-eluting stents from a retrospective observational study. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 88, 522-528.  | 1.7 | 15        |
| 244 | Comparison between functional and intravascular imaging approaches guiding percutaneous coronary intervention: A network meta-analysis of randomized and propensity matching studies. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 1259-1266.   | 1.7 | 15        |
| 245 | Impact of structural features of very thin stents implanted in unprotected left main or coronary bifurcations on clinical outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, 1-9.   | 1.7 | 15        |
| 246 | Current decision making and short-term outcome in patients with degenerative aortic stenosis: the Pooled-Rotterdam-Milano-Toulouse In Collaboration Aortic Stenosis survey. <i>EuroIntervention</i> , 2016, 11, e1305-e1313.   | 3.2 | 15        |
| 247 | Percutaneous valve replacement in a young adult for radiation-induced aortic stenosis. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 397-398.  | 1.5 | 14        |
| 248 | Impact of Mean Platelet Volume on Combined Safety Endpoint and Vascular and Bleeding Complications following Percutaneous Transfemoral Transcatheter Aortic Valve Implantation. <i>BioMed Research International</i> , 2013, 2013, 1-8.  | 1.9 | 14        |
| 249 | Comparison of Percutaneous Coronary Intervention (With Drug-Eluting Stents) Versus Coronary Artery Bypass Grafting in Women With Severe Narrowing of the Left Main Coronary Artery (from the Tj ETQq1 1 0,784314 rgBT /Overl... <i>Cardiology</i> , 2014, 113, 1348-1355.  | 1.6 | 14        |
| 250 | Mid-term clinical outcomes after bailout drug-eluting stenting for suboptimal drug-coated balloon results: Insights from a Milan registry. <i>International Journal of Cardiology</i> , 2018, 263, 17-23.  | 1.7 | 14        |
| 251 | Provisional versus elective two-stent strategy for unprotected true left main bifurcation lesions: Insights from a FAILS-2 sub-study. <i>International Journal of Cardiology</i> , 2018, 250, 80-85.   | 1.7 | 14        |
| 252 | Long-term follow-up (four years) of unprotected left main coronary artery disease treated with paclitaxel-eluting stents (from the TRUE Registry). <i>EuroIntervention</i> , 2010, 5, 906-916.   | 3.2 | 14        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Is overdilatation of 3.0 mm sirolimus-eluting stent associated with a higher restenosis rate?. Catheterization and Cardiovascular Interventions, 2005, 64, 129-133.  | 1.7 | 13        |
| 254 | The ratio of contrast volume to glomerular filtration rate predicts acute kidney injury and mortality after transcatheter aortic valve implantation. Cardiovascular Revascularization Medicine, 2017, 18, 349-355.   | 0.8 | 13        |
| 255 | Impact of proton pump inhibitors and dual antiplatelet therapy cessation on outcomes following percutaneous coronary intervention: Results From the PARIS Registry. Catheterization and Cardiovascular Interventions, 2017, 89, E217-E225.                                 | 1.7 | 13        |
| 256 | Interatrial Septal Tear After Patent Foramen Ovale Closure With the NobleStitch Device. JACC: Cardiovascular Interventions, 2019, 12, e139-e140.   | 2.9 | 13        |
| 257 | Daily risk of adverse outcomes in patients undergoing complex lesions revascularization: A subgroup analysis from the RAIN-CARDIOGROUP VII study (very thin stents for patients with left main or Tj ETQq1 1 0.784314 rgBT / Overlock 10                                   | 1.7 | 13        |
| 258 | The impact of chronic kidney disease in women undergoing transcatheter aortic valve replacement: Analysis from the Women's International Transcatheter Aortic Valve Implantation (WIN-TAVI) registry. Catheterization and Cardiovascular Interventions, 2020, 96, 198-207. | 1.7 | 13        |
| 259 | Percutaneous coronary and structural interventions in women: a position statement from the EAPCI Women Committee. EuroIntervention, 2018, 14, e1227-e1235.   | 3.2 | 13        |
| 260 | SCAI Consensus Document on Occupational Radiation Exposure to the Pregnant Cardiologist and Technical Personnel. Heart Lung and Circulation, 2011, 20, 83-90.  | 0.4 | 12        |
| 261 | Single-stent crossover technique from distal unprotected left main coronary artery to the left circumflex artery. Catheterization and Cardiovascular Interventions, 2013, 82, 757-764.   | 1.7 | 12        |
| 262 | Red blood cell distribution width predicts one-year mortality following transcatheter aortic valve implantation. International Journal of Cardiology, 2014, 172, 456-457.  | 1.7 | 12        |
| 263 | Influence of baseline ejection fraction on the prognostic value of paravalvular leak after transcatheter aortic valve implantation. International Journal of Cardiology, 2015, 190, 277-281.   | 1.7 | 12        |
| 264 | Impact of post-procedural hyperglycemia on acute kidney injury after transcatheter aortic valve implantation. International Journal of Cardiology, 2016, 221, 892-897.   | 1.7 | 12        |
| 265 | Safety and Efficacy of New-Generation Drug-Eluting Stents in Women at High Risk for Atherothrombosis. Circulation: Cardiovascular Interventions, 2016, 9, e002995.   | 3.9 | 12        |
| 266 | Radial Versus Femoral Access for the Treatment of Left Main Lesion in the Era of Second-Generation Drug-Eluting Stents. American Journal of Cardiology, 2017, 120, 33-39.  | 1.6 | 12        |
| 267 | Comparison of paclitaxel drug-eluting balloon and paclitaxel-eluting stent in small coronary vessels in diabetic and nondiabetic patients – results from the BELLO (balloon elution and late loss) Tj ETQq1 1 0.784314 rgBT / Overlock 10                                  | 1.7 | 12        |
| 268 | Prognostic Significance of Change in the Left Ventricular Ejection Fraction After Transcatheter Aortic Valve Implantation in Patients With Severe Aortic Stenosis and Left Ventricular Dysfunction. American Journal of Cardiology, 2017, 120, 1639-1647.                  | 1.6 | 12        |
| 269 | Analysis of a Low Dose Protocol to Reduce Patient Radiation Exposure During Percutaneous Coronary Interventions. American Journal of Cardiology, 2017, 119, 203-209.   | 1.6 | 12        |
| 270 | Dual-Antiplatelet Therapy Cessation and Cardiovascular Risk in Relation to Age. JACC: Cardiovascular Interventions, 2019, 12, 983-992.   | 2.9 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Revascularization Options for Females With Multivessel Coronary Artery Disease. JACC: Cardiovascular Interventions, 2020, 13, 1009-1010.   | 2.9 | 12        |
| 272 | Rationale and design of a prospective, randomized, controlled, multicenter study to evaluate the safety and efficacy of transcatheter heart valve replacement in female patients with severe symptomatic aortic stenosis requiring aortic valve intervention (Randomized research in women all) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5      | 2.7 | 12        |
| 273 | Predictive ability of the CHADS <sub>2</sub> and CHA <sub>2</sub> DS <sub>2</sub> -VASc scores for stroke after transcatheter aortic balloon-expandable valve implantation: an Italian Transcatheter Balloon-Expandable Valve Implantation Registry (ITER) sub-analysis. European Journal of Cardio-thoracic Surgery, 2016, 50, 867-873. | 1.4 | 11        |
| 274 | Patterns and associations between DAPT cessation and 2-year clinical outcomes in left main/proximal LAD versus other PCI: Results from the Patterns of Non-Adherence to Dual Antiplatelet Therapy in Stented Patients (PARIS) registry. International Journal of Cardiology, 2017, 243, 132-139.   | 1.7 | 11        |
| 275 | Long-term outcomes following mini-crush versus culotte stenting for the treatment of unprotected left main disease: Insights from the milan and New-Tokyo (MITO) registry. Catheterization and Cardiovascular Interventions, 2017, 89, 13-24.  | 1.7 | 11        |
| 276 | Crosser As First choice for crossing Totally occluded coronary arteries (CRAFT Registry): focus on conventional angiography and computed tomography angiography predictors of success. EuroIntervention, 2011, 7, 480-486.   | 3.2 | 11        |
| 277 | Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. Journal of the American College of Cardiology, 2021, 78, 1968-1986.   | 2.8 | 11        |
| 278 | Creatine kinase-myocardial band isoenzyme elevation after percutaneous coronary interventions using sirolimus-eluting stents. American Journal of Cardiology, 2004, 93, 1397-1401.   | 1.6 | 10        |
| 279 | Long-term follow-up of multivessel percutaneous coronary intervention with drug-eluting stents for de novo lesions with correlation to the SYNTAX score. Cardiovascular Revascularization Medicine, 2011, 12, 220-227.   | 0.8 | 10        |
| 280 | Resultados a muy largo plazo tras la implantación de stents liberadores de fármacos en la estenosis de arteria coronaria principal izquierda no protegida: experiencia de un centro. Revista Espanola De Cardiologia, 2013, 66, 24-33.   | 1.2 | 10        |
| 281 | Drug-eluting stent outcomes in diabetes. Expert Review of Cardiovascular Therapy, 2014, 12, 95-109.  | 1.5 | 10        |
| 282 | Early Outcomes With Direct Flow Medical Versus First-Generation Transcatheter Aortic Valve Devices: A Single-Center Propensity-Matched Analysis. Journal of Interventional Cardiology, 2015, 28, 583-593.  | 1.2 | 10        |
| 283 | Causes, Timing, and Impact of Dual Antiplatelet Therapy Interruption for Surgery (from the Patterns of) Tj ETQq1 1 0.784314 rgBT /Ov 2017, 120, 904-910.   | 1.6 | 10        |
| 284 | Incidence of Adverse Events at 3 Months Versus at 12-Months After Dual Antiplatelet Therapy Cessation in Patients Treated With Thin Stents With Unprotected Left Main or Coronary Bifurcations. American Journal of Cardiology, 2020, 125, 491-499.  | 1.6 | 10        |
| 285 | Clinical Outcomes Following Protected Carotid Artery Stenting in Symptomatic and Asymptomatic Patients. Journal of Endovascular Therapy, 2010, 17, 298-307.  | 1.5 | 9         |
| 286 | Renal function and drug-eluting stent. International Journal of Cardiology, 2010, 142, 92-94.  | 1.7 | 9         |
| 287 | Discrepancies in vessel sizing between angiography and intravascular ultrasound varies according to the vessel evaluated. International Journal of Cardiology, 2013, 168, 3791-3796.   | 1.7 | 9         |
| 288 | Comparisons of the uptake and in-hospital outcomes associated with second-generation drug-eluting stents between men and women. Coronary Artery Disease, 2016, 27, 442-448.  | 0.7 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Platelet reactivity in response to loading dose of atorvastatin or rosuvastatin in patients with stable coronary disease before percutaneous coronary intervention: The <sc>STATIPLAT</sc> randomized study. <i>Clinical Cardiology</i> , 2017, 40, 605-611.          | 1.8 | 9         |
| 290 | Transapical aortic valve replacement is a safe option in patients with poor left ventricular ejection fraction: results from the Italian Transcatheter Balloon-Expandable Registry (ITER). <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 52, 874-880.    | 1.4 | 9         |
| 291 | Definite stent thrombosis after drug-eluting stent implantation in coronary bifurcation lesions: A meta-analysis of 3,107 patients from 14 randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 680-691.                            | 1.7 | 9         |
| 292 | Patterns and Impact of Dual Antiplatelet Cessation on Cardiovascular Risk After Percutaneous Coronary Intervention in Patients With Acute Coronary Syndromes. <i>American Journal of Cardiology</i> , 2019, 123, 709-716.   | 1.6 | 9         |
| 293 | Edwards SAPIEN Versus Medtronic Aortic Bioprosthesis in Women Undergoing Transcatheter Aortic Valve Implantation (from the Win-TAVI Registry). <i>American Journal of Cardiology</i> , 2020, 125, 441-448.  | 1.6 | 9         |
| 294 | Performing elective cardiac invasive procedures during the COVID-19 outbreak: a position statement from the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>EuroIntervention</i> , 2021, 16, 1177-1186.                                 | 3.2 | 9         |
| 295 | Diabetic patients treated for unprotected left main coronary artery disease with drug eluting stents: a 3-year clinical outcome study. The Diabetes and Drug Eluting stent for LeFT main registry (D-DELFT). <i>EuroIntervention</i> , 2008, 4, 77-83.                | 3.2 | 9         |
| 296 | Drug-eluting stent implantation in patients with acute coronary syndrome - the Activity of Platelets after Inhibition and Cardiovascular Events: Optical Coherence Tomography (APICE OCT) study. <i>EuroIntervention</i> , 2014, 10, 916-923.                         | 3.2 | 9         |
| 297 | Comparison of abluminal biodegradable polymer biolimus-eluting stents and durable polymer everolimus-eluting stents in the treatment of coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 889-895.                           | 1.7 | 8         |
| 298 | One-year outcome of biolimus eluting stent with biodegradable polymer in all comers: The Italian Nobori Stent Prospective Registry. <i>International Journal of Cardiology</i> , 2014, 177, 11-16.  | 1.7 | 8         |
| 299 | First generation versus new generation drug-eluting stents for the treatment of ostial/midshaft lesions in unprotected left main coronary artery: The Milan and New-Tokyo (MITO) registry. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, E63-9. | 1.7 | 8         |
| 300 | Clinical outcomes following bifurcation double-stenting with bioresorbable scaffolds. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 88, 854-862.  | 1.7 | 8         |
| 301 | Preprocedural anemia in females undergoing transcatheter aortic valve implantation: Insights from the WIN-TAVI registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E704-E715.   | 1.7 | 8         |
| 302 | First-in-human evaluation of a novel sirolimus-eluting ultra-high molecular weight APTITUDE bioresorbable scaffold: 9- and 24-month imaging and clinical results of the RENASCENT II trial. <i>EuroIntervention</i> , 2020, 16, e133-e140.                            | 3.2 | 8         |
| 303 | Drug eluting stents: focus on Cypher sirolimus-eluting coronary stents in the treatment of patients with bifurcation lesions. <i>Vascular Health and Risk Management</i> , 2007, 3, 441-51.   | 2.3 | 8         |
| 304 | Cuestiones relativas al sexo en cardiología intervencionista: declaración de consenso de la iniciativa Women in Innovations (WIN). <i>Revista Espanola De Cardiología</i> , 2010, 63, 200-208.  | 1.2 | 7         |
| 305 | Acute Stent Recoil From Aggressive Post-Dilation of a Second-Generation Drug-Eluting Stent. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 311-313.   | 2.9 | 7         |
| 306 | Transcatheter aortic valve implantation in intermediate- and low-risk populations: An inevitable progression?. <i>International Journal of Cardiology</i> , 2016, 210, 35-37.   | 1.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Mid-term clinical outcomes of ABSORB bioresorbable vascular scaffold versus everolimus-eluting stent for coronary bifurcation lesions. <i>International Journal of Cardiology</i> , 2017, 246, 26-31.   | 1.7 | 7         |
| 308 | Impact of Discharge Location After Transcatheter Aortic Valve Replacement on 1-Year Outcomes in Women: Results From the WIN-TAVI Registry. <i>Canadian Journal of Cardiology</i> , 2019, 35, 199-207.   | 1.7 | 7         |
| 309 | Tailoring Antiplatelet Therapy Intensity to Ischemic and Bleeding Risk. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019, 12, e004945.  | 2.2 | 7         |
| 310 | Incidence, predictors and clinical impact of permanent pacemaker insertion in women following transcatheter aortic valve implantation: Insights from a prospective multinational registry. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E908-E917. | 1.7 | 7         |
| 311 | Sex and Transcatheter Aortic Valve Implantation: Impact of Female Sex on Clinical Outcomes. <i>Interventional Cardiology Review</i> , 2019, 14, 137-141.  | 1.6 | 7         |
| 312 | Prolonged Double Antiplatelet Therapy in a Cohort of "De Novo" Diabetic Patients Treated With Drug-Eluting Stent Implantation. <i>American Journal of Cardiology</i> , 2010, 105, 1395-1401.  | 1.6 | 6         |
| 313 | Left Main Thrombotic Occlusion Following Balloon Aortic Valvuloplasty for Severe Aortic Stenosis. <i>Canadian Journal of Cardiology</i> , 2012, 28, 759.e13-759.e15.  | 1.7 | 6         |
| 314 | Tardive Coronary Obstruction By a Native Leaflet After Transcatheter Aortic Valve Replacement in a Patient With Heavily Calcified Aortic Valve Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, e105-e107.  | 2.9 | 6         |
| 315 | Impact of renal dysfunction on long-term mortality in patients with unprotected left main disease: Milan and New-Tokyo (MITO) Registry. <i>International Journal of Cardiology</i> , 2014, 177, 1131-1133.  | 1.7 | 6         |
| 316 | Clinical outcomes following target lesion revascularization for bioresorbable scaffold failure. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 832-836.  | 1.7 | 6         |
| 317 | Incidence, determinants and clinical impact of definite stent thrombosis on mortality in women: From the WIN-DES collaborative patient-level pooled analysis. <i>International Journal of Cardiology</i> , 2018, 263, 24-28.  | 1.7 | 6         |
| 318 | Impact of Diabetes Mellitus in Women Undergoing Percutaneous Coronary Intervention With Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e007734.  | 3.9 | 6         |
| 319 | Residual angina in female patients after coronary revascularization. <i>International Journal of Cardiology</i> , 2019, 286, 208-213.   | 1.7 | 6         |
| 320 | Accuracy of the PARIS score and PCI complexity to predict ischemic events in patients treated with very thin stents in unprotected left main or coronary bifurcations. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E227-E236.                     | 1.7 | 6         |
| 321 | Safety and efficacy of different P2Y12 inhibitors in patients with acute coronary syndromes stratified by the PRAISE risk score: a multicentre study. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 8, 881-891.                           | 4.0 | 6         |
| 322 | Initial experience with a new 8 French-compatible directional atherectomy catheter: Immediate and mid-term results. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 60, 159-166.  | 1.7 | 5         |
| 323 | Response to Letters Regarding Article, "Percutaneous Treatment With Drug-Eluting Stent Implantation Versus Bypass Surgery for Unprotected Left Main Stenosis: A Single-Center Experience" <i>Circulation</i> , 2006, 114, .   | 1.6 | 5         |
| 324 | Elección de intervención coronaria percutánea o bypass en la enfermedad coronaria multivazo. <i>Revista Española De Cardiología</i> , 2014, 67, 428-431.  | 1.2 | 5         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Preliminary Report of Clinical Outcomes After Single Crossover Bioresorbable Scaffold Implantation Without Routine Side Branch Strut Dilation. Catheterization and Cardiovascular Interventions, 2016, 88, 865-870.   | 1.7 | 5         |
| 326 | Five-year evolution of mild aortic regurgitation following transcatheter aortic valve implantation: early insights from a single-centre experience. Interactive Cardiovascular and Thoracic Surgery, 2017, 25, 75-82.   | 1.1 | 5         |
| 327 | Expansion in calcific lesions and overall clinical outcomes following bioresorbable scaffold implantation optimized with intravascular ultrasound. Catheterization and Cardiovascular Interventions, 2017, 89, 789-797.   | 1.7 | 5         |
| 328 | Comparison of bioresorbable vs durable polymer drug-eluting stents in unprotected left main (from) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5  | 1.7 | 5         |
| 329 | T and Small Protrusion (TAP) vs Double-Kissing Crush Technique: Insights From In Vitro Models. Cardiovascular Revascularization Medicine, 2021, 24, 11-17.  | 0.8 | 5         |
| 330 | Sex Differences in Outcomes After Percutaneous Coronary Intervention or Coronary Artery Bypass Graft for Left Main Disease: From the DELTA Registries. Journal of the American Heart Association, 2022, 11, e022320.  | 3.7 | 5         |
| 331 | Definitions and Standardized Endpoints for Treatment of Coronary Bifurcations. EuroIntervention, 2023, 19, e807-e831.   | 3.2 | 5         |
| 332 | Is There Still a Survival Advantage to Bypass Surgery Over Percutaneous Intervention in the Modern Era?. Progress in Cardiovascular Diseases, 2015, 58, 335-341.  | 3.1 | 4         |
| 333 | T-Stenting With Small Protrusion. JACC: Cardiovascular Interventions, 2016, 9, 1853-1854.   | 2.9 | 4         |
| 334 | New-generation drug-eluting stents for left main coronary artery disease according to the EXCEL trial enrollment criteria: Insights from the all-comers, international, multicenter DELTA-2 registry. International Journal of Cardiology, 2019, 280, 30-37.                | 1.7 | 4         |
| 335 | Gender Issues in Italian Catheterization Laboratories: The Gender CATH Study. Journal of the American Heart Association, 2021, 10, e017537.   | 3.7 | 4         |
| 336 | The importance of proximal optimization technique with intravascular imaging guided for stenting unprotected left main distal bifurcation lesions: The Milan and New Tokyo registry. Catheterization and Cardiovascular Interventions, 2021, 98, E814-E822.                 | 1.7 | 4         |
| 337 | Impact of Small Valve Size on 1-Year Outcomes After Transcatheter Aortic Valve Implantation in Women (from the WIN-TAVI Registry). American Journal of Cardiology, 2022, 172, 73-80.  | 1.6 | 4         |
| 338 | A New Tool to Manage Side-Branch Occlusion After Covered-Stent Implantation for Vascular Complications. JACC: Cardiovascular Interventions, 2013, 6, 893-894.   | 2.9 | 3         |
| 339 | Very Long-term Outcomes Following Drug-eluting Stent Implantation for Unprotected Left Main Coronary Artery Stenosis: A Single Center Experience. Revista Espanola De Cardiologia (English Ed ), 2013, 66, 24-33.   | 0.6 | 3         |
| 340 | A comparison of the fully repositionable and retrievable Boston Lotus and direct flow medical valves for the treatment of severe aortic stenosis: A single center experience. Catheterization and Cardiovascular Interventions, 2018, 91, 966-974.                          | 1.7 | 3         |
| 341 | New-Generation Drug-Eluting Stents for Left Main In-Stent Restenosis. JACC: Cardiovascular Interventions, 2018, 11, 2438-2440.  | 2.9 | 3         |
| 342 | Safety and efficacy of polymer-free biolimus-eluting stents versus ultrathin stents in unprotected left main or coronary bifurcation: A propensity score analysis from the RAIN and CHANCE registries. Catheterization and Cardiovascular Interventions, 2020, 95, 522-529. | 1.7 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Impact of the metal-to-artery ratio on clinical outcomes in left main and nonleft main bifurcation: insights the RAIN-CARDIOGROUP VII study (veRy thin stents for patients with left mAIn or bifurcatioN) Tj ETQq1 1 0.384314 agBT /Over  |     |           |
| 344 | Impact of diabetes mellitus on female subjects undergoing transcatheter aortic valve implantation: Insights from the WIN-TAVI international registry. International Journal of Cardiology, 2021, 322, 65-69.  | 1.7 | 3         |
| 345 | Polymer-Free Biolimus-Eluting Stents or Polymer-Based Zotarolimus-Eluting Stents for Coronary Bifurcation Lesions. Cardiovascular Revascularization Medicine, 2022, 35, 66-73.  | 0.8 | 3         |
| 346 | Elective Double Stenting for Left Main Coronary Artery Bifurcation Lesions. , 2010, , 149-192.  |     | 3         |
| 347 | Clinical impact of bifurcation angle change between diastole and systole in complex stenting for left main distal bifurcation: The Milan and Newâ€Tokyo ( MITO ) Registry. Catheterization and Cardiovascular Interventions, 2021, 98, E24-E34.   | 1.7 | 3         |
| 348 | Safety and feasibility of Bivalirudin with either Cypher and Taxus drug-eluting stent during percutaneous coronary intervention. EuroIntervention, 2005, 1, 70-4.   | 3.2 | 3         |
| 349 | Transcatheter Aortic Bioprosthesis Durability: A Single-Center Experience. Cardiovascular Revascularization Medicine, 2022, 43, 1-6.  | 0.8 | 3         |
| 350 | Beta-radiation therapy for long lesions in native coronary vessels. Cardiovascular Radiation Medicine, 2003, 4, 18-24.  | 0.6 | 2         |
| 351 | Bioresorbable scaffolds for the treatment of complex lesions: are we there yet?. Interventional Cardiology, 2015, 7, 35-54.   | 0.0 | 2         |
| 352 | Dual antiplatelet therapy following drug-eluting stent implantation: how long is long enough?. Expert Review of Cardiovascular Therapy, 2015, 13, 585-587.  | 1.5 | 2         |
| 353 | Impact and natural history of postprocedural aortic regurgitation on early and midterm mortality following transcatheter aortic valve implantation in high-risk patients with severe aortic stenosis. Journal of Cardiovascular Medicine, 2015, 16, 286-295.  | 1.5 | 2         |
| 354 | Clinical outcomes following bioresorbable scaffold implantation in small vessels. International Journal of Cardiology, 2016, 207, 59-61.  | 1.7 | 2         |
| 355 | Resource utilization for transfemoral transcatheter aortic valve replacement: An international comparison. Catheterization and Cardiovascular Interventions, 2016, 87, 145-151.   | 1.7 | 2         |
| 356 | Bioresorbable Vascular Scaffolds and Very Late Scaffold Thrombosis. JACC: Cardiovascular Interventions, 2017, 10, 745-746.  | 2.9 | 2         |
| 357 | What the surgeon needs to know about percutaneous coronary intervention treatment of chronic total occlusions. Annals of Cardiothoracic Surgery, 2018, 7, 533-545.  | 1.7 | 2         |
| 358 | Geographical Variations in Patterns of DAPT Cessation and Two-Year PCI Outcomes: Insights from the PARIS Registry. Thrombosis and Haemostasis, 2019, 119, 1704-1711.  | 3.4 | 2         |
| 359 | Clinical outcomes of double stent strategy for unprotected left main distal bifurcation lesions using current generation drug eluting stent comparing to early generation drug eluting stent; The Milan and New Tokyo ( MITO ) registry. Catheterization and Cardiovascular Interventions, 2021, 97, E198-E208. | 1.7 | 2         |
| 360 | Pericardium-covered stent: a reality for coronary interventions of the future?. Interventional Cardiology, 2012, 4, 411-418.  | 0.0 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Coronary artery bypass graft versus percutaneous coronary intervention with drug-eluting stent implantation for diabetic patients with unprotected left main coronary artery disease: the D-DELTA registry. <i>EuroIntervention</i> , 2013, 9, 803-808.                              | 3.2 | 2         |
| 362 | SCAI Expert Consensus Statement on Sex-Specific Considerations in Myocardial Revascularization. , 2022, 1, 100016.   |     | 2         |
| 363 | PlaCor PRT measurement of shear-activated platelet aggregate formation in stable patients treated with single and dual antiplatelet therapy. <i>Platelets</i> , 2014, 25, 337-342.   | 2.3 | 1         |
| 364 | One Versus Two Stents. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 264-265.   | 2.9 | 1         |
| 365 | Percutaneous treatment of left main disease: Still learning about the optimal PCI strategy. <i>Cardiovascular Revascularization Medicine</i> , 2016, 17, 494-496.  | 0.8 | 1         |
| 366 | A challenging case of transcatheter aortic prosthesis dysfunction: Endocarditis or thrombosis?. <i>International Journal of Cardiology</i> , 2016, 214, 500-501.   | 1.7 | 1         |
| 367 | Incidence and significance of side branch occlusions following bioresorbable scaffold implantation for long left anterior descending artery lesions. <i>International Journal of Cardiology</i> , 2016, 222, 674-675.  | 1.7 | 1         |
| 368 | Left Main Percutaneous Coronary Intervention. <i>Interventional Cardiology Clinics</i> , 2016, 5, 125-134.   | 0.4 | 1         |
| 369 | Dual Antiplatelet Therapy After Bioresorbable Vascular Scaffold Implantation. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 1471-1472.   | 2.9 | 1         |
| 370 | Self-expandable sirolimus-eluting stents compared to second-generation drug-eluting stents for the treatment of the left main: A propensity score analysis from the SPARTA and the FAILSAFE registries. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 208-215. | 1.7 | 1         |
| 371 | Active Protection of High-Risk Small Side Branches in Bifurcation Interventions. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1123-1125.  | 2.9 | 1         |
| 372 | RENASCENT III: First in Human Evaluation of the Novel Thin Strut MAGNITUDE Sirolimus-Eluting Ultra-High Molecular Weight MAGNITUDE Bioresorbable Scaffold: 9-Month Imaging and 2-Year Clinical Results. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010013.        | 3.9 | 1         |
| 373 | Tools & Techniques: Left main coronary artery percutaneous coronary intervention. <i>EuroIntervention</i> , 2011, 6, 1020-1021.  | 3.2 | 1         |
| 374 | Left Main Stem Disease. , 2014, , 1-16.  |     | 1         |
| 375 | STEMIs and a Closer Look at MINOCA During the COVID-19 Pandemic. , 2022, , 100372.   |     | 1         |
| 376 | Drug-eluting stents: What is the balance of risks and benefits?. <i>Current Cardiovascular Risk Reports</i> , 2007, 1, 279-283.  | 2.0 | 0         |
| 377 | Impact of optimal medical therapy and percutaneous coronary intervention on patients with stable angina. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2009, 6, 92-93.   | 3.3 | 0         |
| 378 | Rebuttal: Response to Dr. Morton Kern. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 74, 814-814.  | 1.7 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Stent Thrombosis After Kissing Balloons. JACC: Cardiovascular Interventions, 2012, 5, 1290-1291.  | 2.9 | 0         |
| 380 | Diabetes and everolimus-eluting stents: what we know and what is still missing. Insights from subanalysis of the SORT OUT IV trial. Expert Review of Cardiovascular Therapy, 2013, 11, 151-154.   | 1.5 | 0         |
| 381 | Optimal Medical Treatment: Is It the Worst Option in Multivessel Coronary Disease? Response. Revista Espanola De Cardiologia (English Ed ), 2014, 67, 1075.   | 0.6 | 0         |
| 382 | Tratamiento médico Óptimo: ¿es la peor opción en la enfermedad coronaria multivaso? Respuesta. Revista Espanola De Cardiologia, 2014, 67, 1075.   | 1.2 | 0         |
| 383 | Reply. Journal of the American College of Cardiology, 2015, 65, 2360-2361.  | 2.8 | 0         |
| 384 | Transarterial Endoleak Closure After Endovascular Thoracoabdominal Aneurysm Repair. Journal of Endovascular Therapy, 2016, 23, 220-224.   | 1.5 | 0         |
| 385 | The Unforgettable Cornerstone. Journal of the American College of Cardiology, 2017, 69, 755-756.  | 2.8 | 0         |
| 386 | Percutaneous Transjugular Tricuspid Valve-In-Valve Implantation for Degenerated Surgical Bioprosthetic Valve. Cardiovascular Revascularization Medicine, 2020, 21, 808-809.   | 0.8 | 0         |
| 387 | Percutaneous Unprotected Left Main Coronary Artery Interventions “ Updated Results and Current Recommendations. Interventional Cardiology Review, 2011, 6, 44.  | 1.6 | 0         |
| 388 | How should I treat a left main spontaneous dissection involving left anterior descending artery, intermediate branch artery and left circumflex artery?. EuroIntervention, 2013, 9, 285-289.  | 3.2 | 0         |
| 389 | Left Main Stem Disease. , 2015, , 2205-2217.  |     | 0         |
| 390 | Technical Aspects of Left Main Stem Percutaneous Coronary Intervention. , 2015, , 237-253.  |     | 0         |
| 391 | Bifurcations: Tips and Tricks. , 2016, , 215-219.   |     | 0         |
| 392 | How long should dual antiplatelet therapy be continued following implantation of drug eluting stents?. Annals of Translational Medicine, 2015, 3, S10.  | 1.7 | 0         |
| 393 | Post-stenting optimisation techniques in bifurcation percutaneous coronary interventions: much remains to be explored. EuroIntervention, 2021, 17, e869-e871.   | 3.2 | 0         |
| 394 | The impact of chronic kidney disease severity on clinical outcomes after current generation drug-eluting stent implantation for left main distal bifurcation lesions: the Milan and New-Tokyo registry. Scandinavian Cardiovascular Journal, 2022, 56, 236-242. | 1.2 | 0         |