Christopher J Salice

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4076233/publications.pdf

Version: 2024-02-01

361413 395702 1,157 45 20 33 g-index citations h-index papers 45 45 45 1169 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Assessing the Ecological Risks of Per―and Polyfluoroalkyl Substances: Current State―fâ€the Science and a Proposed Path Forward. Environmental Toxicology and Chemistry, 2021, 40, 564-605.	4.3	166
2	Ecological risk of anthropogenic pollutants to reptiles: Evaluating assumptions of sensitivity and exposure. Environmental Pollution, 2010, 158, 3596-3606.	7. 5	86
3	The pros and cons of ecological risk assessment based on data from different levels of biological organization. Critical Reviews in Toxicology, 2016, 46, 756-784.	3.9	83
4	Environmental Fate and Effects of Dichloroacetamide Herbicide Safeners: "Inert―yet Biologically Active Agrochemical Ingredients. Environmental Science and Technology Letters, 2015, 2, 260-269.	8.7	49
5	Resistance to cadmium and parasite infection are inversely related in two strains of a freshwater gastropod. Environmental Toxicology and Chemistry, 2002, 21, 1398-1403.	4.3	47
6	Improving reptile ecological risk assessment: Oral and dermal toxicity of pesticides to a common lizard species (<i>Sceloporus occidentalis</i>). Environmental Toxicology and Chemistry, 2015, 34, 1778-1786.	4.3	43
7	Temporal monitoring of perfluorooctane sulfonate accumulation in aquatic biota downstream of historical aqueous film forming foam use areas. Environmental Toxicology and Chemistry, 2017, 36, 2022-2029.	4.3	42
8	Per―and Polyfluoroalkyl Substances (PFAS) in Surface Water Near US Air Force Bases: Prioritizing Individual Chemicals and Mixtures for Toxicity Testing and Risk Assessment. Environmental Toxicology and Chemistry, 2021, 40, 871-882.	4.3	41
9	Multiple stressors and complex life cycles: Insights from a populationâ€level assessment of breeding site contamination and terrestrial habitat loss in an amphibian. Environmental Toxicology and Chemistry, 2011, 30, 2874-2882.	4.3	40
10	High tolerance to abiotic stressors and invasion success of the slow growing freshwater snail, Melanoides tuberculatus. Biological Invasions, 2012, 14, 385-394.	2.4	39
11	Adaptive responses and latent costs of multigeneration cadmium exposure in parasite resistant and susceptible strains of a freshwater snail. Ecotoxicology, 2010, 19, 1466-1475.	2.4	35
12	Chronic Reproductive Toxicity of Perfluorooctane Sulfonic Acid and a Simple Mixture of Perfluorooctane Sulfonic Acid and Perfluorohexane Sulfonic Acid to Northern Bobwhite Quail (<i>Colinus virginianus</i>). Environmental Toxicology and Chemistry, 2020, 39, 1101-1111.	4.3	30
13	Ecological risk assessment of perfluooroctane sulfonate to aquatic fauna from a bayou adjacent to former fire training areas at a US Air Force installation. Environmental Toxicology and Chemistry, 2018, 37, 2198-2209.	4.3	28
14	Unraveling the Relative Importance of Oral and Dermal Contaminant Exposure in Reptiles: Insights from Studies Using the Western Fence Lizard (Sceloporus occidentalis). PLoS ONE, 2014, 9, e99666.	2.5	28
15	Transgenerational cross-tolerance to stress: parental exposure to predators increases offspring contaminant tolerance. Ecotoxicology, 2013, 22, 854-861.	2.4	25
16	Multiple Stressors and Amphibians: Contributions of Adverse Health Effects and Altered Hydroperiod to Population Decline and Extinction. Journal of Herpetology, 2012, 46, 675-681.	0.5	24
17	If you could turn back time: Understanding transgenerational latent effects of developmental exposure to contaminants. Environmental Pollution, 2014, 184, 419-425.	7.5	24
18	Toxicological Response of <i>Chironomus dilutus < /i> in Singleâ€Chemical and Binary Mixture Exposure Experiments with 6 Perfluoralkyl Substances. Environmental Toxicology and Chemistry, 2021, 40, 2319-2333.</i>	4.3	24

#	Article	IF	Citations
19	Populationâ€level responses to longâ€term cadmium exposure in two strains of the freshwater gastropod <i>Biomphalaria glabrata∢/i>: Results from a lifeâ€table response experiment. Environmental Toxicology and Chemistry, 2003, 22, 678-688.</i>	4.3	23
20	Complex interactions between climate change and toxicants: evidence that temperature variability increases sensitivity to cadmium. Ecotoxicology, 2014, 23, 809-817.	2.4	22
21	Species―and Tissueâ€Specific Avian Chronic Toxicity Values for Perfluorooctane Sulfonate (PFOS) and a Binary Mixture of PFOS and Perfluorohexane Sulfonate. Environmental Toxicology and Chemistry, 2021, 40, 899-909.	4.3	21
22	Chronic Effects of 17α-Ethinylestradiol, Fluoxetine, and the Mixture on Individual and Population-Level End Points in Daphnia magna. Archives of Environmental Contamination and Toxicology, 2015, 68, 603-611.	4.1	20
23	Energetic endpoints provide early indicators of life history effects in a freshwater gastropod exposed to the fungicide, pyraclostrobin. Environmental Pollution, 2016, 211, 183-190.	7.5	20
24	Assessing the toxicity of the "inert―safener benoxacor toward <i>Chironomus riparius</i> : Effects of agrochemical mixtures. Environmental Toxicology and Chemistry, 2017, 36, 2660-2670.	4.3	20
25	Plasticity in offspring contaminant tolerance traits: developmental cadmium exposure trumps parental effects. Ecotoxicology, 2013, 22, 847-853.	2.4	18
26	Key Considerations for Accurate Exposures in Ecotoxicological Assessments of Perfluorinated Carboxylates and Sulfonates. Environmental Toxicology and Chemistry, 2021, 40, 677-688.	4.3	16
27	Transgenerational endpoints provide increased sensitivity and insight into multigenerational responses of Lymnaea stagnalis exposed to cadmium. Environmental Pollution, 2017, 224, 572-580.	7.5	15
28	Effects of 17αâ€ethynylestradiol, fluoxetine, and the mixture on life history traits and population growth rates in a freshwater gastropod. Environmental Toxicology and Chemistry, 2013, 32, 2771-2778.	4.3	14
29	Sensitivity and Accumulation of Perfluorooctanesulfonate and Perfluorohexanesulfonic Acid in Fathead Minnows ($\langle i \rangle$ Pimephales promelas $\langle i \rangle$) Exposed over Critical Life Stages of Reproduction and Development. Environmental Toxicology and Chemistry, 2021, 40, 811-819.	4.3	14
30	Environmentally relevant concentrations of a common insecticide increase predation risk in a freshwater gastropod. Ecotoxicology, 2013, 22, 42-49.	2.4	13
31	Comparative Toxicity of Herbicide Active Ingredients, Safener Additives, and Commercial Formulations to the Nontarget Alga <i>Raphidocelis Subcapitata</i> . Environmental Toxicology and Chemistry, 2022, 41, 1466-1476.	4.3	10
32	Dietary acclimation affects dietary selection in the freshwater snail Planorbella trivolvis. Journal of Molluscan Studies, 2012, 78, 256-261.	1.2	9
33	Speciesâ€specific and transgenerational responses to increasing salinity in sympatric freshwater gastropods. Environmental Toxicology and Chemistry, 2012, 31, 2517-2524.	4.3	9
34	Parental diet affects embryogenesis of the great pond snail (<i>Lymnaea stagnalis</i>) exposed to cadmium, pyraclostrobin, and tributyltin. Environmental Toxicology and Chemistry, 2018, 37, 2428-2438.	4.3	9
35	Will temperature increases associated with climate change potentiate toxicity of environmentally relevant concentrations of chloride on larval green frogs (Lithobates clamitans)?. Science of the Total Environment, 2019, 682, 282-290.	8.0	9
36	Species―and Tissue‧pecific Chronic Toxicity Values for Northern Bobwhite Quail (<i>Colinus) Tj ETQq0 0 0 r Sulfonic Acid and Perfluorohexane Sulfonic Acid. Environmental Toxicology and Chemistry, 2022, 41, 219-229.</i>	rgBT /Overl 4.3	lock 10 Tf 50 1 7

3

#	Article	IF	CITATIONS
37	New insights into parental effects and toxicity: Mate availability and diet in the parental environment affect offspring responses to contaminants. Environmental Pollution, 2013, 180, 41-47.	7.5	6
38	A cost or a benefit? Counterintuitive effects of diet quality and cadmium in Lymnaea stagnalis. Ecotoxicology, 2016, 25, 1771-1781.	2.4	6
39	Chronic Reproductive Toxicity Thresholds for Northern Bobwhite Quail (<i>Colinus virginianus</i>) Exposed to Perfluorohexanoic Acid (PFHxA) and a Mixture of Perfluorooctane Sulfonic Acid (PFOS) and PFHxA. Environmental Toxicology and Chemistry, 2021, 40, 2601-2614.	4.3	6
40	Diet quality affects chemical tolerance in the freshwater snail <i>Lymnaea stagnalis</i> Environmental Toxicology and Chemistry, 2018, 37, 1158-1167.	4.3	4
41	Perfluoroalkyl acids in sediment and water surrounding historical fire training areas at Barksdale Air Force Base. PeerJ, 2022, 10, e13054.	2.0	4
42	Intraspecific interactions affect outcomes of pulse toxicity at different Daphnia magna population phases. Environmental Pollution, 2020, 267, 115398.	7.5	3
43	Investigating potential toxic effects of pollutants on population growth rates and probability of extinction for a representative squamate. Ecotoxicology, 2021, 30, 175-186.	2.4	3
44	Direct and indirect effects of petroleum production activities on the western fence lizard (<i>Sceloporus occidentalis</i>) as a surrogate for the dunes sagebrush lizard (<i>Sceloporus) Tj ETQq0 0 0 rgB</i>	T/@nærloo	ck 110 Tf 50 45
45	Increased temperature and lower resource quality exacerbate chloride toxicity to larval Lithobates sylvaticus (wood frog). Environmental Pollution, 2020, 266, 115188.	7.5	1