

Miguel Valcã;rcel Cases

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/4079072/publications.pdf>

Version: 2024-02-01

538
papers

18,165
citations

16411

64
h-index

43802

91
g-index

542
all docs

542
docs citations

542
times ranked

12856
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Carbon nanostructures as sorbent materials in analytical processes. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 34-43. | 5.8 | 287 |
| 2 | Quantum dots luminescence enhancement due to illumination with UV/Vis light. <i>Chemical Communications</i> , 2009, , 5214. | 2.2 | 282 |
| 3 | Role of Carbon Nanotubes in Analytical Science. <i>Analytical Chemistry</i> , 2007, 79, 4788-4797. | 3.2 | 268 |
| 4 | Potential of nanoparticles in sample preparation. <i>Journal of Chromatography A</i> , 2011, 1218, 620-637. | 1.8 | 199 |
| 5 | Monitoring nanoparticles in the environment. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 393, 17-21. | 1.9 | 175 |
| 6 | Present and future applications of carbon nanotubes to analytical science. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 1783-1790. | 1.9 | 169 |
| 7 | The roles of ionic liquids in sorptive microextraction techniques. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 602-616. | 5.8 | 159 |
| 8 | Two-dimensional correlation spectroscopy and multivariate curve resolution for the study of lipid oxidation in edible oils monitored by FTIR and FT-Raman spectroscopy. <i>Analytica Chimica Acta</i> , 2007, 593, 54-67. | 2.6 | 152 |
| 9 | One-step in-syringe ionic liquid-based dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2009, 1216, 6459-6465. | 1.8 | 147 |
| 10 | Direct Coupling of Ionic Liquid Based Single-Drop Microextraction and GC/MS. <i>Analytical Chemistry</i> , 2008, 80, 793-800. | 3.2 | 144 |
| 11 | The Toxicity of Silver Nanoparticles Depends on Their Uptake by Cells and Thus on Their Surface Chemistry. <i>Particle and Particle Systems Characterization</i> , 2013, 30, 1079-1085. | 1.2 | 131 |
| 12 | Analytical Supercritical Fluid Extraction. , 1994, , . | | 131 |
| 13 | Association of Methanol and Water in Ionic Liquids Elucidated by Infrared Spectroscopy Using Two-Dimensional Correlation and Multivariate Curve Resolution. <i>Journal of Physical Chemistry B</i> , 2006, 110, 10896-10902. | 1.2 | 130 |
| 14 | Ionic liquid-based single-drop microextraction/gas chromatographic/mass spectrometric determination of benzene, toluene, ethylbenzene and xylene isomers in waters. <i>Journal of Chromatography A</i> , 2008, 1201, 106-111. | 1.8 | 125 |
| 15 | Determination of volatile compounds by GC-IMS to assign the quality of virgin olive oil. <i>Food Chemistry</i> , 2015, 187, 572-579. | 4.2 | 124 |
| 16 | Determination of parabens in cosmetic products using multi-walled carbon nanotubes as solid phase extraction sorbent and corona-charged aerosol detection system. <i>Journal of Chromatography A</i> , 2010, 1217, 1-6. | 1.8 | 119 |
| 17 | Determination of anti-carcinogenic polyphenols present in green tea using capillary electrophoresis coupled to a flow injection system. <i>Journal of Chromatography A</i> , 1998, 827, 113-120. | 1.8 | 116 |
| 18 | Ion-mobility spectrometry for environmental analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 677-690. | 5.8 | 114 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Use of switchable solvents in the microextraction context. <i>Talanta</i> , 2015, 131, 645-649. | 2.9 | 114 |
| 20 | Selective Quantification of Carnitine Enantiomers Using Chiral Cysteine-Capped CdSe(ZnS) Quantum Dots. <i>Analytical Chemistry</i> , 2009, 81, 4730-4733. | 3.2 | 107 |
| 21 | Vanguard-rearguard analytical strategies. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 67-74. | 5.8 | 98 |
| 22 | In Situ Synthesis of Magnetic Multiwalled Carbon Nanotube Composites for the Clean-up of (Fluoro)Quinolones from Human Plasma Prior to Ultrahigh Pressure Liquid Chromatography Analysis. <i>Analytical Chemistry</i> , 2010, 82, 2743-2752. | 3.2 | 98 |
| 23 | Fullerenes as Sorbent Materials for Metal Preconcentration. <i>Analytical Chemistry</i> , 1994, 66, 4074-4078. | 3.2 | 96 |
| 24 | Functionalization and dispersion of carbon nanotubes in ionic liquids. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 47, 99-110. | 5.8 | 96 |
| 25 | Effervescence assisted dispersive liquid-liquid microextraction with extractant removal by magnetic nanoparticles. <i>Analytica Chimica Acta</i> , 2014, 807, 61-66. | 2.6 | 95 |
| 26 | Fluorescent carbon dot-molecular salt hydrogels. <i>Chemical Science</i> , 2015, 6, 6139-6146. | 3.7 | 95 |
| 27 | Sample screening systems in analytical chemistry. <i>TrAC - Trends in Analytical Chemistry</i> , 1999, 18, 685-694. | 5.8 | 94 |
| 28 | Dispersive micro solid-phase extraction of triazines from waters using oxidized single-walled carbon nanohorns as sorbent. <i>Journal of Chromatography A</i> , 2012, 1245, 17-23. | 1.8 | 93 |
| 29 | Simultaneous determinations in flow injection analysis. A review. <i>Analyst</i> , 1984, 109, 413. | 1.7 | 92 |
| 30 | Evaluation of the performance of single-walled carbon nanohorns in capillary electrophoresis. <i>Electrophoresis</i> , 2010, 31, 1681-1688. | 1.3 | 92 |
| 31 | Electrophoretic methods for the analysis of nanoparticles. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 58-71. | 5.8 | 92 |
| 32 | Direct determination of biogenic amines in wine by integrating continuous flow clean-up and capillary electrophoresis with indirect UV detection. <i>Journal of Chromatography A</i> , 1998, 803, 249-260. | 1.8 | 91 |
| 33 | Dispersive micro-solid phase extraction with ionic liquid-modified silica for the determination of organophosphate pesticides in water by ultra performance liquid chromatography. <i>Microchemical Journal</i> , 2013, 106, 311-317. | 2.3 | 91 |
| 34 | Liquid-liquid extraction in continuous flow systems without phase separation. <i>Analytical Chemistry</i> , 1988, 60, 2354-2357. | 3.2 | 87 |
| 35 | Direct olive oil authentication: Detection of adulteration of olive oil with hazelnut oil by direct coupling of headspace and mass spectrometry, and multivariate regression techniques. <i>Journal of Chromatography A</i> , 2005, 1074, 215-221. | 1.8 | 87 |
| 36 | Fluorescent nanocellulosic hydrogels based on graphene quantum dots for sensing laccase. <i>Analytica Chimica Acta</i> , 2017, 974, 93-99. | 2.6 | 83 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Determination of trans-resveratrol and other polyphenols in wines by a continuous flow sample clean-up system followed by capillary electrophoresis separation. <i>Analytica Chimica Acta</i> , 1998, 359, 27-38. | 2.6 | 82 |
| 38 | Determination of non-steroidal anti-inflammatory drugs in urine by combining an immobilized carboxylated carbon nanotubes minicolumn for solid-phase extraction with capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2007, 1159, 203-207. | 1.8 | 82 |
| 39 | One step carbon nanotubes-based solid-phase extraction for the gas chromatographic-mass spectrometric multiclass pesticide control in virgin olive oils. <i>Journal of Chromatography A</i> , 2009, 1216, 7346-7350. | 1.8 | 82 |
| 40 | Study of the Degradation of the Herbicides 2,4-D and MCPA at Different Depths in Contaminated Agricultural Soil. <i>Environmental Science & Technology</i> , 2001, 35, 4265-4270. | 4.6 | 81 |
| 41 | Strong luminescence of Carbon Dots induced by acetone passivation: Efficient sensor for a rapid analysis of two different pollutants. <i>Analytica Chimica Acta</i> , 2013, 804, 246-251. | 2.6 | 81 |
| 42 | Stir fabric phase sorptive extraction for the determination of triazine herbicides in environmental waters by liquid chromatography. <i>Journal of Chromatography A</i> , 2015, 1376, 35-45. | 1.8 | 81 |
| 43 | Integrated reaction/spectrophotometric detection in unsegmented flow systems. <i>Analytica Chimica Acta</i> , 1988, 214, 217-227. | 2.6 | 80 |
| 44 | The Potential of Carbon Nanotube Membranes for Analytical Separations. <i>Analytical Chemistry</i> , 2010, 82, 5399-5407. | 3.2 | 80 |
| 45 | Ionic liquid coated magnetic nanoparticles for the gas chromatography/mass spectrometric determination of polycyclic aromatic hydrocarbons in waters. <i>Journal of Chromatography A</i> , 2013, 1300, 134-140. | 1.8 | 80 |
| 46 | Photoluminescent sensing hydrogel platform based on the combination of nanocellulose and S,N-codoped graphene quantum dots. <i>Sensors and Actuators B: Chemical</i> , 2017, 245, 946-953. | 4.0 | 80 |
| 47 | Multidetector in unsegmented flow systems with a single detector. <i>Analytical Chemistry</i> , 1985, 57, 1803-1809. | 3.2 | 79 |
| 48 | Use of switchable hydrophilicity solvents for the homogeneous liquid-liquid microextraction of triazine herbicides from environmental water samples. <i>Journal of Separation Science</i> , 2015, 38, 990-995. | 1.3 | 79 |
| 49 | Reusable sensor based on functionalized carbon dots for the detection of silver nanoparticles in cosmetics via inner filter effect. <i>Analytica Chimica Acta</i> , 2015, 872, 70-76. | 2.6 | 79 |
| 50 | Evaluation of single-walled carbon nanohorns as sorbent in dispersive micro solid-phase extraction. <i>Analytica Chimica Acta</i> , 2012, 714, 76-81. | 2.6 | 77 |
| 51 | Determination of phenols in waters by stir membrane liquid-liquid microextraction coupled to liquid chromatography with ultraviolet detection. <i>Journal of Chromatography A</i> , 2011, 1218, 2176-2181. | 1.8 | 76 |
| 52 | Surfactant-coated single-walled carbon nanotubes as a novel pseudostationary phase in capillary EKC. <i>Electrophoresis</i> , 2007, 28, 1714-1722. | 1.3 | 75 |
| 53 | Sample treatments based on dispersive (micro)extraction. <i>Analytical Methods</i> , 2011, 3, 1719. | 1.3 | 75 |
| 54 | Dispersive micro-solid phase extraction of bisphenol A from milk using magnetic nylon 6 composite and its final determination by HPLC-UV. <i>Microchemical Journal</i> , 2016, 124, 751-756. | 2.3 | 75 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Flow injection capillary electrophoresis coupling to automate on-line sample treatment for the determination of inorganic ions in waters. <i>Journal of Chromatography A</i> , 1997, 791, 279-287. | 1.8 | 73 |
| 56 | Speciation of Organometallic Compounds in Environmental Samples by Gas Chromatography after Flow Preconcentration on Fullerenes and Nanotubes. <i>Analytical Chemistry</i> , 2005, 77, 5389-5395. | 3.2 | 71 |
| 57 | Determination of trihalomethanes in waters by ionic liquid-based single drop microextraction/gas chromatographic/mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1209, 76-82. | 1.8 | 71 |
| 58 | Ionic liquid-based dynamic liquid-phase microextraction: Application to the determination of anti-inflammatory drugs in urine samples. <i>Journal of Chromatography A</i> , 2008, 1202, 1-7. | 1.8 | 71 |
| 59 | Direct classification of olive oils by using two types of ion mobility spectrometers. <i>Analytica Chimica Acta</i> , 2011, 696, 108-115. | 2.6 | 70 |
| 60 | Combined use of carbon nanotubes and ionic liquid to improve the determination of antidepressants in urine samples by liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1139-1145. | 1.9 | 69 |
| 61 | Screening and analytical confirmation of sulfonamide residues in milk by capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2005, 26, 1567-1575. | 1.3 | 68 |
| 62 | Effervescence-assisted dispersive micro-solid phase extraction. <i>Journal of Chromatography A</i> , 2011, 1218, 9128-9134. | 1.8 | 68 |
| 63 | Graphene Quantum Dots Sensor for the Determination of Graphene Oxide in Environmental Water Samples. <i>Analytical Chemistry</i> , 2014, 86, 12279-12284. | 3.2 | 68 |
| 64 | Ionic liquid-based single drop microextraction and room-temperature gas chromatography for on-site ion mobility spectrometric analysis. <i>Journal of Chromatography A</i> , 2009, 1216, 5580-5587. | 1.8 | 67 |
| 65 | Quality assurance of qualitative analysis in the framework of the European project 'MEQUALAN'. <i>Accreditation and Quality Assurance</i> , 2003, 8, 68-77. | 0.4 | 66 |
| 66 | Stir Membrane Extraction: A Useful Approach for Liquid Sample Pretreatment. <i>Analytical Chemistry</i> , 2009, 81, 8957-8961. | 3.2 | 66 |
| 67 | Effervescence-assisted carbon nanotubes dispersion for the micro-solid-phase extraction of triazine herbicides from environmental waters. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 3269-3277. | 1.9 | 66 |
| 68 | Magnetic nanoparticles-nylon 6 composite for the dispersive micro solid phase extraction of selected polycyclic aromatic hydrocarbons from water samples. <i>Journal of Chromatography A</i> , 2014, 1345, 43-49. | 1.8 | 66 |
| 69 | Multi-capillary column-ion mobility spectrometry: a potential screening system to differentiate virgin olive oils. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 489-498. | 1.9 | 65 |
| 70 | Multiplexed Sensing and Imaging with Colloidal Nano- and Microparticles. <i>Annual Review of Analytical Chemistry</i> , 2013, 6, 53-81. | 2.8 | 65 |
| 71 | Direct automatic determination of biogenic amines in wine by flow injection-capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2004, 25, 3427-3433. | 1.3 | 64 |
| 72 | Evaluation of carbon nanostructures as chiral selectors for direct enantiomeric separation of ephedrine by EKC. <i>Electrophoresis</i> , 2007, 28, 2573-2579. | 1.3 | 63 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | On-line separation and preconcentration of cadmium, lead and nickel in a fullerene (C 60) minicolumn coupled to flow injection tungsten coil atomic absorption spectrometry 1Presented at the Flow Analysis VII Conference held in Piracicaba, Brazil, 23â€“26 August 1997. 1. <i>Analytica Chimica Acta</i> , 1998, 368, 255-263. | 2.6 | 62 |
| 74 | Ionic liquids and CE combination. <i>Electrophoresis</i> , 2008, 29, 94-107. | 1.3 | 62 |
| 75 | Determination of phenothiazine derivatives in human urine by using ionic liquid-based dynamic liquid-phase microextraction coupled with liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 37-42. | 1.2 | 62 |
| 76 | Pre-concentration and determination of trace amounts of lead in water by continuous precipitation in an unsegmented-flow atomic absorption spectrometric system. <i>Analyst, The</i> , 1987, 112, 1233-1236. | 1.7 | 61 |
| 77 | Determination of nonsteroidal anti-inflammatory drugs in biological fluids by automatic on-line integration of solid-phase extraction and capillary electrophoresis. <i>Electrophoresis</i> , 2001, 22, 484-490. | 1.3 | 61 |
| 78 | Recent developments in capillary EKC based on carbon nanoparticles. <i>Electrophoresis</i> , 2009, 30, 169-175. | 1.3 | 61 |
| 79 | Raman spectroscopic characterization of single walled carbon nanotubes: influence of the sample aggregation state. <i>Analyst, The</i> , 2014, 139, 290-298. | 1.7 | 61 |
| 80 | Comparison of flow injection analysis configurations for differential kinetic determination of cobalt and nickel. <i>Analytical Chemistry</i> , 1984, 56, 1146-1151. | 3.2 | 60 |
| 81 | Indirect atomic absorption determination of anionic surfactants in wastewaters by flow injection continuous liquid-liquid extraction. <i>Analytical Chemistry</i> , 1986, 58, 2265-2269. | 3.2 | 60 |
| 82 | Individual and simultaneous determination of ethanol and acetaldehyde in wines by flow injection analysis and immobilized enzymes. <i>Analytical Chemistry</i> , 1987, 59, 1859-1863. | 3.2 | 60 |
| 83 | Supported liquid membranes for the determination of vanillin in food samples with amperometric detection. <i>Analytica Chimica Acta</i> , 2000, 410, 127-134. | 2.6 | 60 |
| 84 | Colistin-functionalised CdSe/ZnS quantum dots as fluorescent probe for the rapid detection of <i>Escherichia coli</i> . <i>Biosensors and Bioelectronics</i> , 2011, 26, 4368-4374. | 5.3 | 60 |
| 85 | Analytical potential of hybrid nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 43-54. | 1.9 | 60 |
| 86 | Magnetic nanoparticles coated with ionic liquid for the extraction of endocrine disrupting compounds from waters. <i>Microchemical Journal</i> , 2016, 128, 347-353. | 2.3 | 60 |
| 87 | Preconcentration of Copper Traces on C60-C70 Fullerenes by Formation of Ion Pairs and Chelates. <i>Analytical Chemistry</i> , 1995, 67, 2524-2529. | 3.2 | 59 |
| 88 | Evaluation of carbon nanocones/disks as sorbent material for solid-phase extraction. <i>Journal of Chromatography A</i> , 2009, 1216, 5626-5633. | 1.8 | 59 |
| 89 | Graphene quantum dots as sensor for phenols in olive oil. <i>Sensors and Actuators B: Chemical</i> , 2014, 197, 350-357. | 4.0 | 59 |
| 90 | Nanocellulose as analyte and analytical tool: Opportunities and challenges. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 87, 1-18. | 5.8 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Continuous separation techniques in flow injection analysis. <i>Journal of Chromatography A</i> , 1987, 393, 3-23. | 1.8 | 58 |
| 92 | Continuous flow spectrophotometric determination of paracetamol in pharmaceuticals following continuous microwave assisted alkaline hydrolysis. <i>Talanta</i> , 2000, 53, 417-423. | 2.9 | 57 |
| 93 | Determination of Natural and Synthetic Colorants in Prescreened Dairy Samples Using Liquid Chromatography-Diode Array Detection. <i>Analytical Chemistry</i> , 2003, 75, 685-693. | 3.2 | 57 |
| 94 | Analytical potential of flow-reversal injection analysis. <i>Analytical Chemistry</i> , 1988, 60, 1540-1545. | 3.2 | 56 |
| 95 | Separation of carbon nanotubes in aqueous medium by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2006, 1128, 282-289. | 1.8 | 56 |
| 96 | Analytical Nanoscience and Nanotechnology: Where we are and where we are heading. <i>Talanta</i> , 2018, 177, 104-121. | 2.9 | 56 |
| 97 | The hierarchy and relationships of analytical properties. <i>Analytical Chemistry</i> , 1993, 65, 781A-787A. | 3.2 | 55 |
| 98 | Coupling continuous separation techniques to capillary electrophoresis. <i>Journal of Chromatography A</i> , 2001, 924, 3-30. | 1.8 | 55 |
| 99 | Determination of 2,4,6-trichloroanisole in water and wine samples by ionic liquid-based single-drop microextraction and ion mobility spectrometry. <i>Analytica Chimica Acta</i> , 2011, 702, 199-204. | 2.6 | 55 |
| 100 | Functionalized carbon dots as sensors for gold nanoparticles in spiked samples: Formation of nanohybrids. <i>Analytica Chimica Acta</i> , 2014, 820, 133-138. | 2.6 | 55 |
| 101 | Analytical potential of continuous precipitation in flow injection-atomic absorption configurations. <i>Analytical Chemistry</i> , 1987, 59, 69-74. | 3.2 | 54 |
| 102 | Evaporative light scattering detection: trends in its analytical uses. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1663-1672. | 1.9 | 54 |
| 103 | Photochemicalâ€“spectrofluorimetric determination of phenothiazine compounds by unsegmented-flow methods. <i>Analyst, The</i> , 1991, 116, 171-176. | 1.7 | 53 |
| 104 | Liquid-phase microextraction in bioanalytical sample preparation. <i>Bioanalysis</i> , 2009, 1, 135-149. | 0.6 | 53 |
| 105 | Ionic liquid based in situ solvent formation microextraction coupled to thermal desorption for chlorophenols determination in waters by gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1229, 48-54. | 1.8 | 53 |
| 106 | Integration of reaction (retention) and spectroscopic detection in continuous-flow systems. Invited lecture. <i>Analyst, The</i> , 1990, 115, 699-703. | 1.7 | 52 |
| 107 | Atomic absorption determination of copper in silicate rocks by continuous precipitation preconcentration. <i>Analytical Chemistry</i> , 1989, 61, 1427-1430. | 3.2 | 51 |
| 108 | On-line ion-exchange preconcentration in a flow injection system coupled to capillary electrophoresis for the direct determination of UV absorbing anions. <i>Analytica Chimica Acta</i> , 1999, 390, 39-44. | 2.6 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Sulfonated nanocellulose for the efficient dispersive micro solid-phase extraction and determination of silver nanoparticles in food products. <i>Journal of Chromatography A</i> , 2016, 1428, 352-358. | 1.8 | 51 |
| 110 | Analytical nanoscience and nanotechnology today and tomorrow. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1881-1887. | 1.9 | 50 |
| 111 | Ion mobility spectrometry of volatile compounds from Iberian pig fat for fast feeding regime authentication. <i>Talanta</i> , 2008, 76, 591-596. | 2.9 | 50 |
| 112 | Liquid-phase microextraction techniques for simplifying sample treatment in capillary electrophoresis. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 842-853. | 5.8 | 50 |
| 113 | Direct coupling of a gas-liquid separator to an ion mobility spectrometer for the classification of different white wines using chemometrics tools. <i>Talanta</i> , 2011, 84, 471-479. | 2.9 | 50 |
| 114 | β-Cyclodextrin decorated nanocellulose: a smart approach towards the selective fluorimetric determination of danofloxacin in milk samples. <i>Analyst</i> , The, 2015, 140, 3431-3438. | 1.7 | 50 |
| 115 | New approach to the simultaneous determination of pollutants in waste waters by flow injection analysis. Part A. Anionic pollutants. <i>Analyst</i> , The, 1984, 109, 1487-1492. | 1.7 | 49 |
| 116 | Ternary composites of nanocellulose, carbonnanotubes and ionic liquids as new extractants for direct immersion single drop microextraction. <i>Talanta</i> , 2014, 125, 72-77. | 2.9 | 49 |
| 117 | Hybridization of commercial polymeric microparticles and magnetic nanoparticles for the dispersive micro-solid phase extraction of nitroaromatic hydrocarbons from water. <i>Journal of Chromatography A</i> , 2013, 1271, 50-55. | 1.8 | 48 |
| 118 | The third way in analytical nanoscience and nanotechnology: Involvement of nanotools and nanoanalytes in the same analytical process. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 75, 1-9. | 5.8 | 48 |
| 119 | Doubly stopped flow: a new alternative to simultaneous kinetic multideterminations in unsegmented flow systems. <i>Analytical Chemistry</i> , 1987, 59, 950-954. | 3.2 | 47 |
| 120 | Automatic gas chromatographic determination of N-methylcarbamates in milk with electron capture detection. <i>Analytical Chemistry</i> , 1993, 65, 1773-1778. | 3.2 | 46 |
| 121 | Speciation of Inorganic Lead and Ionic Alkyllead Compounds by GC/MS in Prescreened Rainwaters. <i>Analytical Chemistry</i> , 2000, 72, 1510-1517. | 3.2 | 46 |
| 122 | Analysis of phenylurea herbicides from plants by GC/MS. <i>Talanta</i> , 2002, 56, 727-734. | 2.9 | 46 |
| 123 | Determination of total safranal by in situ acid hydrolysis in supercritical fluid media: Application to the quality control of commercial saffron. <i>Analytica Chimica Acta</i> , 2006, 578, 117-121. | 2.6 | 46 |
| 124 | In-line liquid-phase microextraction for selective enrichment and direct electrophoretic analysis of acidic drugs. <i>Electrophoresis</i> , 2007, 28, 3284-3289. | 1.3 | 46 |
| 125 | Liquid-liquid extraction/headspace/gas chromatographic/mass spectrometric determination of benzene, toluene, ethylbenzene, (o-, m- and p-)xylene and styrene in olive oil using surfactant-coated carbon nanotubes as extractant. <i>Journal of Chromatography A</i> , 2007, 1171, 1-7. | 1.8 | 46 |
| 126 | Flow-through (bio)chemical sensors—Plenary lecture. <i>Analyst</i> , The, 1993, 118, 593-600. | 1.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Analytical features in qualitative analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 477-487. | 5.8 | 45 |
| 128 | Surfactant-coated carbon nanotubes as pseudophases in liquid-liquid extraction. <i>Analyst, The</i> , 2007, 132, 551-559. | 1.7 | 45 |
| 129 | Stir membrane liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2011, 1218, 869-874. | 1.8 | 45 |
| 130 | Photoluminescent carbon dot sensor for carboxylated multiwalled carbon nanotube detection in river water. <i>Sensors and Actuators B: Chemical</i> , 2015, 207, 596-601. | 4.0 | 45 |
| 131 | New configuration for construction of pH gradients in flow injection analysis. <i>Analytical Chemistry</i> , 1986, 58, 663-664. | 3.2 | 44 |
| 132 | Electrochemical determination of sulfur dioxide in air samples in closed-loop flow injection system. <i>Analytical Chemistry</i> , 1987, 59, 666-670. | 3.2 | 44 |
| 133 | Direct introduction of solid samples into continuous-flow systems by use of ultrasonic irradiation. <i>Analytica Chimica Acta</i> , 1991, 242, 283-289. | 2.6 | 44 |
| 134 | Determination of nitrosamines in preserved sausages by solid-phase extraction-micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2003, 985, 503-512. | 1.8 | 44 |
| 135 | Carboxylic multiwalled carbon nanotubes as immobilized stationary phase in capillary electrochromatography. <i>Electrophoresis</i> , 2008, 29, 3850-3857. | 1.3 | 44 |
| 136 | Fullerene: a Sensitive and Selective Sorbent for the Continuous Preconcentration and Atomic Absorption Determination of Cadmium. <i>Journal of Analytical Atomic Spectrometry</i> , 1997, 12, 453. | 1.6 | 43 |
| 137 | Semiautomatic multiresidue gas chromatographic method for the screening of vegetables for 25 organochlorine and pyrethroid pesticides. <i>Analytica Chimica Acta</i> , 2001, 436, 153-162. | 2.6 | 43 |
| 138 | Classification of extra virgin olive oils according to the protected designation of origin, olive variety and geographical origin. <i>Talanta</i> , 2008, 75, 937-943. | 2.9 | 43 |
| 139 | Sorptive microextraction for liquid-chromatographic determination of drugs in urine. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 1164-1173. | 5.8 | 43 |
| 140 | Determination of Pyrimidine and Purine Bases by Reversed-Phase Capillary Liquid Chromatography with At-Line Surface-Enhanced Raman Spectroscopic Detection Employing a Novel SERS Substrate Based on ZnS/CdSe Silver-Quantum Dots. <i>Analytical Chemistry</i> , 2011, 83, 9391-9398. | 3.2 | 43 |
| 141 | Determination of parabens in waters by magnetically confined hydrophobic nanoparticle microextraction coupled to gas chromatography/mass spectrometry. <i>Microchemical Journal</i> , 2013, 110, 643-648. | 2.3 | 43 |
| 142 | Qualitative Analysis Revisited. <i>Critical Reviews in Analytical Chemistry</i> , 2000, 30, 345-361. | 1.8 | 42 |
| 143 | A Method for Screening Total Mercury in Water Using a Flow Injection System with Piezoelectric Detection. <i>Analytical Chemistry</i> , 2002, 74, 921-925. | 3.2 | 42 |
| 144 | Rapid analysis of gold nanoparticles in liver and river water samples. <i>Analyst, The</i> , 2012, 137, 3528. | 1.7 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Determination of TNT explosive based on its selectively interaction with creatinine-capped CdSe/ZnS quantum dots. <i>Analytica Chimica Acta</i> , 2013, 792, 93-100. | 2.6 | 42 |
| 146 | Multilayer graphene-gold nanoparticle hybrid substrate for the SERS determination of metronidazole. <i>Microchemical Journal</i> , 2015, 121, 6-13. | 2.3 | 42 |
| 147 | On-line coupling of a gas chromatograph to a continuous liquid-liquid extractor. <i>Analytical Chemistry</i> , 1990, 62, 1587-1591. | 3.2 | 41 |
| 148 | On-line coupling of solid-phase microextraction to commercial CE-MS equipment. <i>Electrophoresis</i> , 2007, 28, 1312-1318. | 1.3 | 41 |
| 149 | Analysis of binary and ternary mixtures of titanium, zirconium, and hafnium by derivative synchronous fluorescence spectrometry. <i>Analytical Chemistry</i> , 1985, 57, 1101-1106. | 3.2 | 39 |
| 150 | Flow injection analysis of binary and ternary mixtures of arsenite, arsenate, and phosphate. <i>Analytical Chemistry</i> , 1986, 58, 120-124. | 3.2 | 39 |
| 151 | Fully Automatic Sample Treatment by Integration of Microextraction by Packed Sorbents into Commercial Capillary Electrophoresis-Mass Spectrometry Equipment: Application to the Determination of Fluoroquinolones in Urine. <i>Analytical Chemistry</i> , 2009, 81, 3188-3193. | 3.2 | 39 |
| 152 | Titanium-dioxide nanotubes as sorbents in (micro)extraction techniques. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 62, 37-45. | 5.8 | 39 |
| 153 | Stir-membrane solid-liquid-liquid microextraction for the determination of parabens in human breast milk samples by ultra high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1354, 26-33. | 1.8 | 39 |
| 154 | Ion Mobility Spectrometry versus Classical Physico-chemical Analysis for Assessing the Shelf Life of Extra Virgin Olive Oil According to Container Type and Storage Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 2179-2188. | 2.4 | 39 |
| 155 | One-Step Synthesis and Characterization of N-Doped Carbon Nanodots for Sensing in Organic Media. <i>Analytical Chemistry</i> , 2016, 88, 3178-3185. | 3.2 | 39 |
| 156 | Continuous-flow method for the determination of phenols at low levels in water and soil leachates using solid-phase extraction for simultaneous preconcentration and separation. <i>Analyst</i> , 1996, 121, 1-6. | 1.7 | 38 |
| 157 | Comparison of Three Coupled Gas Chromatographic Detectors (MS, MIP-AES, ICP-TOFMS) for Organolead Speciation Analysis. <i>Analytical Chemistry</i> , 2001, 73, 3927-3934. | 3.2 | 38 |
| 158 | Automatic selective determination of caffeine in coffee and tea samples by using a supported liquid membrane-modified piezoelectric flow sensor with molecularly imprinted polymer. <i>Analytica Chimica Acta</i> , 2005, 539, 117-124. | 2.6 | 38 |
| 159 | New supported liquid membrane-capillary electrophoresis in-line arrangement for direct selective analysis of complex samples. <i>Electrophoresis</i> , 2006, 27, 3075-3085. | 1.3 | 38 |
| 160 | Combined use of supported liquid membrane and solid-phase extraction to enhance selectivity and sensitivity in capillary electrophoresis for the determination of ochratoxin A in wine. <i>Electrophoresis</i> , 2008, 29, 1573-1581. | 1.3 | 38 |
| 161 | Sample treatments improved by electric fields. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 158-165. | 5.8 | 38 |
| 162 | Capillary Electrophoresis Method for the Characterization and Separation of CdSe Quantum Dots. <i>Analytical Chemistry</i> , 2011, 83, 2807-2813. | 3.2 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Determination of vitamin C by flow injection analysis. <i>Analyst, The</i> , 1986, 111, 163-166. | 1.7 | 37 |
| 164 | Speciation of Lead in Environmental Waters by Preconcentration on a New Fullerene Derivative. <i>Analytical Chemistry</i> , 2002, 74, 1519-1524. | 3.2 | 37 |
| 165 | Determination of myo-inositol phosphates in food samples by flow injection-capillary zone electrophoresis. <i>Electrophoresis</i> , 2003, 24, 2092-2098. | 1.3 | 37 |
| 166 | Calix[8]arene Coated CdSe/ZnS Quantum Dots as C ₆₀ -Nanosensor. <i>Analytical Chemistry</i> , 2011, 83, 8093-8100. | 3.2 | 37 |
| 167 | In-syringe dispersive micro-solid phase extraction using carbon fibres for the determination of chlorophenols in human urine by gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1464, 42-49. | 1.8 | 37 |
| 168 | Principles of Analytical Chemistry. , 2000, , . | | 36 |
| 169 | Liquid Chromatographic Determination of Natural and Synthetic Colorants in Lyophilized Foods Using an Automatic Solid-Phase Extraction System. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 2121-2129. | 2.4 | 36 |
| 170 | Rapid determination of aliphatic amines in water samples by pressure-assisted monolithic octadecylsilica capillary electrochromatography-mass spectrometry. <i>Electrophoresis</i> , 2004, 25, 3231-3236. | 1.3 | 36 |
| 171 | Dispersive Solid Phase Extraction for In-Sorbent Surface Attenuated Total Reflection Infrared Detection. <i>Analytical Chemistry</i> , 2009, 81, 1184-1190. | 3.2 | 36 |
| 172 | Determination of water-soluble vitamins in infant milk and dietary supplement using a liquid chromatography on-line coupled to a corona-charged aerosol detector. <i>Journal of Chromatography A</i> , 2013, 1313, 253-258. | 1.8 | 36 |
| 173 | Evaluation of Various Sample Preparation Procedures for the Determination of Chromium, Cobalt and Nickel in Vegetables. <i>Journal of Analytical Atomic Spectrometry</i> , 1997, 12, 479-486. | 1.6 | 35 |
| 174 | Automatic On-Line Coupling of Supercritical Fluid Extraction and Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2000, 72, 5736-5739. | 3.2 | 35 |
| 175 | Direct determination of 2,4,6-trichloroanisole in wines by single-drop ionic liquid microextraction coupled with multicapillary column separation and ion mobility spectrometry detection. <i>Journal of Chromatography A</i> , 2011, 1218, 7574-7580. | 1.8 | 35 |
| 176 | Determination of non-steroidal anti-inflammatory drugs in urine by the combination of stir membrane liquid-liquid microextraction and liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2583-2589. | 1.9 | 35 |
| 177 | Carbon coated titanium dioxide nanotubes: Synthesis, characterization and potential application as sorbents in dispersive micro solid phase extraction. <i>Journal of Chromatography A</i> , 2014, 1343, 26-32. | 1.8 | 35 |
| 178 | Pharmaceutical crystallization with nanocellulose organogels. <i>Chemical Communications</i> , 2016, 52, 7782-7785. | 2.2 | 35 |
| 179 | Gels based on nanocellulose with photosensitive ruthenium bipyridine moieties as sensors for silver nanoparticles in real samples. <i>Sensors and Actuators B: Chemical</i> , 2016, 229, 31-37. | 4.0 | 35 |
| 180 | Determination of pH, conductivity, residual chlorine and ammonium and nitrite ions in water with an unsegmented flow configuration. <i>Analyst, The</i> , 1988, 113, 739-742. | 1.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Flow-injection determination of mixtures of amines immobilized in the flow cell of a photometric diode-array detector. <i>Analytica Chimica Acta</i> , 1990, 229, 177-182. | 2.6 | 34 |
| 182 | An automated screening method for the fast, simple discrimination between natural and artificial colorants in commercial saffron products. <i>Analytica Chimica Acta</i> , 2005, 535, 133-138. | 2.6 | 34 |
| 183 | Monitoring of Carboxylic Carbon Nanotubes in Surface Water by Using Multiwalled Carbon Nanotube-Modified Filter As Preconcentration Unit. <i>Environmental Science & Technology</i> , 2008, 42, 6100-6104. | 4.6 | 34 |
| 184 | Analytical connotations of point-of-care testing. <i>Analyst</i> , 2010, 135, 2220. | 1.7 | 34 |
| 185 | Easy sample treatment for the determination of enrofloxacin and ciprofloxacin residues in raw bovine milk by capillary electrophoresis. <i>Electrophoresis</i> , 2012, 33, 2978-2986. | 1.3 | 34 |
| 186 | Determination of nitrate and nitrite by continuous liquid-liquid extraction with a flow-injection atomic-absorption detection system. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1986, 323, 50-53. | 0.7 | 33 |
| 187 | Coupling Continuous Sample Treatment Systems to Capillary Electrophoresis. <i>Critical Reviews in Analytical Chemistry</i> , 1998, 28, 63-81. | 1.8 | 33 |
| 188 | Determination of nickel, chromium and cobalt in wheat flour using slurry sampling electrothermal atomic absorption spectrometry. <i>Talanta</i> , 1999, 48, 1051-1060. | 2.9 | 33 |
| 189 | Comparative study of carbon nanotubes and C60 fullerenes as pseudostationary phases in electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2008, 1194, 128-133. | 1.8 | 33 |
| 190 | Bare gold nanoparticles mediated surface-enhanced Raman spectroscopic determination and quantification of carboxylated single-walled carbon nanotubes. <i>Analytica Chimica Acta</i> , 2013, 788, 122-128. | 2.6 | 33 |
| 191 | Micro-solid phase extraction based on oxidized single-walled carbon nanohorns immobilized on a stir borosilicate disk: Application to the preconcentration of the endocrine disruptor benzophenone-3. <i>Microchemical Journal</i> , 2014, 115, 87-94. | 2.3 | 33 |
| 192 | Determination of penicillins in milk of animal origin by capillary electrophoresis: Is sample treatment the bottleneck for routine laboratories?. <i>Talanta</i> , 2014, 119, 75-82. | 2.9 | 33 |
| 193 | Improved microextraction of selected triazines using polymer monoliths modified with carboxylated multi-walled carbon nanotubes. <i>Mikrochimica Acta</i> , 2016, 183, 465-474. | 2.5 | 33 |
| 194 | A poly(vinyl chlorolide) graphite composite electrode for flow-injection amperometric determination of antioxidants. <i>Analytica Chimica Acta</i> , 1999, 395, 217-223. | 2.6 | 32 |
| 195 | Determination of chlorophenols in human urine based on the integration of on-line automated clean-up and preconcentration unit with micellar electrokinetic chromatography. <i>Electrophoresis</i> , 1999, 20, 2922-2929. | 1.3 | 32 |
| 196 | Simplified method for the determination of chlorinated fungicides and insecticides in fruits by gas chromatography. <i>Journal of Chromatography A</i> , 2000, 882, 193-203. | 1.8 | 32 |
| 197 | Selective enrichment of 17 pyrethroids from lyophilised agricultural samples. <i>Journal of Chromatography A</i> , 2001, 912, 83-90. | 1.8 | 32 |
| 198 | Nanoparticle-based microextraction techniques in bioanalysis. <i>Bioanalysis</i> , 2011, 3, 2533-2548. | 0.6 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | The analytical problem. <i>TrAC - Trends in Analytical Chemistry</i> , 1997, 16, 385-393. | 5.8 | 31 |
| 200 | Analysis of citrate-capped gold and silver nanoparticles by thiol ligand exchange capillary electrophoresis. <i>Mikrochimica Acta</i> , 2014, 181, 1789-1796. | 2.5 | 31 |
| 201 | Indirect atomic absorption spectrometric determination of sulphonamides in pharmaceutical preparations and urine by continuous precipitation. <i>Journal of Analytical Atomic Spectrometry</i> , 1988, 3, 725-729. | 1.6 | 30 |
| 202 | Use of photochemical reactions in flow injection: determination of oxalate in urine. <i>Analyst, The</i> , 1990, 115, 1549-1552. | 1.7 | 30 |
| 203 | Flow injection spectrophotometric method for the speciation of aluminium in river and tap waters. <i>Analyst, The</i> , 1993, 118, 1199-1203. | 1.7 | 30 |
| 204 | Coupled robot-flow injection analysis system for fully automated determination of total polyphenols in olive oil. <i>Analytical Chemistry</i> , 1993, 65, 3540-3542. | 3.2 | 30 |
| 205 | Evaporative light scattering detector: a new tool for screening purposes. <i>Analytica Chimica Acta</i> , 1999, 402, 1-5. | 2.6 | 30 |
| 206 | Direct screening of olive oil samples for residual benzene hydrocarbon compounds by headspace-mass spectrometry. <i>Analytica Chimica Acta</i> , 2004, 526, 77-82. | 2.6 | 30 |
| 207 | Direct automatic determination of free and total anesthetic drugs in human plasma by use of a dual (microdialysis-microextraction by packed sorbent) sample treatment coupled on-line to NACE-MS. <i>Electrophoresis</i> , 2009, 30, 1684-1691. | 1.3 | 30 |
| 208 | Feasibility study on the use of infrared spectroscopy for the direct authentication of Iberian pig fattening diet. <i>Analytica Chimica Acta</i> , 2009, 636, 183-189. | 2.6 | 30 |
| 209 | Carbon nanotube-quantum dot nanocomposites as new fluorescence nanoparticles for the determination of trace levels of PAHs in water. <i>Analytica Chimica Acta</i> , 2009, 652, 278-284. | 2.6 | 30 |
| 210 | On-line headspace-multicapillary column-ion mobility spectrometry hyphenation as a tool for the determination of off-flavours in foods. <i>Journal of Chromatography A</i> , 2014, 1333, 99-105. | 1.8 | 30 |
| 211 | Indirect atomic absorption determination of chloride by continuous precipitation of silver chloride in a flow injection system. <i>Journal of Analytical Atomic Spectrometry</i> , 1987, 2, 211-215. | 1.6 | 29 |
| 212 | Simultaneous determination of phenolic compounds in water by normal and derivative flow injection/cyclic voltammetry. <i>Analytica Chimica Acta</i> , 1988, 214, 375-384. | 2.6 | 29 |
| 213 | Automatic precipitation-dissolution in continuous flow systems. <i>TrAC - Trends in Analytical Chemistry</i> , 1989, 8, 34-40. | 5.8 | 29 |
| 214 | Integrated photochemical reaction/electrochemical detection in flow-injection systems: kinetic determination of oxalate. <i>Analytica Chimica Acta</i> , 1990, 234, 227-232. | 2.6 | 29 |
| 215 | Determination of aluminum in slurry and liquid phase of juices by flow injection analysis graphite furnace atomic absorption spectrometry. <i>Analytical Chemistry</i> , 1993, 65, 3331-3335. | 3.2 | 29 |
| 216 | Perspective. Traceability in analytical chemistry. <i>Analyst, The</i> , 1995, 120, 2291-2297. | 1.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Flow-injection spectrophotometric determination of citric acid in beverages based on a photochemical reaction. <i>Analytica Chimica Acta</i> , 1998, 366, 231-240. | 2.6 | 29 |
| 218 | (CdSe/ZnS QDs)-ionic liquid-based headspace single drop microextraction for the fluorimetric determination of trimethylamine in fish. <i>Analyst, The</i> , 2012, 137, 1152. | 1.7 | 29 |
| 219 | Determination of pesticides by capillary chromatography and SERS detection using a novel Silver-Quantum dots "sponge" nanocomposite. <i>Journal of Chromatography A</i> , 2012, 1225, 55-61. | 1.8 | 29 |
| 220 | Infrared Attenuated Total Reflection Spectroscopy for the Characterization of Gold Nanoparticles in Solution. <i>Analytical Chemistry</i> , 2014, 86, 783-789. | 3.2 | 29 |
| 221 | Analytical methodologies for nanotoxicity assessment. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 84, 160-171. | 5.8 | 29 |
| 222 | Fluorimetric determination of manganese at the nanogram level by catalytic oxidation of pyridoxal 2-pyridylhydrazone by hydrogen peroxide. <i>Analyst, The</i> , 1984, 109, 717-722. | 1.7 | 28 |
| 223 | Prediction of the behaviour of a single flow-injection manifold. <i>Talanta</i> , 1985, 32, 319-324. | 2.9 | 28 |
| 224 | Automatic continuous-flow determination of paraquat at the subnanogram per millilitre level. <i>Analytica Chimica Acta</i> , 1993, 281, 103-109. | 2.6 | 28 |
| 225 | An automated flow-reversal injection/liquid-liquid extraction approach to the direct determination of total free fatty acids in olive oils. <i>Analytica Chimica Acta</i> , 1996, 318, 187-194. | 2.6 | 28 |
| 226 | A continuous spectrophotometric system for the discrimination/determination of monosaccharides and oligosaccharides in foods. <i>Analytica Chimica Acta</i> , 2000, 404, 121-129. | 2.6 | 28 |
| 227 | Analysis of solid samples by capillary electrophoresis using a gas extraction sampling device in a flow system. <i>Analytica Chimica Acta</i> , 2001, 438, 315-322. | 2.6 | 28 |
| 228 | Precipitation-dissolution system for silver preconcentration and determination by flow injection flame atomic absorption spectrometry. <i>Talanta</i> , 2002, 56, 673-680. | 2.9 | 28 |
| 229 | Combining headspace gas chromatography with mass spectrometry detection for confirmation of hydrocarbon residues in virgin olive oil following automatic screening. <i>Journal of Chromatography A</i> , 2004, 1052, 137-143. | 1.8 | 28 |
| 230 | Surfactant coated fullerenes C60 as pseudostationary phase in electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2007, 1167, 210-216. | 1.8 | 28 |
| 231 | Carbon nanocones/disks as new coating for solid-phase microextraction. <i>Journal of Chromatography A</i> , 2010, 1217, 3341-3347. | 1.8 | 28 |
| 232 | Polymer-nanoparticles composites in bioanalytical sample preparation. <i>Bioanalysis</i> , 2015, 7, 1723-1730. | 0.6 | 28 |
| 233 | Determination of TiO ₂ nanoparticles in sunscreen using N-doped graphene quantum dots as a fluorescent probe. <i>Mikrochimica Acta</i> , 2016, 183, 781-789. | 2.5 | 28 |
| 234 | New approach to the simultaneous determination of pollutants in waste waters by flow injection analysis. Part II. Cationic pollutants. <i>Analyst, The</i> , 1985, 110, 277-281. | 1.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Determination of reducing sugars in wine by flow injection analysis. <i>Analyst, The</i> , 1987, 112, 1569. | 1.7 | 27 |
| 236 | Automatic continuous-flow method for the determination of cocaine. <i>Analytical Chemistry</i> , 1992, 64, 1509-1512. | 3.2 | 27 |
| 237 | Flow-through microwave digestion system for the determination of aluminium in shellfish by electrothermal atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1995, 10, 501-504. | 1.6 | 27 |
| 238 | Direct Processing and Analysis of Solid and Other Complex Samples with Automatic Flow Injection Systems. <i>Critical Reviews in Analytical Chemistry</i> , 1996, 26, 239-260. | 1.8 | 27 |
| 239 | Effectiveness of fullerene as a sorbent for the determination of trace amounts of cobalt in wheat flour by electrothermal atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 711-716. | 1.6 | 27 |
| 240 | Usefulness of the direct coupling headspace-mass spectrometry for sensory quality characterization of virgin olive oil samples. <i>Analytica Chimica Acta</i> , 2007, 583, 411-417. | 2.6 | 27 |
| 241 | Simple and rapid instrumental characterization of sensory attributes of virgin olive oil based on the direct coupling headspace-mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1188, 308-313. | 1.8 | 27 |
| 242 | Continuous flow synthesis and characterization of tailor-made bare gold nanoparticles for use in SERS. <i>Mikrochimica Acta</i> , 2014, 181, 1101-1108. | 2.5 | 27 |
| 243 | Integrated sampling and analysis unit for the determination of sexual pheromones in environmental air using fabric phase sorptive extraction and headspace-gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2017, 1488, 17-25. | 1.8 | 27 |
| 244 | Simultaneous and sequential determination of chromium(VI) and chromium(III) by unsegmented flow methods. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1985, 322, 499-502. | 0.7 | 26 |
| 245 | Photochemical determination of ascorbic acid using unsegmented flow methods. <i>Analyst, The</i> , 1992, 117, 1761-1765. | 1.7 | 26 |
| 246 | Group speciation of metal dithiocarbamates by sorption on C60 fullerene. <i>Analyst, The</i> , 2000, 125, 1495-1499. | 1.7 | 26 |
| 247 | Evaluation of an automated solid-phase extraction system for the enrichment of organochlorine pesticides from waters. <i>Talanta</i> , 2001, 54, 943-951. | 2.9 | 26 |
| 248 | Comparison of off- and in-line solid-phase extraction for enhancing sensitivity in capillary electrophoresis using ochratoxin as a model compound. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 609-615. | 1.9 | 26 |
| 249 | Surfactant-coated carbon nanotubes for the liquid-liquid extraction of phthalates and other migrants in virgin olive oils. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 737-746. | 1.9 | 26 |
| 250 | Comparison of two evaporative universal detectors for the determination of sugars in food samples by liquid chromatography. <i>Microchemical Journal</i> , 2013, 110, 629-635. | 2.3 | 26 |
| 251 | Selective extraction of <i>Bactrocera oleae</i> sexual pheromone from olive oil by dispersive magnetic microsolid phase extraction using a molecularly imprinted nanocomposite. <i>Journal of Chromatography A</i> , 2016, 1455, 57-64. | 1.8 | 26 |
| 252 | Simultaneous determination of pyridoxal and pyridoxal 5-phosphate in human serum by flow injection analysis. <i>Analytical Chemistry</i> , 1985, 57, 2101-2106. | 3.2 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Flow injection analysis: A new approach to pharmaceutical determinations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1985, 3, 105-121. | 1.4 | 25 |
| 254 | Determination of reaction stoichiometries by flow injection analysis: A laboratory exercise. <i>Journal of Chemical Education</i> , 1986, 63, 552. | 1.1 | 25 |
| 255 | Determination of cobalt at low levels in silicate rocks by atomic absorption spectrometry using a continuous on-line precipitation-dissolution procedure based on 1-nitroso-2-naphthol. <i>Journal of Analytical Atomic Spectrometry</i> , 1989, 4, 547-550. | 1.6 | 25 |
| 256 | Determination of anions by flow injection. A review. <i>Analyst, The</i> , 1991, 116, 1095-1111. | 1.7 | 25 |
| 257 | Screening of Polycyclic Aromatic Hydrocarbons in Soil by On-Line Fiber-Optic-Interfaced Supercritical Fluid Extraction Spectrofluorometry. <i>Analytical Chemistry</i> , 1996, 68, 2386-2391. | 3.2 | 25 |
| 258 | Continuous photometric method for the screening of human urines for phenothiazines. <i>Analytica Chimica Acta</i> , 2002, 462, 275-281. | 2.6 | 25 |
| 259 | Determination of carboxylic SWCNTs in river water by microextraction in ionic liquid and determination by Raman spectroscopy. <i>Talanta</i> , 2013, 105, 75-79. | 2.9 | 25 |
| 260 | Ionic liquid combined with carbon nanotubes: A soft material for the preconcentration of PAHs. <i>Talanta</i> , 2013, 104, 169-172. | 2.9 | 25 |
| 261 | Solid-phase extraction of nitrophenols in water by using a combination of carbon nanotubes with an ionic liquid coupled in-line to CE . <i>Electrophoresis</i> , 2013, 34, 304-308. | 1.3 | 25 |
| 262 | Flame atomic absorption spectrometric determination of cadmium in biological samples using a preconcentration flow system with an activated carbon column and dithizone as a chelating agent. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 691-696. | 1.6 | 24 |
| 263 | Analytical viewpoint. Representativeness of analytical results. <i>Analyst, The</i> , 1994, 119, 109-112. | 1.7 | 24 |
| 264 | On-Line Preconcentration and Gas Chromatographic Determination of N-Methylcarbamates and Their Degradation Products in Aqueous Samples. <i>Environmental Science & Technology</i> , 1996, 30, 2071-2077. | 4.6 | 24 |
| 265 | A Semiautomatic Module for the Direct Leaching and Determination of Sixteen Phenols in Agricultural Soils. <i>Analytical Chemistry</i> , 1999, 71, 2687-2696. | 3.2 | 24 |
| 266 | Multiresidue Screening of Pesticides in Fruits Using an Automatic Solid-Phase Extraction System. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 1109-1116. | 2.4 | 24 |
| 267 | Determination of phenolic constituents in citrus samples by on-line coupling of a flow system with capillary electrophoresis. <i>Electrophoresis</i> , 2001, 22, 1553-1560. | 1.3 | 24 |
| 268 | Development of a new method for the determination of nitrosamines by micellar electrokinetic capillary chromatography. <i>Water Research</i> , 2003, 37, 3837-3842. | 5.3 | 24 |
| 269 | Use of ion mobility spectroscopy with an ultraviolet ionization source as a vanguard screening system for the detection and determination of acetone in urine as a biomarker for cow and human diseases. <i>Talanta</i> , 2009, 78, 863-868. | 2.9 | 24 |
| 270 | Rapid fluorescence determination of diquat herbicide in food grains using quantum dots as new reducing agent. <i>Analytica Chimica Acta</i> , 2011, 692, 103-108. | 2.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Sensitive determination of polycyclic aromatic hydrocarbons in water samples using monolithic capillary solid-phase extraction and on-line thermal desorption prior to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 1802-1807. | 1.8 | 24 |
| 272 | β -Cyclodextrin functionalized carbon quantum dots as sensors for determination of water-soluble C ₆₀ fullerenes in water. <i>Analyst, The</i> , 2016, 141, 2682-2687. | 1.7 | 24 |
| 273 | Simultaneous and direct determination of pyridoxal, pyridoxal-5-phosphate, and pyridoxic acid in serum by derivative synchronous fluorescence spectroscopy. <i>Analytical Biochemistry</i> , 1986, 157, 212-220. | 1.1 | 23 |
| 274 | Determination of analytical parameters in drinking water by flow injection analysis. Part 2. Simultaneous determination of calcium and magnesium. <i>Analyst, The</i> , 1987, 112, 267-270. | 1.7 | 23 |
| 275 | An automated screening system for benzodiazepines in human urine. <i>Analytica Chimica Acta</i> , 1998, 366, 93-102. | 2.6 | 23 |
| 276 | Automatic microgravimetric determination of fats in milk products by use of supercritical fluid extraction with on-line piezoelectric detection. <i>Journal of Chromatography A</i> , 2000, 874, 265-274. | 1.8 | 23 |
| 277 | Use of supported liquid membranes incorporated in a flow system for the direct determination of eugenol in spice samples. <i>Analyst, The</i> , 2000, 125, 1805-1809. | 1.7 | 23 |
| 278 | Fast urinary screening for paracetamol using on-line microwave assisted hydrolysis and spectrophotometric detection. <i>Analyst, The</i> , 2000, 125, 1179-1183. | 1.7 | 23 |
| 279 | Supercritical fluid extraction with in situ chiral derivatization for the enantiospecific determination of ibuprofen in urine samples. <i>Analytica Chimica Acta</i> , 2001, 450, 1-11. | 2.6 | 23 |
| 280 | Characterization of olive oil classes using a Chemsensor and pattern recognition techniques. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2002, 79, 1103-1108. | 0.8 | 23 |
| 281 | Analytical potential of enzyme-coated capillary reactors in capillary zone electrophoresis. <i>Electrophoresis</i> , 2004, 25, 50-56. | 1.3 | 23 |
| 282 | Direct automatic screening and individual determination of polycyclic aromatic hydrocarbons using supercritical fluid extraction coupled on-line with liquid chromatography and fluorimetric detection. <i>Analytica Chimica Acta</i> , 2004, 524, 279-285. | 2.6 | 23 |
| 283 | Electrical field-assisted solid-phase extraction coupled on-line to capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2008, 29, 2033-2040. | 1.3 | 23 |
| 284 | Combination of solid-phase extraction and large-volume stacking with polarity switching in micellar electrokinetic capillary chromatography for the determination of traces of nonsteroidal anti-inflammatory drugs in saliva. <i>Electrophoresis</i> , 2008, 29, 3074-3080. | 1.3 | 23 |
| 285 | Stir octadecyl-modified borosilicate disk for the liquid phase microextraction of triazine herbicides from environmental waters. <i>Journal of Chromatography A</i> , 2013, 1307, 58-65. | 1.8 | 23 |
| 286 | Carbon nanotubes as SPE sorbents for the extraction of salicylic acid from river water. <i>Journal of Separation Science</i> , 2014, 37, 434-439. | 1.3 | 23 |
| 287 | Fluorescent determination of graphene quantum dots in water samples. <i>Analytica Chimica Acta</i> , 2015, 896, 78-84. | 2.6 | 23 |
| 288 | Fast simultaneous determination of prominent polyphenols in vegetables and fruits by reversed phase liquid chromatography using a fused-core column. <i>Food Chemistry</i> , 2015, 169, 169-179. | 4.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Simultaneous determination of organic isomers in mixtures by flow injection analysis with a diode array photodetector. <i>Analyst, The</i> , 1987, 112, 535-538. | 1.7 | 22 |
| 290 | Formation of two reaction zones in flow-injection systems for kinetic determinations of cobalt and nickel. <i>Analytica Chimica Acta</i> , 1987, 193, 107-118. | 2.6 | 22 |
| 291 | Analysis of gaseous samples by flow injection. <i>Analytica Chimica Acta</i> , 1989, 224, 127-132. | 2.6 | 22 |
| 292 | Photometric determination of acidity constants by the flow gradient technique without pH measurements. <i>Analytical Chemistry</i> , 1990, 62, 2237-2241. | 3.2 | 22 |
| 293 | Automatic screening method for the rapid and simple discrimination between synthetic and natural colorants in foods. <i>Analytica Chimica Acta</i> , 2002, 464, 237-247. | 2.6 | 22 |
| 294 | Direct determination of total carbonate salts in soil samples by continuous-flow piezoelectric detection. <i>Talanta</i> , 2004, 65, 29-35. | 2.9 | 22 |
| 295 | Vanguard/rearguard strategy for the evaluation of the degradation of yoghurt samples based on the direct analysis of the volatiles profile through headspace-gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2007, 1141, 98-105. | 1.8 | 22 |
| 296 | Quantification of the intensity of virgin olive oil sensory attributes by direct coupling headspace-mass spectrometry and multivariate calibration techniques. <i>Journal of Chromatography A</i> , 2007, 1147, 144-152. | 1.8 | 22 |
| 297 | Differentiation and identification of white wine varieties by using electropherogram fingerprints obtained with CE. <i>Journal of Separation Science</i> , 2009, 32, 3809-3816. | 1.3 | 22 |
| 298 | Evaluation of phenylene-bridged periodic mesoporous organosilica as a stationary phase for solid phase extraction. <i>Journal of Chromatography A</i> , 2014, 1370, 25-32. | 1.8 | 22 |
| 299 | Catalytic-fluorimetric determination of copper at the nanograms per millilitre level by flow injection analysis. <i>Analyst, The</i> , 1984, 109, 333. | 1.7 | 21 |
| 300 | Flow injection analysis's use of immobilised enzymes for the determination of ethanol in serum. <i>Analyst, The</i> , 1987, 112, 259-261. | 1.7 | 21 |
| 301 | Indirect flame atomic absorption spectrometric determination of papaverine, strychnine and cocaine by continuous precipitation with Dragendorff's reagent. <i>Journal of Analytical Atomic Spectrometry</i> , 1993, 8, 1117-1120. | 1.6 | 21 |
| 302 | Continuous liquid-liquid extraction for preconcentration with on-line monitoring. <i>Analytical Chemistry</i> , 1993, 65, 2941-2943. | 3.2 | 21 |
| 303 | Direct analysis of milk for aluminium using electrothermal atomic absorption spectrometry. <i>Analyst, The</i> , 1994, 119, 1695-1699. | 1.7 | 21 |
| 304 | Continuous liquid-liquid extraction with on-line monitoring for the determination of anionic surfactants in waters. <i>Analyst, The</i> , 1994, 119, 2097-2100. | 1.7 | 21 |
| 305 | Determination of Free Fatty Acids in Dairy Products by Direct Coupling of a Continuous Preconcentration Ion-Exchange-Derivatization Module to a Gas Chromatograph. <i>Analytical Chemistry</i> , 1994, 66, 628-634. | 3.2 | 21 |
| 306 | Automatic preparation of milk dessert slurries for the determination of trace amounts of aluminium by electrothermal atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1995, 10, 55-59. | 1.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | A Partially Automated Pretreatment Module for Routine Analyses for Seventeen Non-Steroid Antiinflammatory Drugs in Race Horses Using Gas Chromatography/Mass Spectrometry. <i>Analytical Chemistry</i> , 1996, 68, 118-123. | 3.2 | 21 |
| 308 | Direct sampling of orujo oil for determining residual hexane by using a chemsensor. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2003, 80, 613-618. | 0.8 | 21 |
| 309 | Containerless reaction monitoring in ionic liquids by means of Raman microspectroscopy. <i>Lab on a Chip</i> , 2007, 7, 126-132. | 3.1 | 21 |
| 310 | Characterization of an Attenuated Total Reflection-Based Sensor for Integrated Solid-Phase Extraction and Infrared Detection. <i>Analytical Chemistry</i> , 2008, 80, 1146-1151. | 3.2 | 21 |
| 311 | Selective sample pretreatment by molecularly imprinted polymer for the determination of LSD in biological fluids. <i>Journal of Separation Science</i> , 2009, 32, 3301-3309. | 1.3 | 21 |
| 312 | Direct coupling of dispersive micro-solid phase extraction and thermal desorption for sensitive gas chromatographic analysis. <i>Analytical Methods</i> , 2011, 3, 991. | 1.3 | 21 |
| 313 | Solid phase extraction-capillary electrophoresis determination of sulphonamide residues in milk samples by use of C18-carbon nanotubes as hybrid sorbent materials. <i>Analyst, The</i> , 2013, 138, 3786. | 1.7 | 21 |
| 314 | Preparation and evaluation of micro and meso porous silica monoliths with embedded carbon nanoparticles for the extraction of non-polar compounds from waters. <i>Journal of Chromatography A</i> , 2016, 1468, 55-63. | 1.8 | 21 |
| 315 | Fluorimetric determination of ammonia, hydrazine and hydroxylamine and their mixtures by differential kinetic methods. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1985, 320, 762-768. | 0.7 | 20 |
| 316 | Determination of total cholesterol in serum by flow injection analysis with immobilized enzymes. <i>Clinica Chimica Acta</i> , 1987, 167, 97-104. | 0.5 | 20 |
| 317 | Kinetic-enzymatic determination of oxalate in urine by flow-injection analysis with double stopped flow. <i>Analytica Chimica Acta</i> , 1991, 242, 179-183. | 2.6 | 20 |
| 318 | Direct Determination of Trimethylamine in Fish in the Flow-Reversal Injection Mode Using a Gas Extraction Sampling Device. <i>Analytical Chemistry</i> , 1995, 67, 871-877. | 3.2 | 20 |
| 319 | Enantiomer Discrimination by Continuous Precipitation. <i>Analytical Chemistry</i> , 1995, 67, 3319-3323. | 3.2 | 20 |
| 320 | A modern definition of analytical chemistry. <i>TrAC - Trends in Analytical Chemistry</i> , 1997, 16, 124-131. | 5.8 | 20 |
| 321 | Piezoelectric screening coupled on line to capillary electrophoresis for detection and speciation of mercury. <i>Journal of Separation Science</i> , 2002, 25, 319-327. | 1.3 | 20 |
| 322 | Continuous flow systems for rapid sample screening. <i>TrAC - Trends in Analytical Chemistry</i> , 2002, 21, 251-258. | 5.8 | 20 |
| 323 | Fundamentals of capillary electrophoresis. <i>Comprehensive Analytical Chemistry</i> , 2005, , 1-30. | 0.7 | 20 |
| 324 | Continuous flow autoanalyzer for the sequential determination of total sugars, colorant and caffeine contents in soft drinks. <i>Analytica Chimica Acta</i> , 2005, 530, 283-289. | 2.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Robustness in qualitative analysis: a practical approach. <i>TrAC - Trends in Analytical Chemistry</i> , 2006, 25, 621-627. | 5.8 | 20 |
| 326 | Simplifying chromatographic analysis of the volatile fraction of foods. <i>TrAC - Trends in Analytical Chemistry</i> , 2008, 27, 794-803. | 5.8 | 20 |
| 327 | Sensitive in-surface infrared monitoring coupled to stir membrane extraction for the selective determination of total hydrocarbon index in waters. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1427-1433. | 1.9 | 20 |
| 328 | Enhancing sensitivity and selectivity in the determination of aldehydes in olive oil by use of a Tenax TA trap coupled to a UV-ion mobility spectrometer. <i>Journal of Chromatography A</i> , 2011, 1218, 7543-7549. | 1.8 | 20 |
| 329 | Oxidized single-walled carbon nanohorns as sorbent for porous hollow fiber direct immersion solid-phase microextraction for the determination of triazines in waters. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2661-2669. | 1.9 | 20 |
| 330 | Determination of vitamin C in urine by flow injection analysis. <i>Analyst, The</i> , 1986, 111, 167-169. | 1.7 | 19 |
| 331 | Spectrophotometric determination of selenium(IV) and selenium(VI) with flow injection. <i>Analyst, The</i> , 1986, 111, 1405-1408. | 1.7 | 19 |
| 332 | Selectivity and kinetics in analytical chemistry. Plenary lecture. <i>Analyst, The</i> , 1987, 112, 729-737. | 1.7 | 19 |
| 333 | Determination of analytical parameters in drinking water by flow injection analysis. Part 1. Simultaneous determination of pH, alkalinity and total ionic concentration. <i>Analyst, The</i> , 1987, 112, 263-266. | 1.7 | 19 |
| 334 | Sandwich standardization in flow-injection analysis. <i>Talanta</i> , 1989, 36, 612-614. | 2.9 | 19 |
| 335 | Semi-on-line microwave-assisted digestion of shellfish tissue for the determination of selenium by electrothermal atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1996, 11, 169-173. | 1.6 | 19 |
| 336 | Simultaneous Automatic Determination of Trace Amounts of Copper and Cobalt by Use of a Flow-through Sensor and First-derivative Spectrometry. <i>Analyst, The</i> , 1997, 122, 85-88. | 1.7 | 19 |
| 337 | Traceability in chemical measurements for the end users. <i>TrAC - Trends in Analytical Chemistry</i> , 1999, 18, 570-576. | 5.8 | 19 |
| 338 | Autoanalyzer for Milk Quality Control Based on the Lactose, Fat, and Total Protein Contents. <i>Analytical Chemistry</i> , 2003, 75, 1425-1429. | 3.2 | 19 |
| 339 | Differentiation of organic goat's milk based on its hippuric acid content as determined by capillary electrophoresis. <i>Electrophoresis</i> , 2010, 31, 2211-2217. | 1.3 | 19 |
| 340 | Evaluation of hippuric acid content in goat milk as a marker of feeding regimen. <i>Journal of Dairy Science</i> , 2013, 96, 5426-5434. | 1.4 | 19 |
| 341 | UV-polymerized butyl methacrylate monoliths with embedded carboxylic single-walled carbon nanotubes for CEC applications. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 6329-6336. | 1.9 | 19 |
| 342 | Cyclodextrin-modified nanodiamond for the sensitive fluorometric determination of doxorubicin in urine based on its differential affinity towards β / γ -cyclodextrins. <i>Mikrochimica Acta</i> , 2018, 185, 115. | 2.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Photometric determination of tartaric acid in wine by flow injection analysis. <i>Analyst, The</i> , 1986, 111, 729-732. | 1.7 | 18 |
| 344 | Determination of histamine by derivative synchronous fluorescence spectrometry. <i>Analytical Chemistry</i> , 1987, 59, 769-773. | 3.2 | 18 |
| 345 | Automatic determination of fat in milk by use of a flow injection system with a piezoelectric detector. <i>Analytica Chimica Acta</i> , 2000, 406, 309-315. | 2.6 | 18 |
| 346 | A simple sample treatment for the determination of enrofloxacin and ciprofloxacin in raw goat milk. <i>Microchemical Journal</i> , 2013, 110, 533-537. | 2.3 | 18 |
| 347 | Determination of ethanol in human fluids – I. Determination of ethanol in blood. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1986, 4, 545-558. | 1.4 | 17 |
| 348 | Speciation of inorganic lead and trialkyllead compounds by flame atomic absorption spectrometry following continuous selective preconcentration from aqueous solutions. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1999, 54, 1869-1879. | 1.5 | 17 |
| 349 | Semiautomatic method for the screening and determination of 23 organochlorine pesticides in horticultural samples by gas chromatography with electron-capture detection. <i>Journal of Chromatography A</i> , 1999, 849, 235-243. | 1.8 | 17 |
| 350 | Automatic calibration in capillary electrophoresis. <i>Electrophoresis</i> , 2000, 21, 556-562. | 1.3 | 17 |
| 351 | Automated flow-injection spectrophotometric determination of nitrosamines in solid food samples. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 371, 891-895. | 1.5 | 17 |
| 352 | Monitoring inorganic mercury and methylmercury species with liquid chromatography–piezoelectric detection. <i>Analytica Chimica Acta</i> , 2004, 511, 289-294. | 2.6 | 17 |
| 353 | ATR-FTIR membrane-based sensor for the simultaneous determination of surfactant and oil total indices in industrial degreasing baths. <i>Analyst, The</i> , 2006, 131, 415-421. | 1.7 | 17 |
| 354 | Method of Determination of Nitrosamines in Sausages by CO ₂ Supercritical Fluid Extraction (SFE) and Micellar Electrokinetic Chromatography (MEKC). <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 603-607. | 2.4 | 17 |
| 355 | Coiled carbon nanotubes combined with ionic liquid: a new soft material for SPE. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 903-907. | 1.9 | 17 |
| 356 | Simultaneous catalytic-fluorimetric determination of copper and mercury by flow-injection analysis. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1985, 320, 128-132. | 0.7 | 16 |
| 357 | Fluorimetric determination of tin at the nanograms per millilitre level in canned beverages. <i>Analyst, The</i> , 1985, 110, 43-45. | 1.7 | 16 |
| 358 | Off- and on-line determination of fluoride with unsegmented flow configurations. <i>Analytica Chimica Acta</i> , 1990, 230, 137-143. | 2.6 | 16 |
| 359 | Simultaneous determination of vanadium and lead in unsegmented flow systems of variable flow rate. <i>Fresenius' Journal of Analytical Chemistry</i> , 1992, 342, 76-79. | 1.5 | 16 |
| 360 | Determination of dissolved oxygen by use of a spectrophotometric flow-through sensor. <i>Analytica Chimica Acta</i> , 1993, 284, 189-193. | 2.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Automatic determination of amylocaine and bromhexine by atomic absorption spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1993, 11, 301-305. | 1.4 | 16 |
| 362 | Sensitive determination of paraquat and diquat at the sub-ng ml ⁻¹ level by continuous amperometric flow methods. <i>Analyst</i> , 1998, 123, 2383-2387. | 1.7 | 16 |
| 363 | Direct screening of lyophilised biological fluids for bile acids using an evaporative light scattering detector. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 792, 299-305. | 1.2 | 16 |
| 364 | A quartz crystal microbalance modified with carbon nanotubes as a sensor for volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2013, 186, 811-816. | 4.0 | 16 |
| 365 | Stir-membrane liquid microextraction for the determination of paracetamol in human saliva samples. <i>Bioanalysis</i> , 2013, 5, 307-315. | 0.6 | 16 |
| 366 | Effects of the interaction of single-walled carbon nanotubes with 4-nonylphenol on their in vitro toxicity. <i>Journal of Hazardous Materials</i> , 2014, 275, 107-115. | 6.5 | 16 |
| 367 | Single-walled carbon nanohorns immobilized on a microporous hollow polypropylene fiber as a sorbent for the extraction of volatile organic compounds from water samples. <i>Mikrochimica Acta</i> , 2014, 181, 1117-1124. | 2.5 | 16 |
| 368 | Modified nanocellulose as promising material for the extraction of gold nanoparticles. <i>Microchemical Journal</i> , 2018, 138, 379-383. | 2.3 | 16 |
| 369 | Automation of a flow-injection system for multispeciation. <i>Journal of Automated Methods and Management in Chemistry</i> , 1986, 8, 70-74. | 0.4 | 15 |
| 370 | Determination of ethanol in human fluids â€” II. Determination of ethanol in urine, breath and saliva. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1986, 4, 559-564. | 1.4 | 15 |
| 371 | Automatic determination of Michaelisâ€”Menten constants by the variable flow-rate technique. <i>Analytica Chimica Acta</i> , 1993, 283, 429-438. | 2.6 | 15 |
| 372 | Determination of selenium in fruit juices by flow injection electrothermal atomization atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 657-662. | 1.6 | 15 |
| 373 | On-line precipitation/dissolution system for the preconcentration and determination of manganese traces by atomic absorption spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 1996, 51, 1935-1941. | 1.5 | 15 |
| 374 | Discrimination of structural isomers of chlorinated phenols in waters using gas chromatographyâ€”mass spectrometry in the negative chemical ionization mode. <i>Journal of Chromatography A</i> , 1999, 830, 165-174. | 1.8 | 15 |
| 375 | Validation of PVC-Graphite Composite Electrodes for Routine Analytical Work. <i>Electroanalysis</i> , 1999, 11, 1116-1123. | 1.5 | 15 |
| 376 | Determination of arsenic in wheat flour by electrothermal atomic absorption spectrometry using a continuous precipitation-dissolution flow system. <i>Talanta</i> , 2001, 55, 135-142. | 2.9 | 15 |
| 377 | FI automatic method for the determination of copper(II) based on coproporphyrin I/Cu(II)/TCPO/H ₂ O ₂ chemiluminescence reaction for the screening of waters. <i>Talanta</i> , 2004, 64, 1030-1035. | 2.9 | 15 |
| 378 | Integrated 2-D CE. <i>Electrophoresis</i> , 2007, 28, 1345-1351. | 1.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Principles of qualitative analysis in the chromatographic context. <i>Journal of Chromatography A</i> , 2007, 1158, 234-240. | 1.8 | 15 |
| 380 | Sequential Preconcentration and On-Membrane Raman Determination of Carboxylic Single-Walled Carbon Nanotubes in River Water Samples. <i>Analytical Chemistry</i> , 2013, 85, 10338-10343. | 3.2 | 15 |
| 381 | Characterization of stainless steel assisted bare gold nanoparticles and their analytical potential. <i>Talanta</i> , 2014, 118, 321-327. | 2.9 | 15 |
| 382 | Direct determination of free sulfur dioxide in wine and dried apple samples by using a gas generating and purging device coupled to a continuous flow (injection) system. <i>Analyst, The</i> , 1995, 120, 2013-2018. | 1.7 | 14 |
| 383 | An Automated Preconcentration-Derivatization System for the Determination of Cocaine and its Metabolites in Urine and Illicit Cocaine Samples by Gas Chromatography/Mass Spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1996, 10, 631-636. | 0.7 | 14 |
| 384 | A metrological hierarchy for analytical chemistry. <i>TrAC - Trends in Analytical Chemistry</i> , 1999, 18, 68-75. | 5.8 | 14 |
| 385 | Reliability of analytical information in the XXIst century. <i>Analytica Chimica Acta</i> , 1999, 400, 425-432. | 2.6 | 14 |
| 386 | SCREENING OF POLYPHENOLS IN GRAPE MARC BY ON-LINE SUPERCRITICAL FLUID EXTRACTIONâ€“FLOW THROUGH SENSOR. <i>Analytical Letters</i> , 2001, 34, 1461-1476. | 1.0 | 14 |
| 387 | On-capillary sample cleanup method for the electrophoretic determination of carbohydrates in juice samples. <i>Electrophoresis</i> , 2007, 28, 1557-1563. | 1.3 | 14 |
| 388 | The Application of GCâ€“MS and Chemometrics to Categorize the Feeding Regime of Iberian Pigs in Spain. <i>Chromatographia</i> , 2008, 68, 593-601. | 0.7 | 14 |
| 389 | Use of carboxylic group functionalized magnetic nanoparticles for the preconcentration of metals in juice samples prior to the determination by capillary electrophoresis. <i>Electrophoresis</i> , 2012, 33, 2446-2453. | 1.3 | 14 |
| 390 | Graphene nanoparticles as pseudostationary phase for the electrokinetic separation of nonsteroidal antiâ€“inflammatory drugs. <i>Electrophoresis</i> , 2013, 34, 2561-2567. | 1.3 | 14 |
| 391 | Qualitative detection and quantitative determination of single-walled carbon nanotubes in mixtures of carbon nanotubes with a portable Raman spectrometer. <i>Analyst, The</i> , 2013, 138, 2378. | 1.7 | 14 |
| 392 | Teaching Social Responsibility in Analytical Chemistry. <i>Analytical Chemistry</i> , 2013, 85, 6152-6161. | 3.2 | 14 |
| 393 | Microextraction techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 1999-2000. | 1.9 | 14 |
| 394 | Spectrofluorimetric determination of sulphate in waters in normal and open/closed flow injection configurations. <i>Analyst, The</i> , 1991, 116, 305-307. | 1.7 | 13 |
| 395 | Automated simultaneous determination of metal ions by use of variable flow rates in unsegmented systems. <i>Analyst, The</i> , 1992, 117, 1629-1633. | 1.7 | 13 |
| 396 | Coupling of a continuous liquidâ€“liquid extractor to a flame atomic absorption spectrometer for the determination of alkaloids. <i>Journal of Analytical Atomic Spectrometry</i> , 1992, 7, 1295-1298. | 1.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | A new sample-injection/sample-dilution system for the flow-injection analytical technique. <i>Analytica Chimica Acta</i> , 1999, 381, 287-295. | 2.6 | 13 |
| 398 | Screening of Polyphenols in Grape Marc by On-Line Supercritical Fluid Extraction â€“ Amperometric Detection with a PVC-Graphite Composite Electrode. <i>Electroanalysis</i> , 2002, 14, 1427-1432. | 1.5 | 13 |
| 399 | Enzyme kinetics assay in ionic liquid-based reaction media by means of Raman spectroscopy and multivariate curve resolution. <i>Microchemical Journal</i> , 2007, 87, 93-98. | 2.3 | 13 |
| 400 | Combination of carbon nanotubes modified filters with microextraction by packed sorbent for the NACE analysis of trace levels of ionic liquids in river water samples. <i>Talanta</i> , 2012, 89, 124-128. | 2.9 | 13 |
| 401 | Nanoparticles and continuous-flow systems combine synergistically for preconcentration. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 43, 109-120. | 5.8 | 13 |
| 402 | Magnetically confined hydrophobic nanoparticles for the microextraction of endocrine-disrupting phenols from environmental waters. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 2729-2734. | 1.9 | 13 |
| 403 | Determination of chlordiazepoxide by zinc or cadmium reduction in a continuous system followed by atomic absorption spectrometric detection. <i>Analyst, The</i> , 1990, 115, 943-946. | 1.7 | 12 |
| 404 | Determination of the oxidative stability of olive oil by use of a robotic station. <i>Talanta</i> , 1993, 40, 1595-1600. | 2.9 | 12 |
| 405 | Determination of nickel in rocks by use of a continuous precipitationâ€“preconcentration system coupled on-line to a flame atomic absorption spectrometer. <i>Journal of Analytical Atomic Spectrometry</i> , 1994, 9, 663-666. | 1.6 | 12 |
| 406 | Integrated Automatic Determination of Nitrate, Ammonium and Organic Carbon in Soil Samples. <i>Analyst, The</i> , 1997, 122, 309-313. | 1.7 | 12 |
| 407 | Quality compromises incorporated in simplex optimisation of a flow injection system. <i>Analytica Chimica Acta</i> , 1997, 348, 129-134. | 2.6 | 12 |
| 408 | Current and future screening systems. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 81-83. | 1.9 | 12 |
| 409 | Fast urinary screening for imipramine and desipramine using on-line solid-phase extraction and selective derivatization. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 857, 275-280. | 1.2 | 12 |
| 410 | Nanomaterials for improved analytical processes. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 1-2. | 1.9 | 12 |
| 411 | Headspaceâ€“multicapillary columnâ€“ion mobility spectrometry for the direct analysis of 2,4,6-trichloroanisole in wine and cork samples. <i>Journal of Chromatography A</i> , 2012, 1265, 149-154. | 1.8 | 12 |
| 412 | Effect of carbon nanotubes on properties of soft materials based on carbon nanotubesâ€“ionic liquid combinations. <i>Talanta</i> , 2013, 110, 160-163. | 2.9 | 12 |
| 413 | Microextraction by packed sorbents combined with surface-enhanced Raman spectroscopy for determination of musk ketone in river water. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 7251-7257. | 1.9 | 12 |
| 414 | Ionic-liquid-based microextraction method for the determination of silver nanoparticles in consumer products. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 5023-5031. | 1.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | A view of uncertainty at the bench analytical level. <i>Accreditation and Quality Assurance</i> , 1998, 3, 14-19. | 0.4 | 11 |
| 416 | Usefulness of the evaporative light scattering detector for direct screening of biological fluids. <i>Analytica Chimica Acta</i> , 2001, 435, 281-288. | 2.6 | 11 |
| 417 | Highly selective and non-conventional sorbents for the determination of biomarkers in urine by liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1029-1038. | 1.9 | 11 |
| 418 | Determination of propranolol and carvedilol in urine samples using a magnetic polyamide composite and LC-MS/MS. <i>Bioanalysis</i> , 2016, 8, 2115-2123. | 0.6 | 11 |
| 419 | Analytical reliability of simple, rapid, minuturized, direct analytical processes: A call to arms. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 114, 98-107. | 5.8 | 11 |
| 420 | Integrated Retention/Spectrophotometric Detection Method for the Determination of Formaldehyde. <i>Analytical Letters</i> , 1992, 25, 2279-2288. | 1.0 | 10 |
| 421 | Direct determination of ammonium in solid samples by automatic flow procedures. <i>Analytica Chimica Acta</i> , 1994, 293, 163-170. | 2.6 | 10 |
| 422 | Assessment of analytical quality in water analysis by flow injection methods. <i>TrAC - Trends in Analytical Chemistry</i> , 1994, 13, 409-414. | 5.8 | 10 |
| 423 | Automatic implementation of the method of standard additions in unsegmented flow systems. <i>Analytica Chimica Acta</i> , 1995, 308, 77-84. | 2.6 | 10 |
| 424 | Automated flow system on-line to LC with postcolumn derivatisation for determination of sugars in carbohydrate-rich foods. <i>Chromatographia</i> , 2000, 52, 314-318. | 0.7 | 10 |
| 425 | Use of wavelet transform to enhance piezoelectric signals for analytical purposes. <i>Analytica Chimica Acta</i> , 2002, 456, 93-103. | 2.6 | 10 |
| 426 | Autoanalyzer for continuous fractionation and quantitation of the polyphenols content in wines. <i>Journal of Chromatography A</i> , 2005, 1081, 127-131. | 1.8 | 10 |
| 427 | ATR-FT-IR Membrane-Based Sensor for Integrated Microliquid-Liquid Extraction and Detection. <i>Analytical Chemistry</i> , 2005, 77, 7472-7477. | 3.2 | 10 |
| 428 | Speciation of copper by using a new fullerene derivative as a mixed-mode sorbent. <i>Journal of Analytical Atomic Spectrometry</i> , 2006, 21, 1396-1402. | 1.6 | 10 |
| 429 | Raman spectroscopic study of base catalyzed di- and trimerization of malononitrile in ionic liquids and water. <i>Journal of Molecular Structure</i> , 2006, 799, 146-152. | 1.8 | 10 |
| 430 | Microemulsion electrokinetic chromatography separation by using hexane-in-water microemulsions without cosurfactant: Comparison with MEKC. <i>Electrophoresis</i> , 2006, 27, 4439-4445. | 1.3 | 10 |
| 431 | Stir frit microextraction: An approach for the determination of volatile compounds in water by headspace-gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1251, 10-15. | 1.8 | 10 |
| 432 | Synergistic relationships between Analytical Chemistry and written standards. <i>Analytica Chimica Acta</i> , 2013, 788, 1-7. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Scanning electron microscopy of carbon nanotubes dispersed in ionic liquid: Solvent influence study. <i>Microchemical Journal</i> , 2015, 122, 137-143. | 2.3 | 10 |
| 434 | Detection of nanocellulose in commercial products and its size characterization using asymmetric flow field-flow fractionation. <i>Mikrochimica Acta</i> , 2017, 184, 1069-1076. | 2.5 | 10 |
| 435 | Enzymatic determination of total cholesterol in serum by flow injection analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1987, 5, 333-340. | 1.4 | 9 |
| 436 | Sequential Determination of d- and l-Glutamic Acid by Continuous Fractional Crystallization. <i>Analytical Chemistry</i> , 1996, 68, 322-326. | 3.2 | 9 |
| 437 | Use of eosin as a fluorophore in capillary electrophoresis with laser detection. <i>Journal of Chromatography A</i> , 2001, 919, 407-415. | 1.8 | 9 |
| 438 | Biological fluid screening and confirmation of bile acids by use of an integrated flow-injection-LC-evaporative light-scattering system. <i>Chromatographia</i> , 2002, 55, 49-54. | 0.7 | 9 |
| 439 | Research into conditions of quantity in the determination of carboniles in complex air matrices by adsorptive solid phase microextraction. <i>Talanta</i> , 2008, 77, 1444-53. | 2.9 | 9 |
| 440 | Comparison of aromatic and alkyl micelles for the electrokinetic determination of phthalates in virgin olive oil. <i>Electrophoresis</i> , 2009, 30, 618-623. | 1.3 | 9 |
| 441 | Nanodiamonds assisted-cloud point extraction for the determination of fluoranthene in river water. <i>Analytical Methods</i> , 2013, 5, 3864. | 1.3 | 9 |
| 442 | Analytical Nanoscience and Nanotechnology. <i>Comprehensive Analytical Chemistry</i> , 2014, , 3-35. | 0.7 | 9 |
| 443 | Flow-Through Photometric Sensor for the Determination of Cadmium at the Nanogram per Millilitre Level. <i>Analytical Letters</i> , 1993, 26, 733-744. | 1.0 | 8 |
| 444 | Sequential Determination of Triglycerides and Free Fatty Acids in Biological Fluids by Use of a Continuous Pretreatment Module Coupled to a Gas Chromatograph. <i>Analytical Biochemistry</i> , 1994, 222, 332-341. | 1.1 | 8 |
| 445 | Gas chromatographic mass spectrometric confirmation of selected benzophenones from benzodiazepines in human urine following automatic screening. <i>Journal of Chromatography A</i> , 1998, 823, 389-399. | 1.8 | 8 |
| 446 | Needs for improvement of the measurement infrastructure in Europe. <i>TrAC - Trends in Analytical Chemistry</i> , 1999, 18, 650-655. | 5.8 | 8 |
| 447 | Modern qualitative analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2005, 24, 467. | 5.8 | 8 |
| 448 | Potential of porphyrins as chromogenic reagents for determining metals in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2009, 1216, 6256-6258. | 1.8 | 8 |
| 449 | The social responsibility of Nanoscience and Nanotechnology: an integral approach. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1. | 0.8 | 8 |
| 450 | Quo vadis, analytical chemistry?. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 13-21. | 1.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Simultaneous kinetic determination of iron and chromium at the nanogram level. <i>Analytical Chemistry</i> , 1984, 56, 1417-1422. | 3.2 | 7 |
| 452 | Catalytic-fluorimetric determination of EDTA and iron(III) by flow injection analysis. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1985, 321, 467-470. | 0.7 | 7 |
| 453 | Individual and simultaneous fluorimetric determination of glycine and cysteine by flow injection analysis. <i>Microchemical Journal</i> , 1987, 35, 315-320. | 2.3 | 7 |
| 454 | Simultaneous-fluorimetric methods for the determination of ammonia and urea by use of flow injection configurations with dual injection valves. <i>Fresenius' Journal of Analytical Chemistry</i> , 1990, 336, 490-493. | 1.5 | 7 |
| 455 | Analytical chemistry in the European higher education area. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 33-40. | 1.9 | 7 |
| 456 | Enantioselective Supercritical Fluid Extraction from Racemic Mixtures by Use of Chiral Selectors. <i>Separation Science and Technology</i> , 2005, 39, 459-478. | 1.3 | 7 |
| 457 | Continuous autoanalyzer for the evaluation of the exhaustion of industrial degreasing baths based on the determination of total grease and surfactant contents. <i>Journal of Chromatography A</i> , 2006, 1104, 18-22. | 1.8 | 7 |
| 458 | Determination of mandelic acid enantiomers in urine by derivatization in supercritical carbon dioxide prior to their determination by gas chromatography. <i>Journal of Chromatography A</i> , 2006, 1104, 331-336. | 1.8 | 7 |
| 459 | Continuous flow configuration for total hydrocarbons index determination in soils by evaporative light scattering detection. <i>Journal of Chromatography A</i> , 2007, 1141, 302-307. | 1.8 | 7 |
| 460 | Use of multiple sequential injections of equal volumes to determine the apparent binding constant for antibody-antigen complexes by capillary electrophoresis. <i>Talanta</i> , 2009, 78, 1446-1451. | 2.9 | 7 |
| 461 | Is a new approach to Analytical Chemistry possible?. <i>Talanta</i> , 2011, 85, 1707-1708. | 2.9 | 7 |
| 462 | A comparative study between different alternatives to prepare gaseous standards for calibrating UV-Ion Mobility Spectrometers. <i>Talanta</i> , 2013, 111, 111-118. | 2.9 | 7 |
| 463 | Kinetic-based determinations in continuous-flow analysis. <i>Journal of Automated Methods and Management in Chemistry</i> , 1986, 8, 186-191. | 0.4 | 6 |
| 464 | Fluorimetric determination of aflatoxins by flow-injection analysis. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1988, 332, 809-812. | 0.7 | 6 |
| 465 | Turbidimetric flow method for the enantiomeric discrimination of L- and D-aspartic acid. <i>Analyst, The</i> , 1996, 121, 1397-1400. | 1.7 | 6 |
| 466 | Determination of fat in leather by the use of supercritical fluid extraction combined with on-line piezoelectric detection. <i>Analyst, The</i> , 2001, 126, 938-942. | 1.7 | 6 |
| 467 | Coupling continuous flow systems to capillary electrophoresis. <i>Comprehensive Analytical Chemistry</i> , 2005, 45, 173-223. | 0.7 | 6 |
| 468 | Continuous flow configuration for total grease and surfactant determination in industrial degreasing baths. <i>Analytica Chimica Acta</i> , 2006, 561, 78-82. | 2.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 469 | Liquid-liquid extraction assisted by a carbon nanoparticles interface. Electrophoretic determination of atrazine in environmental samples. <i>Analyst, The</i> , 2013, 138, 5913. | 1.7 | 6 |
| 470 | The Role of Ion Mobility Spectrometry to Support the Food Protected Designation of Origin. <i>Comprehensive Analytical Chemistry</i> , 2013, 60, 221-249. | 0.7 | 6 |
| 471 | Catalytic fluorimetric determination of nanogram amounts of lead in plastic containers for food by oxidation of pyridoxal 2-pyridylhydrazone with hydrogen peroxide. <i>Analyst, The</i> , 1984, 109, 597-599. | 1.7 | 5 |
| 472 | Kinetic-photometric determination of EDTA, zinc and bismuth by interchange reactions of "C=N" groups. <i>Analyst, The</i> , 1984, 109, 1147-1150. | 1.7 | 5 |
| 473 | Coupling immobilized enzymes flow reactors with supercritical fluid extraction for analytical purposes. <i>Analyst, The</i> , 2002, 127, 241-247. | 1.7 | 5 |
| 474 | We need reliable ways to bypass preliminary operations in (bio)chemical measurement. <i>TrAC - Trends in Analytical Chemistry</i> , 2002, 21, 211-212. | 5.8 | 5 |
| 475 | Multipurpose chamber for the implementation of gas diffusion, dialysis, solid-phase extraction and precipitation/dissolution in continuous flow analyzers. <i>Analytica Chimica Acta</i> , 2004, 509, 47-54. | 2.6 | 5 |
| 476 | Bridging the gap between analytical R&D products and their use in practice. <i>Analyst, The</i> , 2007, 132, 97-100. | 1.7 | 5 |
| 477 | A quantitative model to assess Social Responsibility in Environmental Science and Technology. <i>Science of the Total Environment</i> , 2014, 466-467, 40-46. | 3.9 | 5 |
| 478 | A Systematic Comparative Study of the Toxicity of Semiconductor and Graphitic Carbon-Based Quantum Dots Using In Vitro Cell Models. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8845. | 1.3 | 5 |
| 479 | Reply to the comments by vanderslice and beecher. <i>Talanta</i> , 1985, 32, 339-340. | 2.9 | 4 |
| 480 | Kinetic determination of creatinine in biological fluids by stopped-flow injection analysis. <i>Fresenius' Journal of Analytical Chemistry</i> , 1990, 338, 752-754. | 1.5 | 4 |
| 481 | Indirect kinetic photometric determination of nickel, cobalt, mercury, and silver based on their transient inhibitory effect on a catalytic reaction. <i>Microchemical Journal</i> , 1990, 42, 110-114. | 2.3 | 4 |
| 482 | Direct determination of the cation-exchange capacity of soils with automatic sample pretreatment in a flow system. <i>Analytica Chimica Acta</i> , 1994, 298, 387-392. | 2.6 | 4 |
| 483 | Automatic testing of enzyme modifiers by the flow-gradient technique. <i>Analytica Chimica Acta</i> , 1995, 308, 152-158. | 2.6 | 4 |
| 484 | Automatic gas chromatographic determination of the high-density-lipoprotein cholesterol and total cholesterol in serum. <i>Biomedical Applications</i> , 1995, 672, 7-16. | 1.7 | 4 |
| 485 | Practicing Quality Control in a Bioanalytical Experiment. <i>Journal of Chemical Education</i> , 1995, 72, 947. | 1.1 | 4 |
| 486 | Assessment of analytical quality in automatic flow systems. <i>Fresenius' Journal of Analytical Chemistry</i> , 1996, 354, 140-149. | 1.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Mechanized Sample Workup Interfaced with Flow System in Flow-Reversal Mode for the Determination of Boric Acid in Adulterated Shellfish. <i>Analytical Chemistry</i> , 1997, 69, 91-94. | 3.2 | 4 |
| 488 | An automated preparation device for the determination of drugs in biological fluids coupled on-line to a gas chromatograph/mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 1997, 11, 973-980. | 0.7 | 4 |
| 489 | Sample/analyte screening systems and chromatography. <i>Chromatographia</i> , 2001, 53, S149-S153. | 0.7 | 4 |
| 490 | Supercritical fluid immunoextraction: a new approach for immunoassay automation. <i>Analytica Chimica Acta</i> , 2004, 518, 151-156. | 2.6 | 4 |
| 491 | Analytical Chemistry in Modern Society: What we can Expect. <i>Mikrochimica Acta</i> , 2006, 153, 1-5. | 2.5 | 4 |
| 492 | Simple and fast fluorimetric determination of the critical gel concentration of soft nanomaterials. <i>Analytica Chimica Acta</i> , 2013, 785, 91-97. | 2.6 | 4 |
| 493 | Green detection of the olive fruit fly pest by the direct determination of its sexual pheromone. <i>Analytical Methods</i> , 2015, 7, 7228-7233. | 1.3 | 4 |
| 494 | Determination of urinary 5-hydroxyindoleacetic acid by combining D ¹ / ₄ -SPE using carbon coated TiO ₂ nanotubes and LC-MS/MS. <i>Bioanalysis</i> , 2015, 7, 2857-2867. | 0.6 | 4 |
| 495 | Fluorimetric enzymatic flow-injection determination of bile acids in human serum. <i>Fresenius' Journal of Analytical Chemistry</i> , 1990, 338, 749-751. | 1.5 | 3 |
| 496 | Automatic study of selectivity by the flow-rate gradient technique. <i>Analytica Chimica Acta</i> , 1994, 289, 187-194. | 2.6 | 3 |
| 497 | Rapid Solid-phase Extraction/Derivatization System for Sample Preparation and Gas Chromatographic/Mass Spectrometric Determination of Drugs in Human Urine. , 1997, 11, 298-306. | | 3 |
| 498 | Slurry Atomization of Wheat-Milled Fractions for Electrothermal Atomic Absorption Spectrometric Determination of Nickel and Chromium. <i>Journal of AOAC INTERNATIONAL</i> , 2001, 84, 1914-1920. | 0.7 | 3 |
| 499 | Determination of amines based on their interaction with QDs: Effect of the formation QD-assemblies. <i>Analytica Chimica Acta</i> , 2011, 703, 212-218. | 2.6 | 3 |
| 500 | V_{test}-factor Test Voltage Function for Oscillating Lightning Impulses in Nonhomogenous Air Gaps. <i>IEEE Transactions on Power Delivery</i> , 2014, 29, 2254-2260. | 2.9 | 3 |
| 501 | Determination of Tuta absoluta pheromones in water and tomato samples by headspace-gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 795-802. | 1.9 | 3 |
| 502 | Usefulness of Analytical Research: Rethinking Analytical R&D&T Strategies. <i>Analytical Chemistry</i> , 2017, 89, 11167-11172. | 3.2 | 3 |
| 503 | Kinetic-fluorimetric determination of pilocarpine in ophthalmic solutions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1987, 5, 409-414. | 1.4 | 2 |
| 504 | Precipitation flow injection immunoassay for human immunoglobulin G. <i>Analyst</i> , The, 1996, 121, 1565-1568. | 1.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 505 | Metrology in physics and chemistry. Accreditation and Quality Assurance, 2000, 5, 206-207. | 0.4 | 2 |
| 506 | Continuous Sorbent Preconcentration for the Electrothermal Atomic Absorption Spectrometric Determination of Ultratrace Amounts of Cobalt in Milled Wheat Fractions. Journal of Agricultural and Food Chemistry, 2000, 48, 4514-4519. | 2.4 | 2 |
| 507 | Performance tests and internal quality control activities for the routine analytical use of composite electrodes. Accreditation and Quality Assurance, 2001, 6, 514-520. | 0.4 | 2 |
| 508 | Use of cyclodextrins for the separation of monoterpene isomers by micellar electrokinetic capillary chromatography. Journal of Separation Science, 2001, 13, 293-299. | 1.0 | 2 |
| 509 | Statistical intervals to validate an autoanalyzer for monitoring the exhaustion of alkaline degreasing baths. Analytica Chimica Acta, 2006, 569, 260-266. | 2.6 | 2 |
| 510 | Determination of Gold Nanoparticles in Biological, Environmental, and Agrifood Samples. Comprehensive Analytical Chemistry, 2014, , 395-426. | 0.7 | 2 |
| 511 | Nanothera(g)nosis and Chemistry: A Fruitful Binomial. Journal of Nanomedicine & Nanotechnology, 2018, 09, . | 1.1 | 2 |
| 512 | The evolution of quality in analytical chemistry journals. TrAC - Trends in Analytical Chemistry, 1995, 14, 94-100. | 5.8 | 1 |
| 513 | Automatic calibration for on-line process monitoring in continuous-flow systems. Journal of Automated Methods and Management in Chemistry, 1995, 17, 17-20. | 0.4 | 1 |
| 514 | AC Educator: Teaching the Essential Principles. Analytical Chemistry, 2001, 73, 333 A-335 A. | 3.2 | 1 |
| 515 | Solid Phase (Micro)extraction Tools Based on Carbon Nanotubes and Related Nanostructures. , 0, , . | | 1 |
| 516 | Analytical Chemistry Today and Tomorrow. , 2012, , . | | 1 |
| 517 | The Analytical Problem. , 2000, , 283-306. | | 1 |
| 518 | Calculation of the Cu(II)-thiosemicarbazone complex formation constants by a modification of the deford and hume method applicable to quasi-reversible and irreversible processes. Talanta, 1985, 32, 81-82. | 2.9 | 0 |
| 519 | Sensitive and selective indirect kinetic spectrophotometric determination of manganese in agricultural samples. Analyst, The, 1990, 115, 993-995. | 1.7 | 0 |
| 520 | Automation and Quality in Analytical Laboratories. Journal of AOAC INTERNATIONAL, 1994, 77, 785-789. | 0.7 | 0 |
| 521 | European Analytical Column No. 29 (January 2001). Fresenius' Journal of Analytical Chemistry, 2001, 369, 554-555. | 1.5 | 0 |
| 522 | European Analytical Column No. 30. Analytical and Bioanalytical Chemistry, 2002, 372, 749-750. | 1.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 523 | Title is missing!. Journal of Analytical Chemistry, 2003, 58, 195-196. | 0.4 | 0 |
| 524 | European analytical column No. 31. Analytical and Bioanalytical Chemistry, 2003, 375, 983-984. | 1.9 | 0 |
| 525 | The Division of Analytical Chemistry of the Federation of European Chemical Societies and Professional Institutions. Accreditation and Quality Assurance, 2003, 8, 308-309. | 0.4 | 0 |
| 526 | European analytical column No. 32 (January 2004). Accreditation and Quality Assurance, 2004, 9, 435. | 0.4 | 0 |
| 527 | Eurobachelor accepts analytical chemistry as a key core area. TrAC - Trends in Analytical Chemistry, 2004, 23, xx-xxii. | 5.8 | 0 |
| 528 | Present and Future Applications of Carbon Nanotubes to Analytical Science. ChemInform, 2005, 36, no. | 0.1 | 0 |
| 529 | European Analytical Column No. 33 (January 2005). Analytical and Bioanalytical Chemistry, 2005, 382, 245-247. | 1.9 | 0 |
| 530 | European Analytical Column No. 33. Mikrochimica Acta, 2005, 149, 295-297. | 2.5 | 0 |
| 531 | European Analytical Column No. 33. Accreditation and Quality Assurance, 2005, 10, 264-265. | 0.4 | 0 |
| 532 | The Division of Analytical Chemistry of the European Association for Chemical and Molecular Sciences (EuCheMS). Journal of Analytical Chemistry, 2006, 61, 927-929. | 0.4 | 0 |
| 533 | Benzene, Toluene, Ethylbenzene, (o-, m- and p-) Xylenes and Styrene in Olive Oil. , 2010, , 463-470. | | 0 |
| 534 | Sample Treatments Based on Ionic Liquids. , 2011, , . | | 0 |
| 535 | Traceability: Reference Materials. , 2000, , 101-142. | | 0 |
| 536 | Analytical Properties. , 2000, , 39-100. | | 0 |
| 537 | Preliminary Operations of the Analytical Process. , 1994, , 1-31. | | 0 |
| 538 | A view of uncertainty at the bench analytical level. , 1998, , 152-157. | | 0 |