Yanguo Teng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4084876/publications.pdf

Version: 2024-02-01

| | | 159585 | 123424 |
|----------|----------------|--------------|----------------|
| 79 | 3,998 | 30 | 61 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 79 | 79 | 79 | 3925 |
| | | | |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Contamination features and health risk of soil heavy metals in China. Science of the Total Environment, 2015, 512-513, 143-153. | 8.0 | 1,026 |
| 2 | Characterization of antibiotics in a large-scale river system of China: Occurrence pattern, spatiotemporal distribution and environmental risks. Science of the Total Environment, 2018, 618, 409-418. | 8.0 | 226 |
| 3 | Groundwater nitrate pollution and human health risk assessment by using HHRA model in an agricultural area, NE China. Ecotoxicology and Environmental Safety, 2017, 137, 130-142. | 6.0 | 209 |
| 4 | Source apportionment and health risk assessment of trace metals in surface soils of Beijing metropolitan, China. Chemosphere, 2016, 144, 1002-1011. | 8.2 | 195 |
| 5 | Heterogeneous activation of persulfate by carbon nanofiber supported Fe3O4@carbon composites for efficient ibuprofen degradation. Journal of Hazardous Materials, 2021, 401, 123428. | 12.4 | 124 |
| 6 | Characterization and source apportionment of heavy metals in the sediments of Lake Tai (China) and its surrounding soils. Science of the Total Environment, 2019, 694, 133819. | 8.0 | 122 |
| 7 | Source apportionment of trace metals in river sediments: A comparison of three methods. Environmental Pollution, 2016, 211, 28-37. | 7.5 | 97 |
| 8 | Contamination characteristics, ecological risk and source identification of trace metals in sediments of the Le'an River (China). Ecotoxicology and Environmental Safety, 2016, 125, 85-92. | 6.0 | 90 |
| 9 | Multimedia fate modeling and risk assessment of antibiotics in a water-scarce megacity. Journal of Hazardous Materials, 2018, 348, 75-83. | 12.4 | 90 |
| 10 | Source apportionment and source-oriented risk assessment of heavy metals in the sediments of an urban river-lake system. Science of the Total Environment, 2020, 737, 140310. | 8.0 | 88 |
| 11 | Prevalence, source and risk of antibiotic resistance genes in the sediments of Lake Tai (China) deciphered by metagenomic assembly: A comparison with other global lakes. Environment International, 2019, 127, 267-275. | 10.0 | 84 |
| 12 | Characterization and source identification of antibiotic resistance genes in the sediments of an interconnected river-lake system. Environment International, 2020, 137, 105538. | 10.0 | 80 |
| 13 | Soil Heavy Metal Pollution and Risk Assessment in Shenyang Industrial District, Northeast China. PLoS ONE, 2015, 10, e0127736. | 2.5 | 79 |
| 14 | Environmental geochemistry and ecological risk of vanadium pollution in Panzhihua mining and smelting area, Sichuan, China. Diqiu Huaxue, 2006, 25, 379-385. | 0.5 | 73 |
| 15 | A metagenomic analysis framework for characterization of antibiotic resistomes in river environment: Application to an urban river in Beijing. Environmental Pollution, 2019, 245, 398-407. | 7.5 | 68 |
| 16 | Carbon nanofibers supported Co/Ag bimetallic nanoparticles for heterogeneous activation of peroxymonosulfate and efficient oxidation of amoxicillin. Journal of Hazardous Materials, 2020, 400, 123290. | 12.4 | 58 |
| 17 | Geochemical baseline of trace elements in the sediment in Dexing area, South China. Environmental Geology, 2009, 57, 1649-1660. | 1.2 | 55 |
| 18 | Screening and assessment of solidification/stabilization amendments suitable for soils of lead-acid battery contaminated site. Journal of Hazardous Materials, 2015, 288, 140-146. | 12.4 | 55 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Source identification of antibiotic resistance genes in a peri-urban river using novel crAssphage marker genes and metagenomic signatures. Water Research, 2019, 167, 115098. | 11.3 | 54 |
| 20 | Environmental risk characterization and ecological process determination of bacterial antibiotic resistome in lake sediments. Environment International, 2021, 147, 106345. | 10.0 | 51 |
| 21 | Groundwater pollution and risk assessment based on source apportionment in a typical cold agricultural region in Northeastern China. Science of the Total Environment, 2019, 696, 133972. | 8.0 | 48 |
| 22 | Effects on microbiomes and resistomes and the source-specific ecological risks of heavy metals in the sediments of an urban river. Journal of Hazardous Materials, 2021, 409, 124472. | 12.4 | 47 |
| 23 | Ecotoxicological risk assessment and source apportionment of antibiotics in the waters and sediments of a peri-urban river. Science of the Total Environment, 2020, 731, 139128. | 8.0 | 46 |
| 24 | Source apportionment of heavy metals in sediments and soils in an interconnected river-soil system based on a composite fingerprint screening approach. Journal of Hazardous Materials, 2021, 411, 125125. | 12.4 | 46 |
| 25 | Characterization of antibiotic resistance genes in the sediments of an urban river revealed by comparative metagenomics analysis. Science of the Total Environment, 2019, 653, 1513-1521. | 8.0 | 45 |
| 26 | Characterization and source-tracking of antibiotic resistomes in the sediments of a peri-urban river. Science of the Total Environment, 2019, 679, 88-96. | 8.0 | 41 |
| 27 | Activation of manganese dioxide with bisulfite for enhanced abiotic degradation of typical organophosphorus pesticides: Kinetics and transformation pathway. Chemosphere, 2019, 226, 858-864. | 8.2 | 41 |
| 28 | Spatiotemporal evolution of groundwater nitrate nitrogen levels and potential human health risks in the Songnen Plain, Northeast China. Ecotoxicology and Environmental Safety, 2021, 208, 111524. | 6.0 | 40 |
| 29 | Water supply safety of riverbank filtration wells under the impact of surface water-groundwater interaction: Evidence from long-term field pumping tests. Science of the Total Environment, 2020, 711, 135141. | 8.0 | 38 |
| 30 | The spatioâ€temporal variability of annual precipitation and its local impact factors during 1724–2010 in Beijing, China. Hydrological Processes, 2014, 28, 2192-2201. | 2.6 | 34 |
| 31 | Source apportionment of pollution in groundwater source area using factor analysis and positive matrix factorization methods. Human and Ecological Risk Assessment (HERA), 2017, 23, 1417-1436. | 3.4 | 32 |
| 32 | Application of percarbonate and peroxymonocarbonate in decontamination technologies. Journal of Environmental Sciences, 2021, 105, 100-115. | 6.1 | 30 |
| 33 | Contamination characteristics and source apportionment of trace metals in soils around Miyun Reservoir. Environmental Science and Pollution Research, 2016, 23, 15331-15342. | 5.3 | 29 |
| 34 | Developing an integrated framework for source apportionment and source-specific health risk assessment of PAHs in soils: Application to a typical cold region in China. Journal of Hazardous Materials, 2021, 415, 125730. | 12.4 | 29 |
| 35 | Elevated Fe and Mn Concentrations in Groundwater in the Songnen Plain, Northeast China, and the Factors and Mechanisms Involved. Agronomy, 2021, 11, 2392. | 3.0 | 27 |
| 36 | Iron Isotope Compositions of Natural River and Lake Samples in the Karst Area, Guizhou Province, Southwest China. Acta Geologica Sinica, 2011, 85, 712-722. | 1.4 | 26 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The impact of well drawdowns on the mixing process of river water and groundwater and water quality in a riverside well field, Northeast China. Hydrological Processes, 2019, 33, 945-961. | 2.6 | 26 |
| 38 | Can bioenergy carbon capture and storage aggravate global water crisis?. Science of the Total Environment, 2020, 714, 136856. | 8.0 | 22 |
| 39 | Influence of surface-water irrigation on the distribution of organophosphorus pesticides in soil-water systems, Jianghan Plain, central China. Journal of Environmental Management, 2021, 281, 111874. | 7.8 | 21 |
| 40 | Interactions between anthropogenic pollutants (biodegradable organic nitrogen and ammonia) and the primary hydrogeochemical component Mn in groundwater: Evidence from three polluted sites. Science of the Total Environment, 2022, 808, 152162. | 8.0 | 21 |
| 41 | Environmentally geochemical characteristics of vanadium in the topsoil in the Panzhihua mining area, Sichuan Province, China. Diqiu Huaxue, 2009, 28, 105-111. | 0.5 | 20 |
| 42 | Entropy weight method coupled with an improved DRASTIC model to evaluate the special vulnerability of groundwater in Songnen Plain, Northeastern China. Hydrology Research, 2020, 51, 1184-1200. | 2.7 | 19 |
| 43 | Polycyclic aromatic hydrocarbons (PAHs) in the environment of Beijing, China: Levels, distribution, trends and sources. Human and Ecological Risk Assessment (HERA), 2018, 24, 137-157. | 3.4 | 18 |
| 44 | Spatiotemporal distribution and risk assessment of organophosphorus pesticides in surface water and groundwater on the North China Plain, China. Environmental Research, 2022, 204, 112310. | 7.5 | 18 |
| 45 | Influencing factors and mechanism by which DOM in groundwater releases Fe from sediment. Chemosphere, 2022, 300, 134524. | 8.2 | 18 |
| 46 | Trend, seasonality and relationships of aquatic environmental quality indicators and implications: An experience from Songhua River, NE China. Ecological Engineering, 2020, 145, 105706. | 3.6 | 17 |
| 47 | Distribution, Genesis, and Human Health Risks of Groundwater Heavy Metals Impacted by the Typical Setting of Songnen Plain of NE China. International Journal of Environmental Research and Public Health, 2022, 19, 3571. | 2.6 | 17 |
| 48 | Reconstruction and Optimization of Tritium Time Series in Precipitation of Beijing, China. Radiocarbon, 2013, 55, 67-79. | 1.8 | 16 |
| 49 | Distribution, origin and key influencing factors of fluoride groundwater in the coastal area, NE China. Human and Ecological Risk Assessment (HERA), 2019, 25, 104-119. | 3.4 | 16 |
| 50 | A GIS-based LVF model for semiquantitative assessment of groundwater pollution risk: A case study in Shenyang, NE China. Human and Ecological Risk Assessment (HERA), 2017, 23, 276-298. | 3.4 | 15 |
| 51 | In-situ study of migration and transformation of nitrogen in groundwater based on continuous observations at a contaminated desert site. Journal of Contaminant Hydrology, 2018, 211, 39-48. | 3.3 | 15 |
| 52 | Anthropogenic Organic Pollutants in Groundwater Increase Releases of Fe and Mn from Aquifer Sediments: Impacts of Pollution Degree, Mineral Content, and pH. Water (Switzerland), 2021, 13, 1920. | 2.7 | 15 |
| 53 | Vertical distribution characteristics and interactions of polycyclic aromatic compounds and bacterial communities in contaminated soil in oil storage tank areas. Chemosphere, 2022, 301, 134695. | 8.2 | 15 |
| 54 | Development of Relative Risk Model for Regional Groundwater Risk Assessment: A Case Study in the Lower Liaohe River Plain, China. PLoS ONE, 2015, 10, e0128249. | 2.5 | 14 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Integrating Metagenomic and Bayesian Analyses to Evaluate the Performance and Confidence of CrAssphage as an Indicator for Tracking Human Sewage Contamination in China. Environmental Science & Echnology, 2021, 55, 4992-5000. | 10.0 | 13 |
| 56 | Sorption and retardation of strontium in fine-particle media from a VLLW disposal site. Journal of Radioanalytical and Nuclear Chemistry, 2009, 279, 893-899. | 1.5 | 11 |
| 57 | Suitability for developing riverside groundwater sources along Songhua River, Northeast China. Human and Ecological Risk Assessment (HERA), 2018, 24, 2088-2100. | 3.4 | 11 |
| 58 | Further Discussion on the Influence Radius of a Pumping Well: A Parameter with Little Scientific and Practical Significance That Can Easily Be Misleading. Water (Switzerland), 2021, 13, 2050. | 2.7 | 11 |
| 59 | Assessing the impact of different salinities on the desorption of Cd, Cu and Zn in soils with combined pollution. Science of the Total Environment, 2022, 836, 155725. | 8.0 | 11 |
| 60 | The Combined Effect of Cu, Zn and Pb on Enzyme Activities in Soil from the Vicinity of a Wellhead Protection Area. Soil and Sediment Contamination, 2016, 25, 279-295. | 1.9 | 10 |
| 61 | A SEEC Model Based on the DPSIR Framework Approach for Watershed Ecological Security Risk Assessment: A Case Study in Northwest China. Water (Switzerland), 2022, 14, 106. | 2.7 | 10 |
| 62 | Simulation of Trinitrogen Migration and Transformation in the Unsaturated Zone at a Desert Contaminant Site (NW China) Using HYDRUS-2D. Water (Switzerland), 2018, 10, 1363. | 2.7 | 9 |
| 63 | An integrated multidisciplinary-based framework for characterizing environmental risks of heavy metals and their effects on antibiotic resistomes in agricultural soils. Journal of Hazardous Materials, 2022, 426, 128113. | 12.4 | 9 |
| 64 | Pollution risk assessment based on source apportionment in a groundwater resource area, NE China. Human and Ecological Risk Assessment (HERA), 2018, 24, 1197-1215. | 3.4 | 8 |
| 65 | Sorption of strontium and fractal scaling of the heterogeneous media in a candidate VLLW disposal site. Journal of Radioanalytical and Nuclear Chemistry, 2010, 283, 319-328. | 1.5 | 7 |
| 66 | Design and Optimization of a Fully-Penetrating Riverbank Filtration Well Scheme at a Fully-Penetrating River Based on Analytical Methods. Water (Switzerland), 2019, 11, 418. | 2.7 | 7 |
| 67 | Biogeochemistry of Iron Enrichment in Groundwater: An Indicator of Environmental Pollution and Its Management. Sustainability, 2022, 14, 7059. | 3.2 | 7 |
| 68 | A HIVE model for regional integrated environmental risk assessment: A case study in China. Human and Ecological Risk Assessment (HERA), 2016, 22, 1002-1028. | 3.4 | 6 |
| 69 | Influences of dissolved humic acid on Zn bioavailability and its consequences for thyroid toxicity. Ecotoxicology and Environmental Safety, 2018, 166, 132-137. | 6.0 | 6 |
| 70 | Evaluation and characterization of anti-estrogenic and anti-androgenic activities in soil samples along the Second Songhua River, China. Environmental Monitoring and Assessment, 2015, 187, 724. | 2.7 | 5 |
| 71 | Reconstruction and Optimization of Tritium Time Series in Precipitation of Beijing, China. Radiocarbon, 2013, 55, 67-79. | 1.8 | 4 |
| 72 | An assessment of the presence and health risks of endocrine-disrupting chemicals in the drinking water treatment plant of Wu Chang, China. Human and Ecological Risk Assessment (HERA), 2018, 24, 1127-1137. | 3.4 | 3 |

YANGUO TENG

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Evaluation and characterization of thyroid-disrupting activities in soil samples along the Second Songhua River, China. Ecotoxicology and Environmental Safety, 2016, 133, 475-480. | 6.0 | 2 |
| 74 | Factors influencing U(VI) adsorption onto soil from a candidate very low level radioactive waste disposal site in China. Nuclear Technology and Radiation Protection, 2016, 31, 268-276. | 0.8 | 2 |
| 75 | Groundwater Quality Assessment and Its Influences on the Surface Water in Quanzhou Coastal Area. International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , . | 0.0 | 0 |
| 76 | Assessment of the Groundwater Renewability in Beijing Plain Area. , 2011, , . | | 0 |
| 77 | Notice of Retraction: Hydrochemical and Isotopic Characteristics of Spring Water in Beijing and Their Environmental Implications. , $2011, \dots$ | | O |
| 78 | Comparison and Selection of the Method for Reconstructing Trititum Concentration Series in Precipitation. , 2012, , . | | 0 |
| 79 | Characteristics of Environmental Incidents and Environmental Risk Management in China. , 2012, , . | | 0 |