

Heng-Ye Man

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4085891/publications.pdf>

Version: 2024-02-01

84
papers

7,473
citations

81900

39
h-index

58581

82
g-index

90
all docs

90
docs citations

90
times ranked

9531
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of the DUB enzyme USP7 in dendritic arborization, neuronal migration, and autistic-like behaviors in mice. <i>IScience</i> , 2022, 25, 104595.	4.1	5
2	Prkn knockout mice show autistic-like behaviors and aberrant synapse formation. <i>IScience</i> , 2022, 25, 104573.	4.1	6
3	Social isolation reinforces aging-related behavioral inflexibility by promoting neuronal necroptosis in basolateral amygdala. <i>Molecular Psychiatry</i> , 2022, 27, 4050-4063.	7.9	9
4	Loss of ferroportin induces memory impairment by promoting ferroptosis in Alzheimer's disease. <i>Cell Death and Differentiation</i> , 2021, 28, 1548-1562.	11.2	275
5	miR-135a-5p mediates memory and synaptic impairments via the Rock2/Adducin1 signaling pathway in a mouse model of Alzheimer's disease. <i>Nature Communications</i> , 2021, 12, 1903.	12.8	46
6	Non-genetic photoacoustic stimulation of single neurons by a tapered fiber optoacoustic emitter. <i>Light: Science and Applications</i> , 2021, 10, 143.	16.6	27
7	RTP801 regulates motor cortex synaptic transmission and learning. <i>Experimental Neurology</i> , 2021, 342, 113755.	4.1	4
8	Large-scale voltage imaging in behaving mice using targeted illumination. <i>IScience</i> , 2021, 24, 103263.	4.1	21
9	NEXMIF/KIDLIA Knock-out Mouse Demonstrates Autism-Like Behaviors, Memory Deficits, and Impairments in Synapse Formation and Function. <i>Journal of Neuroscience</i> , 2020, 40, 237-254.	3.6	33
10	Acetylation of AMPA Receptors Regulates Receptor Trafficking and Rescues Memory Deficits in Alzheimer's Disease. <i>IScience</i> , 2020, 23, 101465.	4.1	6
11	Sex differences in the effects of a combined behavioral and pharmacological treatment strategy for cocaine relapse prevention in an animal model of cue exposure therapy. <i>Behavioural Brain Research</i> , 2020, 395, 112839.	2.2	1
12	Facilitative effects of environmental enrichment for cocaine relapse prevention are dependent on extinction training context and involve increased TrkB signaling in dorsal hippocampus and ventromedial prefrontal cortex. <i>Behavioural Brain Research</i> , 2020, 386, 112596.	2.2	5
13	Transient sublethal hypoxia in neonatal rats causes reduced dendritic spines, aberrant synaptic plasticity, and impairments in memory. <i>Journal of Neuroscience Research</i> , 2020, 98, 1588-1604.	2.9	2
14	A Viral Toolbox of Genetically Encoded Fluorescent Synaptic Tags. <i>IScience</i> , 2020, 23, 101330.	4.1	14
15	Optoacoustic brain stimulation at submillimeter spatial precision. <i>Nature Communications</i> , 2020, 11, 881.	12.8	47
16	A novel pathway regulates social hierarchy via lncRNA AtLAS and postsynaptic synapsin IIb. <i>Cell Research</i> , 2020, 30, 105-118.	12.0	32
17	Correcting abnormalities in miR-124/PTPN1 signaling rescues tau pathology in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2020, 154, 441-457.	3.9	43
18	Non-scaling regulation of AMPA receptors in homeostatic synaptic plasticity. <i>Neuropharmacology</i> , 2019, 158, 107700.	4.1	16

#	ARTICLE	IF	CITATIONS
19	Activation of MT2 receptor ameliorates dendritic abnormalities in Alzheimer's disease via C/EBP β /miR-125b pathway. <i>Aging Cell</i> , 2019, 18, e12902.	6.7	32
20	The Autism and Angelman Syndrome Protein Ube3A/E6AP: The Gene, E3 Ligase Ubiquitination Targets and Neurobiological Functions. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 109.	2.9	53
21	Tau overexpression impairs neuronal endocytosis by decreasing the GTPase dynamin 1 through the miR-132/MeCP2 pathway. <i>Aging Cell</i> , 2019, 18, e12929.	6.7	19
22	Comprehensive, High Throughput Screening of Neuron Behavior on Gradient Micro-Alignment Topographies. , 2019, , .		1
23	MicroRNA-26a/Death-Associated Protein Kinase β 1 Signaling Induces Synucleinopathy and Dopaminergic Neuron Degeneration in Parkinson's Disease. <i>Biological Psychiatry</i> , 2019, 85, 769-781.	1.3	92
24	CIP2A-promoted astrogliosis induces AD-like synaptic degeneration and cognitive deficits. <i>Neurobiology of Aging</i> , 2019, 75, 198-208.	3.1	19
25	Amyloid- β 2 Induces AMPA Receptor Ubiquitination and Degradation in Primary Neurons and Human Brains of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 1789-1801.	2.6	51
26	A Novel MicroRNA-124/PTPN1 Signal Pathway Mediates Synaptic and Memory Deficits in Alzheimer's Disease. <i>Biological Psychiatry</i> , 2018, 83, 395-405.	1.3	153
27	P3 β 172: CIP2A \rightarrow PP2A SIGNALING CAUSES TAU/APP PHOSPHORYLATION, SYNAPTOPATHY AND MEMORY DEFICITS IN ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1133.	0.8	0
28	Synaptic Capture of Laterally Diffusing AMPA Receptors – An Idea That Stuck. <i>Trends in Neurosciences</i> , 2018, 41, 330-332.	8.6	13
29	A MicroRNA-Based Gene-Targeting Tool for Virally Labeling Interneurons in the Rodent Cortex. <i>Cell Reports</i> , 2018, 24, 294-303.	6.4	32
30	CIP2A Causes Tau/APP Phosphorylation, Synaptopathy, and Memory Deficits in Alzheimer's Disease. <i>Cell Reports</i> , 2018, 24, 713-723.	6.4	72
31	The Autism Protein Ube3A/E6AP Remodels Neuronal Dendritic Arborization via Caspase-Dependent Microtubule Destabilization. <i>Journal of Neuroscience</i> , 2018, 38, 363-378.	3.6	53
32	Environmental enrichment facilitates cocaine-cue extinction, deters reacquisition of cocaine self-administration and alters AMPAR GluA1 expression and phosphorylation. <i>Addiction Biology</i> , 2017, 22, 152-162.	2.6	17
33	Crucial Roles for SIRT2 and AMPA Receptor Acetylation in Synaptic Plasticity and Memory. <i>Cell Reports</i> , 2017, 20, 1335-1347.	6.4	51
34	Impairments of spatial memory in an Alzheimer's disease model via degeneration of hippocampal cholinergic synapses. <i>Nature Communications</i> , 2017, 8, 1676.	12.8	88
35	Fundamental Elements in Autism: From Neurogenesis and Neurite Growth to Synaptic Plasticity. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 359.	3.7	192
36	Zinc mediates the neuronal activity-dependent anti-apoptotic effect. <i>PLoS ONE</i> , 2017, 12, e0182150.	2.5	7

#	ARTICLE	IF	CITATIONS
37	Epilepsy-associated gene Nedd4-2 mediates neuronal activity and seizure susceptibility through AMPA receptors. <i>PLoS Genetics</i> , 2017, 13, e1006634.	3.5	48
38	Glycine Potentiates AMPA Receptor Function through Metabotropic Activation of GluN2A-Containing NMDA Receptors. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 102.	2.9	20
39	Î²-Amyloid triggers aberrant over-scaling of homeostatic synaptic plasticity. <i>Acta Neuropathologica Communications</i> , 2016, 4, 131.	5.2	35
40	Light-Triggered Release of Bioactive Molecules from DNA Nanostructures. <i>Nano Letters</i> , 2016, 16, 2781-2785.	9.1	87
41	The X-Linked Autism Protein KIAA2022/KIDLIA Regulates Neurite Outgrowth via N-Cadherin and Î³-Catenin Signaling. <i>ENeuro</i> , 2016, 3, ENEURO.0238-16.2016.	1.9	38
42	Loss of NEDD4 contributes to RTP801 elevation and neuron toxicity: implications for Parkinson's disease. <i>Oncotarget</i> , 2016, 7, 58813-58831.	1.8	21
43	The deubiquitinating enzyme <sc>USP</sc>46 regulates <sc>AMPA</sc> receptor ubiquitination and trafficking. <i>Journal of Neurochemistry</i> , 2015, 134, 1067-1080.	3.9	64
44	Opposite effects of two estrogen receptors on tau phosphorylation through disparate effects on the miRâ€218/<sc>PTPA</sc> pathway. <i>Aging Cell</i> , 2015, 14, 867-877.	6.7	40
45	Quantitative assessment of single-cell whole genome amplification methods for detecting copy number variation using hippocampal neurons. <i>Scientific Reports</i> , 2015, 5, 11415.	3.3	51
46	Resveratrol up-regulates AMPA receptor expression via AMP-activated protein kinase-mediated protein translation. <i>Neuropharmacology</i> , 2015, 95, 144-153.	4.1	28
47	MicroRNA miR124 is required for the expression of homeostatic synaptic plasticity. <i>Nature Communications</i> , 2015, 6, 10045.	12.8	77
48	Translational Dysregulation in Autism. <i>Cell & Developmental Biology</i> , 2014, 03, .	0.3	1
49	Endocytic Adaptor Epidermal Growth Factor Receptor Substrate 15 (Eps15) Is Involved in the Trafficking of Ubiquitinated Î±-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid Receptors. <i>Journal of Biological Chemistry</i> , 2014, 289, 24652-24664.	3.4	22
50	Alterations in expression and phosphorylation of GluA1 receptors following cocaine-cue extinction learning. <i>Behavioural Brain Research</i> , 2013, 238, 119-123.	2.2	15
51	Loss of function of KIAA2022 causes mild to severe intellectual disability with an autism spectrum disorder and impairs neurite outgrowth. <i>Human Molecular Genetics</i> , 2013, 22, 3306-3314.	2.9	62
52	Ubiquitination of Neurotransmitter Receptors and Postsynaptic Scaffolding Proteins. <i>Neural Plasticity</i> , 2013, 2013, 1-10.	2.2	30
53	Synaptic Activity and Bioenergy Homeostasis: Implications in Brain Trauma and Neurodegenerative Diseases. <i>Frontiers in Neurology</i> , 2013, 4, 199.	2.4	75
54	Input-specific homeostatic regulation of AMPA receptor accumulation at central synapses. <i>Communicative and Integrative Biology</i> , 2012, 5, 553-556.	1.4	2

#	ARTICLE	IF	CITATIONS
55	AMPK signaling in neuronal polarization. <i>Communicative and Integrative Biology</i> , 2012, 5, 152-155.	1.4	7
56	Small molecule-induced cytosolic activation of protein kinase Akt rescues ischemia-elicited neuronal death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10581-10586.	7.1	280
57	Parasynaptic NMDA Receptor Signaling Couples Neuronal Glutamate Transporter Function to AMPA Receptor Synaptic Distribution and Stability. <i>Journal of Neuroscience</i> , 2012, 32, 2552-2563.	3.6	29
58	AMPA Receptor Trafficking in Homeostatic Synaptic Plasticity: Functional Molecules and Signaling Cascades. <i>Neural Plasticity</i> , 2012, 2012, 1-12.	2.2	74
59	A role for neuroserpin in neuron morphological development. <i>Journal of Neurochemistry</i> , 2012, 121, 495-496.	3.9	7
60	Regulation of neuronal bioenergy homeostasis by glutamate. <i>Neurochemistry International</i> , 2012, 61, 389-396.	3.8	21
61	Changes in expression of c-Fos protein following cocaine-cue extinction learning. <i>Behavioural Brain Research</i> , 2012, 234, 100-106.	2.2	20
62	The Sodium Pump: Novel Functions in the Brain. <i>Biochemistry and Analytical Biochemistry: Current Research</i> , 2012, 01, .	0.4	1
63	AMP-Activated Protein Kinase Regulates Neuronal Polarization by Interfering with PI 3-Kinase Localization. <i>Science</i> , 2011, 332, 247-251.	12.6	127
64	Bioenergy sensing in the brain. <i>Cell Cycle</i> , 2011, 10, 3452-3460.	2.6	67
65	Homeostatic Regulation of AMPA Receptor Trafficking and Degradation by Light-Controlled Single-Synaptic Activation. <i>Neuron</i> , 2011, 72, 806-818.	8.1	95
66	Nedd4-mediated AMPA receptor ubiquitination regulates receptor turnover and trafficking. <i>Journal of Neurochemistry</i> , 2011, 119, 27-39.	3.9	145
67	GluA2-lacking, calcium-permeable AMPA receptors are inducers of plasticity?. <i>Current Opinion in Neurobiology</i> , 2011, 21, 291-298.	4.2	106
68	AMPK links cellular bioenergy status to the decision making of axon initiation in neurons. <i>Cellular Logistics</i> , 2011, 1, 103-105.	0.9	8
69	Na,K-ATPase Activity Regulates AMPA Receptor Turnover through Proteasome-Mediated Proteolysis. <i>Journal of Neuroscience</i> , 2009, 29, 4498-4511.	3.6	102
70	AMPA receptors in the medial amygdala are critical for establishing a neuroendocrine memory in the female rat. <i>European Journal of Neuroscience</i> , 2009, 29, 146-160.	2.6	5
71	Regulation of AMPA receptor localization in lipid rafts. <i>Molecular and Cellular Neurosciences</i> , 2008, 38, 213-223.	2.2	70
72	Homeostatic regulation of AMPA receptor expression at single hippocampal synapses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 775-780.	7.1	137

#	ARTICLE	IF	CITATIONS
73	Regulation of $\hat{\text{A}}$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor trafficking through PKA phosphorylation of the Glu receptor 1 subunit. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 3579-3584.	7.1	278
74	S-Nitrosylation of N-Ethylmaleimide Sensitive Factor Mediates Surface Expression of AMPA Receptors. Neuron, 2005, 46, 533-540.	8.1	165
75	Phosphorylation of the AMPA Receptor GluR1 Subunit Is Required for Synaptic Plasticity and Retention of Spatial Memory. Cell, 2003, 112, 631-643.	28.9	699
76	Activation of PI3-Kinase Is Required for AMPA Receptor Insertion during LTP of mEPSCs in Cultured Hippocampal Neurons. Neuron, 2003, 38, 611-624.	8.1	317
77	Activation of Synaptic NMDA Receptors Induces Membrane Insertion of New AMPA Receptors and LTP in Cultured Hippocampal Neurons. Neuron, 2001, 29, 243-254.	8.1	822
78	PRODUCTION OF TUMOUR NECROSIS FACTOR $\hat{\text{I}}_{\pm}$ BY PRIMARY CULTURED RAT ALVEOLAR EPITHELIAL CELLS. Cytokine, 2000, 12, 644-654.	3.2	73
79	Regulation of AMPA Receptor $\hat{\text{A}}$ -Mediated Synaptic Transmission by Clathrin-Dependent Receptor Internalization. Neuron, 2000, 25, 649-662.	8.1	631
80	Differential modulation of GABA A receptor function by Mel1a and Mel1b receptors. Nature Neuroscience, 1999, 2, 401-403.	14.8	177
81	Modulation of baroreflex sensitivity by the state of protein tyrosine phosphorylation in the brainstem of the rat. Brain Research, 1998, 792, 141-148.	2.2	8
82	Protein kinase-mediated bidirectional trafficking and functional regulation of the human dopamine transporter. , 1998, 30, 79-87.		149
83	Modulation of GABA A Receptor Function by Tyrosine Phosphorylation of $\hat{\text{I}}^2$ Subunits. Journal of Neuroscience, 1997, 17, 5062-5069.	3.6	83
84	Recruitment of functional GABA A receptors to postsynaptic domains by insulin. Nature, 1997, 388, 686-690.	27.8	507