

Zhou-Qing Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/408759/publications.pdf>

Version: 2024-02-01

28
papers

1,488
citations

516710

16
h-index

501196

28
g-index

29
all docs

29
docs citations

29
times ranked

1915
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Safety and Feasibility of Left Bundle Branch Pacing in a Large Single-Center Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e009261.	4.8	189
2	Left Bundle Branch Pacing for Cardiac Resynchronization Therapy: Nonrandomized On-Treatment Comparison With His Bundle Pacing and Biventricular Pacing. <i>Canadian Journal of Cardiology</i> , 2021, 37, 319-328.	1.7	179
3	Berberine alleviates cardiac ischemia/reperfusion injury by inhibiting excessive autophagy in cardiomyocytes. <i>European Journal of Pharmacology</i> , 2015, 762, 1-10.	3.5	136
4	<p>Emodin alleviates myocardial ischemia/reperfusion injury by inhibiting gasdermin D-mediated pyroptosis in cardiomyocytes</p>. <i>Drug Design, Development and Therapy</i> , 2019, Volume 13, 975-990.	4.3	133
5	Curcumin Represses NLRP3 Inflammasome Activation via TLR4/MyD88/NF- κ B and P2X7R Signaling in PMA-Induced Macrophages. <i>Frontiers in Pharmacology</i> , 2016, 7, 369.	3.5	123
6	Evaluation of the Criteria to Distinguish Left Bundle Branch Pacing From Left Ventricle Septal Pacing. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 1166-1177.	3.2	119
7	Atorvastatin suppresses NLRP3 inflammasome activation via TLR4/MyD88/NF- κ B signaling in PMA-stimulated THP-1 monocytes. <i>Biomedicine and Pharmacotherapy</i> , 2016, 82, 167-172.	5.6	92
8	MicroRNA-21 protects against cardiac hypoxia/reoxygenation injury by inhibiting excessive autophagy in H9c2 cells via the Akt/mTOR pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 467-474.	3.6	79
9	Curcumin inhibits autophagy and apoptosis in hypoxia/reoxygenation-induced myocytes. <i>Molecular Medicine Reports</i> , 2015, 11, 4678-4684.	2.4	65
10	Inhibition of epidermal growth factor receptor attenuates atherosclerosis via decreasing inflammation and oxidative stress. <i>Scientific Reports</i> , 2017, 7, 45917.	3.3	65
11	Pacing parameters and success rates of permanent His-bundle pacing in patients with narrow QRS: a single-centre experience. <i>Europace</i> , 2019, 21, 763-770.	1.7	55
12	Inhibition of autophagy by berberine enhances the survival of H9C2 myocytes following hypoxia. <i>Molecular Medicine Reports</i> , 2017, 16, 1677-1684.	2.4	42
13	Serum Markers of Endothelial Dysfunction and Inflammation Increase in Hypertension with Prediabetes Mellitus. <i>Genetic Testing and Molecular Biomarkers</i> , 2016, 20, 322-327.	0.7	41
14	Aerobic Exercise Ameliorates Myocardial Inflammation, Fibrosis and Apoptosis in High-Fat-Diet Rats by Inhibiting P2X7 Purinergic Receptors. <i>Frontiers in Physiology</i> , 2019, 10, 1286.	2.8	39
15	ODYSSEY EAST: Alirocumab efficacy and safety vs ezetimibe in high cardiovascular risk patients with hypercholesterolemia and on maximally tolerated statin in China, India, and Thailand. <i>Journal of Clinical Lipidology</i> , 2020, 14, 98-108.e8.	1.5	23
16	Suppression of Netrin-1 attenuates angiotension II-induced cardiac remodeling through the PKC/MAPK signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020, 130, 110495.	5.6	16
17	P2X7 receptor regulates EMMPRIN and MMP-9 expression through AMPK/MAPK signaling in PMA-induced macrophages. <i>Molecular Medicine Reports</i> , 2018, 18, 3027-3033.	2.4	15
18	Melatonin against Myocardial Ischemia-Reperfusion Injury: A Meta-analysis and Mechanism Insight from Animal Studies. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-11.	4.0	15

#	ARTICLE	IF	CITATIONS
19	P2X7 Receptor Deficiency Ameliorates STZ-induced Cardiac Damage and Remodeling Through PKC β 2 and ERK. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 692028.	3.7	12
20	Trimetazidine affects pyroptosis by targeting GSDMD in myocardial ischemia/reperfusion injury. <i>Inflammation Research</i> , 2022, 71, 227-241.	4.0	11
21	Elevated circulating level of P2X7 receptor is related to severity of coronary artery stenosis and prognosis of acute myocardial infarction. <i>Cardiology Journal</i> , 2021, 28, 453-459.	1.2	10
22	Berberine Regulated miR150-5p to Inhibit P2X7 Receptor, EMMPRIN and MMP-9 Expression in oxLDL Induced Macrophages. <i>Frontiers in Pharmacology</i> , 2021, 12, 639558.	3.5	9
23	1,25(OH) $_2$ D $_3$ Strengthens the Vasculogenesis of Multipotent Mesenchymal Stromal Cells from Rat Bone Marrow by Regulating the PI3K/AKT Pathway. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 1157-1167.	4.3	7
24	Inhibition of hsa-miR-6086 protects human umbilical vein endothelial cells against TNF α -induced proliferation inhibition and apoptosis via CDH5. <i>Gene</i> , 2018, 661, 202-208.	2.2	5
25	Relationship between plasma cancer antigen (CA)-125 level and one-year recurrence of atrial fibrillation after catheter ablation. <i>Clinica Chimica Acta</i> , 2020, 502, 201-206.	1.1	3
26	Assessment of High-Power Catheter Ablation in Patients With Atrial Fibrillation: A Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 609590.	2.4	3
27	Serum human epididymis protein 4 levels in the prediction of the recurrence of atrial fibrillation after catheter ablation. <i>Heart and Vessels</i> , 2021, 36, 686-692.	1.2	1
28	Hyperactivation of platelet-derived growth factor signalling contributes to arrhythmogenesis in Brugada syndrome. <i>Clinical and Translational Medicine</i> , 2022, 12, e715.	4.0	1