
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4088758/publications.pdf Version: 2024-02-01



FEDERICA TOZZI

#	Article	IF	CITATIONS
1	Common Genetic Variation and Age of Onset of Anorexia Nervosa. Biological Psychiatry Global Open Science, 2022, 2, 368-378.	2.2	10
2	A gamified app on emotion recognition and anger management for pre-school children. International Journal of Child-Computer Interaction, 2022, 31, 100449.	3.5	9
3	Exercise and Occupational Stress among Firefighters. International Journal of Environmental Research and Public Health, 2022, 19, 4986.	2.6	11
4	Impulsive behaviors and clinical outcomes following a flexible intensive inpatient treatment for eating disorders: findings from an observational study. Eating and Weight Disorders, 2021, 26, 869-877.	2.5	13
5	Shared genetic risk between eating disorder†and substanceâ€useâ€related phenotypes: Evidence from genomeâ€wide association studies. Addiction Biology, 2021, 26, e12880.	2.6	28
6	Relation between vitamin D and impulse behaviours in patients with eating disorder: a pilot observational study. European Eating Disorders Review, 2020, 28, 587-593.	4.1	9
7	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. Nature Genetics, 2019, 51, 1207-1214.	21.4	641
8	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. Biological Psychiatry, 2019, 86, 577-586.	1.3	43
9	Work-Related Psychological Distress and Its Management. Journal of Occupational and Environmental Medicine, 2019, 61, e348-e353.	1.7	5
10	Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. Molecular Psychiatry, 2018, 23, 1169-1180.	7.9	32
11	eHealth Interventions for Anxiety Management Targeting Young Children and Adolescents: Exploratory Review. JMIR Pediatrics and Parenting, 2018, 1, e5.	1.6	18
12	Advancing clinical research by semantically interconnecting aggregated medical data information in a secure context. Health and Technology, 2017, 7, 223-240.	3.6	2
13	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.	7.2	410
14	Interaction between the <i>FTO</i> gene, body mass index and depression: meta-analysis of 13701 individuals. British Journal of Psychiatry, 2017, 211, 70-76.	2.8	49
15	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. Neuron, 2015, 86, 1189-1202.	8.1	102
16	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. Nature Neuroscience, 2015, 18, 199-209.	14.8	701
17	No Association Between NRG1 and ErbB4 Genes and Psychopathological Symptoms of Schizophrenia. NeuroMolecular Medicine, 2014, 16, 742-751.	3.4	4
18	Genome-wide association study of bipolar disorder in Canadian and UK populations corroborates disease loci including SYNE1 and CSMD1. BMC Medical Genetics, 2014, 15, 2.	2.1	106

#	Article	IF	CITATIONS
19	A genome-wide association study of anorexia nervosa. Molecular Psychiatry, 2014, 19, 1085-1094.	7.9	282
20	Investigating the genetic variation underlying episodicity in major depressive disorder: Suggestive evidence for a bipolar contribution. Journal of Affective Disorders, 2014, 155, 81-89.	4.1	15
21	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	21.4	2,067
22	Genomeâ€wide association analysis accounting for environmental factors through propensityâ€score matching: Application to stressful live events in major depressive disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2013, 162, 521-529.	1.7	16
23	A mega-analysis of genome-wide association studies for major depressive disorder. Molecular Psychiatry, 2013, 18, 497-511.	7.9	1,002
24	A genomewide association study of smoking relapse in four European population-based samples. Psychiatric Genetics, 2013, 23, 143-152.	1.1	7
25	Estimating the heritability of reporting stressful life events captured by common genetic variants. Psychological Medicine, 2013, 43, 1965-1971.	4.5	46
26	The effects of applying cell-suppression and perturbation to aggregated genetic data. , 2012, , .		7
27	Linked2Safety: A secure linked data medical information space for semantically-interconnecting EHRs advancing patients' safety in medical research. , 2012, , .		9
28	Genetic variation in GOLM1 and prefrontal cortical volume in Alzheimer's disease. Neurobiology of Aging, 2012, 33, 457-465.	3.1	14
29	Dissecting the Genetic Heterogeneity of Depression Through Age at Onset. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 859-868.	1.7	31
30	Depressive disorder moderates the effect of the FTO gene on body mass index. Molecular Psychiatry, 2012, 17, 604-611.	7.9	72
31	Admixture analysis of age at onset in bipolar disorder. Psychiatry Research, 2011, 185, 27-32.	3.3	51
32	Genomewide Association Scan of Suicidal Thoughts and Behaviour in Major Depression. PLoS ONE, 2011, 6, e20690.	2.5	98
33	Structural Brain Changes in Patients with Recurrent Major Depressive Disorder Presenting with Anxiety Symptoms. , 2011, 21, 375-382.		44
34	A Genome-Wide Significant Linkage for Severe Depression on Chromosome 3: The Depression Network Study. American Journal of Psychiatry, 2011, 168, 840-847.	7.2	51
35	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nature Genetics, 2011, 43, 977-983.	21.4	1,283
36	Genetic variation at CHRNA5-CHRNA3-CHRNB4 interacts with smoking status to influence body mass index. International Journal of Epidemiology, 2011, 40, 1617-1628.	1.9	100

#	Article	IF	CITATIONS
37	Stressful life events and the brain-derived neurotrophic factor gene in bipolar disorder. Journal of Affective Disorders, 2010, 125, 345-349.	4.1	68
38	The Bipolar Association Case–Control Study (BACCS) and metaâ€analysis: No association with the 5,10â€Methylenetetrahydrofolate reductase gene and bipolar disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1298-1304.	1.7	26
39	A genomewide linkage study on suicidality in major depressive disorder confirms evidence for linkage to 2p12. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1465-1473.	1.7	24
40	Population-based linkage analysis of schizophrenia and bipolar case–control cohorts identifies a potential susceptibility locus on 19q13. Molecular Psychiatry, 2010, 15, 319-325.	7.9	38
41	Genome-wide association study of recurrent major depressive disorder in two European case–control cohorts. Molecular Psychiatry, 2010, 15, 589-601.	7.9	215
42	Association of DISC1 and TSNAX genes and affective disorders in the depression case–control (DeCC) and bipolar affective case–control (BACCS) studies. Molecular Psychiatry, 2010, 15, 844-849.	7.9	59
43	Meta-analysis of genome-wide association data identifies a risk locus for major mood disorders on 3p21.1. Nature Genetics, 2010, 42, 128-131.	21.4	152
44	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. Nature Genetics, 2010, 42, 436-440.	21.4	581
45	Genome-wide association study of migraine implicates a common susceptibility variant on 8q22.1. Nature Genetics, 2010, 42, 869-873.	21.4	332
46	Association analysis of <i>DAOA</i> and <i>DAO</i> in bipolar disorder: results from two independent case ontrol studies. Bipolar Disorders, 2010, 12, 579-581.	1.9	9
47	A Genome-Wide Association Study of Neuroticism in a Population-Based Sample. PLoS ONE, 2010, 5, e11504.	2.5	71
48	Genome-Wide Association Study of Major Recurrent Depression in the U.K. Population. American Journal of Psychiatry, 2010, 167, 949-957.	7.2	221
49	Plasma Protein Biomarkers for Depression and Schizophrenia by Multi Analyte Profiling of Case-Control Collections. PLoS ONE, 2010, 5, e9166.	2.5	294
50	Genome-wide association and meta-analysis of bipolar disorder in individuals of European ancestry. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7501-7506.	7.1	274
51	Association of the dystrobrevin binding protein 1 gene (<i>DTNBP1</i>) in a bipolar case–control study (BACCS). American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 836-844.	1.7	33
52	The PsyCoLaus study: methodology and characteristics of the sample of a population-based survey on psychiatric disorders and their association with genetic and cardiovascular risk factors. BMC Psychiatry, 2009, 9, 9.	2.6	182
53	α-5/α-3 nicotinic receptor subunit alleles increase risk for heavy smoking. Molecular Psychiatry, 2008, 13, 368-373.	7.9	437
54	Family history of depression is associated with younger age of onset in patients with recurrent depression. Psychological Medicine, 2008, 38, 641-649.	4.5	53

#	Article	IF	CITATIONS
55	Symptom Profile of Major Depressive Disorder in Women with Eating Disorders. Australian and New Zealand Journal of Psychiatry, 2007, 41, 24-31.	2.3	81
56	Patterns of menstrual disturbance in eating disorders. International Journal of Eating Disorders, 2007, 40, 424-434.	4.0	154
57	Features Associated With Laxative Abuse in Individuals With Eating Disorders. Psychosomatic Medicine, 2006, 68, 470-477.	2.0	47
58	Features associated with excessive exercise in women with eating disorders. International Journal of Eating Disorders, 2006, 39, 454-461.	4.0	266
59	Prevalence, Heritability, and Prospective Risk Factors for Anorexia Nervosa. Archives of General Psychiatry, 2006, 63, 305.	12.3	456
60	The process of recovery in eating disorder sufferers' own words: An Internet-based study. International Journal of Eating Disorders, 2005, 37, S80-S86.	4.0	132
61	Relationships between features associated with vomiting in purging-type eating disorders. International Journal of Eating Disorders, 2005, 38, 287-294.	4.0	68
62	The relation among perfectionism, obsessive-compulsive personality disorder and obsessive-compulsive disorder in individuals with eating disorders. International Journal of Eating Disorders, 2005, 38, 371-374.	4.0	154
63	Symptom Fluctuation in Eating Disorders: Correlates of Diagnostic Crossover. American Journal of Psychiatry, 2005, 162, 732-740.	7.2	247
64	Characteristics of Men with Persistent Thinness. Obesity, 2004, 12, 1367-1369.	4.0	16
65	The Structure of Perfectionism: A Twin Study. Behavior Genetics, 2004, 34, 483-494.	2.1	75
66	Personality in men with eating disorders. Journal of Psychosomatic Research, 2004, 57, 273-278.	2.6	34
67	Genetics in Eating Disorders: State of the Science. CNS Spectrums, 2004, 9, 511-515.	1.2	28
68	The genetics of bulimia nervosa. Drugs of Today, 2004, 40, 741.	2.4	17
69	Causes and recovery in anorexia nervosa: The patient's perspective. International Journal of Eating Disorders, 2003, 33, 143-154.	4.0	171
70	Investigating the structure of the eating inventory (three-factor eating questionnaire): A confirmatory approach. International Journal of Eating Disorders, 2003, 34, 255-264.	4.0	37
71	The Relation Between Eating Disorders and Components of Perfectionism. American Journal of Psychiatry, 2003, 160, 366-368.	7.2	243
72	Candidate Genes in Eating Disorders. CNS and Neurological Disorders, 2003, 2, 31-39.	4.3	12

#	Article	IF	CITATIONS
73	Candidate gene studies in eating disorders. Psychopharmacology Bulletin, 2002, 36, 60-90.	0.0	2
74	Patterns of Adaptation in Asthma and Psoriasis. Perceptual and Motor Skills, 2001, 92, 569-574.	1.3	1
75	Patterns of Adaptation and School Performance: A Pilot Study. Perceptual and Motor Skills, 2001, 92, 373-380.	1.3	3