

Soo Wan Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4090951/publications.pdf>

Version: 2024-02-01

247
papers

4,418
citations

117625

34
h-index

197818

49
g-index

250
all docs

250
docs citations

250
times ranked

6207
citing authors

#	ARTICLE	IF	CITATIONS
1	Retroperitoneal emphysema caused by a renal abscess: a case report. <i>Annals of Palliative Medicine</i> , 2022, 11, 832-836.	1.2	0
2	Economic Impact of Donating a Kidney on Living Donors: A Korean Cohort Study. <i>American Journal of Kidney Diseases</i> , 2022, 79, 175-184.e1.	1.9	5
3	Anti-fibrotic effect of 6-bromo-indirubin-3-oxime (6-BIO) via regulation of activator protein-1 (AP-1) and specificity protein-1 (SP-1) transcription factors in kidney cells. <i>Biomedicine and Pharmacotherapy</i> , 2022, 145, 112402.	5.6	2
4	Venous thromboembolism and severe hypernatremia in a patient with lithium-induced nephrogenic diabetes insipidus and acute kidney injury: a case report. <i>Annals of Palliative Medicine</i> , 2022, 11, 2756-2760.	1.2	3
5	The Association between Health-Enhancing Physical Activity and Quality of Life in Patients with Chronic Kidney Disease: Propensity Score Matching Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1318.	2.6	2
6	Complete Atrioventricular Block After Kidney Transplantation in a Patient With Fabry Disease Receiving Enzyme Replacement Therapy: A Case Report. <i>Transplantation Proceedings</i> , 2022, 54, 107-111.	0.6	0
7	Low waist circumference prior to percutaneous coronary intervention predict the risk for end-stage renal disease: a nationwide Korean population based-cohort study. <i>Korean Journal of Internal Medicine</i> , 2022, , .	1.7	0
8	Abdominal Aortic Calcification and Cardiovascular Outcomes in Chronic Kidney Disease: Findings from KNOW-CKD Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1157.	2.4	4
9	Association of Left Ventricular Diastolic Dysfunction With Cardiovascular Outcomes in Patients With Pre-dialysis Chronic Kidney Disease: Findings From KNOW-CKD Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 844312.	2.4	13
10	Association between serum osteoprotegerin level and renal prognosis in nondialysis patients with chronic kidney disease in the Korean Cohort Study for Outcomes in Patients with Chronic Kidney Disease (the KNOW-CKD Study). <i>Kidney Research and Clinical Practice</i> , 2022, 41, 200-208.	2.2	5
11	Association of Circulating Osteoprotegerin Level with Blood Pressure Variability in Patients with Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 178.	2.4	1
12	Underweight and Weight Change Increases End-Stage Renal Disease Risk in Patients with Diabetes: A Nationwide Population-Based Cohort Study. <i>Nutrients</i> , 2022, 14, 154.	4.1	7
13	Maslinic Acid Attenuates Ischemia/Reperfusion-Induced Acute Kidney Injury by Suppressing Inflammation and Apoptosis Through Inhibiting NF- κ B and MAPK Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2022, 13, 807452.	3.5	10
14	Inflammation-sensing catalase-mimicking nanozymes alleviate acute kidney injury via reversing local oxidative stress. <i>Journal of Nanobiotechnology</i> , 2022, 20, 205.	9.1	21
15	$\hat{\nu}$ -Elemene Attenuates Renal Fibrosis in the Unilateral Ureteral Obstruction Model by Inhibition of STAT3 and Smad3 Signaling via Suppressing MyD88 Expression. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5553.	4.1	8
16	Farnesoid X receptor protects against cisplatin-induced acute kidney injury by regulating the transcription of ferroptosis-related genes. <i>Redox Biology</i> , 2022, 54, 102382.	9.0	42
17	Effects of Blood Pressure According to Age on End-Stage Renal Disease Development in Patients With Diabetes: A Nationwide Population-Based Cohort Study. <i>Hypertension</i> , 2022, 79, 1765-1776.	2.7	7
18	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. <i>Nicotine and Tobacco Research</i> , 2021, 23, 92-98.	2.6	38

#	ARTICLE	IF	CITATIONS
19	Measured sodium excretion is associated with CKD progression: results from the KNOW-CKD study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 512-519.	0.7	27
20	Urinary chloride concentration and progression of chronic kidney disease: results from the KoreaN cohort study for Outcomes in patients With Chronic Kidney Disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 673-680.	0.7	6
21	Parental educational status independently predicts the risk of prevalent hypertension in young adults. <i>Scientific Reports</i> , 2021, 11, 3698.	3.3	6
22	Obesity, Abdominal Obesity and Chronic Kidney Disease in Young Adults: A Nationwide Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1065.	2.4	6
23	Association between the transtubular potassium gradient and progression of chronic kidney disease: results from KNOW-CKD. <i>Journal of Nephrology</i> , 2021, 34, 2063-2072.	2.0	0
24	Angiotensin-converting enzyme 2 and kidney diseases in the era of coronavirus disease 2019. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 247-262.	1.7	3
25	The critical role of FXR is associated with the regulation of autophagy and apoptosis in the progression of AKI to CKD. <i>Cell Death and Disease</i> , 2021, 12, 320.	6.3	33
26	Chronic Kidney Disease Risk of Isolated Systolic or Diastolic Hypertension in Young Adults: A Nationwide Sample Based Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019764.	3.7	16
27	Glycol chitosan-based tacrolimus-loaded nanomicelle therapy ameliorates lupus nephritis. <i>Journal of Nanobiotechnology</i> , 2021, 19, 109.	9.1	10
28	Smoking Cessation and Coronary Artery Calcification in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 870-879.	4.5	7
29	Trends in the incidence and prevalence of end-stage renal disease with hemodialysis in entire Korean population. <i>Medicine (United States)</i> , 2021, 100, e25293.	1.0	16
30	Kidney-accumulating olmesartan-loaded nanomicelles ameliorate the organ damage in a murine model of Alport syndrome. <i>International Journal of Pharmaceutics</i> , 2021, 600, 120497.	5.2	5
31	Effect of urinary angiotensinogen and high-salt diet on blood pressure in patients with chronic kidney disease: results from the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease (KNOW-CKD). <i>Korean Journal of Internal Medicine</i> , 2021, 36, 659-667.	1.7	4
32	Proteinuria and Psoriasis Risk: A Nationwide Population-Based Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2356.	2.4	8
33	The Case A 38-year-old man with hydronephrosis. <i>Kidney International</i> , 2021, 99, 1505-1506.	5.2	0
34	An anastomosing hemangioma mimicking a renal cell carcinoma in a kidney transplant recipient: a case report. <i>BMC Nephrology</i> , 2021, 22, 262.	1.8	3
35	Cumulative hypertension burden and risk of end-stage renal disease. <i>Hypertension Research</i> , 2021, 44, 1652-1661.	2.7	2
36	Association of Blood Pressure With the Progression of CKD: Findings From KNOW-CKD Study. <i>American Journal of Kidney Diseases</i> , 2021, 78, 236-245.	1.9	39

#	ARTICLE	IF	CITATIONS
37	Association Between Longitudinal Blood Pressure Trajectory and the Progression of Chronic Kidney Disease: Results From the KNOW-CKD. Hypertension, 2021, 78, 1355-1364.	2.7	7
38	Risk of Kidney Failure in Patients With Cancer: A South Korean Population-Based Cohort Study. American Journal of Kidney Diseases, 2021, , .	1.9	2
39	Inflammation Alters Relationship Between High-Density Lipoprotein Cholesterol and Cardiovascular Risk in Patients With Chronic Kidney Disease: Results From KNOW-CKD. Journal of the American Heart Association, 2021, 10, e021731.	3.7	9
40	Blood pressure prior to percutaneous coronary intervention is associated with the risk of end-stage renal disease: a nationwide population based-cohort study. Kidney Research and Clinical Practice, 2021, 40, 432-444.	2.2	1
41	Persistent Resistant Hypertension Has Worse Renal Outcomes in Chronic Kidney Disease than that Resolved in Two Years: Results from the KNOW-CKD Study. Journal of Clinical Medicine, 2021, 10, 3998.	2.4	3
42	Renoprotective Effects of Maslinic Acid on Experimental Renal Fibrosis in Unilateral Ureteral Obstruction Model via Targeting MyD88. Frontiers in Pharmacology, 2021, 12, 708575.	3.5	7
43	Hyperuricemia is a risk factor for the progression to end-stage renal disease in minimal change disease. Kidney Research and Clinical Practice, 2021, 40, 411-418.	2.2	4
44	Association of Body Weight Variability with Adverse Cardiovascular Outcomes in Patients with Pre-Dialysis Chronic Kidney Disease. Nutrients, 2021, 13, 3381.	4.1	3
45	A novel role of copeptin as a biomarker for the prediction of treatment response in hyponatremia. Kidney Research and Clinical Practice, 2021, 40, 329-331.	2.2	1
46	The Association between Serum Hemoglobin and Renal Prognosis of IgA Nephropathy. Journal of Clinical Medicine, 2021, 10, 363.	2.4	5
47	Metabolic risks in living kidney donors in South Korea. Kidney Research and Clinical Practice, 2021, 40, 645-659.	2.2	4
48	Hypertension as a risk factor for retinal vein occlusion in menopausal women. Medicine (United Tj ETQq0 0 0 rgBT /Qverlock_10 Tf 50 3	1.0	2
49	Long-term risk of all-cause mortality in live kidney donors: a matched cohort study. Kidney Research and Clinical Practice, 2021, , .	2.2	0
50	Association of Body Weight Variability With Progression of Coronary Artery Calcification in Patients With Predialysis Chronic Kidney Disease. Frontiers in Cardiovascular Medicine, 2021, 8, 794957.	2.4	3
51	Predictive Model for High Coronary Artery Calcium Score in Young Patients with Non-Dialysis Chronic Kidney Disease. Journal of Personalized Medicine, 2021, 11, 1372.	2.5	3
52	Association of Urinary Potassium Excretion with Blood Pressure Variability and Cardiovascular Outcomes in Patients with Pre-Dialysis Chronic Kidney Disease. Nutrients, 2021, 13, 4443.	4.1	4
53	The effect of interactions between proteinuria, activity of fibroblast growth factor 23 and serum phosphate on renal progression in patients with chronic kidney disease: a result from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease study. Nephrology Dialysis Transplantation. 2020. 35. 438-446.	0.7	6
54	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. Mayo Clinic Proceedings, 2020, 95, 293-305.	3.0	34

#	ARTICLE	IF	CITATIONS
55	Efficacy and Safety of CKD-11101 (Proposed Biosimilar of Darbepoetin-Alfa) Compared with Darbepoetin-Alfa in Patients on Hemodialysis: A Randomized, Double-Blinded, Parallel-Group Phase III Study. <i>BioDrugs</i> , 2020, 34, 99-110.	4.6	2
56	Performance Evaluation and Fouling Propensity of Forward Osmosis (FO) Membrane for Reuse of Spent Dialysate. <i>Membranes</i> , 2020, 10, 438.	3.0	5
57	Association of Body Mass Index and Waist Circumference with All-Cause Mortality in Hemodialysis Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 1289.	2.4	17
58	Mediation of the relationship between proteinuria and serum phosphate: Insight from the KNOW-CKD study. <i>PLoS ONE</i> , 2020, 15, e0235077.	2.5	5
59	Serum Uric Acid is Associated with Renal Prognosis of Lupus Nephritis in Women but not in Men. <i>Journal of Clinical Medicine</i> , 2020, 9, 773.	2.4	7
60	Angiotensin-[1 α 7] attenuates kidney injury in experimental Alport syndrome. <i>Scientific Reports</i> , 2020, 10, 4225.	3.3	24
61	Statins and All-Cause Mortality in Patients Undergoing Hemodialysis. <i>Journal of the American Heart Association</i> , 2020, 9, e014840.	3.7	20
62	CG200745, a Novel HDAC Inhibitor, Attenuates Kidney Fibrosis in a Murine Model of Alport Syndrome. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1473.	4.1	9
63	The Effects of Hyperuricemia on the Prognosis of IgA Nephropathy are More Potent in Females. <i>Journal of Clinical Medicine</i> , 2020, 9, 176.	2.4	12
64	Meal Frequency and Skipping Breakfast Are Associated with Chronic Kidney Disease. <i>Nutrients</i> , 2020, 12, 331.	4.1	9
65	Association of Hypertension and Blood Pressure With Kidney Cancer Risk. <i>Hypertension</i> , 2020, 75, 1439-1446.	2.7	42
66	High serum adiponectin as a biomarker of renal dysfunction: Results from the KNOW-CKD study. <i>Scientific Reports</i> , 2020, 10, 5598.	3.3	26
67	Glycol chitosan-based renal docking biopolymeric nanomicelles for site-specific delivery of the immunosuppressant. <i>Carbohydrate Polymers</i> , 2020, 241, 116255.	10.2	16
68	Chronic kidney disease attenuates the impact of obesity on quality of life. <i>Scientific Reports</i> , 2020, 10, 2375.	3.3	4
69	Regulatory Effects of O-GlcNAcylation in Vascular Smooth Muscle Cells on Diabetic Vasculopathy. <i>Journal of Lipid and Atherosclerosis</i> , 2020, 9, 243.	3.5	16
70	The KNOW-CKD Study: What we have learned about chronic kidney diseases. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 121-135.	2.2	29
71	Extremely Severe Hyponatremia Caused by Wrong Belief in a Patient with Cervical Cancer. <i>Electrolyte and Blood Pressure</i> , 2020, 18, 16.	1.8	2
72	Urinary Angiotensinogen in addition to Imaging Classification in the Prediction of Renal Outcome in Autosomal Dominant Polycystic Kidney Disease. <i>Journal of Korean Medical Science</i> , 2020, 35, e165.	2.5	5

#	ARTICLE	IF	CITATIONS
73	Intensity of statin therapy and renal outcome in chronic kidney disease: Results from the Korean Cohort Study for Outcome in Patients With Chronic Kidney Disease. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 93-102.	2.2	6
74	Olmesartan Attenuates Kidney Fibrosis in a Murine Model of Alport Syndrome by Suppressing Tubular Expression of TGF β 2. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3843.	4.1	13
75	Association Between Systolic and Diastolic Blood Pressure Variability and the Risk of End-Stage Renal Disease. <i>Hypertension</i> , 2019, 74, 880-887.	2.7	37
76	Anti-Apoptotic Effect of G-Protein-Coupled Receptor 40 Activation on Tumor Necrosis Factor- α -Induced Injury of Rat Proximal Tubular Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3386.	4.1	1
77	Src α -mediated crosstalk between FXR and YAP protects against renal fibrosis. <i>FASEB Journal</i> , 2019, 33, 11109-11122.	0.5	37
78	<p>Characterization of variable presentations of diabetic ketoacidosis based on blood ketone levels and major society diagnostic criteria: a new view point on the assessment of diabetic ketoacidosis</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1161-1171.	2.4	9
79	Risk factors for peptic ulcer disease in patients with end-stage renal disease receiving dialysis. <i>Kidney Research and Clinical Practice</i> , 2019, 38, 81-89.	2.2	11
80	PGC-1 α Suppresses the Activation of TGF- β 2/Smad Signaling via Targeting TGF β 2RI Downregulation by let-7b/c Upregulation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5084.	4.1	17
81	Urine Osmolality and Renal Outcome in Patients with Chronic Kidney Disease: Results from the KNOW-CKD. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1089-1100.	2.0	18
82	RON Receptor Tyrosine Kinase Regulates Epithelial Mesenchymal Transition and the Expression of Pro-Fibrotic Markers via Src/Smad Signaling in HK-2 and NRK49F Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5489.	4.1	14
83	Obstructive sleep apnea as a risk factor for incident end stage renal disease: a nationwide population-based cohort study from Korea. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1391-1397.	1.6	8
84	The risk of end-stage renal disease in systemic lupus erythematosus. <i>Medicine (United States)</i> , 2019, 98, e16420.	1.0	16
85	Metabolic Syndrome Resolved within Two Years is Still a Risk Factor for Kidney Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 1329.	2.4	9
86	Association Between High-Sensitivity Cardiac Troponin T and Echocardiographic Parameters in Chronic Kidney Disease: Results From the KNOW-CKD Cohort Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013357.	3.7	9
87	Renoprotective Effect of the Histone Deacetylase Inhibitor CG200745 in DOCA-Salt Hypertensive Rats. <i>International Journal of Molecular Sciences</i> , 2019, 20, 508.	4.1	9
88	Systemic lupus erythematosus is a risk factor for cancer: a nationwide population-based study in Korea. <i>Lupus</i> , 2019, 28, 317-323.	1.6	39
89	Peroxiredoxin V (PrdxV) negatively regulates EGFR/Stat3-mediated fibrogenesis via a Cys48-dependent interaction between PrdxV and Stat3. <i>Scientific Reports</i> , 2019, 9, 8751.	3.3	9
90	Hyperuricemia has increased the risk of progression of chronic kidney disease: propensity score matching analysis from the KNOW-CKD study. <i>Scientific Reports</i> , 2019, 9, 6681.	3.3	76

#	ARTICLE	IF	CITATIONS
91	Association Between Serum High-Density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Journal of the American Heart Association</i> , 2019, 8, e011162.	3.7	32
92	Urinary angiotensinogen level is associated with potassium homeostasis and clinical outcome in patients with polycystic kidney disease: a prospective cohort study. <i>BMC Nephrology</i> , 2019, 20, 104.	1.8	11
93	Alpha-lipoic acid attenuates p-cresyl sulfate-induced renal tubular injury through suppression of apoptosis and autophagy in human proximal tubular epithelial cells. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108679.	5.6	16
94	Smoking and risk of incident end-stage kidney disease in general population: A Nationwide Population-based Cohort Study from Korea. <i>Scientific Reports</i> , 2019, 9, 19511.	3.3	18
95	Association between health related quality of life and progression of chronic kidney disease. <i>Scientific Reports</i> , 2019, 9, 19595.	3.3	40
96	Efficacy and safety of CKD-11101 (darbepoetin-alfa proposed biosimilar) compared with NESP in anaemic chronic kidney disease patients not on dialysis. <i>Current Medical Research and Opinion</i> , 2019, 35, 1111-1118.	1.9	3
97	Tamoxifen ameliorates obstructive nephropathy through Src and the PI3K/Akt/mTOR pathway. <i>Biology of the Cell</i> , 2019, 111, 18-27.	2.0	25
98	High fibroblast growth factor 23 is associated with coronary calcification in patients with high adiponectin: analysis from the KoreaN cohort study for Outcome in patients With Chronic Kidney Disease (KNOW-CKD) study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 123-129.	0.7	11
99	Paricalcitol attenuates indoxyl sulfate-induced apoptosis through the inhibition of MAPK, Akt, and NF- κ B activation in HK-2 cells. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 146-155.	1.7	19
100	Vascular Stent Migration to Right Ventricle. <i>Korean Circulation Journal</i> , 2019, 49, 769.	1.9	1
101	Usefulness of the duration of acute kidney injury for predicting renal function recovery after partial nephrectomy. <i>Annals of Translational Medicine</i> , 2019, 7, S236-S236.	1.7	2
102	Systemic lupus erythematosus is a risk factor for atrial fibrillation: a nationwide, population-based study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 1019-1025.	0.8	5
103	Renal hemosiderosis with uncontrolled hypertension. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1224-1225.	1.6	0
104	Obesity, Metabolic Abnormality, and Progression of CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 400-410.	1.9	105
105	Factors Affecting Coronary Arterial Calcification in Patients with Chronic Kidney Disease Who Did Not Undergo Treatment with Dialysis. <i>Journal of the Korean Society of Radiology</i> , 2018, 78, 88.	0.2	0
106	Systemic lupus erythematosus is a risk factor for cardiovascular disease: a nationwide, population-based study in Korea. <i>Lupus</i> , 2018, 27, 2050-2056.	1.6	19
107	The Case A 33-year-old woman with gross hematuria. <i>Kidney International</i> , 2018, 94, 837-838.	5.2	0
108	Histone deacetylase inhibitor, CG200745 attenuates renal fibrosis in obstructive kidney disease. <i>Scientific Reports</i> , 2018, 8, 11546.	3.3	32

#	ARTICLE	IF	CITATIONS
109	Tumor necrosis factor α -converting enzyme inhibitor attenuates lipopolysaccharide-induced reactive oxygen species and mitogen-activated protein kinase expression in human renal proximal tubule epithelial cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2018, 22, 135.	1.2	10
110	The association between socioeconomic disparities and left ventricular hypertrophy in chronic kidney disease: results from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>BMC Nephrology</i> , 2018, 19, 203.	1.8	8
111	A Prospective Observational Study on the Predictive Value of Serum Cystatin C for Successful Weaning from Continuous Renal Replacement Therapy. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 872-881.	2.0	23
112	Safety and Efficacy of Tolvaptan in Korean Patients with Hyponatremia Caused by the Syndrome of Inappropriate Antidiuretic Hormone. <i>Journal of Korean Medical Science</i> , 2018, 33, e112.	2.5	8
113	SP071HISTONE DEACETYLASE INHIBITOR, CG200745, ATTENUATES RENAL FIBROSIS IN DOCA-SALT HYPERTENSIVE RATS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i369-i369.	0.7	0
114	FP014TAMOXIFEN ATTENUATES RENAL FIBROSIS THROUGH SRC KINASE IN OBSTRUCTIVE NEPHROPATHY IN RATS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i54-i54.	0.7	0
115	Small heterodimer partner attenuates hydrogen peroxide-induced expression of cyclooxygenase-2 and inducible nitric oxide synthase by suppression of activator protein-1 and nuclear factor- κ B in renal proximal tubule epithelial cells. <i>International Journal of Molecular Medicine</i> , 2017, 39, 701-710.	4.0	7
116	Serum hepcidin may be a novel uremic toxin, which might be related to erythropoietin resistance. <i>Scientific Reports</i> , 2017, 7, 4260.	3.3	27
117	PGC-1 α attenuates hydrogen peroxide-induced apoptotic cell death by upregulating Nrf-2 via GSK3 β inactivation mediated by activated p38 in HK-2 Cells. <i>Scientific Reports</i> , 2017, 7, 4319.	3.3	70
118	Association of serum adiponectin concentration with aortic arterial stiffness in chronic kidney disease: from the KNOW-CKD study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 608-616.	1.6	7
119	Bilateral Emphysematous Pyelonephritis. <i>Journal of Korean Medical Science</i> , 2017, 32, 1736.	2.5	4
120	Baseline Cardiovascular Characteristics of Adult Patients with Chronic Kidney Disease from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 231.	2.5	22
121	Chronic Kidney Disease-Mineral Bone Disorder in Korean Patients: a Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). <i>Journal of Korean Medical Science</i> , 2017, 32, 240.	2.5	19
122	Biomarkers Predicting Survival of Sepsis Patients Treated with Continuous Renal Replacement Therapy. <i>Chonnam Medical Journal</i> , 2017, 53, 64.	0.9	6
123	Association between vitamin D deficiency and health-related quality of life in patients with chronic kidney disease from the KNOW-CKD study. <i>PLoS ONE</i> , 2017, 12, e0174282.	2.5	13
124	Relationship between serum uric acid and mortality among hemodialysis patients: Retrospective analysis of Korean end-stage renal disease registry data. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 368-376.	2.2	41
125	Anti-inflammatory and anti-apoptotic effects of paricalcitol in lipopolysaccharide-induced renal proximal tubular cell injury. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 109-110.	2.2	0
126	Altered Nitric Oxide System in Cardiovascular and Renal Diseases. <i>Chonnam Medical Journal</i> , 2016, 52, 81.	0.9	83

#	ARTICLE	IF	CITATIONS
127	Resveratrol attenuates 4-hydroxy-2-hexenal-induced oxidative stress in mouse cortical collecting duct cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2016, 20, 229.	1.2	8
128	Association of Serum Osteoprotegerin Levels with Bone Loss in Chronic Kidney Disease: Insights from the KNOW-CKD Study. <i>PLoS ONE</i> , 2016, 11, e0166792.	2.5	18
129	MP287ASSOCIATION OF SERUM ADIPONECTIN CONCENTRATION WITH AORTIC ARTERIAL STIFFNESS IN CHRONIC KIDNEY DISEASE: FROM THE KNOW-CKD STUDY. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i434-i434.	0.7	0
130	Hyponatremia Associated with Hepatocellular Carcinoma. <i>Internal Medicine</i> , 2016, 55, 961-963.	0.7	1
131	The Case Seizure, ophthalmoplegia, and amnesia in a peritoneal dialysis patient. <i>Kidney International</i> , 2016, 90, 1389-1390.	5.2	4
132	Normal body mass index with central obesity has increased risk of coronary artery calcification in Korean patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 1368-1376.	5.2	16
133	Association between Urine Creatinine Excretion and Arterial Stiffness in Chronic Kidney Disease: Data from the KNOW-CKD Study. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 527-534.	2.0	7
134	Unilateral renal cystic disease in the left kidney. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 822-822.	1.6	2
135	Association of serum adiponectin level with albuminuria in chronic kidney disease patients. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 443-449.	1.6	22
136	Peroxiredoxin 5 Protects TGF- β 2 Induced Fibrosis by Inhibiting Stat3 Activation in Rat Kidney Interstitial Fibroblast Cells. <i>PLoS ONE</i> , 2016, 11, e0149266.	2.5	25
137	Nicotine-Induced Apoptosis in Human Renal Proximal Tubular Epithelial Cells. <i>PLoS ONE</i> , 2016, 11, e0152591.	2.5	36
138	Impact of Transient and Persistent Acute Kidney Injury on Chronic Kidney Disease Progression and Mortality after Gastric Surgery for Gastric Cancer. <i>PLoS ONE</i> , 2016, 11, e0168119.	2.5	27
139	Determinants and burden of chronic kidney disease in a high-risk population in Korea: results from a cross-sectional study. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 920-929.	1.7	11
140	Decreased Renal Expression of H ⁺ -ATPase and Pendrin in a Patient with Distal Renal Tubular Acidosis Associated with Sjögren's Syndrome. <i>Internal Medicine</i> , 2015, 54, 2899-2904.	0.7	10
141	Severe septicemia, necrotizing fasciitis, and peritonitis due to <i>Vibrio vulnificus</i> in a patient undergoing continuous ambulatory peritoneal dialysis: a case report. <i>BMC Infectious Diseases</i> , 2015, 15, 422.	2.9	6
142	Angiotensin-(1-7) Attenuates Kidney Injury Due to Obstructive Nephropathy in Rats. <i>PLoS ONE</i> , 2015, 10, e0142664.	2.5	45
143	Risk factors for in-hospital mortality in patients starting hemodialysis. <i>Kidney Research and Clinical Practice</i> , 2015, 34, 154-159.	2.2	9
144	Prognostic impact of hyponatraemia in patients with colorectal cancer. <i>Colorectal Disease</i> , 2015, 17, 409-416.	1.4	21

#	ARTICLE	IF	CITATIONS
145	Alpha-lipoic acid attenuates lipopolysaccharide-induced kidney injury. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 82-91.	1.6	32
146	Farnesoid X Receptor Ligand Prevents Cisplatin-Induced Kidney Injury by Enhancing Small Heterodimer Partner. <i>PLoS ONE</i> , 2014, 9, e86553.	2.5	30
147	Metabolic Syndrome and Chronic Kidney Disease in an Adult Korean Population: Results from the Korean National Health Screening. <i>PLoS ONE</i> , 2014, 9, e93795.	2.5	22
148	Concomitant Impact of High-Sensitivity C-Reactive Protein and Renal Dysfunction in Patients with Acute Myocardial Infarction. <i>Yonsei Medical Journal</i> , 2014, 55, 132.	2.2	4
149	Association of Pulse Wave Velocity and Pulse Pressure With Decline in Kidney Function. <i>Journal of Clinical Hypertension</i> , 2014, 16, 372-377.	2.0	35
150	Renoprotective effects of the direct renin inhibitor aliskiren on gentamicin-induced nephrotoxicity in rats. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2014, 15, 348-361.	1.7	43
151	Impact of partial nephrectomy on kidney function in patients with renal cell carcinoma. <i>BMC Nephrology</i> , 2014, 15, 181.	1.8	39
152	Hyponatremia associated with primary central nervous system lymphoma. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 170-171.	1.6	2
153	Patent processus vaginalis in a peritoneal dialysis patient. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 833-834.	1.6	2
154	Acute interstitial nephritis induced by <i>Dioscorea quinqueloba</i> . <i>BMC Nephrology</i> , 2014, 15, 143.	1.8	4
155	KNOW-CKD (KoreaN cohort study for Outcome in patients With Chronic Kidney Disease): design and methods. <i>BMC Nephrology</i> , 2014, 15, 80.	1.8	156
156	Relation of Serum Potassium Level to Long-Term Outcomes in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2014, 113, 1285-1290.	1.6	44
157	Activation of G-protein-coupled receptor 40 attenuates the cisplatin-induced apoptosis of human renal proximal tubule epithelial cells. <i>International Journal of Molecular Medicine</i> , 2014, 34, 1117-1123.	4.0	13
158	Vitamin D and chronic kidney disease. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 416.	1.7	39
159	Acute kidney injury associated with nafrolyl oxalate overdose. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 437-438.	1.6	6
160	Relation Between Transient or Persistent Acute Kidney Injury and Long-Term Mortality in Patients With Myocardial Infarction. <i>American Journal of Cardiology</i> , 2013, 112, 41-45.	1.6	34
161	Macrophage-stimulating protein attenuates hydrogen peroxide-induced apoptosis in human renal HK-2 cells. <i>European Journal of Pharmacology</i> , 2013, 715, 304-311.	3.5	17
162	Macrophage-stimulating protein attenuates gentamicin-induced inflammation and apoptosis in human renal proximal tubular epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 434, 527-533.	2.1	35

#	ARTICLE	IF	CITATIONS
163	Association of Age and CKD with Prognosis of Myocardial Infarction. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 939-944.	4.5	9
164	Antiapoptotic Effect of Paricalcitol in Gentamicin-induced Kidney Injury. <i>Korean Journal of Physiology and Pharmacology</i> , 2013, 17, 435.	1.2	12
165	HDAC Inhibition Suppresses Cardiac Hypertrophy and Fibrosis in DOCA-Salt Hypertensive Rats via Regulation of HDAC6/HDAC8 Enzyme Activity. <i>Kidney and Blood Pressure Research</i> , 2013, 37, 229-239.	2.0	70
166	Prevalence and associations for abnormal bleeding times in patients with renal insufficiency. <i>Platelets</i> , 2013, 24, 213-218.	2.3	12
167	Does gender influence the impact of impaired renal function on prognosis after ST-segment elevated myocardial infarction?. <i>Cardiology Journal</i> , 2013, 20, 526-532.	1.2	3
168	Increased Phosphorylation of PI3K/Akt/mTOR in the Obstructed Kidney of Rats with Unilateral Ureteral Obstruction. <i>Chonnam Medical Journal</i> , 2013, 49, 108.	0.9	15
169	Incidence, Predictive Factors, and Clinical Outcomes of Acute Kidney Injury after Gastric Surgery for Gastric Cancer. <i>PLoS ONE</i> , 2013, 8, e82289.	2.5	55
170	Acute Kidney Injury in Patients with Sepsis and Septic Shock: Risk Factors and Clinical Outcomes. <i>Yonsei Medical Journal</i> , 2013, 54, 965.	2.2	85
171	Percutaneous Coronary Intervention for Acute Myocardial Infarction in Elderly Patients with Renal Dysfunction: Results from the Korea Acute Myocardial Infarction Registry. <i>Journal of Korean Medical Science</i> , 2013, 28, 1027.	2.5	2
172	Effects of Tamoxifen in Deoxycorticosterone Acetate-salt Hypertensive Nephropathy. <i>Journal of the Korean Society of Hypertension</i> , 2013, 19, 123.	0.2	0
173	Influence of Renal Dysfunction on Clinical Outcomes in Patients With Congestive Heart Failure Complicating Acute Myocardial Infarction. <i>International Heart Journal</i> , 2013, 54, 304-310.	1.0	12
174	Paricalcitol Attenuates 4-Hydroxy-2-Hexenal-Induced Inflammation and Epithelial-Mesenchymal Transition in Human Renal Proximal Tubular Epithelial Cells. <i>PLoS ONE</i> , 2013, 8, e63186.	2.5	37
175	Clinical Impact of Hospital-Acquired Anemia in Association with Acute Kidney Injury and Chronic Kidney Disease in Patients with Acute Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e75583.	2.5	18
176	Renal papillary adenoma in autosomal dominant polycystic kidney disease. <i>Iranian Journal of Kidney Diseases</i> , 2013, 7, 439.	0.1	0
177	A Novel Small Insertion Mutation, C.1030_1031ins (T) in α -Galactosidase A Leads to Renal Variant Fabry Disease. <i>Renal Failure</i> , 2012, 34, 390-393.	2.1	2
178	Renoprotective Effects of Sildenafil in DOCA-Salt Hypertensive Rats. <i>Kidney and Blood Pressure Research</i> , 2012, 36, 248-257.	2.0	33
179	Predicting outcomes after myocardial infarction by using the Chronic Kidney Disease Epidemiology Collaboration equation in comparison with the Modification of Diet in Renal Disease study equation: results from the Korea Acute Myocardial Infarction Registry. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3868-3874.	0.7	11
180	Triple vs. Dual Antiplatelet Therapy in Patients With Acute Myocardial Infarction and Renal Dysfunction. <i>Circulation Journal</i> , 2012, 76, 2405-2411.	1.6	15

#	ARTICLE	IF	CITATIONS
181	Renal dysfunction as a risk factor for painless myocardial infarction: results from Korea Acute Myocardial Infarction Registry. <i>Clinical Research in Cardiology</i> , 2012, 101, 795-803.	3.3	12
182	Neurogenic bladder due to a tethered spinal cord. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 652-653.	1.6	2
183	A large calcified cystic mass in the right kidney. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 979-980.	1.6	0
184	Combined analysis using extended renal reference range of serum free light chain ratio and serum protein electrophoresis improves the diagnostic accuracy of multiple myeloma in renal insufficiency. <i>Clinical Biochemistry</i> , 2012, 45, 740-744.	1.9	11
185	Suboptimal medical care of patients with ST-Elevation Myocardial Infarction and Renal Insufficiency: results from the Korea acute Myocardial Infarction Registry. <i>BMC Nephrology</i> , 2012, 13, 110.	1.8	10
186	A case of Creutzfeldtâ€“Jakob disease in a patient on hemodialysis. <i>Kidney Research and Clinical Practice</i> , 2012, 31, 76-78.	2.2	0
187	Consecutive episodes of peritonitis in a patient undergoing peritoneal dialysis caused by unusual organisms: <i>Brevibacterium</i> and <i>Pantoea agglomerans</i> . <i>Kidney Research and Clinical Practice</i> , 2012, 31, 121-123.	2.2	4
188	Altered Regulation of Endothelin, Atrial Natriuretic Peptide, and Nitric Oxide Systems in Angiotensin II-induced Hypertension. <i>Journal of the Korean Society of Hypertension</i> , 2012, 18, 146.	0.2	0
189	Activation of the Renal PI3K/Akt/mTOR Signaling Pathway in a DOCA-Salt Model of Hypertension. <i>Chonnam Medical Journal</i> , 2012, 48, 150.	0.9	17
190	Paricalcitol prevents cisplatin-induced renal injury by suppressing apoptosis and proliferation. <i>European Journal of Pharmacology</i> , 2012, 683, 301-309.	3.5	38
191	GFR and Cardiovascular Outcomes After Acute Myocardial Infarction: Results From the Korea Acute Myocardial Infarction Registry. <i>American Journal of Kidney Diseases</i> , 2012, 59, 795-802.	1.9	80
192	Altered regulation of nitric oxide and natriuretic peptide system in cisplatin-induced nephropathy. <i>Regulatory Peptides</i> , 2012, 174, 65-70.	1.9	11
193	Pleural Effusion in a Peritoneal Dialysis Patient. <i>Chonnam Medical Journal</i> , 2011, 47, 43.	0.9	9
194	Drug-Eluting vs. Bare-Metal Stents for Treatment of Acute Myocardial Infarction With Renal Insufficiency. <i>Circulation Journal</i> , 2011, 75, 2798-2804.	1.6	11
195	Expression of Aquaporin Water Channels in the Vagina in Premenopausal Women. <i>Journal of Sexual Medicine</i> , 2011, 8, 1925-1930.	0.6	28
196	Altered regulation of renal nitric oxide and atrial natriuretic peptide systems in angiotensin II-induced hypertension. <i>Regulatory Peptides</i> , 2011, 170, 31-37.	1.9	16
197	4-Hydroxy-2-hexenal-induced apoptosis in human renal proximal tubular epithelial cells. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3866-3873.	0.7	28
198	Rho Kinase Inhibition by Fasudil Attenuates Cyclosporine-Induced Kidney Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 271-279.	2.5	24

#	ARTICLE	IF	CITATIONS
199	Changes in Endothelin Receptor Type B and Neuronal Nitric Oxide Synthase in Puromycin Aminonucleoside-Induced Nephrotic Syndrome. <i>Korean Journal of Physiology and Pharmacology</i> , 2010, 14, 223.	1.2	3
200	Renoprotective effect of rosuvastatin in DOCA-salt hypertensive rats. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1051-1059.	0.7	26
201	Cyclooxygenase 2 inhibition exacerbates AQP2 and pAQP2 downregulation independently of V2 receptor abundance in the postobstructed kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F941-F950.	2.7	9
202	Paricalcitol attenuates cyclosporine-induced kidney injury in rats. <i>Kidney International</i> , 2010, 77, 1076-1085.	5.2	81
203	Rosiglitazone prevents the progression of renal injury in DOCA-salt hypertensive rats. <i>Hypertension Research</i> , 2010, 33, 255-262.	2.7	23
204	Renoprotective effects of paricalcitol on gentamicin-induced kidney injury in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F301-F313.	2.7	63
205	Altered regulation of renal nitric oxide, atrial natriuretic peptide and cyclooxygenase systems in aldosterone escape in rats. <i>Regulatory Peptides</i> , 2010, 159, 117-122.	1.9	3
206	Changes of Atrial Natriuretic Peptide System in Rats with Puromycin Aminonucleoside-Induced Nephrotic Syndrome. <i>Korean Journal of Physiology and Pharmacology</i> , 2009, 13, 1.	1.2	3
207	Altered Renal Expression of Aquaporin Water Channels and Sodium Transporters in Rats with Two-Kidney, One-Clip Hypertension. <i>Kidney and Blood Pressure Research</i> , 2009, 32, 411-420.	2.0	7
208	The Case of Hypokalemia associated with nephrocalcinosis. <i>Kidney International</i> , 2009, 75, 443-444.	5.2	12
209	Î-Lipoic acid prevents cisplatin-induced acute kidney injury in rats. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2692-2700.	0.7	37
210	Changes of renal AQP2, ENaC, and NHE3 in experimentally induced heart failure: response to angiotensin II AT1 receptor blockade. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F1678-F1688.	2.7	42
211	Angiotensin II regulates V2 receptor and pAQP2 during ureteral obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F127-F134.	2.7	27
212	Increased renal expression of nitric oxide synthase and atrial natriuretic peptide in rats with glycyrrhizic acid-induced hypertension. <i>Phytotherapy Research</i> , 2009, 23, 206-211.	5.8	7
213	Altered regulation of renal sodium transporters and natriuretic peptide system in DOCA-salt hypertensive rats. <i>Regulatory Peptides</i> , 2009, 157, 76-83.	1.9	16
214	Expression of Aquaporin Water Channels in Rat Vagina: Potential Role in Vaginal Lubrication. <i>Journal of Sexual Medicine</i> , 2008, 5, 77-82.	0.6	26
215	Effects of Î±-lipoic acid on ischemia-reperfusion-induced renal dysfunction in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F272-F280.	2.7	45
216	Decreased Expression of Na ⁺ /K ⁺ -ATPase, NHE3, NBC1, AQP1 and OAT in Gentamicin-induced Nephropathy. <i>Korean Journal of Physiology and Pharmacology</i> , 2008, 12, 331.	1.2	12

#	ARTICLE	IF	CITATIONS
217	Effects of Rosiglitazone on Heat Shock Protein and the Endothelin System in Deoxycorticosterone Acetate-Salt Hypertensive Rats. <i>Electrolyte and Blood Pressure</i> , 2008, 6, 1.	1.8	3
218	Increased Renal Expression of Aquaporin-3 in Rats Inhibited Type 2 11 β -Hydroxysteroid Dehydrogenase. <i>Kidney and Blood Pressure Research</i> , 2007, 30, 8-14.	2.0	5
219	Altered Regulation of Renin-Angiotensin, Endothelin and Natriuretic Peptide Systems in Rat Kidney with Chronic Unilateral Ureteral Obstruction. <i>Urologia Internationalis</i> , 2007, 79, 170-176.	1.3	13
220	Gentamicin Decreases Guanylyl Cyclase Activity in Rat Glomerulus. <i>Kidney and Blood Pressure Research</i> , 2007, 30, 81-87.	2.0	1
221	A case of malignant otitis externa caused by <i>Candida glabrata</i> in a patient receiving haemodialysis. <i>Scandinavian Journal of Infectious Diseases</i> , 2007, 39, 370-372.	1.5	14
222	Pathogenesis of oedema in nephrotic syndrome: Role of epithelial sodium channel. <i>Nephrology</i> , 2007, 12, S8-S10.	1.6	14
223	Increased Expression of Sodium Transporters in Rats Chronically Inhibited of Nitric Oxide Synthesis. <i>Journal of Korean Medical Science</i> , 2006, 21, 1.	2.5	18
224	A Case of Hemolytic Uremic Syndrome Caused by <i>Escherichia coli</i> O104:H4. <i>Yonsei Medical Journal</i> , 2006, 47, 437.	2.2	70
225	Dysregulation of ENaC in Animal Models of Nephrotic Syndrome and Liver Cirrhosis. <i>Electrolyte and Blood Pressure</i> , 2006, 4, 23.	1.8	2
226	Biphasic changes of epithelial sodium channel abundance and trafficking in common bile duct ligation-induced liver cirrhosis. <i>Kidney International</i> , 2006, 69, 89-98.	5.2	21
227	Increased expression but not targeting of ENaC in adrenalectomized rats with PAN-induced nephrotic syndrome. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, F208-F217.	2.7	45
228	Increased expression of ENaC subunits and increased apical targeting of AQP2 in the kidneys of spontaneously hypertensive rats. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, F957-F968.	2.7	39
229	Increased Apical Targeting of Renal Epithelial Sodium Channel Subunits and Decreased Expression of Type 2 11 β -Hydroxysteroid Dehydrogenase in Rats with CCl ₄ -Induced Decompensated Liver Cirrhosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3196-3210.	6.1	38
230	Decreased expression of AQP2 and AQP4 water channels and Na, K-ATPase in kidney collecting duct in AQP3 null mice. <i>Biology of the Cell</i> , 2005, 97, 765-778.	2.0	33
231	Increased expression and apical targeting of renal ENaC subunits in puromycin aminonucleoside-induced nephrotic syndrome in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F922-F935.	2.7	84
232	Indomethacin Enhances Shuttling of Aquaporin-2 Despite Decreased Abundance in Rat Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2998-3005.	6.1	24
233	Indomethacin decreases particulate guanylyl cyclase activity in rat kidney. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004, 31, 207-211.	1.9	5
234	Diminished Expression of Aquaporin Water Channels in Ureteral-obstructed Kidney in Rats. <i>Scandinavian Journal of Urology and Nephrology</i> , 2003, 37, 99-105.	1.4	7

#	ARTICLE	IF	CITATIONS
235	INCREASED EXPRESSION OF AQUAPORIN WATER CHANNELS IN HYPOTHYROID RAT KIDNEY. Pharmacological Research, 2002, 46, 85-88.	7.1	17
236	Local renal and vascular natriuretic peptide system in obstructive uropathic rats. Urological Research, 2002, 30, 97-101.	1.5	5
237	Altered Expression Of Vascular Natriuretic Peptide Receptors In Experimental Hypertensive Rats. Clinical and Experimental Pharmacology and Physiology, 2002, 29, 299-303.	1.9	9
238	Caffeine Decreases The Expression of Na ⁺ /K ⁺ -Atpase and the Type 3 Na ⁺ /H ⁺ Exchanger In Rat Kidney. Clinical and Experimental Pharmacology and Physiology, 2002, 29, 559-563.	1.9	27
239	Altered Renal Expression of Aquaporin-2 Water Channels in Rats with Experimental Two-Kidney, One Clip Hypertension. Journal of Korean Medical Science, 2001, 16, 462.	2.5	13
240	Gentamicin Decreases the Abundance of Aquaporin Water Channels in Rat Kidney. The Japanese Journal of Pharmacology, 2001, 85, 391-398.	1.2	20
241	Increased expression of atrial natriuretic peptide in the kidney of rats with bilateral ureteral obstruction. Kidney International, 2001, 59, 1274-1282.	5.2	23
242	Amphotericin B decreases adenylyl cyclase activity and aquaporin-2 expression in rat kidney. Translational Research, 2001, 138, 243-249.	2.3	15
243	Diminished Renal Expression of Aquaporin Water Channels in Rats with Experimental Bilateral Ureteral Obstruction. Journal of the American Society of Nephrology: JASN, 2001, 12, 2019-2028.	6.1	44
244	Cisplatin Decreases the Abundance of Aquaporin Water Channels in Rat Kidney. Journal of the American Society of Nephrology: JASN, 2001, 12, 875-882.	6.1	57
245	Diminished adenylate cyclase activity and aquaporin 2 expression in acute renal failure rats. Kidney International, 2000, 57, 1643-1650.	5.2	38
246	Decreased nitric oxide synthesis in rats with chronic renal failure. Journal of Korean Medical Science, 2000, 15, 425.	2.5	15
247	Altered Renal Expression of Nitric Oxide Synthase Isozymes in Spontaneously Hypertensive Rats. Korean Journal of Internal Medicine, 1999, 14, 21-26.	1.7	7