

Friedhelm Schroeder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4093334/publications.pdf>

Version: 2024-02-01

222
papers

11,351
citations

20797

60
h-index

45285

90
g-index

224
all docs

224
docs citations

224
times ranked

6148
citing authors

#	ARTICLE	IF	CITATIONS
1	High Glucose and Liver Fatty Acid Binding Protein Gene Ablation Differentially Impact Whole Body and Liver Phenotype in High-Fat Pair-Fed Mice. <i>Lipids</i> , 2020, 55, 309-327.	0.7	2
2	Sterol Carrier Protein ² /Sterol Carrier Protein ¹ /Fatty Acid Binding Protein ¹ Ablation Impacts Response of Brain Endocannabinoid to High-Fat Diet. <i>Lipids</i> , 2019, 54, 583-601.	0.7	9
3	Effect of liver fatty acid binding protein (L-FABP) gene ablation on lipid metabolism in high glucose diet (HGD) pair-fed mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 985-1004.	1.2	12
4	Endothelial nitric oxide synthase protein distribution and nitric oxide production in endothelial cells along the coronary vascular tree. <i>Microvascular Research</i> , 2019, 122, 34-40.	1.1	7
5	Human Liver Fatty Acid Binding Protein ¹ T94A Variant, Nonalcohol Fatty Liver Disease, and Hepatic Endocannabinoid System. <i>Lipids</i> , 2018, 53, 27-40.	0.7	9
6	Ablating both Fabp1 and Scp2/Scpx (TKO) induces hepatic phospholipid and cholesterol accumulation in high fat-fed mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 323-338.	1.2	9
7	⁹ -Tetrahydrocannabinol induces endocannabinoid accumulation in mouse hepatocytes: antagonism by Fabp1 gene ablation. <i>Journal of Lipid Research</i> , 2018, 59, 646-657.	2.0	14
8	Structural and Functional Interaction of ⁹ -Tetrahydrocannabinol with Liver Fatty Acid Binding Protein (FABP1). <i>Biochemistry</i> , 2018, 57, 6027-6042.	1.2	8
9	Impact of Fabp1 Gene Ablation on Uptake and Degradation of Endocannabinoids in Mouse Hepatocytes. <i>Lipids</i> , 2018, 53, 561-580.	0.7	12
10	Scp-2/Scp-x ablation in Fabp1 null mice differentially impacts hepatic endocannabinoid level depending on dietary fat. <i>Archives of Biochemistry and Biophysics</i> , 2018, 650, 93-102.	1.4	3
11	Fabp1 gene ablation inhibits high-fat diet-induced increase in brain endocannabinoids. <i>Journal of Neurochemistry</i> , 2017, 140, 294-306.	2.1	24
12	Impact of Fabp1/Scp-2/Scp-x gene ablation (TKO) on hepatic phytol metabolism in mice. <i>Journal of Lipid Research</i> , 2017, 58, 1153-1165.	2.0	9
13	Effect of Fabp1/Scp ² /Scp ^x Ablation on Whole Body and Hepatic Phenotype of Phytol-Fed Male Mice. <i>Lipids</i> , 2017, 52, 385-397.	0.7	9
14	Impact of dietary phytol on lipid metabolism in SCP2/SCPX/L-FABP null mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017, 1862, 291-304.	1.2	13
15	Loss of fatty acid binding protein-1 alters the hepatic endocannabinoid system response to a high-fat diet. <i>Journal of Lipid Research</i> , 2017, 58, 2114-2126.	2.0	16
16	Sex-dependent impact of Scp-2/Scp-x gene ablation on hepatic phytol metabolism. <i>Archives of Biochemistry and Biophysics</i> , 2017, 635, 17-26.	1.4	3
17	Endocannabinoid Transport Proteins. <i>Methods in Enzymology</i> , 2017, 593, 99-121.	0.4	20
18	Endocannabinoid Interaction with Human FABP1: Impact of the T94A Variant. <i>Biochemistry</i> , 2017, 56, 5147-5159.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Fatty Acid Binding Protein α 1 (FABP1) and the Human FABP1 T94A Variant: Roles in the Endocannabinoid System and Dyslipidemias. <i>Lipids</i> , 2016, 51, 655-676.	0.7	41
20	Female Mice are Resistant to <i>Fabp1</i> Gene Ablation-Induced Alterations in Brain Endocannabinoid Levels. <i>Lipids</i> , 2016, 51, 1007-1020.	0.7	17
21	FABP1: A Novel Hepatic Endocannabinoid and Cannabinoid Binding Protein. <i>Biochemistry</i> , 2016, 55, 5243-5255.	1.2	47
22	<i>FABP</i> α 1 gene ablation impacts brain endocannabinoid system in male mice. <i>Journal of Neurochemistry</i> , 2016, 138, 407-422.	2.1	29
23	Expression of the Bovine NK-Lysin Gene Family and Activity against Respiratory Pathogens. <i>PLoS ONE</i> , 2016, 11, e0158882.	1.1	15
24	Loss of L-FABP, SCP-2/SCP-x, or both induces hepatic lipid accumulation in female mice. <i>Archives of Biochemistry and Biophysics</i> , 2015, 580, 41-49.	1.4	28
25	Human FABP1 T94A variant enhances cholesterol uptake. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 946-955.	1.2	21
26	Impact of SCP-2/SCP-x gene ablation and dietary cholesterol on hepatic lipid accumulation. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, G387-G399.	1.6	29
27	Relative contributions of L-FABP, SCP-2/SCP-x, or both to hepatic biliary phenotype of female mice. <i>Archives of Biochemistry and Biophysics</i> , 2015, 588, 25-32.	1.4	9
28	Ablating L-FABP in SCP-2/SCP-x null mice impairs bile acid metabolism and biliary HDL-cholesterol secretion. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G1130-G1143.	1.6	15
29	Structural and functional interaction of fatty acids with human liver fatty acid-binding protein (L-FABP) T94A variant. <i>FEBS Journal</i> , 2014, 281, 2266-2283.	2.2	33
30	Human FABP1 T94A variant impacts fatty acid metabolism and PPAR α activation in cultured human female hepatocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G164-G176.	1.6	30
31	Liver Fatty Acid Binding Protein Gene Ablation Exacerbates Weight Gain in High-Fat Fed Female Mice. <i>Lipids</i> , 2013, 48, 435-448.	0.7	22
32	Liver-type fatty acid binding protein interacts with hepatocyte nuclear factor 4 α . <i>FEBS Letters</i> , 2013, 587, 3787-3791.	1.3	15
33	High glucose potentiates L-FABP mediated fibrates induction of PPAR α in mouse hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1412-1425.	1.2	25
34	Impact of L-FABP and glucose on polyunsaturated fatty acid induction of PPAR α -regulated β -oxidative enzymes. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G241-G256.	1.6	40
35	The Human Liver Fatty Acid Binding Protein T94A Variant Alters the Structure, Stability, and Interaction with Fibrates. <i>Biochemistry</i> , 2013, 52, 9347-9357.	1.2	37
36	Inhibitors of Fatty Acid Synthesis Induce PPAR α -Regulated Fatty Acid β -Oxidative Genes: Synergistic Roles of L-FABP and Glucose. <i>PPAR Research</i> , 2013, 2013, 1-22.	1.1	29

#	ARTICLE	IF	CITATIONS
37	Loss of intracellular lipid binding proteins differentially impacts saturated fatty acid uptake and nuclear targeting in mouse hepatocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G837-G850.	1.6	30
38	Intracellular cholesterol-binding proteins enhance HDL-mediated cholesterol uptake in cultured primary mouse hepatocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, G824-G839.	1.6	28
39	Loss of liver FA binding protein significantly alters hepatocyte plasma membrane microdomains. <i>Journal of Lipid Research</i> , 2012, 53, 467-480.	2.0	13
40	HNF4 β Antagonists Discovered by a High-Throughput Screen for Modulators of the Human Insulin Promoter. <i>Chemistry and Biology</i> , 2012, 19, 806-818.	6.2	67
41	Acyl-CoA binding proteins interact with the acyl-CoA binding domain of mitochondrial carnitine palmitoyl transferase I. <i>Molecular and Cellular Biochemistry</i> , 2011, 355, 135-148.	1.4	35
42	High Dietary Fat Exacerbates Weight Gain and Obesity in Female Liver Fatty Acid Binding Protein Gene-Ablated Mice. <i>Lipids</i> , 2010, 45, 97-110.	0.7	39
43	Acyl-CoA Binding Protein Gene Ablation Induces Pre-implantation Embryonic Lethality in Mice. <i>Lipids</i> , 2010, 45, 567-580.	0.7	39
44	Liver fatty acid-binding protein and obesity. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 1015-1032.	1.9	180
45	Glucose regulates fatty acid binding protein interaction with lipids and peroxisome proliferator-activated receptor α . <i>Journal of Lipid Research</i> , 2010, 51, 3103-3116.	2.0	37
46	Use of dansyl-cholestanol as a probe of cholesterol behavior in membranes of living cells. <i>Journal of Lipid Research</i> , 2010, 51, 1157-1172.	2.0	22
47	Effect of sterol carrier protein-2 gene ablation on HDL-mediated cholesterol efflux from cultured primary mouse hepatocytes. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, G244-G254.	1.6	32
48	Fluorescent n-3 and n-6 Very Long Chain Polyunsaturated Fatty Acids. <i>Journal of Biological Chemistry</i> , 2010, 285, 18693-18708.	1.6	26
49	Caveolin, Sterol Carrier Protein-2, Membrane Cholesterol-Rich Microdomains and Intracellular Cholesterol Trafficking. <i>Sub-Cellular Biochemistry</i> , 2010, 51, 279-318.	1.0	24
50	Overexpression of sterol carrier protein-2 differentially alters hepatic cholesterol accumulation in cholesterol-fed mice. <i>Journal of Lipid Research</i> , 2009, 50, 1429-1447.	2.0	30
51	L-FABP directly interacts with PPAR α in cultured primary hepatocytes. <i>Journal of Lipid Research</i> , 2009, 50, 1663-1675.	2.0	119
52	Phytol-induced Hepatotoxicity in Mice. <i>Toxicologic Pathology</i> , 2009, 37, 201-208.	0.9	41
53	Hepatic phenotype of liver fatty acid binding protein gene-ablated mice. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, G1053-G1065.	1.6	59
54	Liver fatty acid binding protein gene ablation enhances age-dependent weight gain in male mice. <i>Molecular and Cellular Biochemistry</i> , 2009, 324, 101-115.	1.4	31

#	ARTICLE	IF	CITATIONS
55	Fluorescent sterols monitor cell penetrating peptide Pep-1 mediated uptake and intracellular targeting of cargo protein in living cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009, 1788, 425-441.	1.4	22
56	Liver type fatty acid binding protein (L-FABP) gene ablation reduces nuclear ligand distribution and peroxisome proliferator-activated receptor- α activity in cultured primary hepatocytes. <i>Archives of Biochemistry and Biophysics</i> , 2009, 485, 160-173.	1.4	46
57	Role of Fatty Acid Binding Proteins and Long Chain Fatty Acids in Modulating Nuclear Receptors and Gene Transcription. <i>Lipids</i> , 2008, 43, 1-17.	0.7	212
58	Fluorescence Techniques Using Dehydroergosterol to Study Cholesterol Trafficking. <i>Lipids</i> , 2008, 43, 1185-1208.	0.7	67
59	Structure of Dehydroergosterol Monohydrate and Interaction with Sterol Carrier Protein α 2. <i>Lipids</i> , 2008, 43, 1165-1184.	0.7	5
60	Structural and functional characterization of a new recombinant histidine-tagged acyl coenzyme A binding protein (ACBP) from mouse. <i>Protein Expression and Purification</i> , 2008, 58, 184-193.	0.6	7
61	Structure and Function of the Sterol Carrier Protein-2 N-Terminal Presequence. <i>Biochemistry</i> , 2008, 47, 5915-5934.	1.2	38
62	Glucose Directly Links to Lipid Metabolism through High Affinity Interaction with Peroxisome Proliferator-activated Receptor α . <i>Journal of Biological Chemistry</i> , 2008, 283, 2246-2254.	1.6	33
63	A Novel High-Throughput Screening Assay for Putative Antidiabetic Agents through PPAR α Interactions. <i>Journal of Biomolecular Screening</i> , 2008, 13, 855-861.	2.6	9
64	Membrane Domain Distributions: Analysis of Fluorescence Sterol Ex-change Kinetics. <i>Current Analytical Chemistry</i> , 2008, 4, 1-7.	0.6	8
65	Liver Fatty Acid-Binding Protein Gene-Ablated Female Mice Exhibit Increased Age-Dependent Obesity ³ . <i>Journal of Nutrition</i> , 2008, 138, 1859-1865.	1.3	36
66	Effect of SCP-x gene ablation on branched-chain fatty acid metabolism. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, G939-G951.	1.6	54
67	SCP-2/SCP-x gene ablation alters lipid raft domains in primary cultured mouse hepatocytes. <i>Journal of Lipid Research</i> , 2007, 48, 2193-2211.	2.0	46
68	Full-Length, Glycosylated NSP4 Is Localized to Plasma Membrane Caveolae by a Novel Raft Isolation Technique. <i>Journal of Virology</i> , 2007, 81, 5472-5483.	1.5	41
69	Sterol carrier protein-2: New roles in regulating lipid rafts and signaling. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007, 1771, 700-718.	1.2	72
70	Selective Cholesterol Dynamics between Lipoproteins and Caveolae/Lipid Rafts. <i>Biochemistry</i> , 2007, 46, 13891-13906.	1.2	29
71	A New N-Terminal Recognition Domain in Caveolin-1 Interacts with Sterol Carrier Protein-2 (SCP-2). <i>Biochemistry</i> , 2007, 46, 8301-8314.	1.2	21
72	Effect of Sterol Carrier Protein α 2 Expression on Sphingolipid Distribution in Plasma Membrane Lipid Rafts/Caveolae. <i>Lipids</i> , 2007, 42, 871-884.	0.7	21

#	ARTICLE	IF	CITATIONS
73	Multiphoton Laser-Scanning Microscopy and Spatial Analysis of Dehydroergosterol Distributions on Plasma Membrane of Living Cells. <i>Methods in Molecular Biology</i> , 2007, 398, 85-105.	0.4	9
74	Structure and Cholesterol Dynamics of Caveolae/Raft and Nonraft Plasma Membrane Domains. <i>Biochemistry</i> , 2006, 45, 12100-12116.	1.2	40
75	Very-Long-Chain and Branched-Chain Fatty Acyl-CoAs Are High Affinity Ligands for the Peroxisome Proliferator-Activated Receptor α (PPAR α). <i>Biochemistry</i> , 2006, 45, 7669-7681.	1.2	86
76	Synthesis of a New Water-Soluble Rhodamine Derivative and Application to Protein Labeling and Intracellular Imaging. <i>Bioconjugate Chemistry</i> , 2006, 17, 1219-1225.	1.8	33
77	Water-Soluble Through-Bond Energy Transfer Cassettes for Intracellular Imaging. <i>Journal of the American Chemical Society</i> , 2006, 128, 10688-10689.	6.6	114
78	Sterol carrier protein-2 expression alters sphingolipid metabolism in transfected mouse L-cell fibroblasts. <i>Molecular and Cellular Biochemistry</i> , 2006, 283, 57-66.	1.4	11
79	Liver fatty acid binding protein gene ablation potentiates hepatic cholesterol accumulation in cholesterol-fed female mice. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G36-G48.	1.6	66
80	Intracellular Dissemination of Peroxidative Stress. <i>Journal of Biological Chemistry</i> , 2006, 281, 23643-23651.	1.6	31
81	Chapter 1 Lipid Rafts and Caveolae Organization. <i>Advances in Molecular and Cell Biology</i> , 2005, , 1-36.	0.1	9
82	Liver fatty-acid-binding protein (L-FABP) gene ablation alters liver bile acid metabolism in male mice. <i>Biochemical Journal</i> , 2005, 391, 549-560.	1.7	58
83	Acyl-Coenzyme A Binding Protein Expression Alters Liver Fatty Acyl-Coenzyme A Metabolism. <i>Biochemistry</i> , 2005, 44, 10282-10297.	1.2	67
84	Stability of fatty acyl-coenzyme a thioester ligands of hepatocyte nuclear factor- α and peroxisome proliferator-activated receptor- α . <i>Lipids</i> , 2005, 40, 559-568.	0.7	25
85	Effect of branched-chain fatty acid on lipid dynamics in mice lacking liver fatty acid binding protein gene. <i>American Journal of Physiology - Cell Physiology</i> , 2005, 288, C543-C558.	2.1	52
86	Peroxisome Proliferator-activated Receptor α Interacts with High Affinity and Is Conformationally Responsive to Endogenous Ligands. <i>Journal of Biological Chemistry</i> , 2005, 280, 18667-18682.	1.6	148
87	Role of Regulatory F-domain in Hepatocyte Nuclear Factor- α Ligand Specificity. <i>Journal of Biological Chemistry</i> , 2005, 280, 16714-16727.	1.6	22
88	Structural Analysis of Sterol Distributions in the Plasma Membrane of Living Cells. <i>Biochemistry</i> , 2005, 44, 2864-2884.	1.2	36
89	Sexually dimorphic metabolism of branched-chain lipids in C57BL/6J mice. <i>Journal of Lipid Research</i> , 2004, 45, 812-830.	2.0	63
90	Liver Fatty Acid-binding Protein Gene Ablation Inhibits Branched-chain Fatty Acid Metabolism in Cultured Primary Hepatocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 30954-30965.	1.6	91

#	ARTICLE	IF	CITATIONS
91	Liver fatty acid binding protein expression enhances branched-chain fatty acid metabolism. <i>Molecular and Cellular Biochemistry</i> , 2004, 259, 115-129.	1.4	44
92	Sterol Carrier Protein-2 Directly Interacts with Caveolin-1 in Vitro and in Vivo. <i>Biochemistry</i> , 2004, 43, 7288-7306.	1.2	36
93	Liver Fatty Acid-Binding Protein Colocalizes with Peroxisome Proliferator Activated Receptor α and Enhances Ligand Distribution to Nuclei of Living Cells. <i>Biochemistry</i> , 2004, 43, 2484-2500.	1.2	94
94	Structure and cholesterol domain dynamics of an enriched caveolae/raft isolate. <i>Biochemical Journal</i> , 2004, 382, 451-461.	1.7	32
95	Fluorescence and Multiphoton Imaging Resolve Unique Structural Forms of Sterol in Membranes of Living Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 6384-6403.	1.6	55
96	Sterol Carrier Protein-2 Selectively Alters Lipid Composition and Cholesterol Dynamics of Caveolae/Lipid Raft vs Nonraft Domains in L-Cell Fibroblast Plasma Membranes. <i>Biochemistry</i> , 2003, 42, 14583-14598.	1.2	40
97	Ablation of the Liver Fatty Acid Binding Protein Gene Decreases Fatty Acyl CoA Binding Capacity and Alters Fatty Acyl CoA Pool Distribution in Mouse Liver. <i>Biochemistry</i> , 2003, 42, 11520-11532.	1.2	57
98	Sterol Carrier Protein-2 Functions in Phosphatidylinositol Transfer and Signaling. <i>Biochemistry</i> , 2003, 42, 3189-3202.	1.2	26
99	Sterol carrier protein-2/sterol carrier protein-x expression differentially alters fatty acid metabolism in L cell fibroblasts. <i>Journal of Lipid Research</i> , 2003, 44, 1751-1762.	2.0	23
100	Rescue of MODY-1 by Agonist Ligands of Hepatocyte Nuclear Factor-4. <i>Journal of Biological Chemistry</i> , 2003, 278, 22578-22585.	1.6	26
101	Physical and Functional Interaction of Acyl-CoA-binding Protein with Hepatocyte Nuclear Factor-4. <i>Journal of Biological Chemistry</i> , 2003, 278, 51813-51824.	1.6	72
102	Decreased Liver Fatty Acid Binding Capacity and Altered Liver Lipid Distribution in Mice Lacking the Liver Fatty Acid-binding Protein Gene. <i>Journal of Biological Chemistry</i> , 2003, 278, 21429-21438.	1.6	150
103	ACBP and cholesterol differentially alter fatty acyl CoA utilization by microsomal ACAT. <i>Journal of Lipid Research</i> , 2003, 44, 72-83.	2.0	54
104	Liver Fatty Acid-binding Protein Targets Fatty Acids to the Nucleus. <i>Journal of Biological Chemistry</i> , 2002, 277, 29139-29151.	1.6	130
105	Expression of fatty acid binding proteins inhibits lipid accumulation and alters toxicity in L cell fibroblasts. <i>American Journal of Physiology - Cell Physiology</i> , 2002, 283, C688-C703.	2.1	79
106	Role of the Sterol Carrier Protein-2 N-Terminal Membrane Binding Domain in Sterol Transfer. <i>Biochemistry</i> , 2002, 41, 12149-12162.	1.2	23
107	Membrane Charge and Curvature Determine Interaction with Acyl-CoA Binding Protein (ACBP) and Fatty Acyl-CoA Targeting. <i>Biochemistry</i> , 2002, 41, 10540-10553.	1.2	45
108	Ligand Specificity and Conformational Dependence of the Hepatic Nuclear Factor-4 (HNF-4). <i>Journal of Biological Chemistry</i> , 2002, 277, 23988-23999.	1.6	68

#	ARTICLE	IF	CITATIONS
109	Brain membrane cholesterol domains, aging and amyloid beta-peptides. <i>Neurobiology of Aging</i> , 2002, 23, 685-694.	1.5	139
110	Effects of Chronic Ethanol Consumption on Sterol Transfer Proteins in Mouse Brain. <i>Journal of Neurochemistry</i> , 2002, 66, 313-320.	2.1	36
111	Molecular and fluorescent sterol approaches to probing lysosomal membrane lipid dynamics. <i>Chemistry and Physics of Lipids</i> , 2002, 116, 19-38.	1.5	12
112	Gene structure, intracellular localization, and functional roles of sterol carrier protein-2. <i>Progress in Lipid Research</i> , 2001, 40, 498-563.	5.3	204
113	Sterol Carrier Protein-2 Expression Alters Plasma Membrane Lipid Distribution and Cholesterol Dynamics. <i>Biochemistry</i> , 2001, 40, 6493-6506.	1.2	54
114	Recent Advances in Membrane Microdomains: Rafts, Caveolae, and Intracellular Cholesterol Trafficking. <i>Experimental Biology and Medicine</i> , 2001, 226, 873-890.	1.1	128
115	Expression of liver fatty acid binding protein alters growth and differentiation of embryonic stem cells. <i>Molecular and Cellular Biochemistry</i> , 2001, 219, 127-138.	1.4	28
116	Sterol Carrier Protein-2 Expression Modulates Protein and Lipid Composition of Lipid Droplets. <i>Journal of Biological Chemistry</i> , 2001, 276, 25324-25335.	1.6	65
117	Steroidogenic Acute Regulatory Protein Binds Cholesterol and Modulates Mitochondrial Membrane Sterol Domain Dynamics. <i>Journal of Biological Chemistry</i> , 2001, 276, 36970-36982.	1.6	117
118	Lipid Domains and Biological Membrane Function. , 2001, , 81-94.		5
119	A potential role for sterol carrier protein-2 in cholesterol transfer to mitochondria. <i>Chemistry and Physics of Lipids</i> , 2000, 105, 9-29.	1.5	50
120	Sterol carrier protein-2 suppresses microsomal acyl-CoA hydrolysis. <i>Molecular and Cellular Biochemistry</i> , 2000, 205, 83-90.	1.4	17
121	Liver and intestinal fatty acid-binding protein expression increases phospholipid content and alters phospholipid fatty acid composition in L-cell fibroblasts. <i>Lipids</i> , 2000, 35, 729-738.	0.7	37
122	High Density Lipoprotein-mediated Cholesterol Uptake and Targeting to Lipid Droplets in Intact L-cell Fibroblasts. <i>Journal of Biological Chemistry</i> , 2000, 275, 12769-12780.	1.6	112
123	Pro-sterol Carrier Protein-2. <i>Journal of Biological Chemistry</i> , 2000, 275, 25547-25555.	1.6	56
124	Sterol Carrier Protein-2 Alters High Density Lipoprotein-mediated Cholesterol Efflux. <i>Journal of Biological Chemistry</i> , 2000, 275, 36852-36861.	1.6	74
125	Adipose differentiation related protein: expression, purification of recombinant protein in <i>Escherichia coli</i> and characterization of its fatty acid binding properties. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1488, 245-254.	1.2	41
126	Microsomal fatty acyl-CoA transacylation and hydrolysis: fatty acyl-CoA species dependent modulation by liver fatty acyl-CoA binding proteins11This work was supported in part by a grant from the USPHS National Institutes of Health, DK41402.. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1483, 185-197.	1.2	57

#	ARTICLE	IF	CITATIONS
127	Lysosomal Membrane Cholesterol Dynamics. <i>Biochemistry</i> , 2000, 39, 7662-7677.	1.2	48
128	Sterol carrier protein-2 expression alters phospholipid content and fatty acyl composition in L-cell fibroblasts. <i>Journal of Lipid Research</i> , 2000, 41, 788-796.	2.0	27
129	Holo-sterol Carrier Protein-2. <i>Journal of Biological Chemistry</i> , 1999, 274, 35425-35433.	1.6	66
130	Expression of fatty acid binding proteins is altered in aged mouse brain. <i>Molecular and Cellular Biochemistry</i> , 1999, 198, 69-78.	1.4	40
131	Recent advances in brain cholesterol dynamics: Transport, domains, and Alzheimer's disease. <i>Lipids</i> , 1999, 34, 225-234.	0.7	114
132	Isolation and identification of a mouse brain protein recognized by antisera to heart fatty acid-binding protein. <i>Lipids</i> , 1999, 34, 363-373.	0.7	10
133	Microsomal long chain fatty acyl-CoA transacylation: differential effect of sterol carrier protein-2. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1439, 371-383.	1.2	12
134	Isolation and characterization of two distinct forms of liver fatty acid binding protein from the rat. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1436, 413-425.	1.2	43
135	Lipid binding to sterol carrier protein-2 is inhibited by ethanol. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1437, 37-45.	1.2	65
136	The Sterol Carrier Protein-2 Amino Terminus: A Membrane Interaction Domain. <i>Biochemistry</i> , 1999, 38, 13231-13243.	1.2	47
137	Interaction of the N-terminus of sterol carrier protein 2 with membranes: role of membrane curvature. <i>Biochemical Journal</i> , 1999, 344, 593-603.	1.7	42
138	Interaction of the N-terminus of sterol carrier protein 2 with membranes: role of membrane curvature. <i>Biochemical Journal</i> , 1999, 344, 593.	1.7	14
139	Expression and intracellular processing of the 58 kDa sterol carrier protein-2/3-oxoacyl-CoA thiolase in transfected mouse L-cell fibroblasts. <i>Journal of Lipid Research</i> , 1999, 40, 610-622.	2.0	85
140	Cellular uptake and intracellular trafficking of long chain fatty acids. <i>Journal of Lipid Research</i> , 1999, 40, 1371-1383.	2.0	322
141	Fatty acid binding protein isoforms: structure and function. <i>Chemistry and Physics of Lipids</i> , 1998, 92, 1-25.	1.5	121
142	Differential influence of rat liver fatty acid binding protein isoforms on phospholipid fatty acid composition: phosphatidic acid biosynthesis and phospholipid fatty acid remodeling. <i>Lipids and Lipid Metabolism</i> , 1998, 1390, 258-268.	2.6	47
143	Isolation and Characterization of 26- and 30-kDa Rat Liver Proteins Immunoreactive to Anti-Sterol Carrier Protein-2 Antibodies. <i>Protein Expression and Purification</i> , 1998, 13, 337-348.	0.6	13
144	Structure and Function of Normal and Transformed Murine Acyl-CoA Binding Proteins. <i>Archives of Biochemistry and Biophysics</i> , 1998, 350, 201-213.	1.4	42

#	ARTICLE	IF	CITATIONS
145	Dietary fiber differentially alters cellular fatty acid-binding protein expression in exfoliated colonocytes during tumor development. <i>Nutrition and Cancer</i> , 1998, 32, 107-112.	0.9	20
146	Acyl Coenzyme A Binding Protein. <i>Journal of Biological Chemistry</i> , 1998, 273, 11049-11055.	1.6	59
147	Cellular differentiation and I-FABP protein expression modulate fatty acid uptake and diffusion. <i>American Journal of Physiology - Cell Physiology</i> , 1998, 274, C633-C644.	2.1	73
148	Intracellular Sterol Binding Proteins: Cholesterol Transport and Membrane Domains. , 1998, , 213-234.		30
149	Isoforms of Rat Liver Fatty Acid Binding Protein Differ in Structure and Affinity for Fatty Acids and Fatty Acyl CoAs. <i>Biochemistry</i> , 1997, 36, 6545-6555.	1.2	97
150	The Sterol Carrier Protein-2 Fatty Acid Binding Site: An NMR, Circular Dichroic, and Fluorescence Spectroscopic Determination. <i>Biochemistry</i> , 1997, 36, 1719-1729.	1.2	74
151	Time-Resolved Fluorescence of Intestinal and Liver Fatty Acid Binding Proteins: Role of Fatty Acyl CoA and Fatty Acid. <i>Biochemistry</i> , 1997, 36, 505-517.	1.2	23
152	Metallothionein-IIAPromoter Induction Alters Rat Intestinal Fatty Acid Binding Protein Expression, Fatty Acid Uptake, and Lipid Metabolism in Transfected L-Cells. <i>Archives of Biochemistry and Biophysics</i> , 1997, 340, 135-143.	1.4	37
153	Fatty Acid Binding Protein: Stimulation of Microsomal Phosphatidic Acid Formation. <i>Archives of Biochemistry and Biophysics</i> , 1997, 341, 112-121.	1.4	100
154	Fatty acid uptake in diabetic rat adipocytes. <i>Molecular and Cellular Biochemistry</i> , 1997, 167, 1-10.	1.4	13
155	Expression of fatty acyl-CoA binding proteins in colon cells: response to butyrate and transformation. <i>Lipids</i> , 1997, 32, 577-585.	0.7	21
156	Lipid specificity and location of the sterol carrier protein-2 fatty acid-binding site: A fluorescence displacement and energy transfer study. <i>Lipids</i> , 1997, 32, 1201-1209.	0.7	55
157	Amyloid β -Peptides Increase Annular and Bulk Fluidity and Induce Lipid Peroxidation in Brain Synaptic Plasma Membranes. <i>Journal of Neurochemistry</i> , 1997, 68, 2086-2091.	2.1	92
158	Liver fatty acid-binding protein expression in transfected fibroblasts stimulates fatty acid uptake and metabolism. <i>Lipids and Lipid Metabolism</i> , 1996, 1301, 191-198.	2.6	130
159	Effect of Insulin on Fatty Acid Uptake and Esterification in L-Cell Fibroblasts. <i>Archives of Biochemistry and Biophysics</i> , 1996, 335, 267-272.	1.4	16
160	Recent Advances in Membrane Cholesterol Domain Dynamics and Intracellular Cholesterol Trafficking. <i>Experimental Biology and Medicine</i> , 1996, 213, 150-177.	1.1	125
161	Acyl-CoA binding proteins: Multiplicity and function. <i>Lipids</i> , 1996, 31, 895-918.	0.7	136
162	Liver and intestinal fatty acid binding proteins in control and TGF β 1 gene targeted deficient mice. <i>Molecular and Cellular Biochemistry</i> , 1996, 159, 149-153.	1.4	8

#	ARTICLE	IF	CITATIONS
163	Fatty acid double bond orientation alters interaction with L-cell fibroblasts. <i>Molecular and Cellular Biochemistry</i> , 1996, 155, 113-9.	1.4	8
164	Intestinal fatty acid-binding protein expression stimulates fibroblast fatty acid esterification. <i>Chemistry and Physics of Lipids</i> , 1996, 84, 47-56.	1.5	55
165	Spontaneous and Protein-mediated Sterol Transfer between Intracellular Membranes. <i>Journal of Biological Chemistry</i> , 1996, 271, 16075-16083.	1.6	75
166	Sterol Carrier Protein-2, a New Fatty Acyl Coenzyme A-binding Protein. <i>Journal of Biological Chemistry</i> , 1996, 271, 31878-31884.	1.6	129
167	Isolation and Characterization of Two Fatty Acid Binding Proteins from Mouse Brain. <i>Journal of Neurochemistry</i> , 1996, 66, 1648-1656.	2.1	54
168	Increasing Age Alters Transbilayer Fluidity and Cholesterol Asymmetry in Synaptic Plasma Membranes of Mice. <i>Journal of Neurochemistry</i> , 1996, 66, 1717-1725.	2.1	140
169	Sterol carrier protein-2 stimulates intermembrane sterol transfer by direct membrane interaction. <i>Chemistry and Physics of Lipids</i> , 1995, 76, 73-84.	1.5	52
170	Intestinal and liver fatty acid binding proteins differentially affect fatty acid uptake and esterification in L-cells. <i>Lipids</i> , 1995, 30, 907-910.	0.7	122
171	Structure and Polarity of Mouse Brain Synaptic Plasma Membrane: Effects of Ethanol in vitro and in vivo. <i>Biochemistry</i> , 1995, 34, 5945-5959.	1.2	27
172	Probing the Ligand Binding Sites of Fatty Acid and Sterol Carrier Proteins: Effects of Ethanol. <i>Biochemistry</i> , 1995, 34, 11919-11927.	1.2	111
173	Cholesterol Esterase: A Cholesterol Transfer Protein. <i>Biochemistry</i> , 1995, 34, 3942-3947.	1.2	53
174	Cholesterol domains in biological membranes. <i>Molecular Membrane Biology</i> , 1995, 12, 113-119.	2.0	121
175	Regulation of Membrane Cholesterol Domains by Sterol Carrier Protein-2. <i>Biochemistry</i> , 1994, 33, 7682-7690.	1.2	48
176	Mechanistic studies of sterol carrier protein-2 effects on L-cell fibroblast plasma membrane sterol domains. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1994, 1189, 52-60.	1.4	22
177	Recombinant Liver Fatty Acid Binding Protein Interacts with Fatty Acyl-Coenzyme A. <i>Biochemistry</i> , 1994, 33, 3327-3334.	1.2	66
178	Erythrocyte membrane lateral sterol domains: A dehydroergosterol fluorescence polarization study. <i>Biochemistry</i> , 1994, 33, 2880-2890.	1.2	28
179	Expression of liver fatty acid binding protein alters plasma membrane lipid composition and structure in transfected L-cell fibroblasts. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1993, 1145, 257-265.	1.4	27
180	Membrane Cholesterol and Ethanol: Domains, Kinetics, and Protein Function. , 1993, , 13-32.		3

#	ARTICLE	IF	CITATIONS
181	Sterol domains in phospholipid membranes: dehydroergosterol polarization measures molecular sterol transfer. <i>Journal of Proteomics</i> , 1992, 24, 15-37.	2.4	31
182	Na pump and plasma membrane structure in L-cell fibroblasts expressing rat liver fatty acid binding protein. <i>Archives of Biochemistry and Biophysics</i> , 1992, 298, 35-42.	1.4	42
183	Interaction of fatty acids with recombinant rat intestinal and liver fatty acid-binding proteins. <i>Archives of Biochemistry and Biophysics</i> , 1991, 286, 300-309.	1.4	124
184	Transmembrane distribution of sterol in the human erythrocyte. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1991, 1066, 183-192.	1.4	123
185	Membrane Cholesterol Dynamics: Cholesterol Domains and Kinetic Pools. <i>Experimental Biology and Medicine</i> , 1991, 196, 235-252.	1.1	230
186	Intermembrane cholesterol transfer: Role of sterol carrier proteins and phosphatidylserine. <i>Lipids</i> , 1990, 25, 669-674.	0.7	40
187	Role of acidic phospholipids in intermembrane sterol transfer. <i>Chemistry and Physics of Lipids</i> , 1990, 56, 37-47.	1.5	27
188	Acidic phospholipids strikingly potentiate sterol carrier protein 2 mediated intermembrane sterol transfer. <i>Biochemistry</i> , 1990, 29, 4070-4077.	1.2	60
189	Role of polyunsaturated fatty acids and lipid peroxidation in LM fibroblast plasma membrane transbilayer structure. <i>Archives of Biochemistry and Biophysics</i> , 1990, 276, 55-64.	1.4	22
190	Asymmetric distribution of a fluorescent sterol in synaptic plasma membranes: effects of chronic ethanol consumption. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1025, 243-246.	1.4	80
191	Acute and Chronic Effects of Ethanol on Transbilayer Membrane Domains. <i>Journal of Neurochemistry</i> , 1989, 52, 1925-1930.	2.1	65
192	Interaction of sphingomyelins and phosphatidylcholines with fluorescent dehydroergosterol. <i>Biochemistry</i> , 1989, 28, 5992-6000.	1.2	39
193	Fluorescence properties of cholestatrienol in phosphatidylcholine bilayer vesicles. <i>Biophysical Chemistry</i> , 1988, 32, 57-72.	1.5	57
194	Time-resolved fluorescence investigation of membrane cholesterol heterogeneity and exchange. <i>Biochemistry</i> , 1988, 27, 7740-7749.	1.2	64
195	A fluorescence and radiolabel study of sterol exchange between membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1988, 943, 511-521.	1.4	58
196	Transbilayer effects of ethanol on fluidity of brain membrane leaflets. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1988, 946, 85-94.	1.4	80
197	Polyunsaturated fatty acids alter sterol transbilayer domains in LM fibroblast plasma membrane. <i>FEBS Letters</i> , 1988, 229, 188-192.	1.3	44
198	Cholestatrienol Time Resolved Fluorescence In Phosphatidylcholine Bilayers. <i>Proceedings of SPIE</i> , 1988, , .	0.8	4

#	ARTICLE	IF	CITATIONS
199	The influence of dolichols on fluidity of mouse synaptic plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1987, 902, 385-393.	1.4	24
200	Charged anesthetics selectively alter plasma membrane order. <i>Biochemistry</i> , 1987, 26, 2828-2835.	1.2	59
201	A fluorescence study of dehydroergosterol in phosphatidylcholine bilayer vesicles. <i>Biochemistry</i> , 1987, 26, 2441-2448.	1.2	100
202	Plasma membrane lipid composition modulates action of anesthetics. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986, 861, 53-61.	1.4	20
203	Regulation of transbilayer distribution of a fluorescent sterol in tumor cell plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986, 861, 289-301.	1.4	30
204	Structure and dynamic properties of dehydroergosterol, 13-113-113-1. <i>Journal of Biological Physics</i> , 1985, 13, 13-24.	0.7	50
205	Fluorescence of .DELTA.5,7,9(11),22-ergostatetraen-3.beta.-ol in micelles, sterol carrier protein complexes, and plasma membranes. <i>Biochemistry</i> , 1985, 24, 3322-3331.	1.2	76
206	Fluorescence Probes Unravel Asymmetric Structure of Membranes. <i>Sub-Cellular Biochemistry</i> , 1985, 11, 51-101.	1.0	25
207	Membrane Anomalies in Huntington's Disease Fibroblasts. <i>Journal of Neurochemistry</i> , 1984, 43, 526-539.	2.1	16
208	Sex and age alter plasma membranes of cultured fibroblasts. <i>FEBS Journal</i> , 1984, 142, 183-191.	0.2	15
209	$\hat{\pi}$ 5,7,9(11)-cholestatrien-3 $\hat{\pi}$ 2-ol: A fluorescent cholesterol analogue. <i>Chemistry and Physics of Lipids</i> , 1984, 36, 1-14.	1.5	94
210	Role of membrane lipid asymmetry in aging. <i>Neurobiology of Aging</i> , 1984, 5, 323-333.	1.5	132
211	Age-related alterations in cultured human fibroblast membrane structure and function. <i>Mechanisms of Ageing and Development</i> , 1984, 25, 365-389.	2.2	42
212	Lipid Domains in Plasma Membrances from Rat Liver. <i>FEBS Journal</i> , 1983, 132, 509-516.	0.2	45
213	Calcium Modulates Fatty Acid Dynamics in Rat Liver Plasma Membranes. <i>FEBS Journal</i> , 1983, 132, 517-524.	0.2	19
214	Measurement of phagocytosis usinf fluorescent latex beads. <i>Journal of Proteomics</i> , 1983, 8, 15-27.	2.4	46
215	LM fibroblast plasma membrane subfractionation by affinity chromatography on Con A-sepharose. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1982, 690, 231-242.	1.4	18
216	Asymmetric Transbilayer Distribution of Sterol across Plasma Membranes Determined by Fluorescence Quenching of Dehydroergosterol. <i>FEBS Journal</i> , 1982, 122, 649-661.	0.2	105

#	ARTICLE	IF	CITATIONS
217	Use of a fluorescent sterol to probe the transbilayer distribution of sterols in biological membranes. FEBS Letters, 1981, 135, 127-130.	1.3	48
218	Phase behavior of triolein and tripalmitin detected by differential scanning calorimetry. Lipids, 1981, 16, 805-809.	0.7	14
219	Differences in fluidity between bilayer halves of plasma cell membranes (reply). Nature, 1980, 287, 256-256.	13.7	12
220	Aminophospholipid Asymmetry in Murine Synaptosomal Plasma Membrane. Journal of Neurochemistry, 1980, 34, 269-277.	2.1	114
221	Fluorescence Probes as Monitors of Surface Membrane Fluidity Gradients in Murine Fibroblasts. FEBS Journal, 1980, 112, 293-307.	0.2	54
222	Differences in fluidity between bilayer halves of tumour cell plasma membranes. Nature, 1978, 276, 528-530.	13.7	51