

Takaaki Kubota

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4097125/publications.pdf>

Version: 2024-02-01

127
papers

3,889
citations

109321
35
h-index

182427
51
g-index

202
all docs

202
docs citations

202
times ranked

2542
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Ma'edamines E and F, rare bromotyrosine alkaloids possessing a 1,2,3,5-tetrasubstituted pyridinium moiety from an Okinawan marine sponge <i>Suberea</i> sp.. <i>Tetrahedron Letters</i> , 2022, 103, 153985. | 1.4 | 3 |
| 2 | Macrocarquinoids A-C, new meroterpenoids from <i>Sargassum macrocarpum</i> . <i>Journal of Natural Medicines</i> , 2021, 75, 194-200. | 2.3 | 9 |
| 3 | Kamiohnoyneosides A and B, two new polyacetylene glycosides from flowers of edible <i>Chrysanthemum "Kamiohno"</i> . <i>Journal of Natural Medicines</i> , 2021, 75, 167-172. | 2.3 | 5 |
| 4 | Integrated omics unveil the secondary metabolic landscape of a basal dinoflagellate. <i>BMC Biology</i> , 2020, 18, 139. | 3.8 | 17 |
| 5 | The manzamine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2020, 84, 1-124. | 2.0 | 18 |
| 6 | Ma'edamines C and D, New Bromotyrosine Alkaloids Possessing a Unique Tetrasubstituted Pyridinium Moiety from an Okinawan Marine Sponge <i>Suberea</i> sp.. <i>Organic Letters</i> , 2019, 21, 8824-8826. | 4.6 | 12 |
| 7 | Symbiodinolactone A, a new 12-membered macrolide from symbiotic marine dinoflagellate <i>Symbiodinium</i> sp.. <i>Tetrahedron Letters</i> , 2018, 59, 4496-4499. | 1.4 | 3 |
| 8 | Ishigadine A, a new canthin-6-one alkaloid from an Okinawan marine sponge <i>Hyrtios</i> sp.. <i>Tetrahedron Letters</i> , 2018, 59, 4500-4502. | 1.4 | 7 |
| 9 | Ceratinadins E and F, New Bromotyrosine Alkaloids from an Okinawan Marine Sponge <i>Pseudoceratina</i> sp.. <i>Marine Drugs</i> , 2018, 16, 463. | 4.6 | 25 |
| 10 | Zamamidine D, a Manzamine Alkaloid from an Okinawan <i>< i>Amphimedon</i></i> sp. <i>Marine Sponge</i> . <i>Journal of Natural Products</i> , 2017, 80, 1196-1199. | 3.0 | 25 |
| 11 | New merosesquiterpenes from a Vietnamese marine sponge of <i>Spongia</i> sp. and their biological activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3043-3047. | 2.2 | 18 |
| 12 | Stylissamide I, a New Cyclic Heptapeptide from an Okinawan Marine Sponge <i>Stylissa</i> sp.. <i>Heterocycles</i> , 2017, 95, 799. | 0.7 | 0 |
| 13 | Total Synthesis of the 7,10â€Epimer of the Proposed Structure of Amphidinolide N, Part II: Synthesis of C17â€C29 Subunit and Completion of the Synthesis. <i>Chemistry - A European Journal</i> , 2016, 22, 3287-3291. | 3.3 | 18 |
| 14 | Biosynthetic Study of Amphidinin A and Amphidinolide P. <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 979-981. | 1.3 | 3 |
| 15 | Hyrtinadines C and D, New Azepinoindole-Type Alkaloids from a Marine Sponge <i>< i>Hyrtios</i></i> sp.. <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 975-978. | 1.3 | 18 |
| 16 | Total Synthesis of the 7,10â€Epimer of the Proposed Structure of Amphidinolide N, Part I: Synthesis of the C1â€C13 Subunit. <i>Chemistry - A European Journal</i> , 2016, 22, 3282-3286. | 3.3 | 15 |
| 17 | Amphidinin G, a putative biosynthetic precursor of amphidinin A from marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron Letters</i> , 2015, 56, 990-993. | 1.4 | 10 |
| 18 | Tyrokeradines G and H, new bromotyrosine alkaloids from an Okinawan Verongid sponge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 5221-5223. | 2.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cyclopiazonic acid biosynthesis gene cluster gene <i>cpaM</i> is required for speradine A biosynthesis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 2081-2085. | 1.3 | 12 |
| 20 | Amphidinins Câ€“F, Amphidinolide Q Analogues from Marine Dinoflagellate <i>Amphidinium</i> sp.. <i>Organic Letters</i> , 2014, 16, 5624-5627. | 4.6 | 29 |
| 21 | Taurospongins B and C, new acetylenic fatty acid derivatives possessing a taurine amide residue from a marine sponge of the family Spongiidae. <i>RSC Advances</i> , 2014, 4, 11073-11079. | 3.6 | 6 |
| 22 | Absolute Configuration of Amphidinin A. <i>Journal of Natural Products</i> , 2014, 77, 1541-1544. | 3.0 | 18 |
| 23 | Iejimalide C Is a Potent V-ATPase Inhibitor, and Induces Actin Disorganization. <i>Biological and Pharmaceutical Bulletin</i> , 2014, 37, 1944-1947. | 1.4 | 8 |
| 24 | Nakijiquinone S and Nakijinol C, New Meroterpenoids from a Marine Sponge of the Family Spongiidae. <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 209-212. | 1.3 | 7 |
| 25 | Nagelamide I and 2,2â€²-Didebromonagelamide B, New Dimeric Bromopyrroleâ€“Imidazole Alkaloids from a Marine Sponge <i>Agelas</i> sp.. <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 213-216. | 1.3 | 13 |
| 26 | Pyrinodeminis Gâ€“I, new bis-3-alkylpyridine alkaloids from a marine sponge <i>Amphimedon</i> sp.. <i>Tetrahedron</i> , 2013, 69, 96-100. | 1.9 | 13 |
| 27 | Stereochemistry of theonezelolides Aâ€“C. <i>Tetrahedron Letters</i> , 2013, 54, 783-787. | 1.4 | 7 |
| 28 | Manzamenones Lâ€“N, new dimeric fatty-acid derivatives from an Okinawan marine sponge <i>Plakortis</i> sp.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 244-247. | 2.2 | 14 |
| 29 | Zamamiphidin A, a New Manzamine Related Alkaloid from an Okinawan Marine Sponge <i>Amphimedon</i> sp.. <i>Organic Letters</i> , 2013, 15, 610-612. | 4.6 | 26 |
| 30 | Inhibitory effects of metachromins Lâ€“Q and its related analogs against receptor tyrosine kinases EGFR and HER2. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 117-118. | 2.2 | 7 |
| 31 | Hyrtimomines D and E, bisindole alkaloids from a marine sponge <i>Hyrtios</i> sp.. <i>Tetrahedron Letters</i> , 2013, 54, 4038-4040. | 1.4 | 31 |
| 32 | Revised structure and stereochemical assignments of amphidinolide N. <i>Journal of Antibiotics</i> , 2013, 66, 277-279. | 2.0 | 12 |
| 33 | Tyrokeradines Câ€“F, New Bromotyrosine Alkaloids from the Verongid Sponges. <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1599-1601. | 1.3 | 9 |
| 34 | Heteroaromatic alkaloids, nakijinamines, from a sponge <i>Suberites</i> sp.. <i>Tetrahedron</i> , 2012, 68, 8545-8550. | 1.9 | 26 |
| 35 | Agelasines Oâ€“U, new diterpene alkaloids with a 9-N-methyladenine unit from a marine sponge <i>Agelas</i> sp.. <i>Tetrahedron</i> , 2012, 68, 9738-9744. | 1.9 | 33 |
| 36 | Halichonadins K and L, New Dimeric Sesquiterpenoids from a Sponge <i>Halichondria</i> sp.. <i>Organic Letters</i> , 2012, 14, 3498-3501. | 4.6 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Nakijinamines C-E, New Heteroaromatic Alkaloids from the Sponge <i>< i>Suberites</i></i> Species. <i>Organic Letters</i> , 2011, 13, 3016-3019. | 4.6 | 37 |
| 38 | Hyrtioseragamines A and B, New Alkaloids from the Sponge <i>< i>Hyrtios</i></i> Species. <i>Organic Letters</i> , 2011, 13, 628-631. | 4.6 | 30 |
| 39 | Lyconadins D and E, and complanadine E, new <i>Lycopodium</i> alkaloids from <i>Lycopodium complanatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 749-753. | 3.0 | 60 |
| 40 | Pyrinodemins E and F, new 3-alkylpyridine alkaloids from sponge <i>Amphimedon</i> sp.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 267-270. | 2.2 | 13 |
| 41 | Eudistomidins H-K, new $\hat{\beta}$ -carboline alkaloids from the Okinawan marine tunicate <i>Eudistoma glaucus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 4220-4223. | 2.2 | 37 |
| 42 | Lyconadins C and F, new <i>Lycopodium</i> alkaloids from <i>Lycopodium complanatum</i> . <i>Tetrahedron Letters</i> , 2011, 52, 289-292. | 1.4 | 42 |
| 43 | Platisidines A-C, N-Methylpyridinium Alkaloids from an Okinawan Marine Sponge of <i>Plakortis</i> Species. <i>Heterocycles</i> , 2010, 80, 1407. | 0.7 | 13 |
| 44 | Untenolide A, a new polyketide from an Okinawan marine sponge <i>Plakortis</i> sp.. <i>Tetrahedron Letters</i> , 2010, 51, 4023-4026. | 1.4 | 10 |
| 45 | Eudistomidin G, a new $\hat{\beta}$ -carboline alkaloid from the Okinawan marine tunicate <i>Eudistoma glaucus</i> and structure revision of eudistomidin B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4100-4103. | 2.2 | 25 |
| 46 | Ceratinadins A-C, new bromotyrosine alkaloids from an Okinawan marine sponge <i>Pseudoceratina</i> sp.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4569-4572. | 2.2 | 41 |
| 47 | Bioactive Metabolites from Marine Dinoflagellates. , 2010, , 263-325. | | 7 |
| 48 | Nakijiquinones J-R, Sesquiterpenoid Quinones with an Amine Residue from Okinawan Marine Sponges. <i>Journal of Natural Products</i> , 2010, 73, 467-471. | 3.0 | 33 |
| 49 | Biyouxanthones A - D, Prenylated Xanthones from Roots of <i>Hypericum chinense</i> . <i>Heterocycles</i> , 2010, 80, 613. | 0.7 | 14 |
| 50 | Amphidinolide C3, a New Cytotoxic 25-Membered Macrolide from Marine Dinoflagellate <i>Amphidinium</i> sp. <i>Heterocycles</i> , 2010, 82, 333. | 0.7 | 22 |
| 51 | Total Synthesis and Biological Evaluation of Amphidinolide V and Analogues. <i>Chemistry - A European Journal</i> , 2009, 15, 4011-4029. | 3.3 | 91 |
| 52 | Lycopladines F and G, new C16N2-type alkaloids with an additional C4N unit from <i>Lycopodium complanatum</i> . <i>Tetrahedron Letters</i> , 2009, 50, 4221-4224. | 1.4 | 31 |
| 53 | Lycopladine H, a novel alkaloid with fused-tetracyclic skeleton from <i>Lycopodium complanatum</i> . <i>Tetrahedron Letters</i> , 2009, 50, 6534-6536. | 1.4 | 32 |
| 54 | Benzosceptrin C, a new dimeric bromopyrrole alkaloid from sponge <i>Agelas</i> sp.. <i>Tetrahedron Letters</i> , 2009, 50, 7268-7270. | 1.4 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Zamamidine C, 3,4-dihydro-6-hydroxy-10,11-epoxymanzamine A, and 3,4-dihydromanzamine J N-oxide, new manzamine alkaloids from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron</i> , 2009, 65, 2313-2317. | 1.9 | 46 |
| 56 | Total synthesis of amphidinolactone A and its absolute configuration. <i>Tetrahedron Letters</i> , 2009, 50, 1475-1477. | 1.4 | 15 |
| 57 | Plakoridine C, a novel piperidine alkaloid from an Okinawan marine sponge <i>Plakortis</i> sp.. <i>Tetrahedron Letters</i> , 2009, 50, 3202-3204. | 1.4 | 17 |
| 58 | Yezoâ€™otogirins Aâ€“C, new tricyclic terpenoids from <i>Hypericum yezoense</i> . <i>Tetrahedron Letters</i> , 2009, 50, 4747-4750. | 1.4 | 32 |
| 59 | Nakijiquinones E and F, new dimeric sesquiterpenoid quinones from marine sponge. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 2185-2188. | 3.0 | 25 |
| 60 | Tyrokeradines A and B, new bromotyrosine alkaloids with an imidazolyl-quinolinone moiety from a Verongiid sponge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 1337-1339. | 2.2 | 21 |
| 61 | Serratezomines D and E, new <i>Lycopodium</i> alkaloids from <i>Lycopodium serratum</i> var. <i>serratum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 3577-3580. | 2.2 | 22 |
| 62 | Nagelamides Q and R, Novel Dimeric Bromopyrrole Alkaloids from Sponges <i>Agelas</i> sp.. <i>Organic Letters</i> , 2009, 11, 1785-1788. | 4.6 | 45 |
| 63 | Calyciphyllines Nâ€™P, Alkaloids from <i>Daphniphyllum calycinum</i>. <i>Journal of Natural Products</i> , 2009, 72, 148-151. | 3.0 | 27 |
| 64 | Zamamidines A and B, New Manzamine Alkaloids from the Sponge <i>Amphimedon</i> Species. <i>Organic Letters</i> , 2009, 11, 21-24. | 4.6 | 41 |
| 65 | The <i>Daphniphyllum</i> alkaloids. <i>Natural Product Reports</i> , 2009, 26, 936. | 10.3 | 235 |
| 66 | Bromopyrrole Alkaloids from Marine Sponges of the Genus <i>Agelas</i>. <i>Journal of Natural Products</i> , 2009, 72, 488-491. | 3.0 | 49 |
| 67 | Petiolins F-I, Benzophenone Rhamnosides from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1171-1173. | 1.3 | 13 |
| 68 | Daphnezomines T-V, Alkaloids from <i>Daphniphyllum humile</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 504-507. | 1.3 | 8 |
| 69 | Lannotinidines H-J, New <i>Lycopodium</i> Alkaloids from <i>Lycopodium annotinum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 877-881. | 1.3 | 15 |
| 70 | Naucleamide F, a New Monoterpene Indole Alkaloid from <i>Nauclea latifolia</i> . <i>Heterocycles</i> , 2009, 79, 765. | 0.7 | 9 |
| 71 | Petiolins D and E, Phloroglucinol Derivatives from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Heterocycles</i> , 2009, 79, 917. | 0.7 | 7 |
| 72 | Petiolins Aâ€“C, phloroglucinol derivatives from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 5619-5623. | 3.0 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Nakijquinones G–I, new sesquiterpenoid quinones from marine sponge. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 7561-7564. | 3.0 | 50 |
| 74 | Calyciphyllines H–M, new <i>Daphniphyllum</i> alkaloids from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron</i> , 2008, 64, 1901-1908. | 1.9 | 29 |
| 75 | Nakinadines F: new pyridine alkaloids with a β -amino acid moiety from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron</i> , 2008, 64, 3127-3132. | 1.9 | 35 |
| 76 | Nagelamides M and N, new bromopyrrole alkaloids from sponge <i>Agelas</i> species. <i>Tetrahedron</i> , 2008, 64, 10810-10813. | 1.9 | 33 |
| 77 | Nagelamides K and L, Dimeric Bromopyrrole Alkaloids from Sponge <i>Agelas</i> Species. <i>Organic Letters</i> , 2008, 10, 2099-2102. | 4.6 | 47 |
| 78 | Absolute Stereochemistry of Amphidinolide Q. <i>Organic Letters</i> , 2008, 10, 3709-3711. | 4.6 | 18 |
| 79 | Xestosaprol C, a New Pentacyclic Hydroquinone Sulfate from a Marine Sponge <i>Xestospongia</i> <i>sapra</i> . <i>Heterocycles</i> , 2008, 76, 1571. | 0.7 | 10 |
| 80 | Metachromins R-T, New Sesquiterpenoids from Marine Sponge <i>Spongia</i> sp.. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1731-1733. | 1.3 | 16 |
| 81 | Calyciphylline D, a Novel Alkaloid with an Unprecedented Fused-Pentacyclic Skeleton from <i>Daphniphyllum calycinum</i> . <i>Organic Letters</i> , 2007, 9, 1207-1209. | 4.6 | 28 |
| 82 | Nitrogen-Containing Verticillene Diterpenoids from the Taiwanese Soft Coral <i>Cespitularia taeniata</i> . <i>Journal of Natural Products</i> , 2007, 70, 1961-1965. | 3.0 | 32 |
| 83 | Nagelamide J, a Novel Dimeric Bromopyrrole Alkaloid from a Sponge <i>Agelas</i> Species. <i>Organic Letters</i> , 2007, 9, 2369-2371. | 4.6 | 50 |
| 84 | Bioactive Macrolides and Polyketides from Marine Dinoflagellates of the Genus <i>Amphidinium</i> . <i>Journal of Natural Products</i> , 2007, 70, 451-460. | 3.0 | 196 |
| 85 | Lycopladine E, a New C16N1-Type Alkaloid from <i>Lycopodium complanatum</i> . <i>Heterocycles</i> , 2007, 74, 843. | 0.7 | 14 |
| 86 | Metachromins L–Q, new sesquiterpenoid quinones with an amino acid residue from sponge <i>Spongia</i> sp.. <i>Tetrahedron</i> , 2007, 63, 8770-8773. | 1.9 | 27 |
| 87 | Calyciphylline C, a novel <i>Daphniphyllum</i> alkaloid from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron Letters</i> , 2007, 48, 1587-1589. | 1.4 | 27 |
| 88 | Calyciphyllines E and F, novel hepta- and pentacyclic alkaloids from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron Letters</i> , 2007, 48, 3809-3812. | 1.4 | 23 |
| 89 | Nakinadine A, a novel bis-pyridine alkaloid with a β -amino acid moiety from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron Letters</i> , 2007, 48, 4983-4985. | 1.4 | 57 |
| 90 | Calyciphylline G, a novel alkaloid with an unprecedented fused-hexacyclic skeleton from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron Letters</i> , 2007, 48, 5693-5695. | 1.4 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Sarusubine A, a new dimeric Lythraceae alkaloid from <i>Lagerstroemia subcostata</i> . <i>Tetrahedron Letters</i> , 2007, 48, 7502-7504. | 1.4 | 8 |
| 92 | Complanadines C and D, new dimeric alkaloids from <i>Lycopodium complanatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 413-417. | 3.0 | 41 |
| 93 | Amphidinolactone B, a New 26-Membered Macrolide from Dinoflagellate <i>Amphidinium</i> sp.. <i>Journal of Antibiotics</i> , 2007, 60, 376-379. | 2.0 | 19 |
| 94 | Amphidinolactone A, a New 13-Membered Macrolide from Dinoflagellate <i>Amphidinium</i> sp.. <i>Heterocycles</i> , 2007, 72, 567. | 0.7 | 18 |
| 95 | Iejimalides Show Anti-Osteoclast ActivityviaV-ATPase Inhibition. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 1364-1370. | 1.3 | 41 |
| 96 | Paratunamides Aâ”D, Oxindole Alkaloids from <i>Cinnamodendron axillare</i> . <i>Journal of Natural Products</i> , 2006, 69, 1517-1521. | 3.0 | 96 |
| 97 | Manzamenones Inhibit T-Cell Protein Tyrosine Phosphatase. <i>Marine Drugs</i> , 2006, 4, 9-14. | 4.6 | 4 |
| 98 | Cloning of Polyketide Synthase Genes from Amphidinolide-Producing Dinoflagellate <i>Amphidinium</i> sp.. <i>Biological and Pharmaceutical Bulletin</i> , 2006, 29, 1314-1318. | 1.4 | 37 |
| 99 | Amphidinin B, a New Polyketide Metabolite from Marine Dinoflagellate <i>Amphidinium</i> sp.. <i>Journal of Antibiotics</i> , 2006, 59, 512-516. | 2.0 | 19 |
| 100 | Lycopladines Bâ€“D and lyconadin B, new alkaloids from <i>Lycopodium complanatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 5995-6000. | 3.0 | 72 |
| 101 | Pyrinadines Bâ€“G, new bis-pyridine alkaloids with an azoxy moiety from sponge <i>Cribrochalina</i> sp.. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 8415-8419. | 3.0 | 22 |
| 102 | Brasilicardin A, a Natural Immunosuppressant, Targets Amino Acid Transport System L. <i>Chemistry and Biology</i> , 2006, 13, 1153-1160. | 6.0 | 39 |
| 103 | Daphtenidines Aâ€“D, new <i>Daphniphyllum</i> alkaloids from <i>Daphniphyllum teijsmannii</i> . <i>Tetrahedron</i> , 2006, 62, 4743-4748. | 1.9 | 29 |
| 104 | Pyrinidine A, a novel pyridine alkaloid with an azoxy moiety from sponge <i>Cribrochalina</i> sp.. <i>Tetrahedron Letters</i> , 2006, 47, 997-998. | 1.4 | 33 |
| 105 | Lycopladine A, a new C16N alkaloid from <i>Lycopodium complanatum</i> . <i>Tetrahedron Letters</i> , 2006, 47, 3287-3289. | 1.4 | 46 |
| 106 | Amphezonol A, a novel polyhydroxyl metabolite from marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron Letters</i> , 2006, 47, 4369-4371. | 1.4 | 28 |
| 107 | Determination of the Cryptic Stereochemistry of the First PKS Chain-Extension Step in Ansamitocin Biosynthesis by <i>Actinosynnema pretiosum</i> . <i>ChemBioChem</i> , 2006, 7, 1221-1225. | 2.6 | 22 |
| 108 | Lycovatine A, a C16N-Type Quaternary Alkaloid from <i>Lycopodium clavatum</i> var. <i>robustum</i> . <i>Heterocycles</i> , 2006, 69, 469. | 0.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Luteophanol D, New Polyhydroxyl Metabolite from Marine Dinoflagellate <i>Amphidinium</i> sp.. <i>Marine Drugs</i> , 2005, 3, 113-118. | 4.6 | 49 |
| 110 | Amphidinolide C2, New Macrolide from Marine Dinoflagellate <i>Amphidinium</i> Species. <i>Marine Drugs</i> , 2004, 2, 83-87. | 4.6 | 36 |
| 111 | Absolute stereochemistry of amphidinolide C: synthesis of C-1â€“C-10 and C-17â€“C-29 segments. <i>Tetrahedron</i> , 2003, 59, 1613-1625. | 1.9 | 39 |
| 112 | Bioactive macrolides and polyketides from marine dinoflagellates. <i>Pure and Applied Chemistry</i> , 2003, 75, 337-342. | 1.9 | 55 |
| 113 | Absolute Stereochemistry of Amphidinolide E. <i>Journal of Organic Chemistry</i> , 2002, 67, 1651-1656. | 3.2 | 35 |
| 114 | Amphidinolides T2, T3, and T4, New 19-Membered Macrolides from the Dinoflagellate <i>Amphidinium</i> sp. and the Biosynthesis of Amphidinolide T1. <i>Journal of Organic Chemistry</i> , 2001, 66, 134-142. | 3.2 | 74 |
| 115 | Absolute Stereochemistry of Amphidinolide C. <i>Organic Letters</i> , 2001, 3, 1363-1366. | 4.6 | 69 |
| 116 | Biosynthetic Study of Amphidinolide B.. <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 1366-1367. | 1.3 | 23 |
| 117 | Biosynthetic study of amphidinolide C. <i>Tetrahedron</i> , 2001, 57, 5975-5977. | 1.9 | 25 |
| 118 | Amphidinolide T5, a new 19-membered macrolide from a dinoflagellate and X-ray structure of amphidinolide T1. <i>Tetrahedron</i> , 2001, 57, 6175-6179. | 1.9 | 45 |
| 119 | Colopsinols D and E, New Polyhydroxyl Linear Carbon Chain Compounds from Marine Dinoflagellate <i>Amphidinium</i> sp.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1447-1451. | 1.3 | 22 |
| 120 | Pyrinodemins B-D, Potent Cytotoxic bis-Pyridine Alkaloids from Marine Sponge <i>Amphimedon</i> sp.. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 974-977. | 1.3 | 58 |
| 121 | Ma'edamines A and B, Cytotoxic Bromotyrosine Alkaloids with a Unique 2(1H)Pyrazinone Ring from Sponge <i>Suberea</i> sp.. <i>Tetrahedron</i> , 2000, 56, 8107-8110. | 1.9 | 57 |
| 122 | Amphidinolide V, novel 14-membered macrolide from marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron Letters</i> , 2000, 41, 713-716. | 1.4 | 35 |
| 123 | Pyrinodemin A, a cytotoxic pyridine alkaloid with an isoxazolidine moiety from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron Letters</i> , 1999, 40, 4819-4820. | 1.4 | 62 |
| 124 | Two theonellaapeptolide congeners from marine sponge <i>Theonella</i> sp.. <i>Tetrahedron</i> , 1999, 55, 10305-10314. | 1.9 | 27 |
| 125 | Colopsinols B and C, new long chain polyhydroxy compounds from cultured marine dinoflagellate <i>Amphidinium</i> sp.. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 3483-3487. | 0.9 | 24 |
| 126 | Colopsinol A, a Novel Polyhydroxyl Metabolite from Marine Dinoflagellate <i>Amphidinium</i> sp.. <i>Journal of Organic Chemistry</i> , 1999, 64, 1478-1482. | 3.2 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Luteophanols B and C, new polyhydroxyl compounds from marine dinoflagellate <i>Amphidinium</i> sp.. Tetrahedron, 1998, 54, 14455-14464. | 1.9 | 59 |