

James Nagarajah

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4097843/publications.pdf>

Version: 2024-02-01

74
papers

1,996
citations

218677

26
h-index

276875

41
g-index

83
all docs

83
docs citations

83
times ranked

2477
citing authors

#	ARTICLE	IF	CITATIONS
1	Intra-therapeutic dosimetry of [¹⁷⁷ Lu]Lu-PSMA-617 in low-volume hormone-sensitive metastatic prostate cancer patients and correlation with treatment outcome. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 460-469.	6.4	36
2	Impact of DNA damage repair defects on response to PSMA radioligand therapy in metastatic castration-resistant prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 71-78.	3.9	19
3	[⁶⁸ Ga]Ga-PSMA-11 PET imaging as a predictor for absorbed doses in organs at risk and small lesions in [¹⁷⁷ Lu]Lu-PSMA-617 treatment. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1101-1112.	6.4	25
4	⁶⁸ Ga- ⁶⁸ Prostate-Specific Membrane Antigen- ⁶⁸ Avid Malignant Pleural Effusion in a Patient With Metastatic Adenoid Cystic Carcinoma and Concordance With ¹⁸ F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2022, 47, 140-141.	1.3	1
5	PET imaging in thyroid cancer. , 2022, , .		0
6	Research Highlight: ⁶⁸ Ga-PSMA-11 PET Imaging for Pelvic Nodal Metastasis in Prostate Cancer. <i>Korean Journal of Radiology</i> , 2022, 23, 293.	3.4	5
7	Individualized treatment of differentiated thyroid cancer: The value of surgery in combination with radioiodine imaging and therapy – A German position paper from Surgery and Nuclear Medicine. <i>Nuklearmedizin - NuclearMedicine</i> , 2022, 61, .	0.7	7
8	Ferumoxtran-10-enhanced 3-T Magnetic Resonance Angiography of Pelvic Arteries: Initial Experience. <i>European Urology Focus</i> , 2022, 8, 1802-1808.	3.1	5
9	⁸⁹ Zr-labeled PSMA ligands for pharmacokinetic PET imaging and dosimetry of PSMA-617 and PSMA-1&T: a preclinical evaluation and first in man. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 2064-2076.	6.4	22
10	An Explorative Study of the Incidental High Renal Excretion of [¹⁸ F]PSMA-1007 for Prostate Cancer PET/CT Imaging. <i>Cancers</i> , 2022, 14, 2076.	3.7	1
11	An Update to the Pilot Study of ¹⁷⁷ Lu-PSMA in Low Volume Hormone-Sensitive Prostate Cancer. <i>Frontiers in Nuclear Medicine</i> , 2022, 2, .	1.2	2
12	Enhancing Radioiodine Incorporation into Radioiodine-Refractory Thyroid Cancer with MAPK Inhibition (ERRITI): A Single-Center Prospective Two-Arm Study. <i>Clinical Cancer Research</i> , 2022, 28, 4194-4202.	7.0	28
13	[¹⁷⁷ Lu]Lu-PSMA-617 in PSMA-positive metastatic castration-resistant prostate cancer: Prior and concomitant treatment subgroup analyses of the VISION trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 5001-5001.	1.6	15
14	Evaluating F-18-PSMA-1007-PET in primary prostate cancer and comparing it to multi-parametric MRI and histopathology. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 423-430.	3.9	37
15	Optimal ⁶⁸ Ga-PSMA and ¹⁸ F-PSMA PET window levelling for gross tumour volume delineation in primary prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1211-1218.	6.4	23
16	Head-to-Head Comparison of ⁶⁸ Ga-Prostate-Specific Membrane Antigen PET/CT and Ferumoxtran-10-Enhanced MRI for the Diagnosis of Lymph Node Metastases in Prostate Cancer Patients. <i>Journal of Nuclear Medicine</i> , 2021, 62, 1258-1263.	5.0	26
17	Digoxin treatment reactivates in vivo radioactive iodide uptake and correlates with favorable clinical outcome in non-medullary thyroid cancer. <i>Cellular Oncology (Dordrecht)</i> , 2021, 44, 611-625.	4.4	8
18	Lutetium-177-PSMA-617 in Low-Volume Hormone-Sensitive Metastatic Prostate Cancer: A Prospective Pilot Study. <i>Clinical Cancer Research</i> , 2021, 27, 3595-3601.	7.0	53

#	ARTICLE	IF	CITATIONS
19	68Ga-PSMA-11 PET, 18F-PSMA-1007 PET, and MRI for Gross Tumor Volume Delineation in Primary Prostate Cancer: Intermodality and Intertracer Variability. <i>Practical Radiation Oncology</i> , 2021, 11, 202-211.	2.1	13
20	Co-inhibition of SMAD and MAPK signaling enhances 124I uptake in BRAF-mutant thyroid cancers. <i>Endocrine-Related Cancer</i> , 2021, 28, 391-402.	3.1	10
21	Outcome of 177Lu-PSMA-617 Radioligand Therapy in Chemo-Refractory Patients with Metastatic Castration-Resistant Early-Onset Prostate Cancer. <i>Cancers</i> , 2021, 13, 4193.	3.7	5
22	Clinical outcomes and molecular profiling of advanced metastatic castration-resistant prostate cancer patients treated with 225Ac-PSMA-617 targeted alpha-radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 729.e7-729.e16.	1.6	34
23	Effect of Kinase Inhibitors on the Technetium-99m Uptake into Thyroid Carcinoma Cells <i>In Vitro</i> & <i>In Vivo</i> . <i>In Vivo</i> , 2021, 35, 721-729.	1.3	2
24	Update to a randomized controlled trial of lutetium-177-PSMA in Oligo-metastatic hormone-sensitive prostate cancer: the BULLSEYE trial. <i>Trials</i> , 2021, 22, 768.	1.6	13
25	Lutetium-177-PSMA- ¹²⁵ I as metastases directed therapy in oligometastatic hormone sensitive prostate cancer, a randomized controlled trial. <i>BMC Cancer</i> , 2020, 20, 884.	2.6	32
26	Prior PSMA PET-CT Imaging and Hounsfield Unit Impact on Tumor Yield and Success of Molecular Analyses from Bone Biopsies in Metastatic Prostate Cancer. <i>Cancers</i> , 2020, 12, 3756.	3.7	4
27	⁶⁸ Ga-PSMA-HBED-CC PET/CT imaging for adenoid cystic carcinoma and salivary duct carcinoma: a phase 2 imaging study. <i>Theranostics</i> , 2020, 10, 2273-2283.	10.0	45
28	Managing radioiodine refractory thyroid cancer: the role of dosimetry and redifferentiation on subsequent I-131 therapy. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 64, 250-264.	0.7	4
29	Imaging of Differentiated Thyroid Cancer with Iodine-124 and F-18-FDG. , 2019, , 199-204.		0
30	Current Treatment Strategies in Metastasized Differentiated Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2019, 60, 9-15.	5.0	45
31	<i>EIF1AX</i> and <i>RAS</i> Mutations Cooperate to Drive Thyroid Tumorigenesis through ATF4 and c-MYC. <i>Cancer Discovery</i> , 2019, 9, 264-281.	9.4	57
32	The role of 124I PET/CT lesion dosimetry in differentiated thyroid cancer. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 235-252.	0.7	20
33	Pretherapeutic 124I dosimetry reliably predicts intratherapeutic blood kinetics of 131I in patients with differentiated thyroid carcinoma receiving high therapeutic activities. <i>Nuclear Medicine Communications</i> , 2018, 39, 457-464.	1.1	5
34	Digitalislike Compounds Restore hNIS Expression and Iodide Uptake Capacity in Anaplastic Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2018, 59, 780-786.	5.0	14
35	Quantitative performance of 124I PET/MR of neck lesions in thyroid cancer patients using 124I PET/CT as reference. <i>EJNMMI Physics</i> , 2018, 5, 13.	2.7	14
36	Pathological processes and therapeutic advances in radioiodide refractory thyroid cancer. <i>Journal of Molecular Endocrinology</i> , 2017, 59, R141-R154.	2.5	13

#	ARTICLE	IF	CITATIONS
37	Iodine Symporter Targeting with ¹²⁴ I/ ¹³¹ I Theranostics. <i>Journal of Nuclear Medicine</i> , 2017, 58, 34S-38S.	5.0	39
38	Diagnostic accuracy of ¹⁸ F- ¹⁸ F-FDG PET/CT and MR imaging in patients with adenoid cystic carcinoma. <i>BMC Cancer</i> , 2017, 17, 887.	2.6	16
39	Serum Thyroglobulin Doubling Time in Progressive Thyroid Cancer. <i>Thyroid</i> , 2016, 26, 1712-1718.	4.5	26
40	Evaluation of ¹⁸ F-FDG PET/MRI, ¹⁸ F-FDG PET/CT, MRI, and CT in whole-body staging of recurrent breast cancer. <i>European Journal of Radiology</i> , 2016, 85, 459-465.	2.6	81
41	Sustained ERK inhibition maximizes responses of BrafV600E thyroid cancers to radioiodine. <i>Journal of Clinical Investigation</i> , 2016, 126, 4119-4124.	8.2	102
42	Abstract 892: Functional characterization of EIF1AX mutations in thyroid cancer predicts for gain of function by increasing translational rate with concomitant derepression of upstream inputs from mTOR. , 2016, , .		0
43	Positron Emission Tomography/Magnetic Resonance Imaging for Local Tumor Staging in Patients With Primary Breast Cancer. <i>Investigative Radiology</i> , 2015, 50, 505-513.	6.2	84
44	Ethnicity, Clothing Style, and Body Mass Index are Significant Predictors of Vitamin D Insufficiency in Germany. <i>Endocrine Practice</i> , 2015, 21, 122-127.	2.1	19
45	Correlation of <i>BRAF</i> ^{V600E} Mutation and Glucose Metabolism in Thyroid Cancer Patients: An ¹⁸ F-FDG PET Study. <i>Journal of Nuclear Medicine</i> , 2015, 56, 662-667.	5.0	37
46	Impact of dual-energy CT prior to radioembolization (RE). <i>Acta Radiologica</i> , 2015, 56, 1293-1299.	1.1	5
47	Combined PET Imaging and Diffusion-Weighted Imaging of Intermediate and High-Risk Primary Prostate Carcinomas with Simultaneous [¹⁸ F] Choline PET/MRI. <i>PLoS ONE</i> , 2014, 9, e101571.	2.5	26
48	Anti-Mullerian Hormone: an indicator for the severity of polycystic ovarian syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 1023-1030.	1.7	35
49	Chewing-gum stimulation did not reduce the absorbed dose to salivary glands during radioiodine treatment of thyroid cancer as inferred from pre-therapy ¹²⁴ I PET/CT imaging. <i>EJNMMI Physics</i> , 2014, 1, 100.	2.7	17
50	Accurate assessment of long-term nephrotoxicity after peptide receptor radionuclide therapy with ¹⁷⁷ Lu-octreotate. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 505-510.	6.4	76
51	Quantitative evaluation of bone metastases from prostate cancer with simultaneous [¹⁸ F] choline PET/MRI: combined SUV and ADC analysis. <i>Annals of Nuclear Medicine</i> , 2014, 28, 405-410.	2.2	35
52	Evaluation of the PET component of simultaneous [¹⁸ F]choline PET/MRI in prostate cancer: comparison with [¹⁸ F]choline PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 79-88.	6.4	54
53	Assessment of Lesion Response in the Initial Radioiodine Treatment of Differentiated Thyroid Cancer Using ¹²⁴ I PET Imaging. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1759-1765.	5.0	78
54	Prognostic Stratification of Metastatic Gastroenteropancreatic Neuroendocrine Neoplasms by ¹⁸ F-FDG PET: Feasibility of a Metabolic Grading System. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1260-1266.	5.0	76

#	ARTICLE	IF	CITATIONS
55	Phase I study of panobinostat and imatinib in patients with treatment-refractory metastatic gastrointestinal stromal tumors. <i>British Journal of Cancer</i> , 2014, 110, 1155-1162.	6.4	42
56	Diagnosis of hyperfunctional thyroid nodules. <i>Nuklearmedizin - NuclearMedicine</i> , 2014, 53, 173-177.	0.7	16
57	Does PRRT with standard activities of ¹⁷⁷ Lu-octreotate really achieve relevant somatostatin receptor saturation in target tumor lesions?: insights from intra-therapeutic receptor imaging in patients with metastatic gastroenteropancreatic neuroendocrine tumors. <i>EJNMMI Research</i> , 2013, 3, 82.	2.5	26
58	Spatial Reconstruction of Human Thyroid based on Ultrasound and CT Image Data Fusion. <i>Biomedizinische Technik</i> , 2013, 58 Suppl 1, .	0.8	2
59	¹⁸ F-FDG-PET to assess recurrence and long term survival in patients with malignant melanoma. <i>Nuklearmedizin - NuclearMedicine</i> , 2013, 52, 198-203.	0.7	22
60	Ultrasound-Guided Fine-Needle Aspiration Biopsy of Clinically Suspicious Thyroid Nodules with an Automatic Aspirator: A Novel Technique. <i>Thyroid</i> , 2012, 22, 695-698.	4.5	1
61	Differences in the Biologic Activity of 2 Novel MEK Inhibitors Revealed by ¹⁸ F-FDG PET: Analysis of Imaging Data from 2 Phase I Trials. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1836-1846.	5.0	22
62	Glucose Transporter 1 Expression, Tumor Proliferation, and Iodine/Glucose Uptake in Thyroid Cancer With Emphasis on Poorly Differentiated Thyroid Carcinoma. <i>Clinical Nuclear Medicine</i> , 2012, 37, 121-127.	1.3	115
63	Effects of Rosiglitazone on Radioiodine Negative and Progressive Differentiated Thyroid Carcinoma as Assessed by ¹²⁴ I PET/CT Imaging. <i>Clinical Nuclear Medicine</i> , 2012, 37, e47-e52.	1.3	26
64	Pre-therapeutic blood dosimetry in patients with differentiated thyroid carcinoma using ¹²⁴ I-iodine: predicted blood doses correlate with changes in blood cell counts after radioiodine therapy and depend on modes of TSH stimulation and number of preceding radioiodine therapies. <i>Annals of Nuclear Medicine</i> , 2012, 26, 723-729.	2.2	23
65	¹²⁴ I-PET/CT images of differentiated thyroid cancer patients. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 213-216.	0.7	10
66	Estimation of tumour mass in patients with differentiated thyroid carcinoma using serum thyroglobulin. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 217-222.	0.7	7
67	Whole-body FDG PET/CT is more accurate than conventional imaging for staging primary breast cancer patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 852-863.	6.4	68
68	¹⁸ F-fluoride PET/CT for bone scanning. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 84-87.	0.7	8
69	Success rate of repeated fine needle aspiration biopsy of clinically suspicious thyroid nodules. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 116-118.	0.7	4
70	Pioglitazone therapy in progressive differentiated thyroid carcinoma. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 111-115.	0.7	14
71	Time Course of Tumor SUV in ¹⁸ F-FDG PET of Breast Cancer: Presentation of a Simple Model Using a Single Reference Point for Time Corrections of Tumor SUVs. <i>Journal of Nuclear Medicine</i> , 2011, 52, 18-23.	5.0	9
72	Diagnosis and dosimetry in differentiated thyroid carcinoma using ¹²⁴ I PET: comparison of PET/MRI vs PET/CT of the neck. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1862-1868.	6.4	36

#	ARTICLE	IF	CITATIONS
73	Comparison of FDG-PET/CT and bone scintigraphy for detection of bone metastases in breast cancer. Acta Radiologica, 2011, 52, 1009-1014.	1.1	71
74	Ultrasound-guided Fine Needle Aspiration Biopsy (FNAB) of suspicious thyroid nodules with an automatic aspirator: a novel technique. Thyroid, 0, , 120216081232002.	4.5	0