Katherine Bowers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/40981/publications.pdf

Version: 2024-02-01

20 papers 1,827 citations

430874 18 h-index ⁷⁹⁴⁵⁹⁴ 19 g-index

21 all docs

21 docs citations

21 times ranked 2264 citing authors

#	Article	IF	CITATIONS
1	RNA Interference-Mediated Inhibition of ESCRT in Mammalian Cells. Methods in Molecular Biology, 2019, 1998, 305-318.	0.9	O
2	The trafficking of metal ion transporters of the Zrt―and Irtâ€like protein family. Traffic, 2018, 19, 813-822.	2.7	38
3	A non-canonical ESCRT pathway, including histidine domain phosphotyrosine phosphatase (HD-PTP), is used for down-regulation of virally ubiquitinated MHC class I. Biochemical Journal, 2015, 471, 79-88.	3.7	35
4	Homotypic Vacuole Fusion in Yeast Requires Organelle Acidification and Not the V-ATPase Membrane Domain. Developmental Cell, 2013, 27, 462-468.	7.0	52
5	The Sodium/Proton Exchanger NHE8 Regulates Late Endosomal Morphology and Function. Molecular Biology of the Cell, 2010, 21, 3540-3551.	2.1	49
6	Essential Role of hIST1 in Cytokinesis. Molecular Biology of the Cell, 2009, 20, 1374-1387.	2.1	133
7	Budding of filamentous and non-filamentous influenza A virus occurs via a VPS4 and VPS28-independent pathway. Virology, 2009, 390, 268-278.	2.4	55
8	ESCRT proteins and the regulation of endocytic delivery to lysosomes. Biochemical Society Transactions, 2009, 37, 178-180.	3.4	15
9	Human H+ATPase a4 subunit mutations causing renal tubular acidosis reveal a role for interaction with phosphofructokinase-1. American Journal of Physiology - Renal Physiology, 2008, 295, F950-F958.	2.7	54
10	Ypp1/YGR198w plays an essential role in phosphoinositide signalling at the plasma membrane. Biochemical Journal, 2008, 415, 455-466.	3.7	19
11	Degradation of Endocytosed Epidermal Growth Factor and Virally Ubiquitinated Major Histocompatibility Complex Class I Is Independent of Mammalian ESCRTII. Journal of Biological Chemistry, 2006, 281, 5094-5105.	3.4	160
12	Protein transport from the late Golgi to the vacuole in the yeast Saccharomyces cerevisiae. Biochimica Et Biophysica Acta - Molecular Cell Research, 2005, 1744, 438-454.	4.1	253
13	Protein-Protein Interactions of ESCRT Complexes in the Yeast Saccharomyces cerevisiae. Traffic, 2004, 5, 194-210.	2.7	180
14	A PC12 Variant Lacking Regulated Secretory Organelles. Journal of Neurochemistry, 2002, 73, 21-30.	3.9	22
15	The Amino-terminal Domain of the Vacuolar Proton-translocating ATPase a Subunit Controls Targeting and in Vivo Dissociation, and the Carboxyl-terminal Domain Affects Coupling of Proton Transport and ATP Hydrolysis. Journal of Biological Chemistry, 2001, 276, 47411-47420.	3.4	179
16	The Human Cytomegalovirus US28 Protein Is Located in Endocytic Vesicles and Undergoes Constitutive Endocytosis and Recycling. Molecular Biology of the Cell, 2001, 12, 1737-1749.	2.1	167
17	The Simian Immunodeficiency Virus Envelope Glycoprotein Contains Multiple Signals that Regulate its Cell Surface Expression and Endocytosis. Traffic, 2000, 1, 661-674.	2.7	64
18	The Sodium/Proton Exchanger Nhx1p Is Required for Endosomal Protein Trafficking in the YeastSaccharomyces cerevisiae. Molecular Biology of the Cell, 2000, 11, 4277-4294.	2.1	168

#	Article	IF	CITATIONS
19	Cluster of Differentiation Antigen 4 (CD4) Endocytosis and Adaptor Complex Binding Require Activation of the CD4 Endocytosis Signal by Serine Phosphorylation. Molecular Biology of the Cell, 1999, 10, 677-691.	2.1	151
20	CD4: A co-receptor in the immune response and HIV infection. International Journal of Biochemistry and Cell Biology, 1997, 29, 871-875.	2.8	33