

# Guido Risaliti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4098738/publications.pdf>

Version: 2024-02-01

169  
papers

11,741  
citations

26630

56  
h-index

27406

106  
g-index

171  
all docs

171  
docs citations

171  
times ranked

5114  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quasars as high-redshift standard candles. <i>Astronomy and Astrophysics</i> , 2022, 663, L7.	5.1	15
2	The most luminous blue quasars at $3.0 < z < /i > < /i > 3.3$ . <i>Astronomy and Astrophysics</i> , 2021, 653, A158.	5.1	10
3	The <i>Chandra</i> view of the relation between X-ray and UV emission in quasars. <i>Astronomy and Astrophysics</i> , 2021, 655, A109.	5.1	23
4	Q&#x2011;wind code release: a non-hydrodynamical approach to modelling line-driven winds in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 495, 402-412.	4.4	8
5	Quasars as standard candles. <i>Astronomy and Astrophysics</i> , 2020, 642, A150.	5.1	92
6	Investigating Dark Energy Equation of State With High Redshift Hubble Diagram. <i>Frontiers in Astronomy and Space Sciences</i> , 2020, 7, .	2.8	10
7	Is Extended Hard X-Ray Emission Ubiquitous in Compton-thick AGN?. <i>Astrophysical Journal</i> , 2020, 900, 164.	4.5	22
8	Cosmological constraints from the Hubble diagram of quasars at high redshifts. <i>Nature Astronomy</i> , 2019, 3, 272-277.	10.1	236
9	CHEERS Results from NGC 3393. III. Chandra X-Ray Spectroscopy of the Narrow Line Region. <i>Astrophysical Journal</i> , 2019, 872, 94.	4.5	28
10	Orientation effects on the near-infrared broad-band emission of quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 1405-1411.	4.4	5
11	A low-flux state in IRAS&#x2011;00521&#x2013;7054 seen with <i>NuSTAR</i> and <i>XMM-Newton</i> : relativistic reflection and an ultrafast outflow. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 484, 2544-2555.	4.4	23
12	Deep Chandra Observations of ESO 428-G014. IV. The Morphology of the Nuclear Region in the Hard Continuum and Fe K&#x00b1; Line. <i>Astrophysical Journal</i> , 2019, 870, 69.	4.5	17
13	The Nature of the Broadband X-Ray Variability in the Dwarf Seyfert Galaxy NGC 4395. <i>Astrophysical Journal</i> , 2019, 886, 145.	4.5	9
14	Quasars as standard candles II. <i>Astronomy and Astrophysics</i> , 2019, 631, A120.	5.1	46
15	X-ray occultations in active galactic nuclei: distribution in size of orbiting clouds and total mass content in the cloud ensemble. <i>Astronomy and Astrophysics</i> , 2019, 628, A26.	5.1	3
16	The most luminous blue quasars at $3.0 < z < /i > < /i > 3.3$ . <i>Astronomy and Astrophysics</i> , 2019, 632, A109.	5.1	32
17	Astronomical Distance Determination in the Space Age. <i>Space Science Reviews</i> , 2018, 214, 1.	8.1	24
18	Spectral and polarimetric signatures of X-ray eclipses in AGNs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 3243-3256.	4.4	3

#	ARTICLE	IF	CITATIONS
19	MAGNUM survey: A MUSE- <i>Chandra</i> resolved view on ionized outflows and photoionization in the Seyfert galaxy NGC1365. <i>Astronomy and Astrophysics</i> , 2018, 619, A74.	5.1	75
20	Testing the accuracy of reflection-based supermassive black hole spin measurements in AGN. <i>Astronomy and Astrophysics</i> , 2018, 614, A44.	5.1	25
21	On the accuracy of reflection-based supermassive black hole spin measurements in AGN. AIP Conference Proceedings, 2018, , .	0.4	0
22	Disentangling the complex broad-band X-ray spectrum of IRASâ€13197â€1627 with NuSTAR, XMMâ€Newton and Suzaku. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 4377-4391.	4.4	14
23	The Physical Relation between Disc and Coronal Emission in Quasars. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 4, .	2.8	4
24	A Hubble Diagram for Quasars. <i>Frontiers in Astronomy and Space Sciences</i> , 2018, 4, .	2.8	16
25	X-Ray Properties of AGN in Brightest Cluster Galaxies. I. A Systematic Study of the Chandra Archive in the 0.2&lt;math>\hat{A}&lt;/math>0.3 and 0.55&lt;math>\hat{A}&lt;/math>0.75 Redshift Range. <i>Astrophysical Journal</i> , 2018, 859, 65.	4.5	15
26	Deep Chandra Observations of ESO 428-G014. II. Spectral Properties and Morphology of the Large-scale Extended X-Ray Emission. <i>Astrophysical Journal</i> , 2018, 855, 131.	4.5	32
27	Astronomical Distance Determination in the Space Age. <i>Space Sciences Series of ISSI</i> , 2018, , 283-351.	0.0	0
28	X-Ray Emission from the Nuclear Region of Arp 220. <i>Astrophysical Journal</i> , 2017, 841, 44.	4.5	18
29	Cosmology with <sc>AGN</sc>: can we use quasars as standard candles?. <i>Astronomische Nachrichten</i> , 2017, 338, 329-333.	1.2	23
30	Quasars as standard candles. <i>Astronomy and Astrophysics</i> , 2017, 602, A79.	5.1	102
31	Discovery of a Kiloparsec Extended Hard X-Ray Continuum and Fe&lt;math>\hat{A}&lt;/math> from the Compton Thick AGN ESO 428-G014. <i>Astrophysical Journal Letters</i> , 2017, 842, L4.	8.3	54
32	Spatially resolved Fe K spectroscopy of NGC 4945. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 4039-4047.	4.4	34
33	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017, 232, 8.	7.7	52
34	Ionized Gas Outflows from the MAGNUM Survey: NGC 1365 and NGC 4945. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	26
35	EW[OIII] as an Orientation Indicator for Quasars: Implications for the Torus. <i>Frontiers in Astronomy and Space Sciences</i> , 2017, 4, .	2.8	4
36	Coronal properties of the luminous radio-quiet quasar QSO&lt;math>\hat{A}&lt;/math>2202&lt;math>\hat{A}&lt;/math>209. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 1665-1671.	4.4	8

#	ARTICLE	IF	CITATIONS
37	Orientation effects on spectral emission features of quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 385-397.	4.4	34
38	Fast outflows and star formation quenching in quasar host galaxies. <i>Astronomy and Astrophysics</i> , 2016, 591, A28.	5.1	116
39	THE TIGHT RELATION BETWEEN X-RAY AND ULTRAVIOLET LUMINOSITY OF QUASARS. <i>Astrophysical Journal</i> , 2016, 819, 154.	4.5	167
40	IC 3639â€”A NEW BONA FIDE COMPTON-THICK AGN UNVEILED BY NuSTAR. <i>Astrophysical Journal</i> , 2016, 833, 245.	4.5	22
41	Absorption from a multi-layer circumnuclear medium and reflection from the accretion disc in NGC 1365. <i>Astronomische Nachrichten</i> , 2016, 337, 529-533.	1.2	4
42	The nature of the torus in the heavily obscured AGN Markarian 3: an X-ray study. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 1954-1969.	4.4	22
43	Ionised outflows in $z \sim 2.4$ quasar host galaxies. <i>Astronomy and Astrophysics</i> , 2015, 580, A102.	5.1	161
44	The <i>Chandra</i> /HETG view of NGC 1365 in a Compton-thick state. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 453, 2559-2569.	4.4	11
45	The MAGNUM survey: positive feedback in the nuclear region of NGC 5643 suggested by MUSE. <i>Astronomy and Astrophysics</i> , 2015, 582, A63.	5.1	115
46	Mass without radiation: Heavily obscured AGNs, the X-ray background, and the black hole mass density. <i>Astronomy and Astrophysics</i> , 2015, 574, L10.	5.1	46
47	Black hole feedback in the luminous quasar PDS 456. <i>Science</i> , 2015, 347, 860-863.	12.6	194
48	Revealing the X-ray variability of AGN with principal component analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 72-96.	4.4	39
49	Iron K and Compton hump reverberation in SWIFT J2127.4+5654 and NGC 1365 revealed by NuSTAR and XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 446, 737-749.	4.4	60
50	THE MULTI-LAYER VARIABLE ABSORBERS IN NGC 1365 REVEALED BY XMM-NEWTON AND NuSTAR. <i>Astrophysical Journal</i> , 2015, 804, 107.	4.5	37
51	A HUBBLE DIAGRAM FOR QUASARS. <i>Astrophysical Journal</i> , 2015, 815, 33.	4.5	165
52	The NuSTAR ULX program. <i>EPJ Web of Conferences</i> , 2014, 64, 06010.	0.3	1
53	THE BROADBAND SPECTRAL VARIABILITY OF MCG 6-30-15 OBSERVED BY NuSTAR AND XMM-NEWTON. <i>Astrophysical Journal</i> , 2014, 787, 83.	4.5	89
54	Search for X-ray occultations in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 2116-2130.	4.4	30

#	ARTICLE	IF	CITATIONS
55	PCA of PCA: principal component analysis of partial covering absorption in NGC 1365. Monthly Notices of the Royal Astronomical Society, 2014, 441, 1817-1824.	4.4	14
56	The variable ionized absorber in the Seyfert 2 Mrk 348. Monthly Notices of the Royal Astronomical Society, 2014, 437, 2806-2815.	4.4	5
57	Simultaneous NuSTAR and XMM-Newton 0.5-80 keV spectroscopy of the narrow-line Seyfert 1 galaxy SWIFT J2127.4+5654. Monthly Notices of the Royal Astronomical Society, 2014, 440, 2347-2356.	4.4	85
58	<i>NuSTAR</i> AND <i>XMM-NEWTON</i> OBSERVATIONS OF NGC 1365: EXTREME ABSORPTION VARIABILITY AND A CONSTANT INNER ACCRETION DISK. Astrophysical Journal, 2014, 788, 76.	4.5	79
59	FAST AND FURIOUS: SHOCK HEATED GAS AS THE ORIGIN OF SPATIALLY RESOLVED HARD X-RAY EMISSION IN THE CENTRAL 5 kpc OF THE GALAXY MERGER NGC 6240. Astrophysical Journal, 2014, 781, 55.	4.5	46
60	<i>NuSTAR</i> REVEALS AN INTRINSICALLY X-RAY WEAK BROAD ABSORPTION LINE QUASAR IN THE ULTRALUMINOUS INFRARED GALAXY MARKARIAN 231. Astrophysical Journal, 2014, 785, 19.	4.5	80
61	THE <i>NuSTAR</i> VIEW OF NEARBY COMPTON-THICK ACTIVE GALACTIC NUCLEI: THE CASES OF NGC 424, NGC 1320, AND IC 2560. Astrophysical Journal, 2014, 794, 111.	4.5	90
62	The NuSTAR spectrum of Mrk 335: extreme relativistic effects within two gravitational radii of the event horizon?. Monthly Notices of the Royal Astronomical Society, 2014, 443, 1723-1732.	4.4	110
63	Black hole spin and size of the X-ray-emitting region(s) in the Seyfert 1.5 galaxy ESO 362-G18. Monthly Notices of the Royal Astronomical Society, 2014, 443, 2862-2873.	4.4	27
64	THE VARIABLE HARD X-RAY EMISSION OF NGC 4945 AS OBSERVED BY <i>NUSTAR</i>. Astrophysical Journal, 2014, 793, 26.	4.5	66
65	NGC 1365: A LOW COLUMN DENSITY STATE UNVEILING A LOW IONIZATION DISK WIND. Astrophysical Journal, 2014, 795, 87.	4.5	29
66	Cosmic lens reveals spinning black hole. Nature, 2014, 507, 173-174.	27.8	0
67	A rapidly spinning supermassive black hole at the centre of NGC 1365. Nature, 2013, 494, 449-451.	27.8	242
68	Decoupling absorption and continuum variability in the Seyfert 2 NGC 4507. Monthly Notices of the Royal Astronomical Society, 2013, 428, 2516-2528.	4.4	19
69	An examination of the spectral variability in NGC 1365 with Suzaku. Monthly Notices of the Royal Astronomical Society, 2013, 429, 2662-2676.	4.4	37
70	A Chandra view of the clumpy reflector at the heart of the Circinus galaxy. Monthly Notices of the Royal Astronomical Society, 2013, 436, 2500-2504.	4.4	33
71	X-ray absorption variability in NGC 4507. Monthly Notices of the Royal Astronomical Society, 2013, 429, 2581-2586.	4.4	14
72	WEAK HARD X-RAY EMISSION FROM TWO BROAD ABSORPTION LINE QUASARS OBSERVED WITH <i>NuSTAR</i>: COMPTON-THICK ABSORPTION OR INTRINSIC X-RAY WEAKNESS?. Astrophysical Journal, 2013, 772, 153.	4.5	58

#	ARTICLE	IF	CITATIONS
73	THE EXCEPTIONAL SOFT X-RAY HALO OF THE GALAXY MERGER NGC 6240. <i>Astrophysical Journal</i> , 2013, 765, 141.	4.5	30
74	Analysis of <i>Spitzer</i> -IRS spectra of hyperluminous infrared galaxies. <i>Astronomy and Astrophysics</i> , 2013, 549, A125.	5.1	17
75	AGN Obscuration and the Unified Model. <i>Advances in Astronomy</i> , 2012, 2012, 1-17.	1.1	83
76	The unique Suzaku discovery of variability in the Compton-thick absorber in NGC 4945. , 2012, , .		0
77	Suzaku's view of inner disk eclipses in NGC 1365. , 2012, , .		0
78	Compton-thick AGN inside local ULIRGs. , 2012, , .		0
79	<i>CHANDRA</i> OBSERVATIONS OF 3C RADIO SOURCES WITH $z < 0.3$ . II. COMPLETING THE SNAPSHOT SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2012, 203, 31.	7.7	52
80	Do NLS1s have a beamed outflow? An unusual X-ray perspective for Mrk 766. <i>Journal of Physics: Conference Series</i> , 2012, 355, 012024.	0.4	0
81	THE <i>CHANDRA</i> HRC VIEW OF THE SUBARCSECOND STRUCTURES IN THE NUCLEAR REGION OF NGC 1068. <i>Astrophysical Journal</i> , 2012, 756, 180.	4.5	21
82	Gamma-ray Laue lenses under development for deep AGN observations. <i>Journal of Physics: Conference Series</i> , 2012, 355, 012005.	0.4	0
83	Suzaku X-ray spectral study of the Compton-thick Seyfert galaxy NGC 5135. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 419, 2089-2094.	4.4	9
84	The X-ray reflector in NGC 4945: a time- and space-resolved portrait. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 423, L6-L10.	3.3	51
85	A close nuclear black-hole pair in the spiral galaxy NGC 3393. <i>Nature</i> , 2011, 477, 431-434.	27.8	87
86	A DEEP <i>CHANDRA</i> ACIS STUDY OF NGC 4151. III. THE LINE EMISSION AND SPECTRAL ANALYSIS OF THE IONIZATION CONE. <i>Astrophysical Journal</i> , 2011, 742, 23.	4.5	63
87	X-ray spectral properties of Seyfert galaxies and the unification scheme. <i>Astronomy and Astrophysics</i> , 2011, 532, A84.	5.1	28
88	A DEEP <i>CHANDRA</i> ACIS STUDY OF NGC 4151. II. THE INNERMOST EMISSION LINE REGION AND STRONG EVIDENCE FOR RADIO JET "NLR CLOUD COLLISION. <i>Astrophysical Journal</i> , 2011, 736, 62.	4.5	51
89	A DEEP <i>CHANDRA</i> ACIS STUDY OF NGC 4151. I. THE X-RAY MORPHOLOGY OF THE 3 kpc DIAMETER CIRCUM-NUCLEAR REGION AND RELATION TO THE COLD INTERSTELLAR MEDIUM. <i>Astrophysical Journal</i> , 2011, 729, 75.	4.5	44
90	Measuring the level of nuclear activity in Seyfert galaxies and the unification scheme. <i>Astronomy and Astrophysics</i> , 2011, 533, A128.	5.1	18

#	ARTICLE	IF	CITATIONS
91	X-ray absorption by broad-line region clouds in Mrk 766. Monthly Notices of the Royal Astronomical Society, 2011, 410, 1027-1035.	4.4	111
92	[O $\alpha$ ] equivalent width and orientation effects in quasars. Monthly Notices of the Royal Astronomical Society, 2011, 411, 2223-2229.	4.4	68
93	Compton-thick active galactic nuclei inside local ultraluminous infrared galaxies. Monthly Notices of the Royal Astronomical Society, 2011, 415, 619-628.	4.4	25
94	The effects of X-ray absorption variability in NGC 4395. Monthly Notices of the Royal Astronomical Society, 2011, 417, 2571-2576.	4.4	30
95	The Spitzer/IRAC view of black hole-bulge scaling relations. Monthly Notices of the Royal Astronomical Society, 2011, 413, 1479-1494.	4.4	163
96	Probing general relativistic effects during active galactic nuclei X-ray eclipses. Monthly Notices of the Royal Astronomical Society, 2011, 417, 178-183.	4.4	25
97	CHANDRA OBSERVATIONS OF 3C RADIO SOURCES WITH $z < 0.3$ : NUCLEI, DIFFUSE EMISSION, JETS, AND HOTSPOTS. Astrophysical Journal, 2010, 714, 589-604.	4.5	61
98	REVISITING THE SHORT-TERM X-RAY SPECTRAL VARIABILITY OF NGC 4151 WITH CHANDRA. Astrophysical Journal, 2010, 714, 1497-1510.	4.5	19
99	EXTENDED X-RAY EMISSION IN THE H I CAVITY OF NGC 4151: GALAXY-SCALE ACTIVE GALACTIC NUCLEUS FEEDBACK?. Astrophysical Journal Letters, 2010, 719, L208-L212.	8.3	31
100	Chandra monitoring of UGC 4203: the structure of the X-ray absorber. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 406, L20-L24.	3.3	20
101	The role of nuclear activity as the power source of ultraluminous infrared galaxies. Monthly Notices of the Royal Astronomical Society, 2010, , .	4.4	51
102	Final verdict from XMM-Newton: the X-ray obscured Seyfert galaxy NGC 5506 has a broad Fe K $\alpha$ line. Monthly Notices of the Royal Astronomical Society, 2010, , no-no.	4.4	15
103	A quantitative determination of the AGN content in local ULIRGs through $L$ -band spectroscopy. Monthly Notices of the Royal Astronomical Society, 2010, 401, 197-203.	4.4	25
104	Enhanced star formation in narrow-line Seyfert 1 active galactic nuclei revealed by Spitzer. Monthly Notices of the Royal Astronomical Society, 2010, 403, 1246-1260.	4.4	107
105	A non-hydrodynamical model for acceleration of line-driven winds in active galactic nuclei. Astronomy and Astrophysics, 2010, 516, A89.	5.1	73
106	THE X-RAY ENERGY DEPENDENCE OF THE RELATION BETWEEN OPTICAL AND X-RAY EMISSION IN QUASARS. Astrophysical Journal, 2010, 708, 1388-1397.	4.5	74
107	High resolution spectroscopy as a tool to study line emitting material in AGNs. , 2010, , .		0
108	Chandra High Resolution Imaging of NGC 1365 and NGC 4151. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
109	AGN structure from X-ray absorption variability. , 2010, , .		1
110	The Chandra 3C Snapshot Survey for Sources with $z < 0.3$ . , 2010, , .		0
111	Comets orbiting a black hole. <i>Astronomy and Astrophysics</i> , 2010, 517, A47.	5.1	119
112	A STRONG EXCESS IN THE 20-100 keV EMISSION OF NGC 1365. <i>Astrophysical Journal</i> , 2009, 705, L1-L5.	4.5	30
113	VARIABLE PARTIAL COVERING AND A RELATIVISTIC IRON LINE IN NGC 1365. <i>Astrophysical Journal</i> , 2009, 696, 160-171.	4.5	127
114	ON THE OBSERVED DISTRIBUTIONS OF BLACK HOLE MASSES AND EDDINGTON RATIOS FROM RADIATION PRESSURE CORRECTED VIRIAL INDICATORS. <i>Astrophysical Journal</i> , 2009, 698, L103-L107.	4.5	56
115	IMAGING THE CIRCUMNUCLEAR REGION OF NGC 1365 WITH CHANDRA. <i>Astrophysical Journal</i> , 2009, 694, 718-733.	4.5	50
116	THE XMM-NEWTON LONG LOOK OF NGC 1365: LACK OF A HIGH/SOFT STATE IN ITS ULTRALUMINOUS X-RAY SOURCES. <i>Astrophysical Journal</i> , 2009, 695, 1614-1622.	4.5	26
117	A Suzaku observation of the ULIRG IRAS19254-7245: discerning the AGN component. <i>Astronomy and Astrophysics</i> , 2009, 504, 53-59.	5.1	20
118	AGN/starburst connection in action: the half million second RGS spectrum of NGC 1365. <i>Astronomy and Astrophysics</i> , 2009, 505, 589-600.	5.1	34
119	Cloudy Skies over AGN: Observations with Simbol-X. , 2009, , .		0
120	LSD: Lyman-break galaxies Stellar populations and Dynamics - I. Mass, metallicity and gas at $z \sim 3.1$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 398, 1915-1931.	4.4	314
121	Exploring the active galactic nucleus and starburst content of local ultraluminous infrared galaxies through 5-8 $\mu\text{m}$ spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 399, 1373-1402.	4.4	48
122	The XMM-Newton long look of NGC 1365: uncovering of the obscured X-ray source. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 393, L1-L5.	3.3	82
123	The active galactic nuclei/starburst content in high-redshift ultraluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 396, L1-L5.	3.3	5
124	THE FIFTH DATA RELEASE SLOAN DIGITAL SKY SURVEY/ XMM-NEWTON QUASAR SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2009, 183, 17-32.	7.7	81
125	THE SLOAN DIGITAL SKY SURVEY/ XMM-NEWTON QUASAR SURVEY: CORRELATION BETWEEN X-RAY SPECTRAL SLOPE AND EDDINGTON RATIO. <i>Astrophysical Journal</i> , 2009, 700, L6-L10.	4.5	114
126	The Structure of AGNs from X-Ray Absorption Variability. <i>Proceedings of the International Astronomical Union</i> , 2009, 5, 299-306.	0.0	0



#	ARTICLE	IF	CITATIONS
127	THE HIGHEST RESOLUTION CHANDRA VIEW OF PHOTOIONIZATION AND JET-CLOUD INTERACTION IN THE NUCLEAR REGION OF NGC 4151. <i>Astrophysical Journal</i> , 2009, 704, 1195-1203.	4.5	24
128	Spectral decomposition of starbursts and active galactic nuclei in 5-8 $\mu$ m Spitzer-IRS spectra of local ultraluminous infrared galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 385, L130-L134.	3.3	85
129	Unveiling the structure of the circumnuclear medium of AGNs through time-resolved X-ray spectroscopy. <i>AIP Conference Proceedings</i> , 2008, , .	0.4	0
130	The Reddest DR3 SDSS XMM-Newton Quasars. <i>Astrophysical Journal</i> , 2008, 688, 128-147.	4.5	16
131	3-5 $\mu$ m Spectroscopy of Obscured AGNs in ULIRGs. <i>Astrophysical Journal</i> , 2008, 675, 96-105.	4.5	31
132	AMAZE. <i>Astronomy and Astrophysics</i> , 2008, 488, 463-479.	5.1	794
133	The X-ray emission of the most luminous 3CR radio sources. <i>Astronomy and Astrophysics</i> , 2008, 478, 121-126.	5.1	7
134	Occultation Measurement of the Size of the X-Ray-emitting Region in the Active Galactic Nucleus of NGC 1365. <i>Astrophysical Journal</i> , 2007, 659, L111-L114.	4.5	192
135	A Spitzer IRS Low-Resolution Spectroscopic Search for Buried AGNs in Nearby Ultraluminous Infrared Galaxies: A Constraint on Geometry between Energy Sources and Dust. <i>Astrophysical Journal, Supplement Series</i> , 2007, 171, 72-100.	7.7	138
136	Rapid NH changes in NGC 4151. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 377, 607-616.	4.4	93
137	New flaring of an ultraluminous X-ray source in NGC 1365. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 379, 1313-1324.	4.4	23
138	X-ray spectral properties of active galactic nuclei in the Chandra Deep Field South. <i>Astronomy and Astrophysics</i> , 2006, 451, 457-474.	5.1	309
139	The Double Active Galactic Nucleus in NGC 6240 Revealed through 3-5 $\mu$ m Spectroscopy. <i>Astrophysical Journal</i> , 2006, 637, L17-L20.	4.5	18
140	Unveiling the nature of Ultraluminous Infrared Galaxies with 3-4 $\mu$ m spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006, 365, 303-320.	4.4	75
141	Highly Ionized Iron Absorption Lines from Outflowing Gas in the X-Ray Spectrum of NGC 1365. <i>Astrophysical Journal</i> , 2005, 630, L129-L132.	4.5	81
142	Rapid Compton-thick/Compton-thin Transitions in the Seyfert 2 Galaxy NGC 1365. <i>Astrophysical Journal</i> , 2005, 623, L93-L96.	4.5	226
143	The SDSS/ XMM-Newton Quasar Sample. I. First Results. <i>Astrophysical Journal</i> , 2005, 629, L17-L20.	4.5	18
144	The XMM-Newton and BeppoSAX view of the Ultra Luminous Infrared Galaxy MKN 231. <i>Astronomy and Astrophysics</i> , 2004, 420, 79-88.	5.1	94

#	ARTICLE	IF	CITATIONS
145	Local supermassive black holes, relics of active galactic nuclei and the X-ray background. Monthly Notices of the Royal Astronomical Society, 2004, 351, 169-185.	4.4	1,233
146	The Ultra Luminous Infrared Galaxy Mrk 231: new clues from BeppoSAX and XMM-Newton. Nuclear Physics, Section B, Proceedings Supplements, 2004, 132, 153-156.	0.4	3
147	Rapid NH changes in NGC 4151. Nuclear Physics, Section B, Proceedings Supplements, 2004, 132, 225-228.	0.4	11
148	X-ray spectral properties of Seyfert 2s observed with BeppoSAX. Nuclear Physics, Section B, Proceedings Supplements, 2004, 132, 229-231.	0.4	0
149	An Unveiling Event in the Type 2 Active Galactic Nucleus NGC 4388:A Challenge for a Parsec-Scale Absorber. Astrophysical Journal, 2004, 615, L25-L28.	4.5	129
150	Local supermassive black holes and relics of active galactic nuclei. Proceedings of the International Astronomical Union, 2004, 2004, 49-52.	0.0	5
151	A Panchromatic View of AGN. Astrophysics and Space Science Library, 2004, , 187-224.	2.7	55
152	X-RAY WEAK QUASARS: ABSORPTION OR AN INTRINSICALLY DIFFERENT SED?. , 2004, , .		0
153	A Chandra mini-survey of X-ray weak quasars. Astronomische Nachrichten, 2003, 324, 174-174.	1.2	1
154	An XMM-Newton hard X-ray survey of ultraluminous infrared galaxies. Monthly Notices of the Royal Astronomical Society, 2003, 343, 1181-1194.	4.4	149
155	Revealing the Active Galactic Nucleus in the Superantennae through L-Band Spectroscopy. Astrophysical Journal, 2003, 595, L17-L20.	4.5	28
156	Beppo SAX X-Ray Observations of PKS 1934+63 and S5 1946+708. Publications of the Astronomical Society of Australia, 2003, 20, 156-156.	3.4	0
157	XMM-Newton observations of ULIRGs: A Compton-thick AGN in IRAS 19254-7245. Astronomy and Astrophysics, 2003, 398, 107-111.	5.1	29
158	The nature of the absorbing torus in compact radio galaxies. Astronomy and Astrophysics, 2003, 401, 895-901.	5.1	14
159	A [ITAL]Chandra[/ITAL] Minisurvey of X-Ray "weak Quasars. Astrophysical Journal, 2003, 587, L9-L13.	4.5	18
160	Most Supermassive Black Holes Must Be Rapidly Rotating. Astrophysical Journal, 2002, 565, L75-L77.	4.5	210
161	Ubiquitous Column Density Variability in Seyfert 2 Galaxies. Publications of the Astronomical Society of Australia, 2002, 19, 155-157.	3.4	1
162	The Contribution of Quasars to the Far-Infrared Background. Astrophysical Journal, 2002, 566, L67-L70.	4.5	15

#	ARTICLE	IF	CITATIONS
163	The BeppoSAX view of bright Compton-thin Seyfert 2 galaxies. <i>Astronomy and Astrophysics</i> , 2002, 386, 379-398.	5.1	114
164	Ubiquitous Variability of X-ray absorbing Column Densities in Seyfert 2 Galaxies. <i>Astrophysical Journal</i> , 2002, 571, 234-246.	4.5	279
165	Dust in active nuclei. <i>Astronomy and Astrophysics</i> , 2001, 365, 28-36.	5.1	327
166	An X-ray and near-IR spectroscopic analysis of the ULIRG IRAS 05189-2524. <i>Astronomy and Astrophysics</i> , 2001, 368, 44-51.	5.1	25
167	A new population of soft X-ray weak quasars. <i>Astronomy and Astrophysics</i> , 2001, 371, 37-44.	5.1	29
168	A Three-dimensional Diagnostic Diagram for Seyfert 2 Galaxies: Probing X-ray Absorption and Compton Thickness. <i>Astrophysical Journal, Supplement Series</i> , 1999, 121, 473-482.	7.7	371
169	The Distribution of Absorbing Column Densities among Seyfert 2 Galaxies. <i>Astrophysical Journal</i> , 1999, 522, 157-164.	4.5	454