

Joy M Schmitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4100891/publications.pdf>

Version: 2024-02-01

154
papers

7,570
citations

76326

40
h-index

58581

82
g-index

156
all docs

156
docs citations

156
times ranked

6527
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychiatric Aspects of Impulsivity. American Journal of Psychiatry, 2001, 158, 1783-1793.	7.2	2,060
2	The impact of impulsivity on cocaine use and retention in treatment. Journal of Substance Abuse Treatment, 2001, 21, 193-198.	2.8	374
3	Dextroamphetamine for Cocaine-Dependence Treatment: A Double-Blind Randomized Clinical Trial. Journal of Clinical Psychopharmacology, 2001, 21, 522-526.	1.4	223
4	Agonist-Like or Antagonist-Like Treatment for Cocaine Dependence with Methadone for Heroin Dependence: Two Double-Blind Randomized Clinical Trials. Neuropsychopharmacology, 2004, 29, 969-981.	5.4	174
5	Replacement Medication for Cocaine Dependence. Journal of Clinical Psychopharmacology, 1997, 17, 485-488.	1.4	170
6	Naltrexone and relapse prevention treatment for cocaine-dependent patients. Addictive Behaviors, 2001, 26, 167-180.	3.0	153
7	Fluoxetine Is Ineffective for Treatment of Cocaine Dependence or Concurrent Opiate and Cocaine Dependence. Journal of Clinical Psychopharmacology, 1995, 15, 163-174.	1.4	148
8	Motivational interviewing with cocaine-dependent patients: A pilot study.. Journal of Consulting and Clinical Psychology, 2001, 69, 858-862.	2.0	144
9	Bupropion and Naltrexone in Methamphetamine Use Disorder. New England Journal of Medicine, 2021, 384, 140-153.	27.0	139
10	Levodopa pharmacotherapy for cocaine dependence: Choosing the optimal behavioral therapy platform. Drug and Alcohol Dependence, 2008, 94, 142-150.	3.2	112
11	Effects of oral methamphetamine on cocaine use: A randomized, double-blind, placebo-controlled trial. Drug and Alcohol Dependence, 2009, 101, 34-41.	3.2	112
12	Risperidone for the Treatment of Cocaine Dependence: Randomized, Double-Blind Trial. Journal of Clinical Psychopharmacology, 2000, 20, 305-310.	1.4	108
13	Fluoxetine treatment of cocaine-dependent patients with major depressive disorder. Drug and Alcohol Dependence, 2001, 63, 207-214.	3.2	104
14	Relationship between impulsivity and decision making in cocaine dependence. Psychiatry Research, 2010, 178, 299-304.	3.3	94
15	Citalopram Combined with Behavioral Therapy Reduces Cocaine Use: A Double-Blind, Placebo-Controlled Trial. American Journal of Drug and Alcohol Abuse, 2007, 33, 367-378.	2.1	92
16	Behavioral and Emotional Problems Among Children of Cocaine- and Opiate-Dependent Parents. Journal of the American Academy of Child and Adolescent Psychiatry, 1999, 38, 421-428.	0.5	88
17	Working memory fMRI activation in cocaine-dependent subjects: Association with treatment response. Psychiatry Research - Neuroimaging, 2010, 181, 174-182.	1.8	86
18	Determining predictors of attrition in an outpatient substance abuse program. American Journal of Drug and Alcohol Abuse, 2002, 28, 55-72.	2.1	83

#	ARTICLE	IF	CITATIONS
19	A Randomized, Double-blind, Placebo-Controlled Pilot Study of Naltrexone in Outpatients With Bipolar Disorder and Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1863-1869.	2.4	83
20	The effects of high and low doses of methadone on cigarette smoking. <i>Drug and Alcohol Dependence</i> , 1994, 34, 237-242.	3.2	70
21	Relationship between attentional bias to cocaine-related stimuli and impulsivity in cocaine-dependent subjects. <i>American Journal of Drug and Alcohol Abuse</i> , 2011, 37, 117-122.	2.1	69
22	Anhedonia Is Associated with Poorer Outcomes in Contingency Management for Cocaine Use Disorder. <i>Journal of Substance Abuse Treatment</i> , 2017, 72, 32-39.	2.8	69
23	Cognitive-Behavioral Treatment of Bipolar Disorder and Substance Abuse: A Preliminary Randomized Study. <i>Addictive Disorders and Their Treatment</i> , 2002, 1, 17-24.	0.5	66
24	The role of drug use outcome expectancies in substance abuse risk: An interactional-transformational model. <i>Addictive Behaviors</i> , 2006, 31, 2038-2062.	3.0	64
25	A Stage I pilot study of acceptance and commitment therapy for methadone detoxification. <i>Drug and Alcohol Dependence</i> , 2012, 125, 215-222.	3.2	64
26	The role of homework in cognitive-behavioral therapy for cocaine dependence.. <i>Journal of Consulting and Clinical Psychology</i> , 2006, 74, 633-637.	2.0	62
27	Effects of nicotine on methadone self-administration in humans. <i>Drug and Alcohol Dependence</i> , 1998, 50, 157-165.	3.2	61
28	A proposed revision of the fagerstrom tolerance questionnaire. <i>Addictive Behaviors</i> , 1993, 18, 135-143.	3.0	60
29	A fine-grained analysis of the role of self-efficacy in self-initiated attempts to quit smoking.. <i>Journal of Consulting and Clinical Psychology</i> , 1990, 58, 317-322.	2.0	59
30	PPAR-gamma agonist pioglitazone modifies craving intensity and brain white matter integrity in patients with primary cocaine use disorder: a double-blind randomized controlled pilot trial. <i>Addiction</i> , 2017, 112, 1861-1868.	3.3	58
31	Cognitive-behavioral therapies for depression and substance use disorders: An overview of traditional, third-wave, and transdiagnostic approaches. <i>American Journal of Drug and Alcohol Abuse</i> , 2017, 43, 402-415.	2.1	57
32	Cue reactivity in cocaine-dependent subjects: effects of cue type and cue modality. <i>Addictive Behaviors</i> , 1998, 23, 7-15.	3.0	56
33	Combination of Modafinil and d-amphetamine for the Treatment of Cocaine Dependence: A Preliminary Investigation. <i>Frontiers in Psychiatry</i> , 2012, 3, 77.	2.6	53
34	Treatment of Cocaine-Alcohol Dependence with Naltrexone and Relapse Prevention Therapy. <i>American Journal on Addictions</i> , 2004, 13, 333-341.	1.4	48
35	Medication Compliance During a Smoking Cessation Clinical Trial: A Brief Intervention Using MEMS Feedback. <i>Journal of Behavioral Medicine</i> , 2005, 28, 139-147.	2.1	48
36	A two-phased screening paradigm for evaluating candidate medications for cocaine cessation or relapse prevention: Modafinil, levodopa-carbidopa, naltrexone. <i>Drug and Alcohol Dependence</i> , 2014, 136, 100-107.	3.2	48

#	ARTICLE	IF	CITATIONS
37	Cocaine craving: An evaluation across treatment phases. <i>Journal of Substance Abuse</i> , 1998, 10, 9-17.	1.1	44
38	Treatment outcome of cocaine-alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 1997, 47, 55-61.	3.2	43
39	Relapse prevention treatment for cocaine dependence: Group vs. individual format. <i>Addictive Behaviors</i> , 1997, 22, 405-418.	3.0	42
40	Cocaine dependence with and without comorbid depression: a comparison of patient characteristics. <i>Drug and Alcohol Dependence</i> , 2000, 60, 189-198.	3.2	42
41	Behavioral treatment of cocaine-dependent pregnant women and TB-exposed patients. <i>Addictive Behaviors</i> , 1995, 20, 533-542.	3.0	41
42	Impact of a motivational intervention on mechanisms of change in low-income pregnant smokers. <i>Addictive Behaviors</i> , 2004, 29, 1649-1657.	3.0	41
43	Smoking cessation in women with cardiac risk: A comparative study of two theoretically based therapies. <i>Nicotine and Tobacco Research</i> , 1999, 1, 87-94.	2.6	40
44	Safety, tolerability and efficacy of levodopa+carbidopa treatment for cocaine dependence: Two double-blind, randomized, clinical trials. <i>Drug and Alcohol Dependence</i> , 2007, 88, 214-223.	3.2	40
45	Distress Tolerance. <i>Behavior Modification</i> , 2016, 40, 120-143.	1.6	40
46	Behavioral Activation and Inhibition, Negative Affect, and Gambling Severity in a Sample of Young Adult College Students. <i>Journal of Gambling Studies</i> , 2012, 28, 437-449.	1.6	39
47	Neural correlates of impulsive aggressive behavior in subjects with a history of alcohol dependence.. <i>Behavioral Neuroscience</i> , 2015, 129, 183-196.	1.2	37
48	Medication take-home doses and contingency management.. <i>Experimental and Clinical Psychopharmacology</i> , 1998, 6, 162-168.	1.8	36
49	High-Dose Naltrexone Therapy for Cocaine-Alcohol Dependence. <i>American Journal on Addictions</i> , 2009, 118, 356-362.	1.4	36
50	Concurrent treatment for alcohol and tobacco dependence: are patients ready to quit both?. <i>Drug and Alcohol Dependence</i> , 2003, 69, 1-7.	3.2	35
51	Bupropion and cognitive-behavioral therapy for smoking cessation in women. <i>Nicotine and Tobacco Research</i> , 2007, 9, 699-709.	2.6	35
52	Baseline Neurocognitive Profiles Differentiate Abstainers and Non-Abstainers in a Cocaine Clinical Trial. <i>Journal of Addictive Diseases</i> , 2009, 28, 250-257.	1.3	35
53	Mindfulness-Based Stress Reduction in Therapeutic Community Treatment: A Stage 1 Trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 103-108.	2.1	35
54	A critical review of the reasons for smoking scale. <i>Journal of Substance Abuse</i> , 1991, 3, 441-455.	1.1	34

#	ARTICLE	IF	CITATIONS
55	Biomarkers for the Development of New Medications for Cocaine Dependence. <i>Neuropsychopharmacology</i> , 2014, 39, 202-219.	5.4	34
56	Laboratory Measures of Methylphenidate Effects in Cocaine-Dependent Patients Receiving Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2000, 20, 61-68.	1.4	34
57	Adding MEMS feedback to behavioral smoking cessation therapy increases compliance with bupropion: A replication and extension study. <i>Addictive Behaviors</i> , 2007, 32, 875-880.	3.0	33
58	Preliminary examination of the orexin system on relapse-related factors in cocaine use disorder. <i>Brain Research</i> , 2020, 1731, 146359.	2.2	33
59	Factor structure and diagnostic efficiency of the BDI-II in treatment-seeking substance users. <i>Drug and Alcohol Dependence</i> , 2008, 93, 271-278.	3.2	32
60	Cocaine Dependence and Concurrent Marijuana Use: A Comparison of Clinical Characteristics. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 193-198.	2.1	32
61	Contingent reinforcement for reduced carbon monoxide levels in methadone maintenance patients. <i>Addictive Behaviors</i> , 1995, 20, 171-179.	3.0	30
62	A Randomized, Double-Blind, Placebo-Controlled Trial of Citicoline for Cocaine Dependence in Bipolar I Disorder. <i>American Journal of Psychiatry</i> , 2015, 172, 1014-1021.	7.2	30
63	Contingency management and levodopa-carbidopa for cocaine treatment: A comparison of three behavioral targets.. <i>Experimental and Clinical Psychopharmacology</i> , 2010, 18, 238-244.	1.8	29
64	Effects of oxytocin on aggressive responding in healthy adult men. <i>Behavioural Pharmacology</i> , 2015, 26, 798-804.	1.7	28
65	Regional differences in white matter integrity in stimulant use disorders: A meta-analysis of diffusion tensor imaging studies. <i>Drug and Alcohol Dependence</i> , 2019, 201, 29-37.	3.2	27
66	Compliance with tuberculosis treatment in methadone-maintained patients: Behavioral interventions. <i>Journal of Substance Abuse Treatment</i> , 1993, 10, 371-382.	2.8	26
67	Experimental analysis of the role of expectancy in nicotine withdrawal.. <i>Psychology of Addictive Behaviors</i> , 1994, 8, 169-178.	2.1	24
68	Anti-saccade error rates as a measure of attentional bias in cocaine dependent subjects. <i>Behavioural Brain Research</i> , 2015, 292, 493-499.	2.2	23
69	Baseline resting heart rate variability predicts post-traumatic stress disorder treatment outcomes in adults with co-occurring substance use disorders and post-traumatic stress. <i>Psychophysiology</i> , 2019, 56, e13377.	2.4	23
70	Ritanserin in the treatment of cocaine dependence. <i>Biological Psychiatry</i> , 1997, 42, 932-940.	1.3	22
71	Using Addiction Severity Profiles to Differentiate Cocaine-Dependent Patients with and without Comorbid Major Depression. <i>American Journal on Addictions</i> , 2006, 15, 362-369.	1.4	22
72	Use of stimulants to treat cocaine and methamphetamine abuse. <i>Current Psychiatry Reports</i> , 2008, 10, 385-391.	4.5	22

#	ARTICLE	IF	CITATIONS
73	Distress tolerance: Associations with trauma and substance cue reactivity in low-income, inner-city adults with substance use disorders and posttraumatic stress.. Psychology of Addictive Behaviors, 2018, 32, 264-276.	2.1	22
74	Cognitive and affective responses to successful coping during smoking cessation. Journal of Substance Abuse, 1993, 5, 61-72.	1.1	21
75	Increased Orbitofrontal Brain Activation after Administration of a Selective Adenosine A2A Antagonist in Cocaine Dependent Subjects. Frontiers in Psychiatry, 2012, 3, 44.	2.6	21
76	Bupropion and naltrexone for smoking cessation: A double-blind randomized placebo-controlled clinical trial. Clinical Pharmacology and Therapeutics, 2016, 100, 344-352.	4.7	21
77	Development of a novel, integrated cognitive-behavioral therapy for co-occurring posttraumatic stress and substance use disorders: A pilot randomized clinical trial. Contemporary Clinical Trials, 2018, 65, 123-129.	1.8	21
78	Exenatide Adjunct to Nicotine Patch Facilitates Smoking Cessation and May Reduce Post-Cessation Weight Gain: A Pilot Randomized Controlled Trial. Nicotine and Tobacco Research, 2021, 23, 1682-1690.	2.6	21
79	Elevated Neutrophil to Lymphocyte Ratio in Older Adults with Cocaine Use Disorder as a Marker of Chronic Inflammation. Clinical Psychopharmacology and Neuroscience, 2020, 18, 32-40.	2.0	21
80	Evaluation of Heterogeneity in Pharmacotherapy Trials for Drug Dependence: A Bayesian Approach. American Journal of Drug and Alcohol Abuse, 2009, 35, 95-102.	2.1	20
81	Increased intra-individual reaction time variability in cocaine-dependent subjects: Role of cocaine-related cues. Addictive Behaviors, 2012, 37, 193-197.	3.0	20
82	A meta-analysis of tract-based spatial statistics studies examining white matter integrity in cocaine use disorder. Addiction Biology, 2021, 26, e12902.	2.6	20
83	Substance Abuser Impulsivity Decreases with a Nine-Month Stay in a Therapeutic Community. American Journal of Drug and Alcohol Abuse, 2009, 35, 417-420.	2.1	19
84	A sequential multiple assignment randomized trial for cocaine cessation and relapse prevention: Tailoring treatment to the individual. Contemporary Clinical Trials, 2018, 65, 109-115.	1.8	19
85	War-Related Changes in Cigarette Smoking: A Survey Study of Health Professionals in Sarajevo. Substance Use and Misuse, 1996, 31, 639-646.	1.4	18
86	A preliminary longitudinal study of white matter alteration in cocaine use disorder subjects. Drug and Alcohol Dependence, 2017, 173, 39-46.	3.2	18
87	Baby's Breath II protocol development and design: A secondhand smoke exposure prevention program targeting infants discharged from a neonatal intensive care unit. Contemporary Clinical Trials, 2013, 35, 97-105.	1.8	17
88	Prevalence of traumatic brain injury in cocaine-dependent research volunteers. American Journal on Addictions, 2015, 24, 341-347.	1.4	17
89	Altered anterior cingulate cortex to hippocampus effective connectivity in response to drug cues in men with cocaine use disorder. Psychiatry Research - Neuroimaging, 2018, 271, 59-66.	1.8	17
90	Measures of possible allostatic load in comorbid cocaine and alcohol use disorder: Brain white matter integrity, telomere length, and anti-saccade performance. PLoS ONE, 2019, 14, e0199729.	2.5	17

#	ARTICLE	IF	CITATIONS
91	A menu of potential reinforcers in a methadone maintenance program. <i>Journal of Substance Abuse Treatment</i> , 1994, 11, 425-431.	2.8	16
92	The influence of dopamine β -hydroxylase gene polymorphism rs1611115 on levodopa/carbidopa treatment for cocaine dependence. <i>Pharmacogenetics and Genomics</i> , 2014, 24, 370-373.	1.5	16
93	Using prize-based incentives to enhance daily interactive voice response (IVR) compliance: A feasibility study. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 74-77.	2.8	16
94	Discriminative utility of a brief cognitive status assessment with alcoholics and the impact of cognitive status on acquisition of treatment-relevant information.. <i>Psychology of Addictive Behaviors</i> , 1992, 6, 34-40.	2.1	15
95	Comparing Measures of Medication Taking in a Pharmacotherapy Trial for Cocaine Dependence. <i>Addictive Disorders and Their Treatment</i> , 2004, 3, 165-173.	0.5	15
96	“Who gets in?” Recruitment and screening processes of outpatient substance abuse trials. <i>Addictive Behaviors</i> , 2004, 29, 389-398.	3.0	14
97	Behavioral Therapies Trials. <i>Nursing Research</i> , 2007, 56, 210-216.	1.7	14
98	Bradycardia as a Marker of Chronic Cocaine Use: A Novel Cardiovascular Finding. <i>Behavioral Medicine</i> , 2016, 42, 1-8.	1.9	14
99	Baseline cocaine demand predicts contingency management treatment outcomes for cocaine-use disorder.. <i>Psychology of Addictive Behaviors</i> , 2020, 34, 164-174.	2.1	14
100	Use of Monetary Reinforcers by Cocaine-Dependent Outpatients. <i>Journal of Substance Abuse Treatment</i> , 1999, 17, 229-236.	2.8	13
101	Assessment of the relative reinforcement value of smoking and drinking using a multiple-choice measurement strategy. <i>Nicotine and Tobacco Research</i> , 2003, 5, 729-734.	2.6	13
102	The role of avoidance and inflexibility in characterizing response to contingency management for cocaine use disorders: A secondary profile analysis.. <i>Psychology of Addictive Behaviors</i> , 2015, 29, 408-413.	2.1	13
103	Resting Heart Rate Variability: Exploring Associations With Symptom Severity in Adults With Substance Use Disorders and Posttraumatic Stress. <i>Journal of Dual Diagnosis</i> , 2019, 15, 2-7.	1.2	13
104	Moderators of delay tolerance in treatment-seeking cocaine users. <i>Addictive Behaviors</i> , 2007, 32, 370-376.	3.0	12
105	Anhedonia in cocaine use disorder is associated with inflammatory gene expression. <i>PLoS ONE</i> , 2018, 13, e0207231.	2.5	12
106	A Novel, Integrated Cognitive-Behavioral Therapy for Co-Occurring Posttraumatic Stress and Substance Use Disorders: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2019, 26, 307-322.	1.5	12
107	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. <i>Translational Psychiatry</i> , 2021, 11, 252.	4.8	12
108	Cessation of cocaine use during pregnancy: A preliminary comparison. <i>Addictive Behaviors</i> , 1994, 19, 697-702.	3.0	11

#	ARTICLE	IF	CITATIONS
109	Tobacco, alcohol and caffeine use in a low-income, pregnant population. <i>Journal of Obstetrics and Gynaecology</i> , 2003, 23, 247-251.	0.9	11
110	Illusory predictors: Generalizability of findings in cocaine treatment retention research. <i>Addictive Behaviors</i> , 2007, 32, 2819-2836.	3.0	11
111	Comparison of Caffeine and d-amphetamine in Cocaine-Dependent Subjects: Differential Outcomes on Subjective and Cardiovascular Effects, Reward Learning, and Salivary Paraxanthine. <i>Journal of Addiction Research & Therapy</i> , 2014, 05, 176.	0.2	11
112	Effects of escitalopram on attentional bias to cocaine-related stimuli and inhibitory control in cocaine-dependent subjects. <i>Journal of Psychopharmacology</i> , 2013, 27, 801-807.	4.0	10
113	Plasma pro- and anti-inflammatory cytokines may relate to cocaine use, cognitive functioning, and depressive symptoms in cocaine use disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2021, 47, 52-64.	2.1	10
114	Decreased cocaine demand following contingency management treatment. <i>Drug and Alcohol Dependence</i> , 2021, 226, 108883.	3.2	10
115	Smoking Cessation in Women with Cardiac Risk. <i>American Journal of the Medical Sciences</i> , 2003, 326, 192-196.	1.1	9
116	Treatment session frequency and smoking cessation. <i>Journal of Substance Abuse</i> , 1994, 6, 77-85.	1.1	8
117	Mindfulness as a predictor of cognitive-behavioral therapy outcomes in inner-city adults with posttraumatic stress and substance dependence. <i>Addictive Behaviors</i> , 2020, 104, 106283.	3.0	8
118	Electrophysiological responses to emotional and cocaine cues reveal individual neuroaffective profiles in cocaine users.. <i>Experimental and Clinical Psychopharmacology</i> , 2022, 30, 514-524.	1.8	8
119	Demographic and Psychological Factors Associated With Lifetime Cocaine Use. <i>Addictive Disorders and Their Treatment</i> , 2015, 14, 70-77.	0.5	7
120	Cigarette smoking, type 2 diabetes mellitus, and glucagon-like peptide-1 receptor agonists as a potential treatment for smokers with diabetes: An integrative review. <i>Diabetes Research and Clinical Practice</i> , 2019, 149, 78-88.	2.8	7
121	Citalopram for treatment of cocaine use disorder: A Bayesian drop-the-loser randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2021, 228, 109054.	3.2	7
122	Distress tolerance: prospective associations with cognitive-behavioral therapy outcomes in adults with posttraumatic stress and substance use disorders. <i>Cognitive Behaviour Therapy</i> , 2022, 51, 326-342.	3.5	7
123	Assessing the validity of nicotine abstinence effects by self- and observer ratings under "blinded" conditions.. <i>Experimental and Clinical Psychopharmacology</i> , 1996, 4, 330-335.	1.8	6
124	The Influence of Baseline Marijuana Use on Treatment of Cocaine Dependence: Application of an Informative-Priors Bayesian Approach. <i>Frontiers in Psychiatry</i> , 2012, 3, 92.	2.6	6
125	Stress and Length of Stay in Therapeutic Community Treatment for Adolescents With Substance Use Disorders. <i>Addictive Disorders and Their Treatment</i> , 2013, 12, 175-182.	0.5	6
126	A Survey of Posthospitalization Treatment Needs and Preferences in Cocaine Abusers. <i>American Journal on Addictions</i> , 1994, 3, 227-235.	1.4	5

#	ARTICLE	IF	CITATIONS
127	Hepatitis C Knowledge Assessment and Counseling Within the Context of Substance Abuse Treatment. Addictive Disorders and Their Treatment, 2004, 3, 18-26.	0.5	5
128	Increasing Knowledge of HIV and Hepatitis C During Substance Abuse Treatment. Addictive Disorders and Their Treatment, 2005, 4, 71-76.	0.5	5
129	Drug Preference in Cocaine and Alcohol Dual-Dependent Patients. American Journal of Drug and Alcohol Abuse, 2008, 34, 211-217.	2.1	5
130	Hospital Length of Stay in Individuals With Schizophrenia With and Without Cocaine-Positive Urine Drug Screens at Hospital Admission. Journal of Nervous and Mental Disease, 2015, 203, 33-36.	1.0	5
131	Objective analysis of language use in cognitive-behavioral therapy: associations with symptom change in adults with co-occurring substance use disorders and posttraumatic stress. Cognitive Behaviour Therapy, 2021, 50, 89-103.	3.5	5
132	Situational analysis of coping in substance-abusing patients. Journal of Substance Abuse, 1995, 7, 189-204.	1.1	4
133	Serotonin transporter gene promoter polymorphism predicts relationship between years of cocaine use and impulsivity. Psychiatric Genetics, 2015, 25, 213-214.	1.1	4
134	Using a data science approach to predict cocaine use frequency from depressive symptoms. Drug and Alcohol Dependence, 2019, 194, 310-317.	3.2	4
135	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. Journal of Addiction Medicine, 2020, 14, e37-e43.	2.6	4
136	Cocaine-specific speed-accuracy trade-off during anti-saccade testing differentiates patients with cocaine use disorder who achieve initial abstinence during treatment. Journal of Psychopharmacology, 2021, 35, 611-614.	4.0	3
137	The effects of combination levodopa-ropinirole on cognitive improvement and treatment outcome in individuals with cocaine use disorder: A bayesian mediation analysis. Drug and Alcohol Dependence, 2021, 225, 108800.	3.2	3
138	Posttraumatic stress symptom clusters differentially predict late positive potential to cocaine imagery cues in trauma-exposed adults with cocaine use disorder. Drug and Alcohol Dependence, 2021, 227, 108929.	3.2	3
139	Context modulated effects of nicotine abstinence on human cooperative responding.. Experimental and Clinical Psychopharmacology, 1998, 6, 390-398.	1.8	2
140	Stress and Behavior Change in a Substance-Abusing Population Following September 11, 2001. Addictive Disorders and Their Treatment, 2003, 2, 59-61.	0.5	2
141	Factor Analyses of the Allen Barriers to Treatment Instrument in a Sample of Women Seeking Outpatient Treatment for Substance Abuse. Addictive Disorders and Their Treatment, 2009, 8, 185-190.	0.5	2
142	Comorbid alcohol use and post-traumatic stress disorders: Pharmacotherapy with aldehyde dehydrogenase 2 inhibitors versus current agents. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 115, 110506.	4.8	2
143	Comparison of 3 L- α -acetyl-methadol (LAAM) Maintenance Strategies for Heroin Dependence. Addictive Disorders and Their Treatment, 2009, 8, 191-200.	0.5	1
144	Prevalence and Correlates of Sex Selling and Sex Purchasing among Adults Seeking Treatment for Cocaine Use Disorder. Substance Use and Misuse, 2021, 56, 1-13.	1.4	1

#	ARTICLE	IF	CITATIONS
145	Initial development of a brief assessment of cocaine demand. Behavioural Pharmacology, 2021, 32, 351-355.	1.7	1
146	Testing the Significance of Difference in Average Rates of Change in Controlled Longitudinal Studies With High Dropout Rates. Methodology, 2009, 5, 46-54.	1.1	1
147	Nonjudgmental acceptance: Associations with substance-related cue reactivity in adults with substance use disorders and posttraumatic stress. Addictive Behaviors, 2022, 126, 107211.	3.0	1
148	The potential of brain stimulation techniques for substance use disorder treatment. Revista Brasileira De Psiquiatria, 2022, , .	1.7	1
149	Early pain, stress, and opioid use following traumatic injury. Journal of Opioid Management, 2022, 18, 17-25.	0.5	1
150	Dr. Elk and colleagues' response. Journal of Substance Abuse Treatment, 1994, 11, 61-62.	2.8	0
151	Treatment of Nicotine Addiction. Addictive Disorders and Their Treatment, 2004, 3, 97-109.	0.5	0
152	Targeting white matter neuroprotection as a relapse prevention strategy for treatment of cocaine use disorder: Design of a mechanism-focused randomized clinical trial. Contemporary Clinical Trials, 2021, 111, 106603.	1.8	0
153	Psychologic treatment of substance abuse. Current Opinion in Psychiatry, 1998, 11, 289-293.	6.3	0
154	Trauma and Emotion Regulation: Associations with Depressive Symptoms and Cocaine Use among Treatment-seeking Adults. International Journal of Mental Health and Addiction, 0, , 1.	7.4	0