

Joy M Schmitz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4100891/publications.pdf>

Version: 2024-02-01

154
papers

7,570
citations

76294

40
h-index

58549

82
g-index

156
all docs

156
docs citations

156
times ranked

6527
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrophysiological responses to emotional and cocaine cues reveal individual neuroaffective profiles in cocaine users.. <i>Experimental and Clinical Psychopharmacology</i> , 2022, 30, 514-524.	1.3	8
2	Nonjudgmental acceptance: Associations with substance-related cue reactivity in adults with substance use disorders and posttraumatic stress. <i>Addictive Behaviors</i> , 2022, 126, 107211.	1.7	1
3	Comorbid alcohol use and post-traumatic stress disorders: Pharmacotherapy with aldehyde dehydrogenase 2 inhibitors versus current agents. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 115, 110506.	2.5	2
4	Distress tolerance: prospective associations with cognitive-behavioral therapy outcomes in adults with posttraumatic stress and substance use disorders. <i>Cognitive Behaviour Therapy</i> , 2022, 51, 326-342.	1.9	7
5	The potential of brain stimulation techniques for substance use disorder treatment. <i>Revista Brasileira De Psiquiatria</i> , 2022, , .	0.9	1
6	Early pain, stress, and opioid use following traumatic injury. <i>Journal of Opioid Management</i> , 2022, 18, 17-25.	0.2	1
7	A meta-analysis of tract-based spatial statistics studies examining white matter integrity in cocaine use disorder. <i>Addiction Biology</i> , 2021, 26, e12902.	1.4	20
8	Plasma pro- and anti-inflammatory cytokines may relate to cocaine use, cognitive functioning, and depressive symptoms in cocaine use disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2021, 47, 52-64.	1.1	10
9	Objective analysis of language use in cognitive-behavioral therapy: associations with symptom change in adults with co-occurring substance use disorders and posttraumatic stress. <i>Cognitive Behaviour Therapy</i> , 2021, 50, 89-103.	1.9	5
10	Bupropion and Naltrexone in Methamphetamine Use Disorder. <i>New England Journal of Medicine</i> , 2021, 384, 140-153.	13.9	139
11	Cocaine-specific speed-accuracy trade-off during anti-saccade testing differentiates patients with cocaine use disorder who achieve initial abstinence during treatment. <i>Journal of Psychopharmacology</i> , 2021, 35, 611-614.	2.0	3
12	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. <i>Translational Psychiatry</i> , 2021, 11, 252.	2.4	12
13	Exenatide Adjunct to Nicotine Patch Facilitates Smoking Cessation and May Reduce Post-Cessation Weight Gain: A Pilot Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1682-1690.	1.4	21
14	The effects of combination levodopa-ropinirole on cognitive improvement and treatment outcome in individuals with cocaine use disorder: A bayesian mediation analysis. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108800.	1.6	3
15	Decreased cocaine demand following contingency management treatment. <i>Drug and Alcohol Dependence</i> , 2021, 226, 108883.	1.6	10
16	Prevalence and Correlates of Sex Selling and Sex Purchasing among Adults Seeking Treatment for Cocaine Use Disorder. <i>Substance Use and Misuse</i> , 2021, 56, 1-13.	0.7	1
17	Posttraumatic stress symptom clusters differentially predict late positive potential to cocaine imagery cues in trauma-exposed adults with cocaine use disorder. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108929.	1.6	3
18	Citalopram for treatment of cocaine use disorder: A Bayesian drop-the-loser randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2021, 228, 109054.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Initial development of a brief assessment of cocaine demand. <i>Behavioural Pharmacology</i> , 2021, 32, 351-355.	0.8	1
20	Targeting white matter neuroprotection as a relapse prevention strategy for treatment of cocaine use disorder: Design of a mechanism-focused randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2021, 111, 106603.	0.8	0
21	Preliminary examination of the orexin system on relapse-related factors in cocaine use disorder. <i>Brain Research</i> , 2020, 1731, 146359.	1.1	33
22	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. <i>Journal of Addiction Medicine</i> , 2020, 14, e37-e43.	1.4	4
23	Mindfulness as a predictor of cognitive-behavioral therapy outcomes in inner-city adults with posttraumatic stress and substance dependence. <i>Addictive Behaviors</i> , 2020, 104, 106283.	1.7	8
24	Baseline cocaine demand predicts contingency management treatment outcomes for cocaine-use disorder.. <i>Psychology of Addictive Behaviors</i> , 2020, 34, 164-174.	1.4	14
25	Elevated Neutrophil to Lymphocyte Ratio in Older Adults with Cocaine Use Disorder as a Marker of Chronic Inflammation. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 32-40.	0.9	21
26	A Novel, Integrated Cognitive-Behavioral Therapy for Co-Occurring Posttraumatic Stress and Substance Use Disorders: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2019, 26, 307-322.	0.9	12
27	Measures of possible allostatic load in comorbid cocaine and alcohol use disorder: Brain white matter integrity, telomere length, and anti-saccade performance. <i>PLoS ONE</i> , 2019, 14, e0199729.	1.1	17
28	Regional differences in white matter integrity in stimulant use disorders: A meta-analysis of diffusion tensor imaging studies. <i>Drug and Alcohol Dependence</i> , 2019, 201, 29-37.	1.6	27
29	Baseline resting heart rate variability predicts post-traumatic stress disorder treatment outcomes in adults with co-occurring substance use disorders and post-traumatic stress. <i>Psychophysiology</i> , 2019, 56, e13377.	1.2	23
30	Cigarette smoking, type 2 diabetes mellitus, and glucagon-like peptide-1 receptor agonists as a potential treatment for smokers with diabetes: An integrative review. <i>Diabetes Research and Clinical Practice</i> , 2019, 149, 78-88.	1.1	7
31	Resting Heart Rate Variability: Exploring Associations With Symptom Severity in Adults With Substance Use Disorders and Posttraumatic Stress. <i>Journal of Dual Diagnosis</i> , 2019, 15, 2-7.	0.7	13
32	Using a data science approach to predict cocaine use frequency from depressive symptoms. <i>Drug and Alcohol Dependence</i> , 2019, 194, 310-317.	1.6	4
33	A sequential multiple assignment randomized trial for cocaine cessation and relapse prevention: Tailoring treatment to the individual. <i>Contemporary Clinical Trials</i> , 2018, 65, 109-115.	0.8	19
34	Development of a novel, integrated cognitive-behavioral therapy for co-occurring posttraumatic stress and substance use disorders: A pilot randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2018, 65, 123-129.	0.8	21
35	Altered anterior cingulate cortex to hippocampus effective connectivity in response to drug cues in men with cocaine use disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 59-66.	0.9	17
36	Anhedonia in cocaine use disorder is associated with inflammatory gene expression. <i>PLoS ONE</i> , 2018, 13, e0207231.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Distress tolerance: Associations with trauma and substance cue reactivity in low-income, inner-city adults with substance use disorders and posttraumatic stress.. Psychology of Addictive Behaviors, 2018, 32, 264-276.	1.4	22
38	A preliminary longitudinal study of white matter alteration in cocaine use disorder subjects. Drug and Alcohol Dependence, 2017, 173, 39-46.	1.6	18
39	PPAR γ agonist pioglitazone modifies craving intensity and brain white matter integrity in patients with primary cocaine use disorder: a double-blind randomized controlled pilot trial. Addiction, 2017, 112, 1861-1868.	1.7	58
40	Cognitive-behavioral therapies for depression and substance use disorders: An overview of traditional, third-wave, and transdiagnostic approaches. American Journal of Drug and Alcohol Abuse, 2017, 43, 402-415.	1.1	57
41	Anhedonia Is Associated with Poorer Outcomes in Contingency Management for Cocaine Use Disorder. Journal of Substance Abuse Treatment, 2017, 72, 32-39.	1.5	69
42	Bupropion and naltrexone for smoking cessation: A double-blind randomized placebo-controlled clinical trial. Clinical Pharmacology and Therapeutics, 2016, 100, 344-352.	2.3	21
43	Distress Tolerance. Behavior Modification, 2016, 40, 120-143.	1.1	40
44	Bradycardia as a Marker of Chronic Cocaine Use: A Novel Cardiovascular Finding. Behavioral Medicine, 2016, 42, 1-8.	1.0	14
45	The role of avoidance and inflexibility in characterizing response to contingency management for cocaine use disorders: A secondary profile analysis.. Psychology of Addictive Behaviors, 2015, 29, 408-413.	1.4	13
46	Serotonin transporter gene promoter polymorphism predicts relationship between years of cocaine use and impulsivity. Psychiatric Genetics, 2015, 25, 213-214.	0.6	4
47	Demographic and Psychological Factors Associated With Lifetime Cocaine Use. Addictive Disorders and Their Treatment, 2015, 14, 70-77.	0.5	7
48	Effects of oxytocin on aggressive responding in healthy adult men. Behavioural Pharmacology, 2015, 26, 798-804.	0.8	28
49	A Randomized, Double-Blind, Placebo-Controlled Trial of Citicoline for Cocaine Dependence in Bipolar I Disorder. American Journal of Psychiatry, 2015, 172, 1014-1021.	4.0	30
50	Neural correlates of impulsive aggressive behavior in subjects with a history of alcohol dependence.. Behavioral Neuroscience, 2015, 129, 183-196.	0.6	37
51	Anti-saccade error rates as a measure of attentional bias in cocaine dependent subjects. Behavioural Brain Research, 2015, 292, 493-499.	1.2	23
52	Hospital Length of Stay in Individuals With Schizophrenia With and Without Cocaine-Positive Urine Drug Screens at Hospital Admission. Journal of Nervous and Mental Disease, 2015, 203, 33-36.	0.5	5
53	Prevalence of traumatic brain injury in cocaine-dependent research volunteers. American Journal on Addictions, 2015, 24, 341-347.	1.3	17
54	Comparison of Caffeine and d-amphetamine in Cocaine-Dependent Subjects: Differential Outcomes on Subjective and Cardiovascular Effects, Reward Learning, and Salivary Paraxanthine. Journal of Addiction Research & Therapy, 2014, 05, 176.	0.2	11

#	ARTICLE	IF	CITATIONS
55	Biomarkers for the Development of New Medications for Cocaine Dependence. <i>Neuropsychopharmacology</i> , 2014, 39, 202-219.	2.8	34
56	The influence of dopamine β -hydroxylase gene polymorphism rs1611115 on levodopa/carbidopa treatment for cocaine dependence. <i>Pharmacogenetics and Genomics</i> , 2014, 24, 370-373.	0.7	16
57	Using prize-based incentives to enhance daily interactive voice response (IVR) compliance: A feasibility study. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 74-77.	1.5	16
58	A two-phased screening paradigm for evaluating candidate medications for cocaine cessation or relapse prevention: Modafinil, levodopa-carbidopa, naltrexone. <i>Drug and Alcohol Dependence</i> , 2014, 136, 100-107.	1.6	48
59	Baby's Breath II protocol development and design: A secondhand smoke exposure prevention program targeting infants discharged from a neonatal intensive care unit. <i>Contemporary Clinical Trials</i> , 2013, 35, 97-105.	0.8	17
60	Stress and Length of Stay in Therapeutic Community Treatment for Adolescents With Substance Use Disorders. <i>Addictive Disorders and Their Treatment</i> , 2013, 12, 175-182.	0.5	6
61	Effects of escitalopram on attentional bias to cocaine-related stimuli and inhibitory control in cocaine-dependent subjects. <i>Journal of Psychopharmacology</i> , 2013, 27, 801-807.	2.0	10
62	Behavioral Activation and Inhibition, Negative Affect, and Gambling Severity in a Sample of Young Adult College Students. <i>Journal of Gambling Studies</i> , 2012, 28, 437-449.	1.1	39
63	Increased intra-individual reaction time variability in cocaine-dependent subjects: Role of cocaine-related cues. <i>Addictive Behaviors</i> , 2012, 37, 193-197.	1.7	20
64	A Stage I pilot study of acceptance and commitment therapy for methadone detoxification. <i>Drug and Alcohol Dependence</i> , 2012, 125, 215-222.	1.6	64
65	Increased Orbitofrontal Brain Activation after Administration of a Selective Adenosine A2A Antagonist in Cocaine Dependent Subjects. <i>Frontiers in Psychiatry</i> , 2012, 3, 44.	1.3	21
66	Combination of Modafinil and d-amphetamine for the Treatment of Cocaine Dependence: A Preliminary Investigation. <i>Frontiers in Psychiatry</i> , 2012, 3, 77.	1.3	53
67	The Influence of Baseline Marijuana Use on Treatment of Cocaine Dependence: Application of an Informative-Priors Bayesian Approach. <i>Frontiers in Psychiatry</i> , 2012, 3, 92.	1.3	6
68	Relationship between attentional bias to cocaine-related stimuli and impulsivity in cocaine-dependent subjects. <i>American Journal of Drug and Alcohol Abuse</i> , 2011, 37, 117-122.	1.1	69
69	Contingency management and levodopa-carbidopa for cocaine treatment: A comparison of three behavioral targets. <i>Experimental and Clinical Psychopharmacology</i> , 2010, 18, 238-244.	1.3	29
70	Working memory fMRI activation in cocaine-dependent subjects: Association with treatment response. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 174-182.	0.9	86
71	Relationship between impulsivity and decision making in cocaine dependence. <i>Psychiatry Research</i> , 2010, 178, 299-304.	1.7	94
72	Substance Abuser Impulsivity Decreases with a Nine-Month Stay in a Therapeutic Community. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 417-420.	1.1	19

#	ARTICLE	IF	CITATIONS
73	A Randomized, Double-blind, Placebo-controlled Pilot Study of Naltrexone in Outpatients With Bipolar Disorder and Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1863-1869.	1.4	83
74	Effects of oral methamphetamine on cocaine use: A randomized, double-blind, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2009, 101, 34-41.	1.6	112
75	Baseline Neurocognitive Profiles Differentiate Abstainers and Non-Abstainers in a Cocaine Clinical Trial. <i>Journal of Addictive Diseases</i> , 2009, 28, 250-257.	0.8	35
76	Cocaine Dependence and Concurrent Marijuana Use: A Comparison of Clinical Characteristics. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 193-198.	1.1	32
77	Mindfulness-Based Stress Reduction in Therapeutic Community Treatment: A Stage 1 Trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 103-108.	1.1	35
78	Evaluation of Heterogeneity in Pharmacotherapy Trials for Drug Dependence: A Bayesian Approach. <i>American Journal of Drug and Alcohol Abuse</i> , 2009, 35, 95-102.	1.1	20
79	Comparison of 3 L-tyrosine-acetyl-methadone (LAAM) Maintenance Strategies for Heroin Dependence. <i>Addictive Disorders and Their Treatment</i> , 2009, 8, 191-200.	0.5	1
80	Factor Analyses of the Allen Barriers to Treatment Instrument in a Sample of Women Seeking Outpatient Treatment for Substance Abuse. <i>Addictive Disorders and Their Treatment</i> , 2009, 8, 185-190.	0.5	2
81	High-Dose Naltrexone Therapy for Cocaine-Alcohol Dependence. <i>American Journal on Addictions</i> , 2009, 18, 356-362.	1.3	36
82	Testing the Significance of Difference in Average Rates of Change in Controlled Longitudinal Studies With High Dropout Rates. <i>Methodology</i> , 2009, 5, 46-54.	0.5	1
83	Use of stimulants to treat cocaine and methamphetamine abuse. <i>Current Psychiatry Reports</i> , 2008, 10, 385-391.	2.1	22
84	Factor structure and diagnostic efficiency of the BDI-II in treatment-seeking substance users. <i>Drug and Alcohol Dependence</i> , 2008, 93, 271-278.	1.6	32
85	Levodopa pharmacotherapy for cocaine dependence: Choosing the optimal behavioral therapy platform. <i>Drug and Alcohol Dependence</i> , 2008, 94, 142-150.	1.6	112
86	Drug Preference in Cocaine and Alcohol Dual-Dependent Patients. <i>American Journal of Drug and Alcohol Abuse</i> , 2008, 34, 211-217.	1.1	5
87	Citalopram Combined with Behavioral Therapy Reduces Cocaine Use: A Double-Blind, Placebo-Controlled Trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2007, 33, 367-378.	1.1	92
88	Bupropion and cognitive-behavioral therapy for smoking cessation in women. <i>Nicotine and Tobacco Research</i> , 2007, 9, 699-709.	1.4	35
89	Behavioral Therapies Trials. <i>Nursing Research</i> , 2007, 56, 210-216.	0.8	14
90	Moderators of delay tolerance in treatment-seeking cocaine users. <i>Addictive Behaviors</i> , 2007, 32, 370-376.	1.7	12

#	ARTICLE	IF	CITATIONS
91	Adding MEMS feedback to behavioral smoking cessation therapy increases compliance with bupropion: A replication and extension study. <i>Addictive Behaviors</i> , 2007, 32, 875-880.	1.7	33
92	Illusory predictors: Generalizability of findings in cocaine treatment retention research. <i>Addictive Behaviors</i> , 2007, 32, 2819-2836.	1.7	11
93	Safety, tolerability and efficacy of levodopa+carbidopa treatment for cocaine dependence: Two double-blind, randomized, clinical trials. <i>Drug and Alcohol Dependence</i> , 2007, 88, 214-223.	1.6	40
94	The role of drug use outcome expectancies in substance abuse risk: An interactional+transformational model. <i>Addictive Behaviors</i> , 2006, 31, 2038-2062.	1.7	64
95	The role of homework in cognitive-behavioral therapy for cocaine dependence.. <i>Journal of Consulting and Clinical Psychology</i> , 2006, 74, 633-637.	1.6	62
96	Using Addiction Severity Profiles to Differentiate Cocaine-Dependent Patients with and without Comorbid Major Depression. <i>American Journal on Addictions</i> , 2006, 15, 362-369.	1.3	22
97	Increasing Knowledge of HIV and Hepatitis C During Substance Abuse Treatment. <i>Addictive Disorders and Their Treatment</i> , 2005, 4, 71-76.	0.5	5
98	Medication Compliance During a Smoking Cessation Clinical Trial: A Brief Intervention Using MEMS Feedback. <i>Journal of Behavioral Medicine</i> , 2005, 28, 139-147.	1.1	48
99	Agonist-Like or Antagonist-Like Treatment for Cocaine Dependence with Methadone for Heroin Dependence: Two Double-Blind Randomized Clinical Trials. <i>Neuropsychopharmacology</i> , 2004, 29, 969-981.	2.8	174
100	Treatment of Cocaine+Alcohol Dependence with Naltrexone and Relapse Prevention Therapy. <i>American Journal on Addictions</i> , 2004, 13, 333-341.	1.3	48
101	+Who gets in? Recruitment and screening processes of outpatient substance abuse trials. <i>Addictive Behaviors</i> , 2004, 29, 389-398.	1.7	14
102	Impact of a motivational intervention on mechanisms of change in low-income pregnant smokers. <i>Addictive Behaviors</i> , 2004, 29, 1649-1657.	1.7	41
103	Comparing Measures of Medication Taking in a Pharmacotherapy Trial for Cocaine Dependence. <i>Addictive Disorders and Their Treatment</i> , 2004, 3, 165-173.	0.5	15
104	Treatment of Nicotine Addiction. <i>Addictive Disorders and Their Treatment</i> , 2004, 3, 97-109.	0.5	0
105	Hepatitis C Knowledge Assessment and Counseling Within the Context of Substance Abuse Treatment. <i>Addictive Disorders and Their Treatment</i> , 2004, 3, 18-26.	0.5	5
106	Concurrent treatment for alcohol and tobacco dependence: are patients ready to quit both?. <i>Drug and Alcohol Dependence</i> , 2003, 69, 1-7.	1.6	35
107	Assessment of the relative reinforcement value of smoking and drinking using a multiple-choice measurement strategy. <i>Nicotine and Tobacco Research</i> , 2003, 5, 729-734.	1.4	13
108	Tobacco, alcohol and caffeine use in a low-income, pregnant population. <i>Journal of Obstetrics and Gynaecology</i> , 2003, 23, 247-251.	0.4	11

#	ARTICLE	IF	CITATIONS
109	Stress and Behavior Change in a Substance-Abusing Population Following September 11, 2001. <i>Addictive Disorders and Their Treatment</i> , 2003, 2, 59-61.	0.5	2
110	Smoking Cessation in Women with Cardiac Risk. <i>American Journal of the Medical Sciences</i> , 2003, 326, 192-196.	0.4	9
111	Cognitive Behavioral Treatment of Bipolar Disorder and Substance Abuse: A Preliminary Randomized Study. <i>Addictive Disorders and Their Treatment</i> , 2002, 1, 17-24.	0.5	66
112	Determining predictors of attrition in an outpatient substance abuse program. <i>American Journal of Drug and Alcohol Abuse</i> , 2002, 28, 55-72.	1.1	83
113	Psychiatric Aspects of Impulsivity. <i>American Journal of Psychiatry</i> , 2001, 158, 1783-1793.	4.0	2,060
114	Naltrexone and relapse prevention treatment for cocaine-dependent patients. <i>Addictive Behaviors</i> , 2001, 26, 167-180.	1.7	153
115	Fluoxetine treatment of cocaine-dependent patients with major depressive disorder. <i>Drug and Alcohol Dependence</i> , 2001, 63, 207-214.	1.6	104
116	The impact of impulsivity on cocaine use and retention in treatment. <i>Journal of Substance Abuse Treatment</i> , 2001, 21, 193-198.	1.5	374
117	Dextroamphetamine for Cocaine-Dependence Treatment: A Double-Blind Randomized Clinical Trial. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 522-526.	0.7	223
118	Motivational interviewing with cocaine-dependent patients: A pilot study.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 858-862.	1.6	144
119	Cocaine dependence with and without comorbid depression: a comparison of patient characteristics. <i>Drug and Alcohol Dependence</i> , 2000, 60, 189-198.	1.6	42
120	Laboratory Measures of Methylphenidate Effects in Cocaine-Dependent Patients Receiving Treatment. <i>Journal of Clinical Psychopharmacology</i> , 2000, 20, 61-68.	0.7	34
121	Risperidone for the Treatment of Cocaine Dependence: Randomized, Double-Blind Trial. <i>Journal of Clinical Psychopharmacology</i> , 2000, 20, 305-310.	0.7	108
122	Smoking cessation in women with cardiac risk: A comparative study of two theoretically based therapies. <i>Nicotine and Tobacco Research</i> , 1999, 1, 87-94.	1.4	40
123	Use of Monetary Reinforcers by Cocaine-Dependent Outpatients. <i>Journal of Substance Abuse Treatment</i> , 1999, 17, 229-236.	1.5	13
124	Behavioral and Emotional Problems Among Children of Cocaine and Opiate Dependent Parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999, 38, 421-428.	0.3	88
125	Cocaine craving: An evaluation across treatment phases. <i>Journal of Substance Abuse</i> , 1998, 10, 9-17.	1.1	44
126	Effects of nicotine on methadone self-administration in humans. <i>Drug and Alcohol Dependence</i> , 1998, 50, 157-165.	1.6	61

#	ARTICLE	IF	CITATIONS
127	Cue reactivity in cocaine-dependent subjects: effects of cue type and cue modality. <i>Addictive Behaviors</i> , 1998, 23, 7-15.	1.7	56
128	Context modulated effects of nicotine abstinence on human cooperative responding.. <i>Experimental and Clinical Psychopharmacology</i> , 1998, 6, 390-398.	1.3	2
129	Medication take-home doses and contingency management.. <i>Experimental and Clinical Psychopharmacology</i> , 1998, 6, 162-168.	1.3	36
130	Psychologic treatment of substance abuse. <i>Current Opinion in Psychiatry</i> , 1998, 11, 289-293.	3.1	0
131	Ritanserin in the treatment of cocaine dependence. <i>Biological Psychiatry</i> , 1997, 42, 932-940.	0.7	22
132	Relapse prevention treatment for cocaine dependence: Group vs. individual format. <i>Addictive Behaviors</i> , 1997, 22, 405-418.	1.7	42
133	Treatment outcome of cocaine-alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 1997, 47, 55-61.	1.6	43
134	Replacement Medication for Cocaine Dependence. <i>Journal of Clinical Psychopharmacology</i> , 1997, 17, 485-488.	0.7	170
135	Assessing the validity of nicotine abstinence effects by self- and observer ratings under "blinded" conditions.. <i>Experimental and Clinical Psychopharmacology</i> , 1996, 4, 330-335.	1.3	6
136	War-Related Changes in Cigarette Smoking: A Survey Study of Health Professionals in Sarajevo. <i>Substance Use and Misuse</i> , 1996, 31, 639-646.	0.7	18
137	Situational analysis of coping in substance-abusing patients. <i>Journal of Substance Abuse</i> , 1995, 7, 189-204.	1.1	4
138	Contingent reinforcement for reduced carbon monoxide levels in methadone maintenance patients. <i>Addictive Behaviors</i> , 1995, 20, 171-179.	1.7	30
139	Behavioral treatment of cocaine-dependent pregnant women and TB-exposed patients. <i>Addictive Behaviors</i> , 1995, 20, 533-542.	1.7	41
140	Fluoxetine Is Ineffective for Treatment of Cocaine Dependence or Concurrent Opiate and Cocaine Dependence. <i>Journal of Clinical Psychopharmacology</i> , 1995, 15, 163-174.	0.7	148
141	Treatment session frequency and smoking cessation. <i>Journal of Substance Abuse</i> , 1994, 6, 77-85.	1.1	8
142	Cessation of cocaine use during pregnancy: A preliminary comparison. <i>Addictive Behaviors</i> , 1994, 19, 697-702.	1.7	11
143	A Survey of Posthospitalization Treatment Needs and Preferences in Cocaine Abusers. <i>American Journal on Addictions</i> , 1994, 3, 227-235.	1.3	5
144	A menu of potential reinforcers in a methadone maintenance program. <i>Journal of Substance Abuse Treatment</i> , 1994, 11, 425-431.	1.5	16

#	ARTICLE	IF	CITATIONS
145	Dr. Elk and colleagues' response. <i>Journal of Substance Abuse Treatment</i> , 1994, 11, 61-62.	1.5	0
146	The effects of high and low doses of methadone on cigarette smoking. <i>Drug and Alcohol Dependence</i> , 1994, 34, 237-242.	1.6	70
147	Experimental analysis of the role of expectancy in nicotine withdrawal.. <i>Psychology of Addictive Behaviors</i> , 1994, 8, 169-178.	1.4	24
148	Compliance with tuberculosis treatment in methadone-maintained patients: Behavioral interventions. <i>Journal of Substance Abuse Treatment</i> , 1993, 10, 371-382.	1.5	26
149	A proposed revision of the fagerstrom tolerance questionnaire. <i>Addictive Behaviors</i> , 1993, 18, 135-143.	1.7	60
150	Cognitive and affective responses to successful coping during smoking cessation. <i>Journal of Substance Abuse</i> , 1993, 5, 61-72.	1.1	21
151	Discriminative utility of a brief cognitive status assessment with alcoholics and the impact of cognitive status on acquisition of treatment-relevant information.. <i>Psychology of Addictive Behaviors</i> , 1992, 6, 34-40.	1.4	15
152	A critical review of the reasons for smoking scale. <i>Journal of Substance Abuse</i> , 1991, 3, 441-455.	1.1	34
153	A fine-grained analysis of the role of self-efficacy in self-initiated attempts to quit smoking.. <i>Journal of Consulting and Clinical Psychology</i> , 1990, 58, 317-322.	1.6	59
154	Trauma and Emotion Regulation: Associations with Depressive Symptoms and Cocaine Use among Treatment-seeking Adults. <i>International Journal of Mental Health and Addiction</i> , 0, , 1.	4.4	0