## Inge Petersen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4106640/publications.pdf

Version: 2024-02-01

169 papers 7,478 citations

47006 47 h-index 78 g-index

174 all docs

174 docs citations

174 times ranked

6857 citing authors

#	Article	IF	CITATIONS
1	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2016, 387, 1672-1685.	13.7	586
2	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	8.4	436
3	Acceptability and feasibility of using non-specialist health workers to deliver mental health care: Stakeholder perceptions from the PRIME district sites in Ethiopia, India, Nepal, South Africa, and Uganda. Social Science and Medicine, 2014, 118, 33-42.	3.8	259
4	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. PLoS ONE, 2014, 9, e88437.	2.5	255
5	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. BMC Medicine, 2015, 13, 79.	5.5	190
6	The VUKA family program: Piloting a family-based psychosocial intervention to promote health and mental health among HIV infected early adolescents in South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 1-11.	1.2	165
7	Psychosocial challenges and protective influences for socio-emotional coping of HIV+ adolescents in South Africa: a qualitative investigation. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 970-978.	1.2	164
8	Collaboration Between Traditional Practitioners and Primary Health Care Staff in South Africa: Developing a Workable Partnership for Community Mental Health Services. Transcultural Psychiatry, 2010, 47, 610-628.	1.6	159
9	The validity of the Patient Health Questionnaire for screening depression in chronic care patients in primary health care in South Africa. BMC Psychiatry, 2015, 15, 118.	2.6	127
10	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. Health Policy and Planning, 2017, 32, 699-709.	2.7	127
11	A task shifting approach to primary mental health care for adults in South Africa: human resource requirements and costs for rural settings. Health Policy and Planning, 2012, 27, 42-51.	2.7	125
12	Building Protective Factors to Offset Sexually Risky Behaviors among Black Youths: A Randomized Control Trial. Journal of the National Medical Association, 2008, 100, 936-944.	0.8	123
13	A group-based counselling intervention for depression comorbid with HIV/AIDS using a task shifting approach in South Africa: A randomized controlled pilot study. Journal of Affective Disorders, 2014, 158, 78-84.	4.1	120
14	Mental Health Policy Development and Implementation in Four African Countries. Journal of Health Psychology, 2007, 12, 505-516.	2.3	116
15	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	5.0	113
16	Maternal mental health in primary care in five low- and middle-income countries: a situational analysis. BMC Health Services Research, 2016, 16, 53.	2.2	110
17	Sexual violence and youth in South Africa: The need for community-based prevention interventions. Child Abuse and Neglect, 2005, 29, 1233-1248.	2.6	95
18	Optimizing mental health services in low-income and middle-income countries. Current Opinion in Psychiatry, 2011, 24, 318-323.	6.3	92

#	Article	IF	CITATIONS
19	Evaluation of district mental healthcare plans: The PRIME consortium methodology. British Journal of Psychiatry, 2016, 208, s63-s70.	2.8	92
20	Lessons from case studies of integrating mental health into primary health care in South Africa and Uganda. International Journal of Mental Health Systems, 2011, 5, 8.	2.7	90
21	Integrating mental health into chronic care in South Africa: The development of a district mental healthcare plan. British Journal of Psychiatry, 2016, 208, s29-s39.	2.8	87
22	Suicidal ideation and behaviour among community and health care seeking populations in five low- and middle-income countries: a cross-sectional study. Epidemiology and Psychiatric Sciences, 2018, 27, 393-402.	3.9	87
23	The Feasibility of Adapted Group-Based Interpersonal Therapy (IPT) for the Treatment of Depression by Community Health Workers Within the Context of Task Shifting in South Africa. Community Mental Health Journal, 2012, 48, 336-341.	2.0	86
24	Planning for district mental health services in South Africa: a situational analysis of a rural district site. Health Policy and Planning, 2009, 24, 140-150.	2.7	84
25	Mental health service delivery in South Africa from 2000 to 2010: one step forward, one step back. South African Medical Journal, 2011, 101, 751-7.	0.6	84
26	Prevalence of minor psychiatric disorders in an adult African rural community in South Africa. Psychological Medicine, 1998, 28, 1137-1147.	4.5	83
27	Health system governance to support integrated mental health care in South Africa: challenges and opportunities. International Journal of Mental Health Systems, 2015, 9, 14.	2.7	83
28	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. Epidemiology and Psychiatric Sciences, 2015, 24, 233-240.	3.9	77
29	Closing the mental health treatment gap in South Africa: a review of costs and cost-effectiveness. Global Health Action, 2014, 7, 23431.	1.9	75
30	Comprehensive integrated primary mental health care for South Africa. Pipedream or possibility?. Social Science and Medicine, 2000, 51, 321-334.	3.8	74
31	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. British Journal of Psychiatry, 2016, 208, s47-s54.	2.8	73
32	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. Lancet Psychiatry, the, 2019, 6, 174-186.	7.4	72
33	Psychiatric stigma and discrimination in South Africa: perspectives from key stakeholders. BMC Psychiatry, 2014, 14, 191.	2.6	71
34	Correlates of psychological functioning of homeless youth in Accra, Ghana: a cross-sectional study. International Journal of Mental Health Systems, 2015, 9, 1.	2.7	71
35	Planning and evaluating mental health services in low- and middle-income countries using theory of change. British Journal of Psychiatry, 2016, 208, s55-s62.	2.8	69
36	Promotion, prevention and protection: interventions at the population- and community-levels for mental, neurological and substance use disorders in low- and middle-income countries. International Journal of Mental Health Systems, 2016, 10, 30.	2.7	68

#	Article	IF	CITATIONS
37	Resilience in perinatal HIV+ adolescents in South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 49-59.	1.2	64
38	Systematic review of feasibility and acceptability of psychosocial interventions for schizophrenia in low and middle income countries. BMC Psychiatry, 2015, 15, 19.	2.6	62
39	Using workshops to develop theories of change in five low and middle income countries: lessons from the programme for improving mental health care (PRIME). International Journal of Mental Health Systems, 2014, 8, 15.	2.7	60
40	Familyâ€based HIV prevention and intervention services for youth living in povertyâ€affected contexts: the CHAMP model of collaborative, evidenceâ€informed programme development. Journal of the International AIDS Society, 2010, 13, S8.	3.0	57
41	Mental Health Services in South Africa: Taking stock. African Journal of Psychiatry, 2012, 15, 402-5.	0.1	57
42	Children and youth at risk: adaptation and pilot study of the CHAMP (Amaqhawe) programme in South Africa. African Journal of AIDS Research, 2004, 3, 33-41.	0.9	55
43	Substance use and risky sexual behaviours among street connected children and youth in Accra, Ghana. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 45.	2.2	55
44	Health systems context(s) for integrating mental health into primary health care in six Emerald countries: a situation analysis. International Journal of Mental Health Systems, 2017, 11, 7.	2.7	55
45	Implementing the World Health Report 2001 recommendations for integrating mental health into primary health care: A situation analysis of three African countries: Ghana, South Africa and Uganda. International Review of Psychiatry, 2010, 22, 599-610.	2.8	51
46	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. BJPsych Open, 2019, 5, e69.	0.7	51
47	Community Collaborative Youth-Focused HIV/AIDS Prevention in South Africa and Trinidad: Preliminary Findings. Journal of Pediatric Psychology, 2006, 31, 905-916.	2.1	50
48	Comorbidities between tuberculosis and common mental disorders: a scoping review of epidemiological patterns and person-centred care interventions from low-to-middle income and BRICS countries. Infectious Diseases of Poverty, 2020, 9, 4.	3.7	50
49	Developing capacity-building activities for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners, and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 11-21.	3.9	50
50	Perceptions of postnatal depression and health care needs in a South African sample: the "mental―in maternal health care. BMC Women's Health, 2014, 14, 140.	2.0	48
51	Understanding the benefits and challenges of community engagement in the development of community mental health services for common mental disorders: Lessons from a case study in a rural South African subdistrict site. Transcultural Psychiatry, 2012, 49, 418-437.	1.6	46
52	Social interventions: a new era for global mental health?. Lancet Psychiatry,the, 2020, 7, 118-119.	7.4	46
53	The effects of chronic violence on preschool children living in South African townships. Child Abuse and Neglect, 1993, 17, 795-803.	2.6	45
54	Detection and treatment initiation for depression and alcohol use disorders: facility-based cross-sectional studies in five low-income and middle-income country districts. BMJ Open, 2018, 8, e023421.	1.9	45

#	Article	IF	Citations
55	Evaluation of a collaborative care model for integrated primary care of common mental disorders comorbid with chronic conditions in South Africa. BMC Psychiatry, 2019, 19, 107.	2.6	45
56	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	3.1	43
57	â€~Mental health is everybody's business': Roles for an intersectoral approach in South Africa. International Review of Psychiatry, 2010, 22, 611-623.	2.8	42
58	Supervision of Task-Shared Mental Health Care in Low-Resource Settings: A Commentary on Programmatic Experience. Global Health, Science and Practice, 2019, 7, 150-159.	1.7	41
59	Estimating the cost of implementing district mental healthcare plans in five low- and middle-income countries: The PRIME study. British Journal of Psychiatry, 2016, 208, s71-s78.	2.8	40
60	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Crossâ€sectional analysis of 588 408 records from the ⟨scp⟩UK⟨/scp⟩. Diabetic Medicine, 2017, 34, 916-924.	2.3	40
61	Optimizing lay counsellor services for chronic care in South Africa: A qualitative systematic review. Patient Education and Counseling, 2014, 95, 201-210.	2.2	39
62	Adapting Evidence-Based Interventions to Meet the Needs of Adolescents Growing Up with HIV in South Africa: The VUKA Case Example. Global Social Welfare, 2014, 1, 97-110.	1.9	38
63	The empirical evidence underpinning the concept and practice of person-centred care for serious illness: a systematic review. BMJ Global Health, 2020, 5, e003330.	4.7	37
64	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. Health Policy and Planning, 2016, 31, 1100-1106.	2.7	36
65	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	1.6	36
66	Barriers and Facilitators to Child and Adolescent Mental Health Services in Low-and-Middle-Income Countries: a Scoping Review. Global Social Welfare, 2021, 8, 29-46.	1.9	36
67	Bridging the gap between VCT and HIV/AIDS treatment uptake: perspectives from a mining-sector workplace in South Africa. African Journal of AIDS Research, 2008, 7, 271-279.	0.9	35
68	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	1.6	35
69	Mediating Social Representations Using a Cartoon Narrative in the Context of HIV/AIDS The AmaQhawe Family Project in South Africa. Journal of Health Psychology, 2006, 11, 197-208.	2.3	34
70	Health system governance to support scale up of mental health care in Ethiopia: a qualitative study. International Journal of Mental Health Systems, 2017, 11, 38.	2.7	34
71	Containment and contagion: How to strengthen families to support youth HIV prevention in South Africa. African Journal of AIDS Research, 2005, 4, 57-63.	0.9	33
72	Impact of district mental health care plans on symptom severity and functioning of patients with priority mental health conditions: the Programme for Improving Mental Health Care (PRIME) cohort protocol. BMC Psychiatry, 2018, 18, 61.	2.6	33

#	Article	lF	Citations
73	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. Systematic Reviews, 2022, 11, 21.	5.3	32
74	Evaluating capacity-building for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 3-10.	3.9	31
75	Primary health care in the era of HIV/AIDS. Some implications for health systems reform. Social Science and Medicine, 2002, 55, 1005-1013.	3.8	30
76	Current situations and future directions for mental health system governance in Nepal: findings from a qualitative study. International Journal of Mental Health Systems, 2017, 11, 37.	2.7	29
77	Closing the treatment gap for depression co-morbid with HIV in South Africa: Voices of afflicted women. Health, 2013, 05, 557-566.	0.3	29
78	†Restoring the person's life': a qualitative study to inform development of care for people with severe mental disorders in rural Ethiopia. Epidemiology and Psychiatric Sciences, 2017, 26, 43-52.	3.9	28
79	Bridging the gap: investigating challenges and way forward for intersectoral provision of psychosocial rehabilitation in South Africa. International Journal of Mental Health Systems, 2016, 10, 21.	2.7	26
80	Validation of a brief mental health screening tool for common mental disorders in primary healthcare. South African Medical Journal, 2019, 109, 278.	0.6	26
81	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. Trials, 2018, 19, 192.	1.6	25
82	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. BJPsych Open, 2019, 5, e73.	0.7	25
83	Primary level psychological services in South Africa: can a new psychological professional fill the gap?. Health Policy and Planning, 2004, 19, 33-40.	2.7	24
84	Partnerships in a Global Mental Health Research Programmeâ€"the Example of PRIME. Global Social Welfare, 2019, 6, 159-175.	1.9	24
85	Mental health promotion initiatives for children and youth in contexts of poverty: the case of South Africa. Health Promotion International, 2010, 25, 331-341.	1.8	23
86	Exploring young women's reproductive decision-making, agency and social norms in South African informal settlements. PLoS ONE, 2020, 15, e0231181.	2.5	22
87	Association of Task-Shared Psychological Interventions With Depression Outcomes in Low- and Middle-Income Countries. JAMA Psychiatry, 2022, 79, 430.	11.0	22
88	Mental health stigma experiences among caregivers and service users in South Africa: a qualitative investigation. Current Psychology, 2023, 42, 9427-9439.	2.8	20
89	What should equity in global health research look like?. Lancet, The, 2022, 400, 145-147.	13.7	20
90	Current Practice Patterns of Clinical and Counselling Psychologists and Their Attitudes to Transforming Mental Health Polices in South Africa. South African Journal of Psychology, 1996, 26, 76-80.	2.0	19

#	Article	IF	Citations
91	An exploratory study of the socio-cultural risk influences for cigarette smoking among Southern Nigerian youth. BMC Public Health, 2014, 14, 1204.	2.9	19
92	The NIMH global mental health research community and COVID-19. Lancet Psychiatry, the, 2020, 7, 834-836.	7.4	19
93	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial Journal of Affective Disorders, 2021. 282. 112-121.	4.1	18
94	Psychological functioning among vertically infected HIV-positive children and their primary caregivers. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 771-777.	1.2	17
95	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. BJPsych Open, 2019, 5, e67.	0.7	17
96	Training for transformation: reorientating primary health care nurses for the provision of mental health care in South Africa. Journal of Advanced Nursing, 1999, 30, 907-915.	3.3	16
97	A Commentary on the Triadic Theory of Influence as a Guide for Adapting HIV Prevention Programs for New Contexts and Populations. Social Work in Mental Health, 2007, 5, 243-267.	1.0	16
98	Mental health and psychosocial support services in primary health care in Nepal: perceived facilitating factors, barriers and strategies for improvement. BMC Psychiatry, 2020, 20, 64.	2.6	15
99	Comprehensive Integrated Primary Mental Health Care in South Africa. The Need for a Shift in the Discourse of Care. South African Journal of Psychology, 1998, 28, 196-203.	2.0	14
100	Challenges facing South Africa's mental health care system: stakeholders' perceptions of causes and potential solutions. International Journal of Culture and Mental Health, 2011, 4, 23-38.	0.6	14
101	Community-based psychosocial rehabilitation for schizophrenia service users in the north west province of South Africa: A formative study. Social Work in Mental Health, 2017, 15, 249-283.	1.0	14
102	Process Evaluation of a Pilot Intervention for Psychosocial Rehabilitation for Service Users with Schizophrenia in North West Province, South Africa. Community Mental Health Journal, 2018, 54, 1089-1096.	2.0	14
103	Perceptions of psychosocial disability amongst psychiatric service users and caregivers in South Africa. African Journal of Disability, 2014, 3, 146.	1.6	13
104	Evaluating the role of levels of exposure to a task shared depression counselling intervention led by behavioural health counsellors: outcome and process evaluation. International Journal of Mental Health Systems, 2019, 13, 42.	2.7	13
105	Evaluation of performance and perceived utility of mental healthcare indicators in routine health information systems in five low- and middle-income countries. BJPsych Open, 2019, 5, e70.	0.7	13
106	Implementing combined WHO mhGAP and adapted group interpersonal psychotherapy to address depression and mental health needs of pregnant adolescents in Kenyan primary health care settings (INSPIRE): a study protocol for pilot feasibility trial of the integrated intervention in LMIC settings. Pilot and Feasibility Studies, 2020, 6, 136.	1.2	13
107	Performance management methods and practices among nurses in primary health care settings: a systematic scoping review protocol. Systematic Reviews, 2020, 9, 40.	5.3	13
108	Facilitating health-enabling social contexts for youth: qualitative evaluation of a family-based HIV-prevention pilot programme. African Journal of AIDS Research, 2009, 8, 61-68.	0.9	12

#	Article	IF	Citations
109	Factors Impeding School Connectedness: A Case Study. South African Journal of Psychology, 2012, 42, 346-357.	2.0	12
110	Mental Health and Health Risk Behaviours of Homeless Adolescents and Youth: A Mixed Methods Study. Child and Youth Care Forum, 2016, 45, 433-449.	1.6	12
111	Experience of implementing new mental health indicators within information systems in six low- and middle-income countries. BJPsych Open, 2019, 5, e71.	0.7	12
112	Planning for child and adolescent mental health interventions in a rural district of South Africa: a situational analysis. Journal of Child and Adolescent Mental Health, 2020, 32, 45-65.	1.7	12
113	Pushing the bench: A mixed methods study of barriers to and facilitators of identification and referral into depression care by professional nurses in KwaZulu-Natal, South Africa. SSM Mental Health, 2021, 1, 100009.	1.8	12
114	Health systems strengthening to optimise scale-up in global mental health in low- and middle-income countries: lessons from the frontlines. A re-appraisal. Epidemiology and Psychiatric Sciences, 2020, 29, e135.	3.9	11
115	Promotion of mental health and prevention of mental disorders: priorities for implementation. Eastern Mediterranean Health Journal, 2015, 12, 503-511.	0.8	11
116	Mental health promotion and the prevention of mental disorders in South Africa. African Journal of Psychiatry, 2012, 15, 411-6.	0.1	11
117	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. Global Health Action, 2022, 15, 1987044.	1.9	11
118	State and non-state mental health service collaboration in a South African district: a mixed methods study. Health Policy and Planning, 2018, 33, 516-527.	2.7	10
119	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. BJPsych Open, 2019, 5, e72.	0.7	10
120	Implementation and Scale-Up of Integrated Depression Care in South Africa: An Observational Implementation Research Protocol. Psychiatric Services, 2021, 72, 1065-1075.	2.0	10
121	Adapting and disseminating a community-collaborative, evidence-based HIV/AIDS prevention programme: Lessons from the history of CHAMP. Vulnerable Children and Youth Studies, 2008, 3, 150-158.	1.1	9
122	Patterns of disclosure and antiretroviral treatment adherence in a South African mining workplace programme and implications for HIV prevention. African Journal of AIDS Research, 2011, 10, 357-368.	0.9	9
123	HIV+ and HIV– youth living in group homes in South Africa need more psychosocial support. Vulnerable Children and Youth Studies, 2013, 8, 195-205.	1.1	9
124	"A Woman is not Supposed To Smoke― Exploring Gendered Stereotypes in Smoking Patterns in a Nigerian Setting. Journal of Psychology, 2014, 5, 1-7.	0.1	9
125	Risk correlates for physical-mental multimorbidities in South Africa: a cross-sectional study. Epidemiology and Psychiatric Sciences, 2019, 28, 418-426.	3.9	9
126	Did young women in South African informal settlements display increased agency after participating in the Stepping Stones and Creating Futures intervention? A qualitative evaluation. Social Science and Medicine, 2020, 265, 113302.	3.8	8

#	Article	IF	CITATIONS
127	Identifying contextual determinants of problems in tuberculosis care provision in South Africa: a theory-generating case study. Infectious Diseases of Poverty, 2021, 10, 67.	3.7	8
128	South African Indian Women Screened for Postpartum Depression: A Multiple Case Study of Postpartum Experiences. South African Journal of Psychology, 2012, 42, 37-50.	2.0	7
129	Identifying challenges and recommendations for advancing global mental health implementation research: A key informant study of the National Institute of Mental Health Scale-Up Hubs. Asian Journal of Psychiatry, 2021, 57, 102557.	2.0	7
130	A systematic review of impact of person-centred interventions for serious physical illness in terms of outcomes and costs. BMJ Open, 2022, 12, e054386.	1.9	7
131	Performance management in primary healthcare: Nurses' experiences. Curationis, 2020, 43, e1-e11.	0.7	6
132	Patient-level predictors of detection of depressive symptoms, referral, and uptake of depression counseling among chronic care patients in KwaZulu-Natal, South Africa. Global Mental Health (Cambridge, England), 2020, 7, e18.	2.5	6
133	Health service costs and their association with functional impairment among adults receiving integrated mental health care in five low- and middle-income countries: the PRIME cohort study. Health Policy and Planning, 2020, 35, 567-576.	2.7	6
134	Making consultation meaningful: Insights from a case study of the South African mental health policy consultation process. PLoS ONE, 2020, 15, e0228281.	2.5	6
135	Current strategies in the reduction of stigma among caregivers of patients with mental illness: a scoping review. South African Journal of Psychology, 2022, 52, 73-86.	2.0	6
136	COVID-19 and global mental health. Lancet Psychiatry,the, 2021, 8, 458-459.	7.4	6
137	The development of a Community Mental Health Education and Detection (CMED) tool in South Africa. SSM Mental Health, 2021, 1, 100023.	1.8	6
138	Community Participation in Tobacco Control in a Nigerian Setting. Journal of Psychology in Africa, 2013, 23, 311-315.	0.6	5
139	Personal and occupational experiences of COVID-19 and their effects on South African health workers' wellbeing. South African Medical Journal, 2021, 111, 607.	0.6	5
140	Mapping services at two Nairobi County primary health facilities: identifying challenges and opportunities in integrated mental health care as a Universal Health Coverage (UHC) priority. Annals of General Psychiatry, 2021, 20, 37.	2.7	5
141	Community Psychology in South Africa. , 2007, , 377-391.		5
142	Feasibility and acceptability of a mental health stigma intervention for low-income South African caregivers: A qualitative investigation. South African Journal of Psychiatry, 2022, 28, 1824.	0.4	5
143	The development and evaluation of a manualised participatory HIV/AIDS risk reduction programme (Sex) Tj ${\sf ETQq1}$	10.7843	14 rgBT /O\
144	Evaluating the integration of chronic care elements in primary health care for people with mental illness: a longitudinal study in Nepal conducted among primary health care workers. BMC Health Services Research, 2020, 20, 632.	2.2	4

#	Article	IF	CITATIONS
145	Integrating task-sharing psychological treatments within primary health care services: Systems considerations. Journal of Health Services Research and Policy, 2021, 26, 149-150.	1.7	4
146	HIV and Youth: A Behavioural Perspective. , 2009, , 55-68.		4
147	From policy to praxis—a framework for the delivery of district mental health care in KwaZulu-Natal. South African Medical Journal, 2000, 90, 798-804.	0.6	4
148	Characteristics and correlates of alcohol consumption among adult chronic care patients in North West Province, South Africa. South African Medical Journal, 2017, 107, 636.	0.6	3
149	Stakeholders' perceptions of child and adolescent mental health services in a South African district: a qualitative study. International Journal of Mental Health Systems, 2020, 14, 73.	2.7	3
150	Fuzzy-set qualitative comparative analysis of implementation outcomes in an integrated mental healthcare trial in South Africa. Global Health Action, 2021, 14, 1940761.	1.9	3
151	Beyond the Individual: Promoting Mental and Behavioural Health in Low- and Middle-income Countries. Journal of Psychology in Africa, 2012, 22, 559-565.	0.6	2
152	A Qualitative Exploration of the Theory of Triadic Influence in a Nigerian Setting: The Case of Cigarette Smoking. Psychological Studies, 2017, 62, 314-325.	1.0	2
153	Policymaking through a knowledge lens: Using the embodied-enacted-inscribed knowledge framework to illuminate the transfer of knowledge in a mental health policy consultation process $\hat{a} \in A$ South African case study. PLoS ONE, 2021, 16, e0244940.	2.5	2
154	Psychosocial and behavioural correlates of attitudes towards antiretroviral therapy (ART) in a sample of South African mineworkers. Sahara J, 2011, 8, 55-64.	0.7	1
155	Cigarette smoking among Southern Nigerian youth and what geopolitical zones got to do with it. Vulnerable Children and Youth Studies, 2016, 11, 251-262.	1.1	1
156	Predictors of receiving a diagnosis, referral and treatment of depression in people on antiretroviral therapy in South African primary care: a secondary analysis of data from a randomised trial. Tropical Medicine and International Health, 2020, 25, 1450-1466.	2.3	1
157	Strengthening System and Implementation Research Capacity for Child Mental Health and Family Well-being in Sub-Saharan Africa. Global Social Welfare, 2022, 9, 37-53.	1.9	1
158	Health systems strengthening to optimise scale-up in global mental health in low- and middle-income countries: lessons from the frontlines. Epidemiology and Psychiatric Sciences, 2020, 29, e101.	3.9	1
159	Population and Community Platform Interventions. , 2016, , 183-200.		1
160	Implementing Mental Health Promotion in Primary Care. , 2019, , 465-504.		1
161	CIVIL CONFLICT IN MPUMULANGA: SOME MENTAL HEALTH SEQUELAE IN A SAMPLE OF CHILDREN AND THEIR PRIMARY CAREGIVERS. Southern African Journal of Child and Adolescent Mental Health, 1992, 4, 42-45.	0.1	0
162	Collaborative care models: A global perspective. , 2019, , 153-170.		0

#	Article	IF	CITATIONS
163	Health systems strengthening to optimise scale-up in global mental health in low- and middle-income countries: lessons from the frontlines – RETRACTION. Epidemiology and Psychiatric Sciences, 2020, 29, .	3.9	0
164	Modifying Group Interpersonal Psychotherapy for Peripartum Adolescents in Sub-Saharan African Context: Reviewing Differential Contextual and Implementation Considerations. Clinical Medicine Insights Psychiatry, 2022, 13, 117955732210755.	0.7	0
165	Title is missing!. , 2020, 15, e0228281.		0
166	Title is missing!. , 2020, 15, e0228281.		0
167	Title is missing!. , 2020, 15, e0228281.		O
168	Title is missing!. , 2020, 15, e0228281.		0
169	Identifying multilevel and multisectoral strategies to develop a Theory of Change for improving child and adolescent mental health services in a case-study district in South Africa. Child and Adolescent Psychiatry and Mental Health, 2022, 16, .	2.5	0