

Inge Petersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4106640/publications.pdf>

Version: 2024-02-01

169
papers

7,478
citations

47006

47
h-index

66911

78
g-index

174
all docs

174
docs citations

174
times ranked

6857
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental health stigma experiences among caregivers and service users in South Africa: a qualitative investigation. <i>Current Psychology</i> , 2023, 42, 9427-9439.	2.8	20
2	Strengthening System and Implementation Research Capacity for Child Mental Health and Family Well-being in Sub-Saharan Africa. <i>Global Social Welfare</i> , 2022, 9, 37-53.	1.9	1
3	Current strategies in the reduction of stigma among caregivers of patients with mental illness: a scoping review. <i>South African Journal of Psychology</i> , 2022, 52, 73-86.	2.0	6
4	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. <i>Global Health Action</i> , 2022, 15, 1987044.	1.9	11
5	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2022, 11, 21.	5.3	32
6	Modifying Group Interpersonal Psychotherapy for Peripartum Adolescents in Sub-Saharan African Context: Reviewing Differential Contextual and Implementation Considerations. <i>Clinical Medicine Insights Psychiatry</i> , 2022, 13, 117955732210755.	0.7	0
7	Feasibility and acceptability of a mental health stigma intervention for low-income South African caregivers: A qualitative investigation. <i>South African Journal of Psychiatry</i> , 2022, 28, 1824.	0.4	5
8	Association of Task-Shared Psychological Interventions With Depression Outcomes in Low- and Middle-Income Countries. <i>JAMA Psychiatry</i> , 2022, 79, 430.	11.0	22
9	What should equity in global health research look like?. <i>Lancet, The</i> , 2022, 400, 145-147.	13.7	20
10	Identifying multilevel and multisectoral strategies to develop a Theory of Change for improving child and adolescent mental health services in a case-study district in South Africa. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022, 16, .	2.5	0
11	A systematic review of impact of person-centred interventions for serious physical illness in terms of outcomes and costs. <i>BMJ Open</i> , 2022, 12, e054386.	1.9	7
12	Barriers and Facilitators to Child and Adolescent Mental Health Services in Low-and-Middle-Income Countries: a Scoping Review. <i>Global Social Welfare</i> , 2021, 8, 29-46.	1.9	36
13	Policymaking through a knowledge lens: Using the embodied-enacted-inscribed knowledge framework to illuminate the transfer of knowledge in a mental health policy consultation process – A South African case study. <i>PLoS ONE</i> , 2021, 16, e0244940.	2.5	2
14	Fuzzy-set qualitative comparative analysis of implementation outcomes in an integrated mental healthcare trial in South Africa. <i>Global Health Action</i> , 2021, 14, 1940761.	1.9	3
15	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial.. <i>Journal of Affective Disorders</i> , 2021, 282, 112-121.	4.1	18
16	Identifying challenges and recommendations for advancing global mental health implementation research: A key informant study of the National Institute of Mental Health Scale-Up Hubs. <i>Asian Journal of Psychiatry</i> , 2021, 57, 102557.	2.0	7
17	Personal and occupational experiences of COVID-19 and their effects on South African health workers' wellbeing. <i>South African Medical Journal</i> , 2021, 111, 607.	0.6	5
18	Identifying contextual determinants of problems in tuberculosis care provision in South Africa: a theory-generating case study. <i>Infectious Diseases of Poverty</i> , 2021, 10, 67.	3.7	8

#	ARTICLE	IF	CITATIONS
19	COVID-19 and global mental health. <i>Lancet Psychiatry</i> , 2021, 8, 458-459.	7.4	6
20	Integrating task-sharing psychological treatments within primary health care services: Systems considerations. <i>Journal of Health Services Research and Policy</i> , 2021, 26, 149-150.	1.7	4
21	Mapping services at two Nairobi County primary health facilities: identifying challenges and opportunities in integrated mental health care as a Universal Health Coverage (UHC) priority. <i>Annals of General Psychiatry</i> , 2021, 20, 37.	2.7	5
22	The development of a Community Mental Health Education and Detection (CMED) tool in South Africa. <i>SSM Mental Health</i> , 2021, 1, 100023.	1.8	6
23	Implementation and Scale-Up of Integrated Depression Care in South Africa: An Observational Implementation Research Protocol. <i>Psychiatric Services</i> , 2021, 72, 1065-1075.	2.0	10
24	Pushing the bench: A mixed methods study of barriers to and facilitators of identification and referral into depression care by professional nurses in KwaZulu-Natal, South Africa. <i>SSM Mental Health</i> , 2021, 1, 100009.	1.8	12
25	Social interventions: a new era for global mental health?. <i>Lancet Psychiatry</i> , 2020, 7, 118-119.	7.4	46
26	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 130, 103466.	3.1	43
27	Did young women in South African informal settlements display increased agency after participating in the Stepping Stones and Creating Futures intervention? A qualitative evaluation. <i>Social Science and Medicine</i> , 2020, 265, 113302.	3.8	8
28	Stakeholders' perceptions of child and adolescent mental health services in a South African district: a qualitative study. <i>International Journal of Mental Health Systems</i> , 2020, 14, 73.	2.7	3
29	Performance management in primary healthcare: Nurses' experiences. <i>Curationis</i> , 2020, 43, e1-e11.	0.7	6
30	Evaluating the integration of chronic care elements in primary health care for people with mental illness: a longitudinal study in Nepal conducted among primary health care workers. <i>BMC Health Services Research</i> , 2020, 20, 632.	2.2	4
31	Implementing combined WHO mhGAP and adapted group interpersonal psychotherapy to address depression and mental health needs of pregnant adolescents in Kenyan primary health care settings (INSPIRE): a study protocol for pilot feasibility trial of the integrated intervention in LMIC settings. <i>Pilot and Feasibility Studies</i> , 2020, 6, 136.	1.2	13
32	Predictors of receiving a diagnosis, referral and treatment of depression in people on antiretroviral therapy in South African primary care: a secondary analysis of data from a randomised trial. <i>Tropical Medicine and International Health</i> , 2020, 25, 1450-1466.	2.3	1
33	Patient-level predictors of detection of depressive symptoms, referral, and uptake of depression counseling among chronic care patients in KwaZulu-Natal, South Africa. <i>Global Mental Health (Cambridge, England)</i> , 2020, 7, e18.	2.5	6
34	Health systems strengthening to optimise scale-up in global mental health in low- and middle-income countries: lessons from the frontlines. A re-appraisal. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e135.	3.9	11
35	The NIMH global mental health research community and COVID-19. <i>Lancet Psychiatry</i> , 2020, 7, 834-836.	7.4	19
36	The empirical evidence underpinning the concept and practice of person-centred care for serious illness: a systematic review. <i>BMJ Global Health</i> , 2020, 5, e003330.	4.7	37

#	ARTICLE	IF	CITATIONS
37	Health systems strengthening to optimise scale-up in global mental health in low- and middle-income countries: lessons from the frontlines – RETRACTION. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, .	3.9	0
38	Planning for child and adolescent mental health interventions in a rural district of South Africa: a situational analysis. <i>Journal of Child and Adolescent Mental Health</i> , 2020, 32, 45-65.	1.7	12
39	Health service costs and their association with functional impairment among adults receiving integrated mental health care in five low- and middle-income countries: the PRIME cohort study. <i>Health Policy and Planning</i> , 2020, 35, 567-576.	2.7	6
40	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	5.0	113
41	Performance management methods and practices among nurses in primary health care settings: a systematic scoping review protocol. <i>Systematic Reviews</i> , 2020, 9, 40.	5.3	13
42	Mental health and psychosocial support services in primary health care in Nepal: perceived facilitating factors, barriers and strategies for improvement. <i>BMC Psychiatry</i> , 2020, 20, 64.	2.6	15
43	Comorbidities between tuberculosis and common mental disorders: a scoping review of epidemiological patterns and person-centred care interventions from low-to-middle income and BRICS countries. <i>Infectious Diseases of Poverty</i> , 2020, 9, 4.	3.7	50
44	Making consultation meaningful: Insights from a case study of the South African mental health policy consultation process. <i>PLoS ONE</i> , 2020, 15, e0228281.	2.5	6
45	Exploring young women’s reproductive decision-making, agency and social norms in South African informal settlements. <i>PLoS ONE</i> , 2020, 15, e0231181.	2.5	22
46	Health systems strengthening to optimise scale-up in global mental health in low- and middle-income countries: lessons from the frontlines. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e101.	3.9	1
47	Title is missing!. , 2020, 15, e0228281.		0
48	Title is missing!. , 2020, 15, e0228281.		0
49	Title is missing!. , 2020, 15, e0228281.		0
50	Title is missing!. , 2020, 15, e0228281.		0
51	Supervision of Task-Shared Mental Health Care in Low-Resource Settings: A Commentary on Programmatic Experience. <i>Global Health, Science and Practice</i> , 2019, 7, 150-159.	1.7	41
52	Experience of implementing new mental health indicators within information systems in six low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e71.	0.7	12
53	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. <i>BJPsych Open</i> , 2019, 5, e67.	0.7	17
54	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e72.	0.7	10

#	ARTICLE	IF	CITATIONS
55	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. <i>BJPsych Open</i> , 2019, 5, e69.	0.7	51
56	Evaluating the role of levels of exposure to a task shared depression counselling intervention led by behavioural health counsellors: outcome and process evaluation. <i>International Journal of Mental Health Systems</i> , 2019, 13, 42.	2.7	13
57	Validation of a brief mental health screening tool for common mental disorders in primary healthcare. <i>South African Medical Journal</i> , 2019, 109, 278.	0.6	26
58	Evaluation of a collaborative care model for integrated primary care of common mental disorders comorbid with chronic conditions in South Africa. <i>BMC Psychiatry</i> , 2019, 19, 107.	2.6	45
59	Collaborative care models: A global perspective. , 2019, , 153-170.		0
60	Evaluation of performance and perceived utility of mental healthcare indicators in routine health information systems in five low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e70.	0.7	13
61	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2019, 6, 174-186.	7.4	72
62	Partnerships in a Global Mental Health Research Programme—the Example of PRIME. <i>Global Social Welfare</i> , 2019, 6, 159-175.	1.9	24
63	Risk correlates for physical-mental multimorbidities in South Africa: a cross-sectional study. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 418-426.	3.9	9
64	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. <i>BJPsych Open</i> , 2019, 5, e73.	0.7	25
65	Implementing Mental Health Promotion in Primary Care. , 2019, , 465-504.		1
66	State and non-state mental health service collaboration in a South African district: a mixed methods study. <i>Health Policy and Planning</i> , 2018, 33, 516-527.	2.7	10
67	Suicidal ideation and behaviour among community and health care seeking populations in five low- and middle-income countries: a cross-sectional study. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 393-402.	3.9	87
68	Evaluating capacity-building for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners and researchers. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 3-10.	3.9	31
69	Detection and treatment initiation for depression and alcohol use disorders: facility-based cross-sectional studies in five low-income and middle-income country districts. <i>BMJ Open</i> , 2018, 8, e023421.	1.9	45
70	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. <i>Trials</i> , 2018, 19, 193.	1.6	36
71	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. <i>Trials</i> , 2018, 19, 192.	1.6	25
72	Impact of district mental health care plans on symptom severity and functioning of patients with priority mental health conditions: the Programme for Improving Mental Health Care (PRIME) cohort protocol. <i>BMC Psychiatry</i> , 2018, 18, 61.	2.6	33

#	ARTICLE	IF	CITATIONS
73	Process Evaluation of a Pilot Intervention for Psychosocial Rehabilitation for Service Users with Schizophrenia in North West Province, South Africa. <i>Community Mental Health Journal</i> , 2018, 54, 1089-1096.	2.0	14
74	Developing capacity-building activities for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners, and researchers. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 11-21.	3.9	50
75	Community-based psychosocial rehabilitation for schizophrenia service users in the north west province of South Africa: A formative study. <i>Social Work in Mental Health</i> , 2017, 15, 249-283.	1.0	14
76	“Restoring the person's life”: a qualitative study to inform development of care for people with severe mental disorders in rural Ethiopia. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 43-52.	3.9	28
77	Health systems context(s) for integrating mental health into primary health care in six Emerald countries: a situation analysis. <i>International Journal of Mental Health Systems</i> , 2017, 11, 7.	2.7	55
78	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017, 34, 916-924.	2.3	40
79	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. <i>Health Policy and Planning</i> , 2017, 32, 699-709.	2.7	127
80	Health system governance to support scale up of mental health care in Ethiopia: a qualitative study. <i>International Journal of Mental Health Systems</i> , 2017, 11, 38.	2.7	34
81	Current situations and future directions for mental health system governance in Nepal: findings from a qualitative study. <i>International Journal of Mental Health Systems</i> , 2017, 11, 37.	2.7	29
82	A Qualitative Exploration of the Theory of Triadic Influence in a Nigerian Setting: The Case of Cigarette Smoking. <i>Psychological Studies</i> , 2017, 62, 314-325.	1.0	2
83	Characteristics and correlates of alcohol consumption among adult chronic care patients in North West Province, South Africa. <i>South African Medical Journal</i> , 2017, 107, 636.	0.6	3
84	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. <i>Health Policy and Planning</i> , 2016, 31, 1100-1106.	2.7	36
85	Integrating mental health into chronic care in South Africa: The development of a district mental healthcare plan. <i>British Journal of Psychiatry</i> , 2016, 208, s29-s39.	2.8	87
86	Promotion, prevention and protection: interventions at the population- and community-levels for mental, neurological and substance use disorders in low- and middle-income countries. <i>International Journal of Mental Health Systems</i> , 2016, 10, 30.	2.7	68
87	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. <i>British Journal of Psychiatry</i> , 2016, 208, s47-s54.	2.8	73
88	Planning and evaluating mental health services in low- and middle-income countries using theory of change. <i>British Journal of Psychiatry</i> , 2016, 208, s55-s62.	2.8	69
89	Estimating the cost of implementing district mental healthcare plans in five low- and middle-income countries: The PRIME study. <i>British Journal of Psychiatry</i> , 2016, 208, s71-s78.	2.8	40
90	Resilience in perinatal HIV+ adolescents in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 49-59.	1.2	64

#	ARTICLE	IF	CITATIONS
91	Mental Health and Health Risk Behaviours of Homeless Adolescents and Youth: A Mixed Methods Study. <i>Child and Youth Care Forum</i> , 2016, 45, 433-449.	1.6	12
92	Evaluation of district mental healthcare plans: The PRIME consortium methodology. <i>British Journal of Psychiatry</i> , 2016, 208, s63-s70.	2.8	92
93	Bridging the gap: investigating challenges and way forward for intersectoral provision of psychosocial rehabilitation in South Africa. <i>International Journal of Mental Health Systems</i> , 2016, 10, 21.	2.7	26
94	Maternal mental health in primary care in five low- and middle-income countries: a situational analysis. <i>BMC Health Services Research</i> , 2016, 16, 53.	2.2	110
95	Cigarette smoking among Southern Nigerian youth and what geopolitical zones got to do with it. <i>Vulnerable Children and Youth Studies</i> , 2016, 11, 251-262.	1.1	1
96	Psychological functioning among vertically infected HIV-positive children and their primary caregivers. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 771-777.	1.2	17
97	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2016, 387, 1672-1685.	13.7	586
98	Population and Community Platform Interventions. , 2016, , 183-200.		1
99	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. <i>Epidemiology and Psychiatric Sciences</i> , 2015, 24, 233-240.	3.9	77
100	Correlates of psychological functioning of homeless youth in Accra, Ghana: a cross-sectional study. <i>International Journal of Mental Health Systems</i> , 2015, 9, 1.	2.7	71
101	Systematic review of feasibility and acceptability of psychosocial interventions for schizophrenia in low and middle income countries. <i>BMC Psychiatry</i> , 2015, 15, 19.	2.6	62
102	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. <i>BMC Medicine</i> , 2015, 13, 79.	5.5	190
103	Health system governance to support integrated mental health care in South Africa: challenges and opportunities. <i>International Journal of Mental Health Systems</i> , 2015, 9, 14.	2.7	83
104	The validity of the Patient Health Questionnaire for screening depression in chronic care patients in primary health care in South Africa. <i>BMC Psychiatry</i> , 2015, 15, 118.	2.6	127
105	Promotion of mental health and prevention of mental disorders: priorities for implementation. <i>Eastern Mediterranean Health Journal</i> , 2015, 12, 503-511.	0.8	11
106	“A Woman is not Supposed To Smoke”: Exploring Gendered Stereotypes in Smoking Patterns in a Nigerian Setting. <i>Journal of Psychology</i> , 2014, 5, 1-7.	0.1	9
107	Perceptions of psychosocial disability amongst psychiatric service users and caregivers in South Africa. <i>African Journal of Disability</i> , 2014, 3, 146.	1.6	13
108	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 457.	1.6	35

#	ARTICLE	IF	CITATIONS
109	Substance use and risky sexual behaviours among street connected children and youth in Accra, Ghana. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014, 9, 45.	2.2	55
110	The VUKA family program: Piloting a family-based psychosocial intervention to promote health and mental health among HIV infected early adolescents in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014, 26, 1-11.	1.2	165
111	Psychiatric stigma and discrimination in South Africa: perspectives from key stakeholders. <i>BMC Psychiatry</i> , 2014, 14, 191.	2.6	71
112	An exploratory study of the socio-cultural risk influences for cigarette smoking among Southern Nigerian youth. <i>BMC Public Health</i> , 2014, 14, 1204.	2.9	19
113	Perceptions of postnatal depression and health care needs in a South African sample: the "mental" in maternal health care. <i>BMC Women's Health</i> , 2014, 14, 140.	2.0	48
114	A group-based counselling intervention for depression comorbid with HIV/AIDS using a task shifting approach in South Africa: A randomized controlled pilot study. <i>Journal of Affective Disorders</i> , 2014, 158, 78-84.	4.1	120
115	Optimizing lay counsellor services for chronic care in South Africa: A qualitative systematic review. <i>Patient Education and Counseling</i> , 2014, 95, 201-210.	2.2	39
116	Acceptability and feasibility of using non-specialist health workers to deliver mental health care: Stakeholder perceptions from the PRIME district sites in Ethiopia, India, Nepal, South Africa, and Uganda. <i>Social Science and Medicine</i> , 2014, 118, 33-42.	3.8	259
117	Adapting Evidence-Based Interventions to Meet the Needs of Adolescents Growing Up with HIV in South Africa: The VUKA Case Example. <i>Global Social Welfare</i> , 2014, 1, 97-110.	1.9	38
118	Using workshops to develop theories of change in five low and middle income countries: lessons from the programme for improving mental health care (PRIME). <i>International Journal of Mental Health Systems</i> , 2014, 8, 15.	2.7	60
119	Closing the mental health treatment gap in South Africa: a review of costs and cost-effectiveness. <i>Global Health Action</i> , 2014, 7, 23431.	1.9	75
120	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. <i>PLoS ONE</i> , 2014, 9, e88437.	2.5	255
121	Community Participation in Tobacco Control in a Nigerian Setting. <i>Journal of Psychology in Africa</i> , 2013, 23, 311-315.	0.6	5
122	HIV+ and HIV- youth living in group homes in South Africa need more psychosocial support. <i>Vulnerable Children and Youth Studies</i> , 2013, 8, 195-205.	1.1	9
123	Closing the treatment gap for depression co-morbid with HIV in South Africa: Voices of afflicted women. <i>Health</i> , 2013, 05, 557-566.	0.3	29
124	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. <i>PLoS Medicine</i> , 2012, 9, e1001359.	8.4	436
125	Understanding the benefits and challenges of community engagement in the development of community mental health services for common mental disorders: Lessons from a case study in a rural South African subdistrict site. <i>Transcultural Psychiatry</i> , 2012, 49, 418-437.	1.6	46
126	Beyond the Individual: Promoting Mental and Behavioural Health in Low- and Middle-income Countries. <i>Journal of Psychology in Africa</i> , 2012, 22, 559-565.	0.6	2

#	ARTICLE	IF	CITATIONS
127	A task shifting approach to primary mental health care for adults in South Africa: human resource requirements and costs for rural settings. <i>Health Policy and Planning</i> , 2012, 27, 42-51.	2.7	125
128	South African Indian Women Screened for Postpartum Depression: A Multiple Case Study of Postpartum Experiences. <i>South African Journal of Psychology</i> , 2012, 42, 37-50.	2.0	7
129	Factors Impeding School Connectedness: A Case Study. <i>South African Journal of Psychology</i> , 2012, 42, 346-357.	2.0	12
130	Mental Health Services in South Africa: Taking stock. <i>African Journal of Psychiatry</i> , 2012, 15, 402-5.	0.1	57
131	The Feasibility of Adapted Group-Based Interpersonal Therapy (IPT) for the Treatment of Depression by Community Health Workers Within the Context of Task Shifting in South Africa. <i>Community Mental Health Journal</i> , 2012, 48, 336-341.	2.0	86
132	Mental health promotion and the prevention of mental disorders in South Africa. <i>African Journal of Psychiatry</i> , 2012, 15, 411-6.	0.1	11
133	Psychosocial and behavioural correlates of attitudes towards antiretroviral therapy (ART) in a sample of South African mineworkers. <i>Sahara J</i> , 2011, 8, 55-64.	0.7	1
134	Patterns of disclosure and antiretroviral treatment adherence in a South African mining workplace programme and implications for HIV prevention. <i>African Journal of AIDS Research</i> , 2011, 10, 357-368.	0.9	9
135	Challenges facing South Africa's mental health care system: stakeholders' perceptions of causes and potential solutions. <i>International Journal of Culture and Mental Health</i> , 2011, 4, 23-38.	0.6	14
136	Optimizing mental health services in low-income and middle-income countries. <i>Current Opinion in Psychiatry</i> , 2011, 24, 318-323.	6.3	92
137	Lessons from case studies of integrating mental health into primary health care in South Africa and Uganda. <i>International Journal of Mental Health Systems</i> , 2011, 5, 8.	2.7	90
138	Mental health service delivery in South Africa from 2000 to 2010: one step forward, one step back. <i>South African Medical Journal</i> , 2011, 101, 751-7.	0.6	84
139	Family-based HIV prevention and intervention services for youth living in poverty-affected contexts: the CHAMP model of collaborative, evidence-informed programme development. <i>Journal of the International AIDS Society</i> , 2010, 13, S8.	3.0	57
140	Mental health promotion initiatives for children and youth in contexts of poverty: the case of South Africa. <i>Health Promotion International</i> , 2010, 25, 331-341.	1.8	23
141	Psychosocial challenges and protective influences for socio-emotional coping of HIV+ adolescents in South Africa: a qualitative investigation. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 970-978.	1.2	164
142	Collaboration Between Traditional Practitioners and Primary Health Care Staff in South Africa: Developing a Workable Partnership for Community Mental Health Services. <i>Transcultural Psychiatry</i> , 2010, 47, 610-628.	1.6	159
143	Implementing the World Health Report 2001 recommendations for integrating mental health into primary health care: A situation analysis of three African countries: Ghana, South Africa and Uganda. <i>International Review of Psychiatry</i> , 2010, 22, 599-610.	2.8	51
144	"Mental health is everybody's business": Roles for an intersectoral approach in South Africa. <i>International Review of Psychiatry</i> , 2010, 22, 611-623.	2.8	42

#	ARTICLE	IF	CITATIONS
145	Facilitating health-enabling social contexts for youth: qualitative evaluation of a family-based HIV-prevention pilot programme. <i>African Journal of AIDS Research</i> , 2009, 8, 61-68.	0.9	12
146	Planning for district mental health services in South Africa: a situational analysis of a rural district site. <i>Health Policy and Planning</i> , 2009, 24, 140-150.	2.7	84
147	HIV and Youth: A Behavioural Perspective. , 2009, , 55-68.		4
148	Bridging the gap between VCT and HIV/AIDS treatment uptake: perspectives from a mining-sector workplace in South Africa. <i>African Journal of AIDS Research</i> , 2008, 7, 271-279.	0.9	35
149	Adapting and disseminating a community-collaborative, evidence-based HIV/AIDS prevention programme: Lessons from the history of CHAMP. <i>Vulnerable Children and Youth Studies</i> , 2008, 3, 150-158.	1.1	9
150	Building Protective Factors to Offset Sexually Risky Behaviors among Black Youths: A Randomized Control Trial. <i>Journal of the National Medical Association</i> , 2008, 100, 936-944.	0.8	123
151	A Commentary on the Triadic Theory of Influence as a Guide for Adapting HIV Prevention Programs for New Contexts and Populations. <i>Social Work in Mental Health</i> , 2007, 5, 243-267.	1.0	16
152	Mental Health Policy Development and Implementation in Four African Countries. <i>Journal of Health Psychology</i> , 2007, 12, 505-516.	2.3	116
153	Community Psychology in South Africa. , 2007, , 377-391.		5
154	Community Collaborative Youth-Focused HIV/AIDS Prevention in South Africa and Trinidad: Preliminary Findings. <i>Journal of Pediatric Psychology</i> , 2006, 31, 905-916.	2.1	50
155	Mediating Social Representations Using a Cartoon Narrative in the Context of HIV/AIDS The AmaQhawe Family Project in South Africa. <i>Journal of Health Psychology</i> , 2006, 11, 197-208.	2.3	34
156	Sexual violence and youth in South Africa: The need for community-based prevention interventions. <i>Child Abuse and Neglect</i> , 2005, 29, 1233-1248.	2.6	95
157	Containment and contagion: How to strengthen families to support youth HIV prevention in South Africa. <i>African Journal of AIDS Research</i> , 2005, 4, 57-63.	0.9	33
158	Primary level psychological services in South Africa: can a new psychological professional fill the gap?. <i>Health Policy and Planning</i> , 2004, 19, 33-40.	2.7	24
159	Children and youth at risk: adaptation and pilot study of the CHAMP (Amaqhawe) programme in South Africa. <i>African Journal of AIDS Research</i> , 2004, 3, 33-41.	0.9	55
160	The development and evaluation of a manualised participatory HIV/AIDS risk reduction programme (Sex Tj ETQq0 0,0 rgBT /Qverlock 10	0.9	4
161	Primary health care in the era of HIV/AIDS. Some implications for health systems reform. <i>Social Science and Medicine</i> , 2002, 55, 1005-1013.	3.8	30
162	Comprehensive integrated primary mental health care for South Africa. Pipedream or possibility?. <i>Social Science and Medicine</i> , 2000, 51, 321-334.	3.8	74

#	ARTICLE	IF	CITATIONS
163	From policy to praxis--a framework for the delivery of district mental health care in KwaZulu-Natal. South African Medical Journal, 2000, 90, 798-804.	0.6	4
164	Training for transformation: reorientating primary health care nurses for the provision of mental health care in South Africa. Journal of Advanced Nursing, 1999, 30, 907-915.	3.3	16
165	Comprehensive Integrated Primary Mental Health Care in South Africa. The Need for a Shift in the Discourse of Care. South African Journal of Psychology, 1998, 28, 196-203.	2.0	14
166	Prevalence of minor psychiatric disorders in an adult African rural community in South Africa. Psychological Medicine, 1998, 28, 1137-1147.	4.5	83
167	Current Practice Patterns of Clinical and Counselling Psychologists and Their Attitudes to Transforming Mental Health Polices in South Africa. South African Journal of Psychology, 1996, 26, 76-80.	2.0	19
168	The effects of chronic violence on preschool children living in South African townships. Child Abuse and Neglect, 1993, 17, 795-803.	2.6	45
169	CIVIL CONFLICT IN MPUMULANGA: SOME MENTAL HEALTH SEQUELAE IN A SAMPLE OF CHILDREN AND THEIR PRIMARY CAREGIVERS. Southern African Journal of Child and Adolescent Mental Health, 1992, 4, 42-45.	0.1	0