Mohamad Reza Nasresfahani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4108116/publications.pdf

Version: 2024-02-01

1478505 1281871 16 121 11 6 citations g-index h-index papers 16 16 16 93 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | WEAR ANALYSIS OF ALUMINUM–NICKEL INTERMETALLIC SURFACE COMPOSITE FABRICATED BY FRICTION STIR PROCESSING. Surface Review and Letters, 2021, 28, 2050057. | 1.1 | 2 |
| 2 | Effect of Degassing on Hot Tearing Tendency of A206 Aluminum Cast Alloy. International Journal of Metalcasting, 2020, 14, 538-546. | 1.9 | 8 |
| 3 | Abnormal grain growth during annealing in the Al/Al ₂ O ₃ composite produced by accumulative roll bonding. Materials Research Express, 2020, 7, 046515. | 1.6 | 0 |
| 4 | Characterization of Al1100-RHA composite developed by accumulative roll bonding. Journal of Composite Materials, 2019, 53, 2047-2052. | 2.4 | 4 |
| 5 | Development and characterization of Al/MWCNT–Al2O3 hybrid composite by accumulative roll bonding. Journal of Materials Science, 2018, 53, 10812-10821. | 3.7 | 8 |
| 6 | FABRICATION OF IN SITU NICKEL INTERMETALLIC COMPOUND DISPERSED ALUMINUM MATRIX COMPOSITES BY FRICTION STIR PROCESS. Surface Review and Letters, 2018, 25, 1950010. | 1.1 | 1 |
| 7 | VIBRATION EFFECTS ON THE FABRICATION AND THE INTERFACE OF Al–SiC COMPOSITE PRODUCED BY THE PRESSURELESS INFILTRATION METHOD. Surface Review and Letters, 2018, 25, 1850089. | 1.1 | 3 |
| 8 | Evaluation of Lipton–Glicksman–Kurz Model for Free Dendritic Growth Under an Applied Electric Field. Jom, 2017, 69, 261-265. | 1.9 | 0 |
| 9 | The influence of volume fraction of SiC particles on the properties of Al/SiCp nanocomposites produced by powder metallurgy with high energy ball milling. Russian Journal of Non-Ferrous Metals, 2016, 57, 728-733. | 0.6 | 8 |
| 10 | Investigation into the kinetic behavior of molten aluminum pressureless infiltration into SiC preforms. International Journal of Materials Research, 2016, 107, 954-959. | 0.3 | 4 |
| 11 | EFFECTS OF APPLIED ELECTRIC CURRENT ON THE TIP RADIUS AND THE UNIVERSAL AMPLITUDE COEFFICIENT OF A SINGLE GROWING DENDRITE. Surface Review and Letters, 2016, 23, 1550083. | 1.1 | 3 |
| 12 | Design, fabrication and testing of an apparatus for in-situ investigation of free dendritic growth under an applied electric field. Journal of Crystal Growth, 2015, 416, 169-174. | 1.5 | 3 |
| 13 | A New Criterion for Prediction of Hot Tearing Susceptibility of Cast Alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2014, 45, 3699-3702. | 2.2 | 13 |
| 14 | Research on the Effect of Pouring Temperature on Hot-Tear Susceptibility of A206 Alloy by Simulation. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2014, 45, 1827-1833. | 2.1 | 13 |
| 15 | Design of a new hot tearing test apparatus and modification of its operation. Metals and Materials International, 2010, 16, 35-38. | 3.4 | 12 |
| 16 | Study of hot tearing of A206 aluminum alloy using Instrumented Constrained T-shaped Casting method. Materials Characterization, 2010, 61, 318-324. | 4.4 | 39 |