Andrew M Busch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4108647/publications.pdf Version: 2024-02-01



ANDREW M RUSCH

#	Article	IF	CITATIONS
1	The Behavioral Activation for Depression Scale (BADS): Psychometric Properties and Factor Structure. Journal of Psychopathology and Behavioral Assessment, 2007, 29, 191-202.	1.2	343
2	What is behavioral activation?A review of the empirical literature. Clinical Psychology Review, 2010, 30, 608-620.	11.4	328
3	A critical review of assessment strategies to measure the behavioral activation model of depression. Clinical Psychology Review, 2010, 30, 547-561.	11.4	157
4	The nature of clinical depression: Symptoms, syndromes, and behavior analysis. The Behavior Analyst, 2008, 31, 1-21.	2.5	125
5	Acceptance-Enhanced Behavior Therapy (AEBT) for Trichotillomania and Chronic Skin Picking. Behavior Modification, 2008, 32, 579-594.	1.6	92
6	Behavioral Activation. , 0, , .		88
7	The home environment and childhood obesity in low-income households: indirect effects via sleep duration and screen time. BMC Public Health, 2014, 14, 1160.	2.9	84
8	Preferences for exercise as a treatment for depression. Mental Health and Physical Activity, 2016, 10, 68-72.	1.8	79
9	Validation of the Behavioral Activation for Depression Scale (BADS) in a Community Sample with Elevated Depressive Symptoms. Journal of Psychopathology and Behavioral Assessment, 2009, 31, 36-42.	1.2	74
10	Sudden Gains and Outcome: A Broader Temporal Analysis of Cognitive Therapy for Depression. Behavior Therapy, 2006, 37, 61-68.	2.4	67
11	Tweeting it off: characteristics of adults who tweet about a weight loss attempt. Journal of the American Medical Informatics Association: JAMIA, 2014, 21, 1032-1037.	4.4	66
12	Initial Outcomes of a Culturally Adapted Behavioral Activation for Latinas Diagnosed With Depression at a Community Clinic. Behavior Modification, 2010, 34, 120-144.	1.6	63
13	THE EFFECT OF CONTINGENT REINFORCEMENT ON TARGET VARIABLES IN OUTPATIENT PSYCHOTHERAPY FOR DEPRESSION: A SUCCESSFUL AND UNSUCCESSFUL CASE USING FUNCTIONAL ANALYTIC PSYCHOTHERAPY. Journal of Applied Behavior Analysis, 2006, 39, 463-467.	2.7	62
14	A Micro-Process Analysis of Functional Analytic Psychotherapy's Mechanism of Change. Behavior Therapy, 2009, 40, 280-290.	2.4	60
15	Twitter-Delivered Behavioral Weight-Loss Interventions: A Pilot Series. JMIR Research Protocols, 2015, 4, e123.	1.0	49
16	Time-Varying Smoking Abstinence Predicts Lower Depressive Symptoms Following Smoking Cessation Treatment. Nicotine and Tobacco Research, 2011, 13, 146-150.	2.6	47
17	Behavior analytic conceptualization and treatment of depression: Traditional models and recent advances The Behavior Analyst Today: A Context for Science With A Commitment for Change, 2004, 5, 255-274.	0.2	42
18	Feasibility of Pairing Behavioral Activation With Exercise for Women With Type 2 Diabetes and Depression: The Get It Study Pilot Randomized Controlled Trial. Behavior Therapy, 2016, 47, 198-212.	2.4	42

Andrew M Busch

#	Article	IF	CITATIONS
19	Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803.	1.6	37
20	Toward a comprehensive functional analysis of depressive behavior: Five environmental factors and a possible sixth and seventh The Behavior Analyst Today: A Context for Science With A Commitment for Change, 2005, 6, 65-81.	0.2	33
21	The impact of the active components of functional analytic psychotherapy on idiographic target behaviors. Journal of Contextual Behavioral Science, 2013, 2, 49-57.	2.6	31
22	The Differential Effect of Instructions on Dysphoric and Nondysphoric Persons. Psychological Record, 2007, 57, 543-554.	0.9	29
23	Enhancing the Therapy Relationship in Acceptance and Commitment Therapy for Psychotic Symptoms. Clinical Case Studies, 2009, 8, 241-257.	0.8	29
24	The Functional Analytic Psychotherapy Rating Scale: a Replication and Extension. Journal of Contemporary Psychotherapy, 2010, 40, 11-19.	1.2	29
25	Measuring Homework Completion in Behavioral Activation. Behavior Modification, 2010, 34, 310-329.	1.6	27
26	Translating the Theoretical Into Practical. Behavior Modification, 2012, 36, 87-119.	1.6	27
27	Acceptance-based Behavior Therapy for Depression With Psychosis. Journal of Psychiatric Practice, 2015, 21, 320-333.	0.7	27
28	Motivating parents of kids with asthma to quit smoking: the effect of the teachable moment and increasing intervention intensity using a longitudinal randomized trial design. Addiction, 2016, 111, 1646-1655.	3.3	27
29	Reliable change in depression during behavioral weight loss treatment among women with major depression. Obesity, 2013, 21, E211-8.	3.0	25
30	Methods used to quit smoking by people with physical disabilities Rehabilitation Psychology, 2013, 58, 117-123.	1.3	23
31	Behavioral Activation for Latinos With Depression. Clinical Case Studies, 2008, 7, 491-506.	0.8	22
32	Self-discrepancy and suicidal ideation. Cognition and Emotion, 2009, 23, 504-527.	2.0	22
33	Behavioral activation for smoking cessation and mood management following a cardiac event: results of a pilot randomized controlled trial. BMC Public Health, 2017, 17, 323.	2.9	22
34	Approach to Antihypertensive Adherence: A Feasibility Study on the Use of Student Health Coaches for Uninsured Hypertensive Adults. Behavioral Medicine, 2012, 38, 19-27.	1.9	20
35	Integrating Functional Analytic Psychotherapy and Behavioral Activation for the Treatment of Relationship Distress. Clinical Case Studies, 2009, 8, 122-138.	0.8	19
36	Risk perception in smokers with children with asthma Journal of Consulting and Clinical Psychology, 2010, 78, 980-985.	2.0	19

#	Article	IF	CITATIONS
37	Utilizing reliable and clinically significant change criteria to assess for the development of depression during smoking cessation treatment: The importance of tracking idiographic change. Addictive Behaviors, 2011, 36, 1228-1232.	3.0	19
38	Lines of Evidence in Support of FAP. , 2009, , 1-16.		19
39	Prevalence, Reasons for Use, and Risk Perception of Electronic Cigarettes Among Post–Acute Coronary Syndrome Smokers. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 352-357.	2.1	18
40	Early-treatment weight loss predicts 6-month weight loss in women with obesity and depression: Implications for stepped care. Journal of Psychosomatic Research, 2014, 76, 394-399.	2.6	16
41	Cigarette Smoking Among Adults With Mobility Impairments: A US Population-Based Survey. American Journal of Public Health, 2014, 104, 1943-1949.	2.7	16
42	Interest in a Twitter-delivered weight loss program among women of childbearing age. Translational Behavioral Medicine, 2016, 6, 277-284.	2.4	16
43	Tobacco use among non-elderly adults with and without criminal justice involvement in the past year: United States, 2008–2016. Addiction Science & Clinical Practice, 2019, 14, 2.	2.6	16
44	Latino Immigrants with Depression: An Initial Examination of Treatment Issues at a Community Clinic. Journal of Immigrant and Minority Health, 2011, 13, 772-779.	1.6	15
45	Beverages contribute extra calories to meals and daily energy intake in overweight and obese women. Physiology and Behavior, 2013, 122, 129-133.	2.1	15
46	Depressed mood predicts pulmonary rehabilitation completion among women, but not men. Respiratory Medicine, 2014, 108, 1007-1013.	2.9	15
47	Tic-related activity restriction as a predictor of emotional functioning and quality of life. Comprehensive Psychiatry, 2014, 55, 123-129.	3.1	15
48	A randomized controlled trial of an online, modular, active learning training program for behavioral activation for depression Journal of Consulting and Clinical Psychology, 2017, 85, 814-825.	2.0	14
49	Comparison of secondhand smoke exposure in minority and nonminority children with asthma Health Psychology, 2016, 35, 115-122.	1.6	13
50	The Relationship between Smoking and Depression Post-Acute Coronary Syndrome. Current Cardiovascular Risk Reports, 2011, 5, 510-518.	2.0	12
51	The weight loss blogosphere: an online survey of weight loss bloggers. Translational Behavioral Medicine, 2016, 6, 403-409.	2.4	11
52	Valued life activities and readiness to quit smoking among mobility-impaired smokers Health Psychology, 2012, 31, 122-125.	1.6	9
53	Behavioral activation therapy during transcranial magnetic stimulation for major depressive disorder. Journal of Affective Disorders, 2018, 236, 101-104.	4.1	8
54	Electronic cigarette use patterns and chronic health conditions among people experiencing homelessness in MN: a statewide survey. BMC Public Health, 2020, 20, 1889.	2.9	8

ANDREW M BUSCH

#	Article	IF	CITATIONS
55	Examination of clinical and psychosocial determinants of exercise capacity change in cardiac rehabilitation. Heart and Lung: Journal of Acute and Critical Care, 2019, 48, 13-17.	1.6	7
56	Feasibility and Acceptability of a Smoking Cessation Program for Individuals Released From an Urban, Pretrial Jail. JAMA Network Open, 2021, 4, e2115687.	5.9	7
57	FAP and Behavioral Activation. , 2010, , 65-81.		7
58	Obstructive sleep apnea and weight loss treatment outcome among adults with metabolic syndrome Health Psychology, 2016, 35, 1316-1319.	1.6	7
59	Structural and Functional Support in the Prediction of Smoking Cessation in Caregivers of Children with Asthma. Behavioral Medicine, 2015, 41, 203-210.	1.9	6
60	Psychosocial factors associated with treatment outcomes in women with obesity and major depressive disorder who received behavioral activation for depression. Journal of Behavioral Medicine, 2019, 42, 522-533.	2.1	6
61	Improvements in Depressive Symptoms and Affect During Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, 27-32.	2.1	6
62	Assessing depression in obese women: An examination of two commonly-used measures. Journal of Psychosomatic Research, 2013, 75, 425-430.	2.6	5
63	Valued Life Activities, Smoking Cessation, and Mood in Post-Acute Coronary Syndrome Patients. International Journal of Behavioral Medicine, 2015, 22, 563-568.	1.7	5
64	Muscular strength is associated with self-esteem in college men but not women. Journal of Health Psychology, 2016, 21, 3072-3078.	2.3	5
65	Changes in risk perception following a smoking cessation intervention: the role of acculturation in a sample of Latino caregivers. Journal of Behavioral Medicine, 2014, 37, 1000-1008.	2.1	4
66	Behavioral Interventions to Enhance Smoking Cessation. American Journal of Lifestyle Medicine, 2015, 9, 92-104.	1.9	4
67	Feasibility of a Bike-Share Program in Adults With Serious Mental Illness Enrolled in an Outpatient Psychiatric Rehabilitation Program. Journal of Physical Activity and Health, 2019, 16, 380-383.	2.0	3
68	An Exploration of the Impact of the "Open Gym―Scheduling Model of Cardiovascular Rehabilitation on Completion, Attendance, and Health Outcomes. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, E1-E2.	2.1	3
69	Severity of Depressive Symptoms and Accuracy of Dietary Reporting among Obese Women with Major Depressive Disorder Seeking Weight Loss Treatment. PLoS ONE, 2014, 9, e90361.	2.5	3
70	A Follow-up Analogue Study on the Effectiveness of the Cognitive Rationale. Cognitive Therapy and Research, 2007, 31, 805-815.	1.9	2
71	The development and pilot testing of a behavioral activation-based treatment for depressed mood and multiple health behavior change in patients with recent acute coronary syndrome. PLoS ONE, 2022, 17, e0261490.	2.5	2
72	Resistance training for Black men with depressive symptoms: a pilot randomized controlled trial to assess acceptability, feasibility, and preliminary efficacy. BMC Psychiatry, 2022, 22, 283.	2.6	2

#	Article	IF	CITATIONS
73	Improving functioning in HIV+ patients with chronic pain and comorbid depression: Protocol for a randomized clinical trial testing a collaborative behavioral health intervention based on behavioral activation. Contemporary Clinical Trials, 2022, 119, 106842.	1.8	2
74	Effects of resistance training on depression and cardiovascular disease risk in black men: Protocol for a randomized controlled trial. Mental Health and Physical Activity, 2019, 17, 100299.	1.8	1
75	Chronic care treatment for smoking cessation in patients with serious mental illness: a pilot randomized trial. BMC Psychiatry, 2021, 21, 104.	2.6	1
76	Reaching Intermittent Tobacco Users With Technology: New Evidence. American Journal of Public Health, 2021, 111, 1567-1569.	2.7	0
77	Anger and substance use in HIV-positive patients with chronic pain. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 0, , 1-9.	1.2	Ο