Andrew M Busch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4108647/publications.pdf

Version: 2024-02-01

77 papers

2,683 citations

236925 25 h-index 206112 48 g-index

79 all docs

79 docs citations

79 times ranked 3076 citing authors

#	Article	IF	Citations
1	The development and pilot testing of a behavioral activation-based treatment for depressed mood and multiple health behavior change in patients with recent acute coronary syndrome. PLoS ONE, 2022, 17, e0261490.	2.5	2
2	Resistance training for Black men with depressive symptoms: a pilot randomized controlled trial to assess acceptability, feasibility, and preliminary efficacy. BMC Psychiatry, 2022, 22, 283.	2.6	2
3	Improving functioning in HIV+ patients with chronic pain and comorbid depression: Protocol for a randomized clinical trial testing a collaborative behavioral health intervention based on behavioral activation. Contemporary Clinical Trials, 2022, 119, 106842.	1.8	2
4	Chronic care treatment for smoking cessation in patients with serious mental illness: a pilot randomized trial. BMC Psychiatry, 2021, 21, 104.	2.6	1
5	Feasibility and Acceptability of a Smoking Cessation Program for Individuals Released From an Urban, Pretrial Jail. JAMA Network Open, 2021, 4, e2115687.	5.9	7
6	Reaching Intermittent Tobacco Users With Technology: New Evidence. American Journal of Public Health, 2021, 111, 1567-1569.	2.7	0
7	Electronic cigarette use patterns and chronic health conditions among people experiencing homelessness in MN: a statewide survey. BMC Public Health, 2020, 20, 1889.	2.9	8
8	Examination of clinical and psychosocial determinants of exercise capacity change in cardiac rehabilitation. Heart and Lung: Journal of Acute and Critical Care, 2019, 48, 13-17.	1.6	7
9	Effects of resistance training on depression and cardiovascular disease risk in black men: Protocol for a randomized controlled trial. Mental Health and Physical Activity, 2019, 17, 100299.	1.8	1
10	Tobacco use among non-elderly adults with and without criminal justice involvement in the past year: United States, 2008–2016. Addiction Science & Clinical Practice, 2019, 14, 2.	2.6	16
11	Feasibility of a Bike-Share Program in Adults With Serious Mental Illness Enrolled in an Outpatient Psychiatric Rehabilitation Program. Journal of Physical Activity and Health, 2019, 16, 380-383.	2.0	3
12	An Exploration of the Impact of the "Open Gym―Scheduling Model of Cardiovascular Rehabilitation on Completion, Attendance, and Health Outcomes. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, E1-E2.	2.1	3
13	Psychosocial factors associated with treatment outcomes in women with obesity and major depressive disorder who received behavioral activation for depression. Journal of Behavioral Medicine, 2019, 42, 522-533.	2.1	6
14	Improvements in Depressive Symptoms and Affect During Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2019, 39, 27-32.	2.1	6
15	Behavioral activation therapy during transcranial magnetic stimulation for major depressive disorder. Journal of Affective Disorders, 2018, 236, 101-104.	4.1	8
16	Behavioral activation for smoking cessation and mood management following a cardiac event: results of a pilot randomized controlled trial. BMC Public Health, 2017, 17, 323.	2.9	22
17	A randomized controlled trial of an online, modular, active learning training program for behavioral activation for depression Journal of Consulting and Clinical Psychology, 2017, 85, 814-825.	2.0	14
18	Motivating parents of kids with asthma to quit smoking: the effect of the teachable moment and increasing intervention intensity using a longitudinal randomized trial design. Addiction, 2016, 111, 1646-1655.	3.3	27

#	Article	IF	CITATIONS
19	Feasibility of Pairing Behavioral Activation With Exercise for Women With Type 2 Diabetes and Depression: The Get It Study Pilot Randomized Controlled Trial. Behavior Therapy, 2016, 47, 198-212.	2.4	42
20	Preferences for exercise as a treatment for depression. Mental Health and Physical Activity, 2016, 10, 68-72.	1.8	79
21	Comparison of secondhand smoke exposure in minority and nonminority children with asthma Health Psychology, 2016, 35, 115-122.	1.6	13
22	The weight loss blogosphere: an online survey of weight loss bloggers. Translational Behavioral Medicine, 2016, 6, 403-409.	2.4	11
23	Interest in a Twitter-delivered weight loss program among women of childbearing age. Translational Behavioral Medicine, 2016, 6, 277-284.	2.4	16
24	Prevalence, Reasons for Use, and Risk Perception of Electronic Cigarettes Among Post–Acute Coronary Syndrome Smokers. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 352-357.	2.1	18
25	Muscular strength is associated with self-esteem in college men but not women. Journal of Health Psychology, 2016, 21, 3072-3078.	2.3	5
26	Obstructive sleep apnea and weight loss treatment outcome among adults with metabolic syndrome Health Psychology, 2016, 35, 1316-1319.	1.6	7
27	Acceptance-based Behavior Therapy for Depression With Psychosis. Journal of Psychiatric Practice, 2015, 21, 320-333.	0.7	27
28	Behavioral Interventions to Enhance Smoking Cessation. American Journal of Lifestyle Medicine, 2015, 9, 92-104.	1.9	4
29	Valued Life Activities, Smoking Cessation, and Mood in Post-Acute Coronary Syndrome Patients. International Journal of Behavioral Medicine, 2015, 22, 563-568.	1.7	5
30	Structural and Functional Support in the Prediction of Smoking Cessation in Caregivers of Children with Asthma. Behavioral Medicine, 2015, 41, 203-210.	1.9	6
31	Twitter-Delivered Behavioral Weight-Loss Interventions: A Pilot Series. JMIR Research Protocols, 2015, 4, e123.	1.0	49
32	The home environment and childhood obesity in low-income households: indirect effects via sleep duration and screen time. BMC Public Health, 2014, 14, 1160.	2.9	84
33	Changes in risk perception following a smoking cessation intervention: the role of acculturation in a sample of Latino caregivers. Journal of Behavioral Medicine, 2014, 37, 1000-1008.	2.1	4
34	Tweeting it off: characteristics of adults who tweet about a weight loss attempt. Journal of the American Medical Informatics Association: JAMIA, 2014, 21, 1032-1037.	4.4	66
35	Depressed mood predicts pulmonary rehabilitation completion among women, but not men. Respiratory Medicine, 2014, 108, 1007-1013.	2.9	15
36	Tic-related activity restriction as a predictor of emotional functioning and quality of life. Comprehensive Psychiatry, 2014, 55, 123-129.	3.1	15

3

#	Article	IF	Citations
37	Early-treatment weight loss predicts 6-month weight loss in women with obesity and depression: Implications for stepped care. Journal of Psychosomatic Research, 2014, 76, 394-399.	2.6	16
38	Cigarette Smoking Among Adults With Mobility Impairments: A US Population-Based Survey. American Journal of Public Health, 2014, 104, 1943-1949.	2.7	16
39	Severity of Depressive Symptoms and Accuracy of Dietary Reporting among Obese Women with Major Depressive Disorder Seeking Weight Loss Treatment. PLoS ONE, 2014, 9, e90361.	2.5	3
40	Beverages contribute extra calories to meals and daily energy intake in overweight and obese women. Physiology and Behavior, 2013, 122, 129-133.	2.1	15
41	Assessing depression in obese women: An examination of two commonly-used measures. Journal of Psychosomatic Research, 2013, 75, 425-430.	2.6	5
42	The impact of the active components of functional analytic psychotherapy on idiographic target behaviors. Journal of Contextual Behavioral Science, 2013, 2, 49-57.	2.6	31
43	Methods used to quit smoking by people with physical disabilities Rehabilitation Psychology, 2013, 58, 117-123.	1.3	23
44	Reliable change in depression during behavioral weight loss treatment among women with major depression. Obesity, 2013, 21, E211-8.	3.0	25
45	Translating the Theoretical Into Practical. Behavior Modification, 2012, 36, 87-119.	1.6	27
46	Valued life activities and readiness to quit smoking among mobility-impaired smokers Health Psychology, 2012, 31, 122-125.	1.6	9
47	Approach to Antihypertensive Adherence: A Feasibility Study on the Use of Student Health Coaches for Uninsured Hypertensive Adults. Behavioral Medicine, 2012, 38, 19-27.	1.9	20
48	Utilizing reliable and clinically significant change criteria to assess for the development of depression during smoking cessation treatment: The importance of tracking idiographic change. Addictive Behaviors, 2011, 36, 1228-1232.	3.0	19
49	Latino Immigrants with Depression: An Initial Examination of Treatment Issues at a Community Clinic. Journal of Immigrant and Minority Health, 2011, 13, 772-779.	1.6	15
50	The Relationship between Smoking and Depression Post-Acute Coronary Syndrome. Current Cardiovascular Risk Reports, 2011, 5, 510-518.	2.0	12
51	Time-Varying Smoking Abstinence Predicts Lower Depressive Symptoms Following Smoking Cessation Treatment. Nicotine and Tobacco Research, 2011, 13, 146-150.	2.6	47
52	Risk perception in smokers with children with asthma Journal of Consulting and Clinical Psychology, 2010, 78, 980-985.	2.0	19
53	The Functional Analytic Psychotherapy Rating Scale: a Replication and Extension. Journal of Contemporary Psychotherapy, 2010, 40, 11-19.	1.2	29
54	Measuring Homework Completion in Behavioral Activation. Behavior Modification, 2010, 34, 310-329.	1.6	27

#	Article	IF	CITATIONS
55	A critical review of assessment strategies to measure the behavioral activation model of depression. Clinical Psychology Review, 2010, 30, 547-561.	11.4	157
56	What is behavioral activation? A review of the empirical literature. Clinical Psychology Review, 2010, 30, 608-620.	11.4	328
57	Initial Outcomes of a Culturally Adapted Behavioral Activation for Latinas Diagnosed With Depression at a Community Clinic. Behavior Modification, 2010, 34, 120-144.	1.6	63
58	FAP and Behavioral Activation. , 2010, , 65-81.		7
59	A Micro-Process Analysis of Functional Analytic Psychotherapy's Mechanism of Change. Behavior Therapy, 2009, 40, 280-290.	2.4	60
60	Validation of the Behavioral Activation for Depression Scale (BADS) in a Community Sample with Elevated Depressive Symptoms. Journal of Psychopathology and Behavioral Assessment, 2009, 31, 36-42.	1.2	74
61	Integrating Functional Analytic Psychotherapy and Behavioral Activation for the Treatment of Relationship Distress. Clinical Case Studies, 2009, 8, 122-138.	0.8	19
62	Self-discrepancy and suicidal ideation. Cognition and Emotion, 2009, 23, 504-527.	2.0	22
63	Enhancing the Therapy Relationship in Acceptance and Commitment Therapy for Psychotic Symptoms. Clinical Case Studies, 2009, 8, 241-257.	0.8	29
64	Lines of Evidence in Support of FAP. , 2009, , 1-16.		19
64	Lines of Evidence in Support of FAP., 2009, , 1-16. Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803.	1.6	19
		1.6	
65	Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803.		37
65 66	Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803. Behavioral Activation for Latinos With Depression. Clinical Case Studies, 2008, 7, 491-506. Acceptance-Enhanced Behavior Therapy (AEBT) for Trichotillomania and Chronic Skin Picking. Behavior	0.8	37 22
65 66 67	Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803. Behavioral Activation for Latinos With Depression. Clinical Case Studies, 2008, 7, 491-506. Acceptance-Enhanced Behavior Therapy (AEBT) for Trichotillomania and Chronic Skin Picking. Behavior Modification, 2008, 32, 579-594. The nature of clinical depression: Symptoms, syndromes, and behavior analysis. The Behavior Analyst,	0.8	37 22 92
65 66 67	Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803. Behavioral Activation for Latinos With Depression. Clinical Case Studies, 2008, 7, 491-506. Acceptance-Enhanced Behavior Therapy (AEBT) for Trichotillomania and Chronic Skin Picking. Behavior Modification, 2008, 32, 579-594. The nature of clinical depression: Symptoms, syndromes, and behavior analysis. The Behavior Analyst, 2008, 31, 1-21. The Differential Effect of Instructions on Dysphoric and Nondysphoric Persons. Psychological	0.8 1.6 2.5	37 22 92 125
65 66 67 68	Making Behavioral Activation More Behavioral. Behavior Modification, 2008, 32, 780-803. Behavioral Activation for Latinos With Depression. Clinical Case Studies, 2008, 7, 491-506. Acceptance-Enhanced Behavior Therapy (AEBT) for Trichotillomania and Chronic Skin Picking. Behavior Modification, 2008, 32, 579-594. The nature of clinical depression: Symptoms, syndromes, and behavior analysis. The Behavior Analyst, 2008, 31, 1-21. The Differential Effect of Instructions on Dysphoric and Nondysphoric Persons. Psychological Record, 2007, 57, 543-554. The Behavioral Activation for Depression Scale (BADS): Psychometric Properties and Factor	0.8 1.6 2.5	37 22 92 125 29

#	Article	lF	CITATION
73	THE EFFECT OF CONTINGENT REINFORCEMENT ON TARGET VARIABLES IN OUTPATIENT PSYCHOTHERAPY FOR DEPRESSION: A SUCCESSFUL AND UNSUCCESSFUL CASE USING FUNCTIONAL ANALYTIC PSYCHOTHERAPY. Journal of Applied Behavior Analysis, 2006, 39, 463-467.	2.7	62
74	Toward a comprehensive functional analysis of depressive behavior: Five environmental factors and a possible sixth and seventh The Behavior Analyst Today: A Context for Science With A Commitment for Change, 2005, 6, 65-81.	0.2	33
75	Behavior analytic conceptualization and treatment of depression: Traditional models and recent advances The Behavior Analyst Today: A Context for Science With A Commitment for Change, 2004, 5, 255-274.	0.2	42
76	Behavioral Activation., 0,,.		88
77	Anger and substance use in HIV-positive patients with chronic pain. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 0, , 1-9.	1.2	0