

# Carin D SchrÄ-der

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4109608/publications.pdf>

Version: 2024-02-01

24  
papers

468  
citations

623734

14  
h-index

713466

21  
g-index

25  
all docs

25  
docs citations

25  
times ranked

725  
citing authors

#	ARTICLE	IF	CITATIONS
1	Parents'™ perspectives on nusinersen treatment for children with spinal muscular atrophy. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 816-823.	2.1	7
2	Fidelity of primary care nurses'™ delivery of a behavioural change intervention enhancing physical activity in patients at risk of cardiovascular disease: an observational study. <i>BMJ Open</i> , 2021, 11, e046551.	1.9	0
3	Psychological well-being in adults with spinal muscular atrophy: the contribution of participation and psychological needs. <i>Disability and Rehabilitation</i> , 2020, 42, 2262-2270.	1.8	9
4	Development and assessment of the inter-rater and intra-rater reproducibility of a self-administration version of the ALSFRS-R. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 75-81.	1.9	41
5	Psychological distress in partners of patients with amyotrophic lateral sclerosis and progressive muscular atrophy: what's the role of care demands and perceived control?. <i>Psychology, Health and Medicine</i> , 2020, 25, 319-330.	2.4	7
6	Performance and Self-reported Functioning of People With Chronic Idiopathic Axonal Polyneuropathy: A 4-Year Follow-up Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1946-1952.	0.9	2
7	Blended psychosocial support for partners of patients with ALS and PMA: results of a randomized controlled trial. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020, 21, 344-354.	1.7	26
8	Effectiveness of the nurse-led Activate intervention in patients at risk of cardiovascular disease in primary care: a cluster-randomised controlled trial. <i>European Journal of Cardiovascular Nursing</i> , 2020, 19, 721-731.	0.9	15
9	Cognitive and behavioural changes in PLS and PMA: challenging the concept of restricted phenotypes. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 141-147.	1.9	45
10	Psychological distress and coping styles of caregivers of patients with amyotrophic lateral sclerosis: a longitudinal study. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2019, 20, 235-241.	1.7	11
11	User perspectives on a psychosocial blended support program for partners of patients with amyotrophic lateral sclerosis and progressive muscular atrophy: a qualitative study. <i>BMC Psychology</i> , 2019, 7, 35.	2.1	22
12	Attendance and compliance with an exercise program during localized breast cancer treatment in a randomized controlled trial: The PACT study. <i>PLoS ONE</i> , 2019, 14, e0215517.	2.5	41
13	Aerobic Exercise Therapy in Ambulatory Patients With ALS: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 153-164.	2.9	19
14	Derivation of norms for the Dutch version of the Edinburgh cognitive and behavioral ALS screen. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2019, 20, 19-27.	1.7	17
15	Support needs of caregivers of patients with amyotrophic lateral sclerosis: A qualitative study. <i>Palliative and Supportive Care</i> , 2019, 17, 195-201.	1.0	26
16	Self-management support in routine primary care by nurses. <i>British Journal of Health Psychology</i> , 2018, 23, 88-107.	3.5	18
17	Nurses'™ perceptions towards the delivery and feasibility of a behaviour change intervention to enhance physical activity in patients at risk for cardiovascular disease in primary care: a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 194.	2.9	11
18	Social participation of adult patients with spinal muscular atrophy: Frequency, restrictions, satisfaction, and correlates. <i>Muscle and Nerve</i> , 2018, 58, 805-811.	2.2	21

#	ARTICLE	IF	CITATIONS
19	A blended psychosocial support program for partners of patients with amyotrophic lateral sclerosis and progressive muscular atrophy: protocol of a randomized controlled trial. BMC Psychology, 2018, 6, 20.	2.1	11
20	Participation restrictions in ambulatory amyotrophic lateral sclerosis patients: Physical and psychological factors. Muscle and Nerve, 2017, 56, 912-918.	2.2	17
21	Unravelling effectiveness of a nurse-led behaviour change intervention to enhance physical activity in patients at risk for cardiovascular disease in primary care: study protocol for a cluster randomised controlled trial. Trials, 2017, 18, 79.	1.6	17
22	Correlates of health related quality of life in adult patients with spinal muscular atrophy. Muscle and Nerve, 2016, 54, 850-855.	2.2	35
23	Effects of aerobic exercise therapy and cognitive behavioural therapy on functioning and quality of life in amyotrophic lateral sclerosis: protocol of the FACTS-2-ALS trial. BMC Neurology, 2011, 11, 70.	1.8	28
24	Perceived Control is a Concurrent Predictor of Activity Limitations in Patients With Chronic Idiopathic Axonal Polyneuropathy. Archives of Physical Medicine and Rehabilitation, 2007, 88, 63-69.	0.9	22