

# Keisuke Goto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4109843/publications.pdf>

Version: 2024-02-01

37  
papers

423  
citations

759233

12  
h-index

794594

19  
g-index

37  
all docs

37  
docs citations

37  
times ranked

681  
citing authors

#	ARTICLE	IF	CITATIONS
1	TUBB3 Reverses Resistance to Docetaxel and Cabazitaxel in Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3936.	4.1	42
2	FGF19 promotes progression of prostate cancer. <i>Prostate</i> , 2015, 75, 1092-1101.	2.3	37
3	Preoperative risk classification using neutrophil-lymphocyte ratio and hydronephrosis for upper tract urothelial carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 841-850.	1.3	30
4	Clinical staging of upper urinary tract urothelial carcinoma for T staging: Review and pictorial essay. <i>International Journal of Urology</i> , 2019, 26, 1024-1032.	1.0	24
5	Non-coding RNAs are promising targets for stem cell-based cancer therapy. <i>Non-coding RNA Research</i> , 2017, 2, 83-87.	4.6	21
6	Protocadherin B9 promotes resistance to bicalutamide and is associated with the survival of prostate cancer patients. <i>Prostate</i> , 2019, 79, 234-242.	2.3	20
7	PTEN Is Involved in Sunitinib and Sorafenib Resistance in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 1943-1951.	1.1	20
8	Accumulation of FGF9 in prostate cancer correlates with epithelial-to-mesenchymal transition and induction of VEGF-A expression. <i>Anticancer Research</i> , 2014, 34, 695-700.	1.1	19
9	Microtubule-associated protein tau (MAPT) promotes bicalutamide resistance and is associated with survival in prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 795.e1-795.e8.	1.6	17
10	Microtubule-associated protein tau (MAPT) is a promising independent prognostic marker and tumor suppressive protein in clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 605.e9-605.e17.	1.6	16
11	TUBB3 Is Associated with High-Grade Histology, Poor Prognosis, p53 Expression, and Cancer Stem Cell Markers in Clear Cell Renal Cell Carcinoma. <i>Oncology</i> , 2020, 98, 689-698.	1.9	15
12	Fibroblast Growth Factor Family in the Progression of Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 183.	2.4	14
13	BUB1B Overexpression Is an Independent Prognostic Marker and Associated with CD44, p53, and PD-L1 in Renal Cell Carcinoma. <i>Oncology</i> , 2021, 99, 240-250.	1.9	14
14	Combination therapy using molecularly targeted drugs modulates tumor microenvironment and impairs tumor growth in renal cell carcinoma. <i>Cancer Medicine</i> , 2017, 6, 2308-2320.	2.8	12
15	Impact of radiological morphology of clinical T1 renal cell carcinoma on the prediction of upstaging to pathological T3. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 473-478.	1.3	11
16	KIFC1 Is Associated with Basal Type, Cisplatin Resistance, PD-L1 Expression and Poor Prognosis in Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4837.	2.4	11
17	Recurrence and progression-free survival in intermediate-risk non-muscle-invasive bladder cancer: the impact of conditional evaluation and subclassification. <i>BJU International</i> , 2021, 127, 473-485.	2.5	10
18	Tubulocystic renal cell carcinoma: a review of literature focused on radiological findings for differential diagnosis. <i>Abdominal Radiology</i> , 2018, 43, 1540-1545.	2.1	9

#	ARTICLE	IF	CITATIONS
19	CD44 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. <i>Anticancer Research</i> , 2021, 41, 4875-4883.	1.1	9
20	Imaging features of papillary renal cell carcinoma with cystic change-dominant appearance in the era of the 2016 WHO classification. <i>Abdominal Radiology</i> , 2017, 42, 1850-1856.	2.1	8
21	Chronic kidney disease as a risk factor for recurrence and progression in patients with primary non-muscle-invasive bladder cancer. <i>International Journal of Urology</i> , 2017, 24, 594-600.	1.0	8
22	Prognostic model of upfront cytoreductive nephrectomy in patients with metastatic renal cell carcinoma treated with immune checkpoint inhibitors and/or targeted agents. <i>International Urology and Nephrology</i> , 2022, 54, 1225-1232.	1.4	8
23	TUBB3 is associated with PTEN, neuroendocrine differentiation, and castration resistance in prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 368.e1-368.e9.	1.6	6
24	P53 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. <i>Anticancer Research</i> , 2021, 41, 4287-4294.	1.1	6
25	Prostate cancer detection by prostate-specific antigen-based screening in Japanese Hiroshima area shows early stage, low-grade, and low rate of cancer-specific death compared with clinical detection. <i>Canadian Urological Association Journal</i> , 2014, 8, 327.	0.6	5
26	A case of tubulocystic carcinoma of the kidney with aggressive features. <i>Japanese Journal of Radiology</i> , 2016, 34, 307-311.	2.4	4
27	Anastomosing haemangioma with fatty changes in the perirenal space: a lesion mimicking liposarcoma. <i>BJR   case Reports</i> , 2018, 4, 20170022.	0.2	4
28	Longitudinal analysis of retroperitoneoscopic adrenalectomy regarding cosmesis outcomes: comparison of lateral transperitoneal and reduced port laparoscopic adrenalectomy. <i>Updates in Surgery</i> , 2022, 74, 757-764.	2.0	4
29	Histopathological Analysis of False-positive Lesions in mpMRI/TRUS Fusion Prostate Biopsy. <i>In Vivo</i> , 2022, 36, 496-500.	1.3	4
30	Primary adenocarcinoma of the rete testis with elevated serum CA19-9 antigen levels. <i>International Cancer Conference Journal</i> , 2020, 9, 240-243.	0.5	3
31	Tumor contact length of prostate cancer determined by a three-dimensional method on multiparametric magnetic resonance imaging predicts extraprostatic extension and biochemical recurrence. <i>International Journal of Urology</i> , 2021, 28, 1012-1018.	1.0	3
32	Tumor heterogeneity evaluated by computed tomography detects muscle-invasive upper tract urothelial carcinoma that is associated with inflammatory tumor microenvironment. <i>Scientific Reports</i> , 2021, 11, 14251.	3.3	3
33	Renal metastasis from primary hepatocellular carcinoma: a case report. <i>International Cancer Conference Journal</i> , 2020, 9, 141-145.	0.5	2
34	HOXB5 Overexpression Is Associated with Neuroendocrine Differentiation and Poor Prognosis in Prostate Cancer. <i>Biomedicines</i> , 2021, 9, 893.	3.2	2
35	Comparison of Chief Surgeons' and Assistants' Feelings of Fatigue Between Laparoendoscopic Single-site and Conventional Laparoscopic Adrenalectomy. <i>World Journal of Surgery</i> , 2021, 45, 1466-1474.	1.6	1
36	Successful treatment of BK virus-associated severe hemorrhagic cystitis with bilateral single-ureteral stenting. <i>IJU Case Reports</i> , 0, , .	0.3	1

#	ARTICLE	IF	CITATIONS
37	The secondary tumor of the prostate derived from upper tract urothelial carcinoma: An autopsy case. IJU Case Reports, 2021, 4, 397-402.	0.3	0