
Keisuke Goto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4109843/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Longitudinal analysis of retroperitoneoscopic adrenalectomy regarding cosmesis outcomes: comparison of lateral transperitoneal and reduced port laparoscopic adrenalectomy. Updates in Surgery, 2022, 74, 757-764.	2.0	4
2	Prognostic model of upfront cytoreductive nephrectomy in patients with metastatic renal cell carcinoma treated with immune checkpoint inhibitors and/or targeted agents. International Urology and Nephrology, 2022, 54, 1225-1232.	1.4	8
3	Histopathological Analysis of False-positive Lesions in mpMRI/TRUS Fusion Prostate Biopsy. In Vivo, 2022, 36, 496-500.	1.3	4
4	Recurrence―and progressionâ€free survival in intermediateâ€risk nonâ€muscleâ€invasive bladder cancer: the impact of conditional evaluation and subclassification. BJU International, 2021, 127, 473-485.	2.5	10
5	BUB1B Overexpression Is an Independent Prognostic Marker and Associated with CD44, p53, and PD-L1 in Renal Cell Carcinoma. Oncology, 2021, 99, 240-250.	1.9	14
6	TUBB3 is associated with PTEN, neuroendocrine differentiation, and castration resistance in prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 368.e1-368.e9.	1.6	6
7	Tumor contact length of prostate cancer determined by a threeâ€dimensional method on multiparametric magnetic resonance imaging predicts extraprostatic extension and biochemical recurrence. International Journal of Urology, 2021, 28, 1012-1018.	1.0	3
8	Tumor heterogeneity evaluated by computed tomography detects muscle-invasive upper tract urothelial carcinoma that is associated with inflammatory tumor microenvironment. Scientific Reports, 2021, 11, 14251.	3.3	3
9	HOXB5 Overexpression Is Associated with Neuroendocrine Differentiation and Poor Prognosis in Prostate Cancer. Biomedicines, 2021, 9, 893.	3.2	2
10	The secondary tumor of the prostate derived from upper tract urothelial carcinoma: An autopsy case. JU Case Reports, 2021, 4, 397-402.	0.3	0
11	CD44 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. Anticancer Research, 2021, 41, 4875-4883.	1.1	9
12	P53 Is Involved in Sunitinib Resistance and Poor Progression-free Survival After Sunitinib Treatment of Renal Cell Carcinoma. Anticancer Research, 2021, 41, 4287-4294.	1.1	6
13	Comparison of Chief Surgeons' and Assistants' Feelings of Fatigue Between Laparoendoscopic Singleâ€site and Conventional Laparoscopic Adrenalectomy. World Journal of Surgery, 2021, 45, 1466-1474.	1.6	1
14	KIFC1 Is Associated with Basal Type, Cisplatin Resistance, PD-L1 Expression and Poor Prognosis in Bladder Cancer. Journal of Clinical Medicine, 2021, 10, 4837.	2.4	11
15	Primary adenocarcinoma of the rete testis with elevated serum CA19-9 antigen levels. International Cancer Conference Journal, 2020, 9, 240-243.	0.5	3
16	Microtubule-associated protein tau (MAPT) promotes bicalutamide resistance and is associated with survival in prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 795.e1-795.e8.	1.6	17
17	Microtubule-associated protein tau (MAPT) is a promising independent prognostic marker and tumor suppressive protein in clear cell renal cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 605.e9-605.e17.	1.6	16
18	TUBB3 Is Associated with High-Grade Histology, Poor Prognosis, p53 Expression, and Cancer Stem Cell Markers in Clear Cell Renal Cell Carcinoma. Oncology, 2020, 98, 689-698.	1.9	15

Кеіѕике Сото

#	Article	IF	CITATIONS
19	Impact of radiological morphology of clinical T1 renal cell carcinoma on the prediction of upstaging to pathological T3. Japanese Journal of Clinical Oncology, 2020, 50, 473-478.	1.3	11
20	Renal metastasis from primary hepatocellular carcinoma: a case report. International Cancer Conference Journal, 2020, 9, 141-145.	0.5	2
21	PTEN Is Involved in Sunitinib and Sorafenib Resistance in Renal Cell Carcinoma. Anticancer Research, 2020, 40, 1943-1951.	1.1	20
22	Clinical staging of upper urinary tract urothelial carcinoma for TÂstaging: Review and pictorial essay. International Journal of Urology, 2019, 26, 1024-1032.	1.0	24
23	TUBB3 Reverses Resistance to Docetaxel and Cabazitaxel in Prostate Cancer. International Journal of Molecular Sciences, 2019, 20, 3936.	4.1	42
24	Fibroblast Growth Factor Family in the Progression of Prostate Cancer. Journal of Clinical Medicine, 2019, 8, 183.	2.4	14
25	Protocadherin B9 promotes resistance to bicalutamide and is associated with the survival of prostate cancer patients. Prostate, 2019, 79, 234-242.	2.3	20
26	Tubulocystic renal cell carcinoma: a review of literature focused on radiological findings for differential diagnosis. Abdominal Radiology, 2018, 43, 1540-1545.	2.1	9
27	Anastomosing haemangioma with fatty changes in the perirenal space: a lesion mimicking liposarcoma. BJR case Reports, 2018, 4, 20170022.	0.2	4
28	Preoperative risk classification using neutrophil–lymphocyte ratio and hydronephrosis for upper tract urothelial carcinoma. Japanese Journal of Clinical Oncology, 2018, 48, 841-850.	1.3	30
29	Imaging features of papillary renal cell carcinoma with cystic change-dominant appearance in the era of the 2016 WHO classification. Abdominal Radiology, 2017, 42, 1850-1856.	2.1	8
30	Non-coding RNAs are promising targets for stem cell-based cancer therapy. Non-coding RNA Research, 2017, 2, 83-87.	4.6	21
31	Combination therapy using molecularâ€ŧargeted drugs modulates tumor microenvironment and impairs tumor growth in renal cell carcinoma. Cancer Medicine, 2017, 6, 2308-2320.	2.8	12
32	Chronic kidney disease as a risk factor for recurrence and progression in patients with primary nonâ€muscleâ€invasive bladder cancer. International Journal of Urology, 2017, 24, 594-600.	1.0	8
33	A case of tubulocystic carcinoma of the kidney with aggressive features. Japanese Journal of Radiology, 2016, 34, 307-311.	2.4	4
34	FGF19 promotes progression of prostate cancer. Prostate, 2015, 75, 1092-1101.	2.3	37
35	Prostate cancer detection by prostate-specific antigen-based screening in Japanese Hiroshima area shows early stage, low-grade, and low rate of cancer-specific death compared with clinical detection. Canadian Urological Association Journal, 2014, 8, 327.	0.6	5
36	Accumulation of FGF9 in prostate cancer correlates with epithelial-to-mesenchymal transition and induction of VEGF-A expression. Anticancer Research, 2014, 34, 695-700.	1.1	19

#	Article	IF	CITATIONS
37	Successful treatment of BK virusâ€associated severe hemorrhagic cystitis with bilateral singleâ€J ureteral stenting. IJU Case Reports, 0, , .	0.3	1