

# Wing Chung Chang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4110663/publications.pdf>

Version: 2024-02-01

184  
papers

3,826  
citations

172207

29  
h-index

214527

47  
g-index

184  
all docs

184  
docs citations

184  
times ranked

3980  
citing authors

#	ARTICLE	IF	CITATIONS
1	Depression and post-traumatic stress during major social unrest in Hong Kong: a 10-year prospective cohort study. <i>Lancet, The</i> , 2020, 395, 273-284.	6.3	193
2	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1379-1388.	1.6	147
3	Persistent negative symptoms in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2011, 133, 22-28.	1.1	109
4	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. <i>Lancet Psychiatry, the</i> , 2018, 5, 432-442.	3.7	97
5	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 100-108.	1.3	84
6	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. <i>NPJ Schizophrenia</i> , 2015, 1, 15047.	2.0	84
7	A systematic review on definitions and assessments of psychotic-like experiences. <i>Microbial Biotechnology</i> , 2016, 10, 3-16.	0.9	78
8	Five-year stability of ICD-10 diagnoses among Chinese patients presented with first-episode psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2009, 115, 351-357.	1.1	68
9	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015, 206, 492-500.	1.7	63
10	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. <i>JAMA Psychiatry</i> , 2018, 75, 458.	6.0	57
11	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. <i>Psychological Medicine</i> , 2013, 43, 1883-1893.	2.7	56
12	NEURAPRO study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017, 11, 418-428.	0.9	55
13	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1280-1290.	2.3	55
14	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: A prospective three-year follow-up study. <i>Psychiatry Research</i> , 2013, 209, 353-360.	1.7	54
15	Increased expression of iNOS and c-fos via regulation of protein tyrosine phosphorylation and MEK1/ERK2 proteins in terminal bronchiole lesions in the lungs of rats exposed to cigarette smoke. <i>Archives of Toxicology</i> , 2001, 75, 28-35.	1.9	53
16	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: A first-episode psychosis study. <i>Schizophrenia Research</i> , 2014, 153, 1-8.	1.1	53
17	10-year outcome study of an early intervention program for psychosis compared with standard care service. <i>Psychological Medicine</i> , 2015, 45, 1181-1193.	2.7	53
18	Duration of untreated psychosis: Relationship with baseline characteristics and three-year outcome in first-episode psychosis. <i>Psychiatry Research</i> , 2012, 198, 360-365.	1.7	50

#	ARTICLE	IF	CITATIONS
19	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 157, 12-18.	1.1	46
20	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. <i>Schizophrenia Research</i> , 2016, 170, 318-321.	1.1	44
21	Gender Differences in Patients Presenting with First-Episode Psychosis in Hong Kong: A Three-Year Follow Up Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 199-205.	1.3	42
22	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021, 47, 485-494.	2.3	42
23	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1225-1231.	1.6	40
24	Association Between Acute Neuropsychiatric Events and <i>Helicobacter pylori</i> Therapy Containing Clarithromycin. <i>JAMA Internal Medicine</i> , 2016, 176, 828.	2.6	39
25	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014, 8, 261-268.	0.9	38
26	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. <i>Psychiatric Services</i> , 2016, 67, 766-770.	1.1	38
27	Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 610-619.	2.3	38
28	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017, 211, 37-44.	1.7	35
29	Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. <i>Psychological Medicine</i> , 2017, 47, 755-765.	2.7	32
30	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2021, 51, 365-375.	2.7	32
31	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong Chinese: the JCEP study. <i>Microbial Biotechnology</i> , 2015, 9, 118-125.	0.9	31
32	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018, 197, 131-137.	1.1	31
33	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2019, 29, 629-642.	0.3	31
34	Excess mortality and life-years lost in people with bipolar disorder: an 11-year population-based cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e39.	1.8	31
35	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. <i>Schizophrenia Research</i> , 2016, 174, 144-149.	1.1	30
36	Understandings of spirituality and its role in illness recovery in persons with schizophrenia and mental-health professionals: a qualitative study. <i>BMC Psychiatry</i> , 2016, 16, 86.	1.1	30

#	ARTICLE	IF	CITATIONS
37	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. <i>Schizophrenia Research</i> , 2016, 173, 79-83.	1.1	29
38	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. <i>Schizophrenia Research</i> , 2019, 204, 65-71.	1.1	29
39	Inter-relationships among psychopathology, premorbid adjustment, cognition and psychosocial functioning in first-episode psychosis: a network analysis approach. <i>Psychological Medicine</i> , 2020, 50, 2019-2027.	2.7	29
40	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 107-115.	1.1	28
41	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: A one-year follow-up study. <i>Schizophrenia Research</i> , 2014, 159, 465-470.	1.1	28
42	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. <i>Schizophrenia Bulletin</i> , 2021, 47, 386-394.	2.3	28
43	Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 219-226.	1.6	27
44	A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. <i>International Review of Psychiatry</i> , 2019, 31, 441-459.	1.4	27
45	Gender differences in correlates of cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2019, 271, 412-420.	1.7	27
46	Symptomatic Remission and Cognitive Impairment in First-Episode Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e1046-e1053.	1.1	27
47	Clinical and cognitive correlates of insight in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 135, 40-45.	1.1	26
48	Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1476-1485.	2.3	26
49	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. <i>Schizophrenia Research</i> , 2018, 195, 463-468.	1.1	26
50	Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. <i>International Review of Psychiatry</i> , 2019, 31, 523-542.	1.4	26
51	Life expectancy and years of potential life lost in bipolar disorder: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2022, 221, 567-576.	1.7	26
52	Impact of physical activity on functioning of patients with first-episode psychosis – A 6months prospective longitudinal study. <i>Schizophrenia Research</i> , 2013, 150, 538-541.	1.1	25
53	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: A prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014, 220, 834-839.	1.7	25
54	Abnormal cognitive effort allocation and its association with amotivation in first-episode psychosis. <i>Psychological Medicine</i> , 2020, 50, 2599-2609.	2.7	25

#	ARTICLE	IF	CITATIONS
55	Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 474-484.	2.3	25
56	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013, 150, 297-302.	1.1	24
57	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. <i>Psychiatry Research</i> , 2014, 220, 797-802.	1.7	24
58	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2015, 168, 99-105.	1.1	24
59	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. <i>Psychiatry Research</i> , 2016, 242, 144-149.	1.7	24
60	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la sant� mentale apr�s une exposition r�p�t�e � de multiples �v�nements stressants d� agitation sociale durable et de pand�mie � Hong Kong: le r�le de la rumination. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 577-585.	0.9	24
61	Medication Adherence, Knowledge About Psychosis, and Insight Among Patients With a Schizophrenia-Spectrum Disorder. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 25-29.	0.5	23
62	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 914-922.	1.3	23
63	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. <i>International Journal of Social Psychiatry</i> , 2016, 62, 205-213.	1.6	23
64	A systematic review of long-term outcomes of patients with psychosis who received early intervention services. <i>International Review of Psychiatry</i> , 2019, 31, 425-440.	1.4	23
65	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 774-784.	2.3	23
66	Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. <i>Psychological Medicine</i> , 2015, 45, 3085-3095.	2.7	22
67	Predicting first-episode psychosis patients who will never relapse over 10 years. <i>Psychological Medicine</i> , 2019, 49, 2206-2214.	2.7	22
68	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. <i>Neuropsychopharmacology</i> , 2020, 45, 1870-1876.	2.8	22
69	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. <i>Frontiers in Psychology</i> , 2016, 07, 2006.	1.1	21
70	A Low-Intensity Mindfulness-Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 550-560.	1.4	21
71	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. <i>Journal of Mental Health</i> , 2019, 28, 583-588.	1.0	21
72	Risk of mortality and complications in patients with schizophrenia and diabetes mellitus: population-based cohort study. <i>British Journal of Psychiatry</i> , 2021, 219, 375-382.	1.7	21

#	ARTICLE	IF	CITATIONS
73	Prospective prediction of PTSD and depressive symptoms during social unrest and COVID-19 using a brief online tool. <i>Psychiatry Research</i> , 2021, 298, 113773.	1.7	21
74	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017, 29, 259-267.	0.6	20
75	Examining gender difference in adult-onset psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016, 10, 324-333.	0.9	19
76	Comparison of cognitive functions between first-episode schizophrenia patients, their unaffected siblings and individuals at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2019, 49, 1929-1936.	2.7	18
77	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. <i>Journal of Affective Disorders</i> , 2016, 200, 1-5.	2.0	17
78	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 184, 141-142.	1.1	17
79	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2018, 33, 113-120.	0.9	17
80	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. <i>Schizophrenia Research</i> , 2019, 206, 251-256.	1.1	17
81	The Hong Kong mental morbidity survey: background and study design. <i>East Asian Archives of Psychiatry</i> , 2014, 24, 30-6.	0.5	17
82	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: A prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014, 152, 146-151.	1.1	16
83	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: The Subjective Cognitive Impairment Scale. <i>Comprehensive Psychiatry</i> , 2015, 56, 42-50.	1.5	16
84	Visual working memory deterioration preceding relapse in psychosis. <i>Psychological Medicine</i> , 2016, 46, 2435-2444.	2.7	16
85	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1194-1201.	1.3	16
86	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 128-139.	1.2	16
87	Mortality in patients with schizophrenia admitted for incident ischemic stroke: A population-based cohort study. <i>European Neuropsychopharmacology</i> , 2020, 31, 152-157.	0.3	16
88	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020, 220, 85-91.	1.1	16
89	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 307-315.	1.6	15
90	Newspaper coverage of mental illness in Hong Kong between 2002 and 2012: impact of introduction of a new Chinese name of psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 342-345.	0.9	15

#	ARTICLE	IF	CITATIONS
91	Mortality Risk Associated with Haloperidol Use Compared with Other Antipsychotics: An 11-Year Population-Based Propensity-Score-Matched Cohort Study. <i>CNS Drugs</i> , 2020, 34, 197-206.	2.7	15
92	Antipsychotics and Risk of Neuroleptic Malignant Syndrome: A Population-Based Cohort and Case-Crossover Study. <i>CNS Drugs</i> , 2020, 34, 1165-1175.	2.7	14
93	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 376-384.	1.3	14
94	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1819-1828.	1.6	13
95	Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in Hong Kong. <i>Microbial Biotechnology</i> , 2015, 9, 422-427.	0.9	13
96	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. <i>Psychiatry Research</i> , 2017, 249, 39-45.	1.7	13
97	Induced ideas of reference during social unrest and pandemic in Hong Kong. <i>Schizophrenia Research</i> , 2021, 229, 46-52.	1.1	13
98	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2012, 5, 68-72.	0.9	12
99	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: A longitudinal perspective. <i>Psychiatry Research</i> , 2014, 216, 177-184.	1.7	12
100	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2014, 153, 204-208.	1.1	12
101	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. <i>Psychiatry Research</i> , 2015, 228, 680-687.	1.7	12
102	Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 259-267.	1.6	12
103	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong's Chinese population. <i>BMC Psychiatry</i> , 2021, 21, 274.	1.1	12
104	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. <i>European Psychiatry</i> , 2017, 41, 37-41.	0.1	11
105	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 331-338.	0.9	11
106	Destigmatizing psychosis: Investigating the effectiveness of a school-based programme in Hong Kong secondary school students. <i>Microbial Biotechnology</i> , 2019, 13, 882-887.	0.9	11
107	The mediating role of knowledge on the contact and stigma of mental illness in Hong Kong. <i>International Journal of Social Psychiatry</i> , 2021, 67, 935-945.	1.6	11
108	Measuring subjective stress among young people in Hong Kong: validation and predictive utility of the single-item subjective level of stress (SLS-1) in epidemiological and longitudinal community samples. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	1.8	11



#	ARTICLE	IF	CITATIONS
109	Rates and predictors of disengagement of patients with first-episode psychosis from the early intervention service for psychosis service (EASY) covering 15 to 64 years of age in Hong Kong. <i>Microbial Biotechnology</i> , 2019, 13, 398-404.	0.9	11
110	Adjunctive berberine reduces antipsychotic-associated weight gain and metabolic syndrome in patients with schizophrenia: a randomized controlled trial. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 77-85.	1.0	11
111	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015, 60, 346-353.	0.9	10
112	Efficacy of transcranial direct current stimulation (tDCS) as a treatment for persistent hallucinations in patients with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2018, 202, 423-425.	1.1	10
113	Psychiatrists' opinion towards medication discontinuation in remitted first-episode psychosis: A multi-site study of the Asian Network for Early Psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1329-1337.	0.9	10
114	Diabetes complication burden and patterns and risk of mortality in people with schizophrenia and diabetes: A population-based cohort study with 16-year follow-up. <i>European Neuropsychopharmacology</i> , 2021, 53, 79-88.	0.3	10
115	Negative symptom dimensions differentially impact on functioning in individuals at-risk for psychosis. <i>Schizophrenia Research</i> , 2018, 202, 310-315.	1.1	9
116	The effect of media reporting of a homicide committed by a patient with schizophrenia on the public stigma and knowledge of psychosis among the general population of Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 43-50.	1.6	9
117	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. <i>British Journal of Psychiatry</i> , 2020, 217, 491-497.	1.7	9
118	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021, 51, 2501-2508.	2.7	9
119	Altered risky decision making in patients with early non-affective psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 723-731.	1.8	9
120	Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2023, 53, 1708-1720.	2.7	9
121	Psychotropic drug utilization patterns in pregnant women with bipolar disorder: A 16-year population-based cohort study. <i>European Neuropsychopharmacology</i> , 2022, 57, 75-85.	0.3	9
122	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2022, 48, 981-998.	2.3	9
123	Perception towards relapse and its predictors in psychosis patients: A qualitative study. <i>Microbial Biotechnology</i> , 2018, 12, 856-862.	0.9	8
124	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. <i>Schizophrenia Research: Cognition</i> , 2020, 21, 100176.	0.7	8
125	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. <i>Microbial Biotechnology</i> , 2021, 15, 278-285.	0.9	8
126	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 103-114.	1.1	8



#	ARTICLE	IF	CITATIONS
127	Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. <i>Psychological Medicine</i> , 2023, 53, 4603-4613.	2.7	8
128	Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. <i>International Review of Psychiatry</i> , 2019, 31, 491-509.	1.4	7
129	Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. <i>Psychological Medicine</i> , 2016, 46, 2011-2013.	2.7	7
130	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2019, 76, 217.	6.0	6
131	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. <i>Microbial Biotechnology</i> , 2021, 15, 686-696.	0.9	6
132	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2018, 175, 285-286.	4.0	5
133	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. <i>Schizophrenia Research</i> , 2018, 192, 294-299.	1.1	5
134	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 887-896.	1.8	5
135	Perspective on medication decisions following remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 225, 82-89.	1.1	5
136	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 983-992.	1.3	5
137	Pre-existing chronic physical morbidity and excess mortality in people with schizophrenia: a population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, , 1.	1.6	5
138	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1561-1569.	1.8	5
139	Psychiatric comorbidity in individuals at risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. <i>Microbial Biotechnology</i> , 2021, 15, 616-623.	0.9	5
140	Validation of the Chinese Version of the Revised Clinical Interview Schedule: Findings from Hong Kong Mental Morbidity Survey. <i>East Asian Archives of Psychiatry</i> , 2017, 27, 3-10.	0.5	5
141	Quality of life and functioning in first-episode psychosis Chinese patients with different antipsychotic medications. <i>Microbial Biotechnology</i> , 2016, 10, 535-539.	0.9	4
142	Objective and subjective cognitive functioning in relation to psychopathology among women with early psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1227-1235.	0.9	4
143	Clinical and functional correlates of financially deprived women with first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 639-645.	0.9	4
144	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. <i>Journal of Mental Health</i> , 2022, 31, 29-38.	1.0	4

#	ARTICLE	IF	CITATIONS
145	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021, 228, 288-294.	1.1	4
146	Multilevel Factors Affecting Healthcare Workers's Perceived Stress and Risk of Infection During COVID-19 Pandemic. <i>International Journal of Public Health</i> , 2021, 66, 599408.	1.0	4
147	<scp>ReMind</scp>, a smartphone application for psychotic relapse prediction: A longitudinal study protocol. <i>Microbial Biotechnology</i> , 2021, 15, 1659-1666.	0.9	4
148	Three-year community case management for early psychosis: a randomised controlled study. <i>Hong Kong Medical Journal</i> , 2015, 21 Suppl 2, 23-6.	0.1	4
149	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder. <i>Psychopharmacology</i> , 2022, 239, 2133-2141.	1.5	4
150	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study. <i>Asian Journal of Psychiatry</i> , 2022, 71, 103087.	0.9	4
151	<scp>LevelMind</scp>@<scp>JC</scp>: Development and evaluation of a community early intervention program for young people in Hong Kong. <i>Microbial Biotechnology</i> , 2022, 16, 920-925.	0.9	4
152	Impact of restrictive COVID-19 measures on daily momentary affect in an epidemiological youth sample in Hong Kong: An experience sampling study. <i>Current Psychology</i> , 2023, 42, 20804-20813.	1.7	4
153	Chinese label for people at risk for psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 224-228.	0.9	3
154	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. <i>Schizophrenia Research</i> , 2018, 197, 618-619.	1.1	3
155	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. <i>Microbial Biotechnology</i> , 2018, 12, 107-112.	0.9	3
156	T252. TREATMENT DELAY AND OUTCOME COMPARISON OF EXTENDED EARLY INTERVENTION SERVICE AND STANDARD PSYCHIATRIC CARE FOR ADULTS PRESENTING WITH FIRST-EPISEODE PSYCHOSIS IN HONG KONG. <i>Schizophrenia Bulletin</i> , 2018, 44, S215-S215.	2.3	3
157	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with at-risk mental state for psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 61-68.	0.9	3
158	Aberrant Learned Irrelevance in Patients with First-Episode Schizophrenia-Spectrum Disorder. <i>Brain Sciences</i> , 2021, 11, 1370.	1.1	3
159	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1277-1286.	1.3	3
160	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	3
161	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial. <i>Psychological Medicine</i> , 2022, , 1-13.	2.7	3
162	Correlates and predictors of perceived stigma and self-stigma in Chinese patients with psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1075-1084.	0.9	3

#	ARTICLE	IF	CITATIONS
163	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. <i>Schizophrenia Research</i> , 2013, 148, 181-182.	1.1	2
164	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2016, 173, 939-940.	4.0	2
165	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. <i>Microbial Biotechnology</i> , 2021, 15, 1686-1695.	0.9	2
166	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2021, 57, 102578.	0.9	2
167	Clinical and psychological correlates of insight dimensions in patients with early psychosis. <i>Microbial Biotechnology</i> , 2021, , .	0.9	2
168	Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic. <i>Journal of Affective Disorders</i> , 2022, 300, 263-268.	2.0	2
169	Incidence of hospitalization and its associated factors in first-episode psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016, 10, 263-266.	0.9	1
170	Early intervention for incipient insanity: early notions from the 19 <sup>th</sup> century English literature. <i>Microbial Biotechnology</i> , 2018, 12, 708-714.	0.9	1
171	Predictors of functioning in people suffering from first-episode psychosis 1 year into entering early intervention service in Hong Kong. <i>Microbial Biotechnology</i> , 2018, 12, 828-838.	0.9	1
172	Differential cortical thinning of auditory cortex in first episode schizophrenia: Association with auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2019, 206, 464-465.	1.1	1
173	S83. MORTALITY, REVASCULARIZATION AND CARDIOPROTECTIVE PHARMACOTHERAPY AFTER ACUTE CORONARY SYNDROME IN PATIENTS WITH PSYCHOTIC DISORDERS: A POPULATION-BASED COHORT STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S65-S66.	2.3	1
174	Internalized stigma as an independent predictor of employment status in patients with schizophrenia.. <i>Psychiatric Rehabilitation Journal</i> , 2021, 44, 299-302.	0.8	1
175	Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 763545.	1.3	1
176	Prodromal psychosis: a case series of ten symptomatic patients. <i>East Asian Archives of Psychiatry</i> , 2015, 25, 35-41.	0.5	1
177	Duration of early intervention for psychosis: 2 years versus 3 years. <i>Hong Kong Medical Journal</i> , 2019, 25 Suppl 2, 10-14.	0.1	1
178	Life expectancy and years of potential life lost in bipolar disorder: systematic review and meta-analysis “ CORRIGENDUM. <i>British Journal of Psychiatry</i> , 2022, , 1-2.	1.7	1
179	Dynamic Patterns of Symptoms and Functioning in Predicting Deliberate Self-harm in Patients with First-Episode Schizophrenia-Spectrum Disorders Over 3 Years. <i>Schizophrenia Bulletin</i> , 2022, 48, 1043-1052.	2.3	1
180	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. <i>Schizophrenia Research</i> , 2019, 209, 275-277.	1.1	0

#	ARTICLE	IF	CITATIONS
181	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 509-518.	1.8	0
182	LevelMind @ JC hubs – a novel community-based youth mental wellness early intervention in Hong Kong: An evaluation of stakeholders' perceptions and experiences. <i>Microbial Biotechnology</i> , 2021, , .	0.9	0
183	A multifaceted approach in promoting positive mental health culture in Hong Kong secondary schools: The Mindshift educational networking programme. <i>Microbial Biotechnology</i> , 2021, , .	0.9	0
184	Extended early intervention versus standard psychiatric care for adults with first-episode psychosis. <i>Hong Kong Medical Journal</i> , 2019, 25 Suppl 3, 4-8.	0.1	0