

Aleksandra SkÅ,odowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4110859/publications.pdf>

Version: 2024-02-01

51
papers

1,571
citations

304743

22
h-index

302126

39
g-index

51
all docs

51
docs citations

51
times ranked

1916
citing authors

#	ARTICLE	IF	CITATIONS
1	Introduction to Bacterial Anhydrobiosis: A General Perspective and the Mechanisms of Desiccation-Associated Damage. <i>Microorganisms</i> , 2022, 10, 432.	3.6	4
2	Diversity of Biodeteriorative Bacterial and Fungal Consortia in Winter and Summer on Historical Sandstone of the Northern Pergola, Museum of King John III's Palace at Wilanow, Poland. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 620.	2.5	10
3	Microbiological Sulfide Removal—From Microorganism Isolation to Treatment of Industrial Effluent. <i>Microorganisms</i> , 2021, 9, 611.	3.6	12
4	Bacterial and Fungal Diversity Inside the Medieval Building Constructed with Sandstone Plates and Lime Mortar as an Example of the Microbial Colonization of a Nutrient-Limited Extreme Environment (Wawel Royal Castle, Krakow, Poland). <i>Microorganisms</i> , 2019, 7, 416.	3.6	15
5	Raoultella sp. SM1, a novel iron-reducing and uranium-precipitating strain. <i>Chemosphere</i> , 2018, 195, 722-726.	8.2	9
6	Application of metagenomic methods for selection of an optimal growth medium for bacterial diversity analysis of microbiocenoses on historical stone surfaces. <i>International Biodeterioration and Biodegradation</i> , 2018, 131, 2-10.	3.9	20
7	Granulated Bog Iron Ores as Sorbents in Passive (Bio)Remediation Systems for Arsenic Removal. <i>Frontiers in Chemistry</i> , 2018, 6, 54.	3.6	2
8	Extracellular Membrane Structures: A Component of the Epilithic Biofilm on the Kupferschiefer Black Shale. <i>Geomicrobiology Journal</i> , 2017, 34, 166-175.	2.0	1
9	Kinetics of arsenite oxidation by <i>Sinorhizobium</i> sp. M14 under changing environmental conditions. <i>International Biodeterioration and Biodegradation</i> , 2017, 119, 476-485.	3.9	12
10	The effect of the source of microorganisms on adaptation of hydrolytic consortia dedicated to anaerobic digestion of maize silage. <i>Anaerobe</i> , 2017, 46, 46-55.	2.1	23
11	The role of dissimilatory arsenate reducing bacteria in the biogeochemical cycle of arsenic based on the physiological and functional analysis of <i>Aeromonas</i> sp. O23A. <i>Science of the Total Environment</i> , 2017, 598, 680-689.	8.0	30
12	Solubilization of Pb-bearing apatite $Pb_5(PO_4)_3Cl$ by bacteria isolated from polluted environment. <i>Chemosphere</i> , 2017, 171, 302-307.	8.2	13
13	The influence of thermal treatment on bioweathering and arsenic sorption capacity of a natural iron (oxyhydr)oxide-based adsorbent. <i>Chemosphere</i> , 2017, 188, 99-109.	8.2	8
14	Bacterial weathering of fossil organic matter and organic carbon mobilization from subterrestrial Kupferschiefer black shale: long-term laboratory studies. <i>Environmental Microbiology Reports</i> , 2017, 9, 459-466.	2.4	19
15	Adaptation of Methanogenic Inocula to Anaerobic Digestion of Maize Silage. <i>Frontiers in Microbiology</i> , 2017, 8, 1881.	3.5	45
16	Microbial Consortium with High Cellulolytic Activity (MCHCA) for Enhanced Biogas Production. <i>Frontiers in Microbiology</i> , 2016, 7, 324.	3.5	92
17	Physiological and Metagenomic Analyses of Microbial Mats Involved in Self-Purification of Mine Waters Contaminated with Heavy Metals. <i>Frontiers in Microbiology</i> , 2016, 7, 1252.	3.5	57
18	Arsenic Mobilization from Historically Contaminated Mining Soils in a Continuously Operated Bioreactor: Implications for Risk Assessment. <i>Environmental Science & Technology</i> , 2016, 50, 9124-9132.	10.0	10

#	ARTICLE	IF	CITATIONS
19	Determination of factors responsible for the bioweathering of copper minerals from organic-rich copper-bearing Kupferschiefer black shale. <i>Chemosphere</i> , 2016, 148, 416-425.	8.2	25
20	<i>Shewanella</i> sp. O23S as a Driving Agent of a System Utilizing Dissimilatory Arsenate-Reducing Bacteria Responsible for Self-Cleaning of Water Contaminated with Arsenic. <i>International Journal of Molecular Sciences</i> , 2015, 16, 14409-14427.	4.1	16
21	Construction of the recombinant broad-host-range plasmids providing their bacterial hosts arsenic resistance and arsenite oxidation ability. <i>Journal of Biotechnology</i> , 2015, 196-197, 42-51.	3.8	7
22	Extracellular compounds produced by bacterial consortium promoting elements mobilization from polymetallic Kupferschiefer black shale (Fore-Sudetic Monocline, Poland). <i>Chemosphere</i> , 2015, 122, 273-279.	8.2	7
23	Structural and functional genomics of plasmid pSinA of <i>Sinorhizobium</i> sp. M14 encoding genes for the arsenite oxidation and arsenic resistance. <i>Journal of Biotechnology</i> , 2013, 164, 479-488.	3.8	40
24	Arsenic-transforming microbes and their role in biomining processes. <i>Environmental Science and Pollution Research</i> , 2013, 20, 7728-7739.	5.3	101
25	Bacteria diversity and arsenic mobilization in rock biofilm from an ancient gold and arsenic mine. <i>Science of the Total Environment</i> , 2013, 461-462, 330-340.	8.0	34
26	Biotransformation of copper from Kupferschiefer black shale (Fore-Sudetic Monocline, Poland) by yeast <i>Rhodotorula mucilaginosa</i> LM9. <i>Chemosphere</i> , 2013, 91, 1257-1265.	8.2	30
27	SNF1-Related Protein Kinases Type 2 Are Involved in Plant Responses to Cadmium Stress. <i>Plant Physiology</i> , 2012, 160, 868-883.	4.8	71
28	Bioweathering of Kupferschiefer black shale (Fore-Sudetic Monocline, SW Poland) by indigenous bacteria: implication for dissolution and precipitation of minerals in deep underground mine. <i>FEMS Microbiology Ecology</i> , 2012, 81, 99-110.	2.7	72
29	The contribution of microbial mats to the arsenic geochemistry of an ancient gold mine. <i>Environmental Pollution</i> , 2012, 162, 190-201.	7.5	31
30	Biodegradation of Kupferschiefer black shale organic matter (Fore-Sudetic Monocline, Poland) by indigenous microorganisms. <i>Chemosphere</i> , 2011, 83, 1255-1261.	8.2	32
31	Arsenic release from gold mine rocks mediated by the activity of indigenous bacteria. <i>Hydrometallurgy</i> , 2010, 104, 437-442.	4.3	41
32	Uptake and degradation of copper and cobalt porphyrins by indigenous microorganisms of Kupferschiefer (Fore-Sudetic Monocline, Poland). <i>Hydrometallurgy</i> , 2010, 104, 501-505.	4.3	6
33	Biotransformation of Organic-Rich Copper-Bearing Black Shale by Indigenous Microorganisms Isolated from Lubin Copper Mine (Poland). <i>Environmental Science & Technology</i> , 2010, 44, 2433-2440.	10.0	27
34	Arsenic response of AtPCS1- and CePCS-expressing plants. Effects of external As(V) concentration on As-accumulation pattern and NPT metabolism. <i>Journal of Plant Physiology</i> , 2010, 167, 169-175.	3.5	96
35	The culturable bacteria isolated from organic-rich black shale potentially useful in biometallurgical procedures. <i>Journal of Applied Microbiology</i> , 2009, 107, 858-866.	3.1	57
36	Ectopic expression of Arabidopsis ABC transporter MRP7 modifies cadmium root-to-shoot transport and accumulation. <i>Environmental Pollution</i> , 2009, 157, 2781-2789.	7.5	113

#	ARTICLE	IF	CITATIONS
37	Bacteria, hypertolerant to arsenic in the rocks of an ancient gold mine, and their potential role in dissemination of arsenic pollution. <i>Environmental Pollution</i> , 2008, 156, 1069-1074.	7.5	111
38	Arsenic-Hypertolerant <i>Pseudomonads</i> Isolated from Ancient Gold and Copper-Bearing Black Shale Deposits. <i>Geomicrobiology Journal</i> , 2008, 25, 357-362.	2.0	18
39	Arsenite and Arsenate Metabolism of <i>Sinorhizobium</i> sp. M14 Living in the Extreme Environment of the Zloty Stok Gold Mine. <i>Geomicrobiology Journal</i> , 2008, 25, 363-370.	2.0	37
40	Overexpression of phytochelatin synthase in tobacco: distinctive effects of AtPCS1 and CePCS genes on plant response to cadmium. <i>Journal of Experimental Botany</i> , 2008, 59, 2205-2219.	4.8	117
41	Isolation and Characterisation of Microorganisms from Copper Bearing Black Shale of Lubin Mine (Poland). <i>Advanced Materials Research</i> , 2007, 20-21, 580-580.	0.3	2
42	Arsenic Hypertolerant Bacteria Isolated from Gold Mine Rocks Biofilms. <i>Advanced Materials Research</i> , 2007, 20-21, 576-576.	0.3	4
43	Bioleaching Of Metals In Neutral And Slightly Alkaline Environment. , 2007, , 121-129.		6
44	Adaptive responses of chemolithoautotrophic acidophilic <i>Acidithiobacillus ferrooxidans</i> to sewage sludge. <i>Journal of Applied Microbiology</i> , 2007, 102, 1485-1498.	3.1	3
45	Adaptive changes of chemolithoautotrophic acidophilic sulfur-oxidizing bacteria during growth in sewage sludge. <i>Canadian Journal of Microbiology</i> , 2006, 52, 1189-1198.	1.7	0
46	Extracellular Polymer Produced in the Presence of Copper Minerals. <i>Geomicrobiology Journal</i> , 2005, 22, 65-73.	2.0	10
47	The role of microorganisms in dispersion of thallium compounds in the environment. <i>Polish Journal of Microbiology</i> , 2004, 53, 273-8.	1.7	5
48	The method of contact angle measurements and estimation of work of adhesion in bioleaching of metals. <i>Biological Procedures Online</i> , 1999, 1, 114-121.	2.9	52
49	Title is missing!. <i>Biotechnology Letters</i> , 1998, 20, 229-233.	2.2	14
50	Microbial Impact on Arsenic Mobilization in Zloty Stok Gold Mine. <i>Advanced Materials Research</i> , 0, 71-73, 121-124.	0.3	3
51	Biotransformation of Metalloporphyrins by Microorganisms Isolated from Organic-Rich Metal-Bearing Black Shale. <i>Advanced Materials Research</i> , 0, 71-73, 709-712.	0.3	1