Stephan K W Schwarz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4111729/publications.pdf

Version: 2024-02-01

414414 331670 1,201 67 21 h-index citations papers

g-index 73 73 73 1257 docs citations times ranked citing authors all docs

32

#	Article	IF	CITATIONS
1	Noise in the operating room during induction of anesthesia: impact of a quality improvement initiative. Canadian Journal of Anaesthesia, 2022, 69, 494-503.	1.6	1
2	Quality of meta-analyses of non-opioid, pharmacological, perioperative interventions for chronic postsurgical pain: a systematic review. Regional Anesthesia and Pain Medicine, 2022, 47, 263-269.	2.3	10
3	Association of anaesthesia technique with 30-day primary graft patency after open lower limb revascularization: retrospective cohort study. BJS Open, 2022, 6, .	1.7	2
4	Development and internal validation of a multivariable risk prediction model for severe rebound pain after foot and ankle surgery involving single-shot popliteal sciatic nerve block. British Journal of Anaesthesia, 2022, 129, 127-135.	3.4	6
5	Délivrance d'opioÃ⁻des après un accouchement par césarienne en Colombie-Britannique : une analyse de cohorte historique de 2004 à 2019. Canadian Journal of Anaesthesia, 2022, 69, 997-1006.	1.6	2
6	Accepting the baton at the Journal: a moment to celebrate success, science, diversity, and future opportunities. Canadian Journal of Anaesthesia, 2021, 68, 1-7.	1.6	5
7	A new hypertonic saline assay for analgesic screening in mice: effects of animal strain, sex, and diurnal phase. Canadian Journal of Anaesthesia, 2021, 68, 672-682.	1.6	1
8	Editors' note: 2021 Special Issue on airway management. Canadian Journal of Anaesthesia, 2021, 68, 1313-1316.	1.6	2
9	Mechanisms of action of fascial plane blocks: a narrative review. Regional Anesthesia and Pain Medicine, 2021, 46, 618-628.	2.3	71
10	A Single Prophylactic Dose of Ondansetron Given at Cessation of Postoperative Propofol Sedation Decreases Postoperative Nausea and Vomiting in Cardiac Surgery Patients: A Randomized Controlled Trial. Anesthesia and Analgesia, 2020, 131, 1164-1172.	2.2	13
11	What to do when perioperative point-of-care ultrasound shows evidence of a full stomach despite fasting?. Canadian Journal of Anaesthesia, 2020, 67, 798-805.	1.6	2
12	Antinociception by intrathecal delivery of the novel nonâ€opioid 1â€aminoâ€1â€cyclobutanecarboxylic acid. European Journal of Pain, 2019, 23, 260-271.	2.8	1
13	Repeated Testing With the Hypertonic Saline Assay in Mice for Screening of Analgesic Activity. Anesthesia and Analgesia, 2019, 129, 269-275.	2.2	1
14	An Intraplantar Hypertonic Saline Assay in Mice for Rapid Screening of Analgesics. Anesthesia and Analgesia, 2018, 127, 548-555.	2.2	6
15	Variations of isovaline structure related to activity in the formalin foot assay in mice. Amino Acids, 2017, 49, 1203-1213.	2.7	3
16	Point-of-care ultrasonography in Canadian anesthesiology residency programs: a national survey of program directors. Canadian Journal of Anaesthesia, 2017, 64, 1023-1036.	1.6	23
17	Cation and voltage dependence of lidocaine inhibition of the hyperpolarization-activated cyclic nucleotide-gated HCN1 channel. Scientific Reports, 2017, 7, 1281.	3.3	5
18	Regional Versus General Anesthesia and the Incidence of Unplanned Health Care Resource Utilization for Postoperative Pain After Wrist Fracture Surgery. Regional Anesthesia and Pain Medicine, 2016, 41, 22-27.	2.3	68

#	Article	IF	CITATIONS
19	Central Nervous System–Toxic Lidocaine Concentrations Unmask L-Type Ca2+ Current–Mediated Action Potentials in Rat Thalamocortical Neurons: An In Vitro Mechanism of Action Study. Anesthesia and Analgesia, 2016, 122, 1360-1369.	2.2	7
20	Differential effects of R-isovaline and the GABAB agonist, baclofen, in the guinea pig ileum. European Journal of Pharmacology, 2016, 791, 85-90.	3.5	0
21	The Efficacy and Safety of the Novel Peripheral Analgesic Isovaline as an Adjuvant to Propofol for General Anesthesia and Conscious Sedation. Anesthesia and Analgesia, 2015, 121, 1481-1487.	2.2	8
22	Postoperative delirium following transcatheter aortic valve implantation: a historical cohort study. Canadian Journal of Anaesthesia, 2015, 62, 22-30.	1.6	41
23	Hemidiaphragmatic Paralysis Following Ultrasound-Guided Supraclavicular Versus Infraclavicular Brachial Plexus Blockade. Regional Anesthesia and Pain Medicine, 2015, 40, 133-138.	2.3	77
24	Ultrasound guidance versus direct palpation for radial artery catheterization by expert operators: a randomized trial among Canadian cardiac anesthesiologists. Canadian Journal of Anaesthesia, 2015, 62, 1161-1168.	1.6	36
25	Incidence of and Risk Factors for Delirium After Cardiac Surgery at a Quaternary Care Center: A Retrospective Cohort Study. Journal of Cardiothoracic and Vascular Anesthesia, 2015, 29, 1472-1479.	1.3	33
26	Incidence and risk factors for impaired mobility in older cardiac surgery patients during the early postoperative period. Geriatrics and Gerontology International, 2015, 15, 276-281.	1.5	12
27	What Would I Want For My Surgery?. Healthcare Quarterly, 2014, 17, 7-9.	0.7	4
28	Evaluation of a novel mouse model of intracisternal strychnine-induced trigeminal allodynia. Canadian Journal of Anaesthesia, 2013, 60, 780-786.	1.6	6
29	Expression-dependent pharmacology of transient receptor potential vanilloid subtype 1 channels in <i>Xenopus laevis</i>	2.8	6
30	An Evaluation of an Expert System for Detecting Critical Events During Anesthesia in a Human Patient Simulator. Anesthesia and Analgesia, 2013, 117, 380-391.	2.2	16
31	Pharmacological Risk Factors for Delirium after Cardiac Surgery: A Review. Current Neuropharmacology, 2012, 10, 181-196.	2.9	34
32	Extracellular Quaternary Ammonium Blockade of Transient Receptor Potential Vanilloid Subtype 1 Channels Expressed in <i>Xenopus laevis</i> Oocytes. Molecular Pharmacology, 2012, 82, 1129-1135.	2.3	4
33	A regional anesthesia-based "swing―operating room model reduces non-operative time in a mixed orthopedic inpatient/outpatient population. Canadian Journal of Anaesthesia, 2012, 59, 943-949.	1.6	13
34	A Vibro-Tactile Display for Clinical Monitoring. Anesthesia and Analgesia, 2012, 115, 588-594.	2.2	17
35	A comparison of the systemic toxicity of lidocaine versus its quaternary derivative QX-314 in mice. Canadian Journal of Anaesthesia, 2011, 58, 443-450.	1.6	32
36	A "swing room―model based on regional anesthesia reduces turnover time and increases case throughput. Canadian Journal of Anaesthesia, 2011, 58, 725-732.	1.6	38

#	Article	IF	CITATIONS
37	The Quaternary Lidocaine Derivative, QX-314, Exerts Biphasic Effects on Transient Receptor Potential Vanilloid Subtype 1 Channels <i>In Vitro</i> A. Anesthesiology, 2011, 114, 1425-1434.	2.5	27
38	Lidocaine Blocks the Hyperpolarization-activated Mixed Cation Current, <i>I</i> Âh, in Rat Thalamocortical Neurons. Anesthesiology, 2011, 115, 822-835.	2.5	17
39	Analgesic Properties of the Novel Amino Acid, Isovaline. Anesthesia and Analgesia, 2010, 110, 1206-1214.	2.2	24
40	Clinical decision support in physiological monitoring. International Journal of Biomedical Engineering and Technology, 2010, 3, 264.	0.2	1
41	Effects of local tramadol administration on peripheral glutamate-induced nociceptive behaviour in mice. Canadian Journal of Anaesthesia, 2010, 57, 659-663.	1.6	16
42	Lumbar Intrathecal Administration of the Quaternary Lidocaine Derivative, QX-314, Produces Irritation and Death in Mice. Anesthesiology, 2010, 113, 438-444.	2.5	30
43	Comparison between a dorsal and a belt tactile display prototype for decoding physiological events in the operating room. Journal of Clinical Monitoring and Computing, 2009, 23, 137-147.	1.6	9
44	Collapsus hémodynamique sous anesthésie chez une patiente souffrant d'un sarcome de l'artère pulmonaire. Canadian Journal of Anaesthesia, 2009, 56, 604-608.	1.6	6
45	Design of Rhythm-Based Vibrotactile Stimuli Around the Waist: Evaluation of Two Encoding Parameters. IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans, 2009, 39, 1062-1073.	2.9	5
46	QX-314 Produces Long-lasting Local Anesthesia Modulated by Transient Receptor Potential Vanilloid Receptors in Mice. Anesthesiology, 2009, 111, 122-126.	2.5	46
47	Case series: anesthesia for retrograde percutaneous aortic valve replacement â€" experience with the first 40 patients. Canadian Journal of Anaesthesia, 2008, 55, 761-768.	1.6	33
48	Defining rules for the identification of critical ventilatory events. Canadian Journal of Anaesthesia, 2008, 55, 702-714.	1.6	10
49	Improved Neuromuscular Blockade Using a Novel Neuromuscular Blockade Advisory System: A Randomized, Controlled, Clinical Trial. Anesthesia and Analgesia, 2008, 107, 1609-1617.	2.2	10
50	A Novel Vibrotactile Display to Improve the Performance of Anesthesiologists in a Simulated Critical Incident. Anesthesia and Analgesia, 2008, 106, 1182-1188.	2.2	38
51	Dark green blood in the operating theatre. Lancet, The, 2007, 369, 1972.	13.7	29
52	Outcome of 12 drowned children with attempted resuscitation on cardiopulmonary bypass: An analysis of variables based on the "Utstein Style for Drowning― Resuscitation, 2007, 75, 42-52.	3.0	82
53	The Quaternary Lidocaine Derivative, QX-314, Produces Long-lasting Local Anesthesia in Animal Models <i>In Vivo</i> A. Anesthesiology, 2007, 107, 305-311.	2.5	83
54	Can Items on an Aviation-Style Checklist for Preparation of Cesarean Delivery Under General Anesthesia Present a Threat for Patient Safety?. Anesthesia and Analgesia, 2006, 102, 970.	2.2	4

#	Article	IF	CITATIONS
55	Book & Dook & Door Book & Book & Door Book	1.6	0
56	La récupération spontanée après un hématome épidural rachidien de présentation atypique chez nonagénaire. Canadian Journal of Anaesthesia, 2004, 51, 557-561.	une 1.6	20
57	Under "real world―conditions, desflurane increases drug cost without speeding discharge after short ambulatory anesthesia compared to isoflurane. Canadian Journal of Anaesthesia, 2004, 51, 892-898.	1.6	15
58	COX-2 Inhibition for Postoperative Analgesia. Anesthesia and Analgesia, 2003, 96, 1235.	2.2	2
59	Effects of QX-314 on membrane properties of neurons in the ventrobasal thalamus. Proceedings of the Western Pharmacology Society, 2002, 45, 29-31.	0.1	0
60	A Randomized Controlled Trial on Local Anesthetics in the Wound: What do the Numbers Mean?. Anesthesia and Analgesia, 2001, 93, 514.	2.2	0
61	Combined pre- and post-surgical bupivacaine would infiltrations decrease opioid requirements after knee ligament reconstruction. Canadian Journal of Anaesthesia, 2001, 48, 245-250.	1.6	23
62	Cost comparison of sevoflurane with isoflurane anesthesia in arthroscopic menisectomy surgery. Canadian Journal of Anaesthesia, 1999, 46, 1008-1013.	1.6	11
63	Addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not reduce analgesic requirements following arthroscopic knee surgery. Canadian Journal of Anaesthesia, 1999, 46, 741-747.	1.6	31
64	Lidocaine produces a shunt in rats thalamocortical neurons, unaffected by GABAA receptor blockade. Neuroscience Letters, 1999, 269, 25-28.	2.1	5
65	Analgesic and sedative concentrations of lignocaine shunt tonic and burst firing in thalamocortical neurones. British Journal of Pharmacology, 1998, 124, 1633-1642.	5.4	13
66	Editors' note: 2022 Special Issue on postoperative opioid analgesia. Canadian Journal of Anaesthesia, 0,	1.6	0
67	Trends in opioid dispensing after common abdominal and orthopedic surgery procedures in British Columbia: a retrospective cohort analysis. Canadian Journal of Anaesthesia, 0, , .	1.6	2