
Thordis Thorsteinsdottir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4112171/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial. European Urology, 2015, 68, 216-225.	1.9	347
2	Degree of Preservation of the Neurovascular Bundles During Radical Prostatectomy and Urinary Continence 1 Year after Surgery. European Urology, 2015, 67, 559-568.	1.9	107
3	Short-term Results after Robot-assisted Laparoscopic Radical Prostatectomy Compared to Open Radical Prostatectomy. European Urology, 2015, 67, 660-670.	1.9	84
4	LAPPRO: A prospective multicentre comparative study of robot-assisted laparoscopic and retropubic radical prostatectomy for prostate cancer. Scandinavian Journal of Urology and Nephrology, 2011, 45, 102-112.	1.4	63
5	Thromboembolic Complications in 3,544 Patients Undergoing Radical Prostatectomy with or without Lymph Node Dissection. Journal of Urology, 2015, 193, 117-125.	0.4	58
6	The association between different traumatic life events and suicidality. Högre Utbildning, 2018, 9, 1510279.	3.0	41
7	Oncological and functional outcomes 1 year after radical prostatectomy for veryâ€lowâ€risk prostate cancer: results from the prospective <scp>LAPPRO</scp> trial. BJU International, 2016, 118, 205-212.	2.5	38
8	Quality of Life After Open Radical Prostatectomy Compared with Robot-assisted Radical Prostatectomy. European Urology Focus, 2019, 5, 389-398.	3.1	38
9	Intrusive thoughts and quality of life among men with prostate cancer before and three months after surgery. Health and Quality of Life Outcomes, 2013, 11, 154.	2.4	23
10	Worry about one's own children, psychological wellâ€being, and interest in psychosocial intervention. Psycho-Oncology, 2013, 22, 2117-2123.	2.3	23
11	90-Day readmission after radical prostatectomy—a prospective comparison between robot-assisted and open surgery. Scandinavian Journal of Urology, 2019, 53, 26-33.	1.0	23
12	Patient and tumour-related factors for prediction of urinary incontinence after radical prostatectomy. Scandinavian Journal of Urology, 2013, 47, 272-281.	1.0	20
13	Physical activity before radical prostatectomy reduces sick leave after surgery - results fromÂa prospective, non-randomized controlled clinical trial (LAPPRO). BMC Urology, 2016, 16, 50.	1.4	16
14	Vesicourethral Anastomotic Stenosis After Open or Robot-assisted Laparoscopic Retropubic Prostatectomy—Results from the Laparoscopic Prostatectomy Robot Open Trial. European Urology Focus, 2021, 7, 317-324.	3.1	14
15	Psychological Well-being and Private and Professional Psychosocial Support After Prostate Cancer Surgery: A Follow-up at 3, 12, and 24 Months After Surgery. European Urology Focus, 2016, 2, 418-425.	3.1	12
16	Preparedness for side effects and bother in symptomatic men after radical prostatectomy in a prospective, non-randomized trial, LAPPRO. Acta Oncológica, 2016, 55, 1467-1476.	1.8	10
17	Habits and self-assessed quality of life, negative intrusive thoughts and depressed mood in patients with prostate cancer: a longitudinal study. Scandinavian Journal of Urology, 2017, 51, 353-359.	1.0	10
18	Suicide rates in Iceland before and after the 2008 Global Recession: a nationwide population-based study. European Journal of Public Health, 2020, 30, 1102-1108.	0.3	8

#	Article	IF	CITATIONS
19	Women and intimate partner violence: Prevalence of hospital visits and nature of injuries in the Icelandic population. Scandinavian Journal of Public Health, 2021, 49, 260-267.	2.3	8
20	Accidental injuries among older adults: An incidence study. International Emergency Nursing, 2018, 40, 12-17.	1.5	7
21	Social constraints and psychological wellâ€being after prostate cancer: A followâ€up at 12 and 24Âmonths after surgery. Psycho-Oncology, 2018, 27, 668-675.	2.3	7
22	How badly did it hit? Self-assessed emotional shock upon prostate cancer diagnosis and psychological well-being: a follow-up at 3, 12, and 24 months after surgery. Acta Oncológica, 2017, 56, 984-990.	1.8	6
23	Associations between intraoperative factors and surgeons' self-assessed operative satisfaction. Surgical Endoscopy and Other Interventional Techniques, 2020, 34, 61-68.	2.4	6
24	Careâ€related predictors for negative intrusive thoughts after prostate cancer diagnosis—data from the prospective LAPPRO trial. Psycho-Oncology, 2017, 26, 1749-1757.	2.3	5
25	Suicide attempts and self-harm during a dramatic national economic transition: a population-based study in Iceland. European Journal of Public Health, 2017, 27, ckw137.	0.3	4
26	Corrigendum re: "Urinary Incontinence and Erectile Dysfunction After Robotic Versus Open Radical Prostatectomy: A Prospective, Controlled, Nonrandomised Trial―[Eur Urol 2015;68:216–25]. European Urology, 2017, 72, e81-e82.	1.9	4
27	Hip fractures among older people in Iceland between 2008 and 2012. International Journal of Orthopaedic and Trauma Nursing, 2019, 32, 27-31.	0.9	4
28	Thinking about one's own death after prostate-cancer diagnosis. Supportive Care in Cancer, 2018, 26, 1665-1673.	2.2	3
29	Variations in elderly peoples' visits to the emergency departments in Iceland: A five-year population study. International Emergency Nursing, 2018, 37, 6-12.	1.5	3
30	Patients in need of comprehensive geriatric assessment: The utility of the InterRAI emergency department screener. International Emergency Nursing, 2021, 54, 100943.	1.5	3
31	Do negative intrusive thoughts at diagnosis predict impaired quality of life, depressed mood and waking up with anxiety 3, 12 and 24 months after radical prostatectomy? – a longitudinal study. Scandinavian Journal of Urology, 2020, 54, 220-226.	1.0	2
32	Fréttir frÃ; kennslunefnd HeilbrigðisvÃsindasviðs. TÃmarit Kennslumiðstöðvar HÃ;skóla Ãslands, 2019, 7, 40.	0.0	0