

Sihong Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4124690/publications.pdf>

Version: 2024-02-01

64
papers

21,445
citations

23500

58
h-index

102304

66
g-index

66
all docs

66
docs citations

66
times ranked

14698
citing authors

#	ARTICLE	IF	CITATIONS
1	Skin electronics from scalable fabrication of an intrinsically stretchable transistor array. <i>Nature</i> , 2018, 555, 83-88.	13.7	1,588
2	Theoretical study of contact-mode triboelectric nanogenerators as an effective power source. <i>Energy and Environmental Science</i> , 2013, 6, 3576.	15.6	1,380
3	Nanoscale Triboelectric-Effect-Enabled Energy Conversion for Sustainably Powering Portable Electronics. <i>Nano Letters</i> , 2012, 12, 6339-6346.	4.5	1,062
4	Highly stretchable polymer semiconductor films through the nanoconfinement effect. <i>Science</i> , 2017, 355, 59-64.	6.0	897
5	Freestanding Triboelectric Layer-Based Nanogenerators for Harvesting Energy from a Moving Object or Human Motion in Contact and Non-contact Modes. <i>Advanced Materials</i> , 2014, 26, 2818-2824.	11.1	752
6	Flexible High-Output Nanogenerator Based on Lateral ZnO Nanowire Array. <i>Nano Letters</i> , 2010, 10, 3151-3155.	4.5	713
7	Triboelectric nanogenerators as self-powered active sensors. <i>Nano Energy</i> , 2015, 11, 436-462.	8.2	674
8	Sliding-Triboelectric Nanogenerators Based on In-Plane Charge-Separation Mechanism. <i>Nano Letters</i> , 2013, 13, 2226-2233.	4.5	633
9	Theory of Sliding-Mode Triboelectric Nanogenerators. <i>Advanced Materials</i> , 2013, 25, 6184-6193.	11.1	581
10	A Hybrid Piezoelectric Structure for Wearable Nanogenerators. <i>Advanced Materials</i> , 2012, 24, 1759-1764.	11.1	555
11	Triboelectric Active Sensor Array for Self-Powered Static and Dynamic Pressure Detection and Tactile Imaging. <i>ACS Nano</i> , 2013, 7, 8266-8274.	7.3	529
12	Maximum Surface Charge Density for Triboelectric Nanogenerators Achieved by Ionized Air Injection: Methodology and Theoretical Understanding. <i>Advanced Materials</i> , 2014, 26, 6720-6728.	11.1	517
13	Theoretical Investigation and Structural Optimization of Single-Electrode Triboelectric Nanogenerators. <i>Advanced Functional Materials</i> , 2014, 24, 3332-3340.	7.8	513
14	In Vivo Powering of Pacemaker by Breathing-Driven Implanted Triboelectric Nanogenerator. <i>Advanced Materials</i> , 2014, 26, 5851-5856.	11.1	476
15	Quadruple H-Bonding Cross-Linked Supramolecular Polymeric Materials as Substrates for Stretchable, Antitearing, and Self-Healable Thin Film Electrodes. <i>Journal of the American Chemical Society</i> , 2018, 140, 5280-5289.	6.6	464
16	Grating-Structured Freestanding Triboelectric Layer Nanogenerator for Harvesting Mechanical Energy at 85% Total Conversion Efficiency. <i>Advanced Materials</i> , 2014, 26, 6599-6607.	11.1	440
17	Segmentally Structured Disk Triboelectric Nanogenerator for Harvesting Rotational Mechanical Energy. <i>Nano Letters</i> , 2013, 13, 2916-2923.	4.5	437
18	A wireless body area sensor network based on stretchable passive tags. <i>Nature Electronics</i> , 2019, 2, 361-368.	13.1	421

#	ARTICLE	IF	CITATIONS
19	Progress in nanogenerators for portable electronics. <i>Materials Today</i> , 2012, 15, 532-543.	8.3	417
20	Theory of freestanding triboelectric-layer-based nanogenerators. <i>Nano Energy</i> , 2015, 12, 760-774.	8.2	409
21	Effective energy storage from a triboelectric nanogenerator. <i>Nature Communications</i> , 2016, 7, 10987.	5.8	407
22	Skin-Inspired Electronics: An Emerging Paradigm. <i>Accounts of Chemical Research</i> , 2018, 51, 1033-1045.	7.6	407
23	Triboelectric-Pyroelectric-Piezoelectric Hybrid Cell for High-Efficiency Energy Harvesting and Self-Powered Sensing. <i>Advanced Materials</i> , 2015, 27, 2340-2347.	11.1	397
24	Rectangular Bunched Rutile TiO ₂ Nanorod Arrays Grown on Carbon Fiber for Dye-Sensitized Solar Cells. <i>Journal of the American Chemical Society</i> , 2012, 134, 4437-4441.	6.6	349
25	Rotary Triboelectric Nanogenerator Based on a Hybridized Mechanism for Harvesting Wind Energy. <i>ACS Nano</i> , 2013, 7, 7119-7125.	7.3	328
26	A Flexible Fiber-Based Supercapacitor-Triboelectric Nanogenerator Power System for Wearable Electronics. <i>Advanced Materials</i> , 2015, 27, 4830-4836.	11.1	322
27	An Integrated Power Pack of Dye-Sensitized Solar Cell and Li Battery Based on Double-Sided TiO ₂ Nanotube Arrays. <i>Nano Letters</i> , 2012, 12, 2520-2523.	4.5	312
28	Enhanced Triboelectric Nanogenerators and Triboelectric Nanosensor Using Chemically Modified TiO ₂ Nanomaterials. <i>ACS Nano</i> , 2013, 7, 4554-4560.	7.3	276
29	Finger typing driven triboelectric nanogenerator and its use for instantaneously lighting up LEDs. <i>Nano Energy</i> , 2013, 2, 491-497.	8.2	264
30	Molecular surface functionalization to enhance the power output of triboelectric nanogenerators. <i>Journal of Materials Chemistry A</i> , 2016, 4, 3728-3734.	5.2	257
31	Hybridizing Energy Conversion and Storage in a Mechanical-to-Electrochemical Process for Self-Charging Power Cell. <i>Nano Letters</i> , 2012, 12, 5048-5054.	4.5	255
32	Multi-scale ordering in highly stretchable polymer semiconducting films. <i>Nature Materials</i> , 2019, 18, 594-601.	13.3	251
33	Robust Triboelectric Nanogenerator Based on Rolling Electrification and Electrostatic Induction at an Instantaneous Energy Conversion Efficiency of ~45%. <i>ACS Nano</i> , 2015, 9, 922-930.	7.3	245
34	Ultrasensitive and stretchable graphene electrodes. <i>Science Advances</i> , 2017, 3, e1700159.	4.7	231
35	Pyroelectric Nanogenerators for Driving Wireless Sensors. <i>Nano Letters</i> , 2012, 12, 6408-6413.	4.5	221
36	Quantitative Measurements of Vibration Amplitude Using a Contact-Mode Freestanding Triboelectric Nanogenerator. <i>ACS Nano</i> , 2014, 8, 12004-12013.	7.3	219

#	ARTICLE	IF	CITATIONS
37	Noncontact Free-Rotating Disk Triboelectric Nanogenerator as a Sustainable Energy Harvester and Self-Powered Mechanical Sensor. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 3031-3038.	4.0	217
38	Simulation method for optimizing the performance of an integrated triboelectric nanogenerator energy harvesting system. <i>Nano Energy</i> , 2014, 8, 150-156.	8.2	214
39	A theoretical study of grating structured triboelectric nanogenerators. <i>Energy and Environmental Science</i> , 2014, 7, 2339-2349.	15.6	194
40	Dipole-moment-induced effect on contact electrification for triboelectric nanogenerators. <i>Nano Research</i> , 2014, 7, 990-997.	5.8	180
41	Manipulating Nanoscale Contact Electrification by an Applied Electric Field. <i>Nano Letters</i> , 2014, 14, 1567-1572.	4.5	175
42	Strain-insensitive intrinsically stretchable transistors and circuits. <i>Nature Electronics</i> , 2021, 4, 143-150.	13.1	170
43	Self-Powered Trajectory, Velocity, and Acceleration Tracking of a Moving Object/Body using a Triboelectric Sensor. <i>Advanced Functional Materials</i> , 2014, 24, 7488-7494.	7.8	161
44	Stretchable transistors and functional circuits for human-integrated electronics. <i>Nature Electronics</i> , 2021, 4, 17-29.	13.1	153
45	Enhanced Performance of Flexible ZnO Nanowire Based Room-Temperature Oxygen Sensors by Piezotronic Effect. <i>Advanced Materials</i> , 2013, 25, 3701-3706.	11.1	146
46	Optimization of Triboelectric Nanogenerator Charging Systems for Efficient Energy Harvesting and Storage. <i>IEEE Transactions on Electron Devices</i> , 2015, 62, 641-647.	1.6	144
47	Motion Charged Battery as Sustainable Flexible-Power-Unit. <i>ACS Nano</i> , 2013, 7, 11263-11271.	7.3	139
48	A stretchable and strain-unperturbed pressure sensor for motion interference-free tactile monitoring on skins. <i>Science Advances</i> , 2021, 7, eabi4563.	4.7	136
49	Sustainable Energy Source for Wearable Electronics Based on Multilayer Elastomeric Triboelectric Nanogenerators. <i>Advanced Energy Materials</i> , 2017, 7, 1602832.	10.2	129
50	A self-powered electrochromic device driven by a nanogenerator. <i>Energy and Environmental Science</i> , 2012, 5, 9462.	15.6	117
51	Strain-Gated Piezotronic Transistors Based on Vertical Zinc Oxide Nanowires. <i>ACS Nano</i> , 2012, 6, 3760-3766.	7.3	113
52	A Streaming Potential/Current-Based Microfluidic Direct Current Generator for Self-Powered Nanosystems. <i>Advanced Materials</i> , 2015, 27, 6482-6487.	11.1	104
53	Largely Improving the Robustness and Lifetime of Triboelectric Nanogenerators through Automatic Transition between Contact and Noncontact Working States. <i>ACS Nano</i> , 2015, 9, 7479-7487.	7.3	100
54	Self-Powered Triboelectric Nanosensor for Microfluidics and Cavity-Confined Solution Chemistry. <i>ACS Nano</i> , 2015, 9, 11056-11063.	7.3	99

#	ARTICLE	IF	CITATIONS
55	Multi-layered disk triboelectric nanogenerator for harvesting hydropower. <i>Nano Energy</i> , 2014, 6, 129-136.	8.2	98
56	Highly porous piezoelectric PVDF membrane as effective lithium ion transfer channels for enhanced self-charging power cell. <i>Nano Energy</i> , 2015, 14, 77-86.	8.2	95
57	Synthesis of vertically aligned ultra-long ZnO nanowires on heterogeneous substrates with catalyst at the root. <i>Nanotechnology</i> , 2012, 23, 055604.	1.3	74
58	Nonhalogenated Solvent Processable and Printable High-Performance Polymer Semiconductor Enabled by Isomeric Nonconjugated Flexible Linkers. <i>Macromolecules</i> , 2018, 51, 4976-4985.	2.2	68
59	An elastic-spring-substrated nanogenerator as an active sensor for self-powered balance. <i>Energy and Environmental Science</i> , 2013, 6, 1164.	15.6	53
60	Stretchable Redox-Active Semiconducting Polymers for High-Performance Organic Electrochemical Transistors. <i>Advanced Materials</i> , 2022, 34, e2201178.	11.1	50
61	Implantable bioelectronics toward long-term stability and sustainability. <i>Matter</i> , 2021, 4, 1125-1141.	5.0	45
62	Nanostructuring HfO ₂ Thin Films as Antireflection Coatings. <i>Journal of the American Ceramic Society</i> , 2009, 92, 3077-3080.	1.9	25
63	Observation of Stepwise Ultrafast Crystallization Kinetics of Donor-Acceptor Conjugated Polymers and Correlation with Field Effect Mobility. <i>Chemistry of Materials</i> , 2021, 33, 1637-1647.	3.2	17
64	A universal and facile approach for building multifunctional conjugated polymers for human-integrated electronics. <i>Matter</i> , 2021, 4, 3015-3029.	5.0	13