

Daniel L Riddle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4124818/publications.pdf>

Version: 2024-02-01

163
papers

6,829
citations

66343

42
h-index

64796

79
g-index

169
all docs

169
docs citations

169
times ranked

6129
citing authors

#	ARTICLE	IF	CITATIONS
1	Incorporating Expected Outcomes Into Clinical Decision-Making for Total Knee Arthroplasty. <i>Arthritis Care and Research</i> , 2023, 75, 1132-1139.	3.4	5
2	Use of tanezumab for patients with hip and knee osteoarthritis with reference to a randomised clinical trial by Berenbaum and colleagues. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, e65-e65.	0.9	2
3	Cross-validation of good versus poor self-reported outcome trajectory types following knee arthroplasty. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 61-68.	1.3	14
4	OUP accepted manuscript. <i>Physical Therapy</i> , 2022, , .	2.4	0
5	Comment on the paper by George and colleagues and entitled Chronic Pain Prevalence and Factors Associated with High Impact Chronic Pain following Total Joint Arthroplasty: An Observational Study. <i>Journal of Pain</i> , 2022, , .	1.4	0
6	Examination of Randomized Trials and Corresponding Trial Registry Entries: Registration Timing and Primary Outcome Analysis in the Journal of Arthroplasty. <i>Journal of Arthroplasty</i> , 2022, 37, 1645-1649.e7.	3.1	2
7	Commentary on finding meaning in patient-reported outcome change scores: a seemingly unquenchable thirst for understanding. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 768-771.	1.3	7
8	Trajectories of structural disease progression in knee osteoarthritis: comment on the article by Collins et al. <i>Arthritis Care and Research</i> , 2021, 73, 1858-1858.	3.4	0
9	Shared Decision-Making Applied to Knee Arthroplasty: A Systematic Review of Randomized Trials. <i>Arthritis Care and Research</i> , 2021, 73, 1125-1133.	3.4	17
10	Racial Differences in Pain and Function Following Knee Arthroplasty: A Secondary Analysis From a Multicenter Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2021, 73, 810-817.	3.4	11
11	Development and Underlying Structure of a Second-Generation Appropriateness Classification System for Total Knee Arthroplasty. <i>Arthritis Care and Research</i> , 2021, 73, 801-809.	3.4	9
12	Associations Between Physical Therapy Visits and Pain and Physical Function After Knee Arthroplasty: A Cross-Lagged Panel Analysis of People Who Catastrophize About Pain Prior to Surgery. <i>Physical Therapy</i> , 2021, 101, .	2.4	4
13	Comments on "preoperative risk factors associated with chronic pain profiles following total knee arthroplasty" by Lindberg and colleagues. <i>European Journal of Pain</i> , 2021, 25, 725-726.	2.8	1
14	Validation of a second-generation appropriateness classification system for total knee arthroplasty: a prospective cohort study. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 227.	2.3	9
15	Risk-of-bias rating is incorrect in systematic review by Van der Gucht and colleagues. <i>Clinical Rehabilitation</i> , 2021, 35, 1640-1641.	2.2	0
16	Phase III Trials of Enhanced Versus Usual Care Physical Therapy for Patients at Risk for Poor Outcome Following Knee Arthroplasty: A Perspective on Meaning and a Way Forward. <i>Physical Therapy</i> , 2021, 101, .	2.4	2
17	Brief one-time mind-body interventions for pain relief before joint arthroplasty. <i>Pain</i> , 2021, 162, 2145-2145.	4.2	1
18	Physical Therapy Use, Costs, and Value for Latent Classes of Good vs Poor Outcome in Patients Who Catastrophize About Their Pain Prior to Knee Arthroplasty. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1347-1351.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Outcomes and Western Ontario and McMaster Universities Osteoarthritis Index Score Reporting in a Trial of the Efficacy and Safety of Diclofenacâ€“Hyaluronate Conjugate: Comment on the Article by Nishida et al. <i>Arthritis and Rheumatology</i> , 2021, 73, 2147-2148.	5.6	0
20	Transparency and the reporting of subgroup analyses by Guehring and colleagues. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, e1.	3.4	0
21	Quantitative contrast enhanced dual energy CT to predict avascular necrosis: a feasibility study of proximal humerus fractures. <i>BMC Medical Imaging</i> , 2021, 21, 191.	2.7	2
22	American Academy of Orthopedic Surgeons Appropriate Use Criteria for Hip Preservation Surgery: Variables That Drive Appropriateness for Surgery. <i>Arthritis Care and Research</i> , 2020, 72, 405-411.	3.4	3
23	Prevalence of similar or worse symptom and osteoarthritis severity of index and contralateral knees prior to knee arthroplasty: A cross-sectional multicenter cohort study. <i>Knee</i> , 2020, 27, 485-492.	1.6	3
24	Reliability of meniscus tear description: a study using MRI from the Osteoarthritis Initiative. <i>Rheumatology International</i> , 2020, 40, 635-641.	3.0	2
25	Correlation between the accessory anterolateral talar facet, bone marrow edema, and tarsal coalitions. <i>Skeletal Radiology</i> , 2020, 49, 699-705.	2.0	6
26	Letter to the Editor on â€œThe Functional Outcomes of Patients With Knee Osteoarthritis Managed Nonoperatively at the Joint Clinic at 5-Year Follow-up: Does Surgical Avoidance Mean Success?â€. <i>Journal of Arthroplasty</i> , 2020, 35, 3059-3060.	3.1	0
27	Letter to the Editor on â€œAssessment of a Satisfaction Measure for Use After Primary Total Joint Arthroplastyâ€. <i>Journal of Arthroplasty</i> , 2020, 35, 3417-3418.	3.1	0
28	Letter to the Editor on: Formal Physical Therapy Following Total Hip and Knee Arthroplasty Incurs Additional Cost Without Improving Outcomes. <i>Journal of Arthroplasty</i> , 2020, 35, 3779-3780.	3.1	1
29	Classifications of good versus poor outcome following knee arthroplasty should not be defined using arbitrary criteria. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 604.	1.9	8
30	The WOMAC Pain Scale and Crosstalk From Co-occurring Pain Sites in People With Knee Pain: A Causal Modeling Study. <i>Physical Therapy</i> , 2020, 100, 1872-1881.	2.4	10
31	Letter to the Editor on â€œImprovements in Isokinetic Quadriceps and Hamstring Strength Testing After Focused Therapy in Patients With Flexion Instabilityâ€. <i>Journal of Arthroplasty</i> , 2020, 35, 2298-2299.	3.1	0
32	Disentangling trait versus state characteristics of the Pain Catastrophizing Scale and the PHQâ€“8 Depression Scale. <i>European Journal of Pain</i> , 2020, 24, 1624-1634.	2.8	7
33	Examining Timeliness of Total Knee Replacement Among Patients with Knee Osteoarthritis in the U.S.. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 468-476.	3.0	43
34	Influence of Baseline Magnetic Resonance Imaging Features on Outcome of Arthroscopic Meniscectomy and Physical Therapy Treatment of Meniscal Tears in Osteoarthritis: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2019, 47, NP45-NP46.	4.2	1
35	Model-based pain and function outcome trajectory types for patients undergoing knee arthroplasty: a secondary analysis from a randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 878-884.	1.3	50
36	A Motor Learning Paradigm Combining Technology and Associative Learning to Assess Prone Motor Learning in Infants. <i>Physical Therapy</i> , 2019, 99, 807-816.	2.4	6

#	ARTICLE	IF	CITATIONS
37	Protocol for a systematic review of randomized trials of knee arthroplasty decision aids and shared decision-making approaches. <i>Systematic Reviews</i> , 2019, 8, 137.	5.3	2
38	Letter to the Editor on "Unexplained Painful Hip Arthroplasty: What Should We Find? Diagnostic Approach and Results". <i>Journal of Arthroplasty</i> , 2019, 34, 2195-2196.	3.1	0
39	Appropriateness and Total Hip Arthroplasty: Determining the Structure of the American Academy of Orthopaedic Surgeons System of Classification. <i>Journal of Rheumatology</i> , 2019, 46, 1127-1133.	2.0	9
40	Pain Coping Skills Training for Patients Who Catastrophize About Pain Prior to Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 218-227.	3.0	66
41	Magnetic resonance imaging of patellofemoral osteoarthritis: intertester reliability and associations with knee pain and function. <i>Clinical Rheumatology</i> , 2019, 38, 1469-1476.	2.2	4
42	Appropriateness Criteria for Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, e22.	3.0	19
43	Prevalence and Predictors of Symptom Resolution and Functional Restoration in the Index Knee After Knee Arthroplasty: A Longitudinal Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 887-892.	0.9	5
44	Preoperative Risk Factors for Postoperative Falls in Persons Undergoing Hip or Knee Arthroplasty: A Longitudinal Study of Data From the Osteoarthritis Initiative. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 967-972.	0.9	14
45	Case report: vertebral foreign body granuloma mimicking a skeletal metastasis. <i>Skeletal Radiology</i> , 2018, 47, 871-875.	2.0	1
46	Opioid use prior to knee arthroplasty in patients who catastrophize about their pain: preoperative data from a multisite randomized clinical trial. <i>Journal of Pain Research</i> , 2018, Volume 11, 1549-1557.	2.0	2
47	Do Pain Coping and Pain Beliefs Associate With Outcome Measures Before Knee Arthroplasty in Patients Who Catastrophize About Pain? A Cross-sectional Analysis From a Randomized Clinical Trial. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 778-786.	1.5	21
48	Poor expectations of knee replacement benefit are associated with modifiable psychological factors and influence the decision to have surgery: A cross-sectional and longitudinal study of a community-based sample. <i>Knee</i> , 2017, 24, 354-361.	1.6	26
49	Appropriateness and total knee arthroplasty: an examination of the American Academy of Orthopaedic Surgeons appropriateness rating system. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1994-1998.	1.3	20
50	External Validation of a Prognostic Model for Predicting Nonresponse Following Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1153-1158.e1.	3.1	18
51	Construct validation and correlates of preoperative expectations of postsurgical recovery in persons undergoing knee replacement: baseline findings from a randomized clinical trial. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 232.	2.4	3
52	Consequences of randomized clinical trial design decisions need to be clarified. <i>Journal of Clinical Epidemiology</i> , 2016, 77, 13-14.	5.0	3
53	The incident tibiofemoral osteoarthritis with rapid progression phenotype: development and validation of a prognostic prediction rule. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 2100-2107.	1.3	34
54	A longitudinal comparative study of falls in persons with knee arthroplasty and persons with or at high risk for knee osteoarthritis. <i>Age and Ageing</i> , 2016, 45, 794-800.	1.6	13

#	ARTICLE	IF	CITATIONS
55	A Roland Morris Disability Questionnaire Target Value to Distinguish between Functional and Dysfunctional States in People with Low Back Pain. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016, 68, 29-35.	0.6	36
56	Potential Limitations of the Newly Proposed Knee Osteoarthritis Composite Symptom Score: Comment on the Article by Lo et al. <i>Arthritis and Rheumatology</i> , 2016, 68, 1564-1565.	5.6	0
57	Using Surgical Appropriateness Criteria to Examine Outcomes of Total Knee Arthroplasty in a United States Sample. <i>Arthritis Care and Research</i> , 2015, 67, 349-357.	3.4	75
58	Knee Osteoarthritis Worsening Across the Disease Spectrum and Future Knee Pain, Symptoms, and Functioning: A Multisite Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2015, 67, 1722-1729.	3.4	6
59	Letter to the Editor: Preoperative Pain and Function Profiles Reflect Consistent TKA Patient Selection Among US Surgeons. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 393-394.	1.5	1
60	What Is the Relationship Between Depressive Symptoms and Pain During Functional Tasks in Persons Undergoing TKA? A 6-year Perioperative Cohort Study. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 3527-3534.	1.5	19
61	Modeling longitudinal osteoarthritis data to identify homogeneous subgroups: opportunities and challenges in a burgeoning literature. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1035-1037.	1.3	10
62	Outcome Domains and Measures in Total Joint Replacement Clinical Trials: Can We Harmonize Them? An OMERACT Collaborative Initiative. <i>Journal of Rheumatology</i> , 2015, 42, 2496-2502.	2.0	28
63	Knee Pain Patterns and Associations with Pain and Function in Persons with or at Risk for Symptomatic Radiographic Osteoarthritis: A Cross-sectional Analysis. <i>Journal of Rheumatology</i> , 2015, 42, 2398-2403.	2.0	10
64	Is This a Clinical Trial? And Should It Be Registered?. <i>Physical Therapy</i> , 2015, 95, 810-814.	2.4	4
65	Out-of-Pocket Spending for Ambulatory Physical Therapy Services From 2008 to 2012: National Panel Survey. <i>Physical Therapy</i> , 2015, 95, 1680-1691.	2.4	8
66	Knee osteoarthritis radiographic progression and associations with pain and function prior to knee arthroplasty: a multicenter comparative cohort study. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 391-396.	1.3	23
67	Growth mixture models and knee arthroplasty outcomes. <i>Pain</i> , 2015, 156, 1171.	4.2	0
68	Content and bibliometric analyses of the <i>Journal of Manual & Manipulative Therapy</i> . <i>Journal of Manual and Manipulative Therapy</i> , 2014, 22, 181-190.	1.2	7
69	Knee Pain During Daily Tasks, Knee Osteoarthritis Severity, and Widespread Pain. <i>Physical Therapy</i> , 2014, 94, 490-498.	2.4	31
70	A Novel Approach for Determining Three-Dimensional Acetabular Orientation: Results from Two Hundred Subjects. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1776-1784.	3.0	48
71	On "Quality of life and self-reported lower extremity function" Galantino ML, Kietrys DM, Parrott JS, et al. <i>Phys Ther.</i> doi: 10.2522/ptj.20130337.. <i>Physical Therapy</i> , 2014, 94, 1355-1356.	2.4	2
72	Concordance between important change and acceptable symptom state following knee arthroplasty: the role of baseline scores. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1107-1110.	1.3	45

#	ARTICLE	IF	CITATIONS
73	Use of a Validated Algorithm to Judge the Appropriateness of Total Knee Arthroplasty in the United States: A Multicenter Longitudinal Cohort Study. <i>Arthritis and Rheumatology</i> , 2014, 66, 2134-2143.	5.6	128
74	Clinically important body weight gain following total hip arthroplasty: a cohort study with 5-year follow-up. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 35-43.	1.3	16
75	Associations between Statin use and changes in pain, function and structural progression: a longitudinal study of persons with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 196-203.	0.9	53
76	Self-rated health and symptomatic knee osteoarthritis over three years: Data from a multicenter observational cohort study. <i>Arthritis Care and Research</i> , 2013, 65, 169-176.	3.4	12
77	Body weight changes and corresponding changes in pain and function in persons with symptomatic knee osteoarthritis: A cohort study. <i>Arthritis Care and Research</i> , 2013, 65, 15-22.	3.4	102
78	Prognostic value of coping strategies in a community-based sample of persons with chronic symptomatic knee osteoarthritis. <i>Pain</i> , 2013, 154, 2775-2781.	4.2	36
79	Clinically Important Body Weight Gain Following Knee Arthroplasty: A Five-Year Comparative Cohort Study. <i>Arthritis Care and Research</i> , 2013, 65, 669-677.	3.4	36
80	Progressing Toward, and Recovering From, Knee Replacement Surgery: A Five-Year Cohort Study. <i>Arthritis and Rheumatism</i> , 2013, 65, 3304-3313.	6.7	34
81	Discussion Podcast "Health Services Research Funding and the Foundation for Physical Therapy". <i>Physical Therapy</i> , 2013, 93, e1-e1.	2.4	0
82	Author Response. <i>Physical Therapy</i> , 2013, 93, 707-708.	2.4	0
83	Unilateral vs bilateral symptomatic knee osteoarthritis: associations between pain intensity and function. <i>Rheumatology</i> , 2013, 52, 2229-2237.	1.9	47
84	Response to comments in: Statin use is associated with reduced incidence and progression of knee osteoarthritis in the Rotterdam study by Clockaertset al. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, e12-e12.	0.9	3
85	Construct and Criterion-Based Validity of Brief Pain Coping Scales in Persons with Chronic Knee Osteoarthritis Pain. <i>Pain Medicine</i> , 2013, 14, 265-275.	1.9	22
86	Psychometric Properties of the Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL) in Patients With Musculoskeletal Disorders: A Replication Study With Additional Findings. <i>Physical Therapy</i> , 2013, 93, 672-680.	2.4	7
87	Assessing the Amount of Change in an Outcome Measure Is Not the Same as Assessing the Importance of Change. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013, 65, 244-247.	0.6	11
88	Validity and Reliability of Radiographic Knee Osteoarthritis Measures by Arthroplasty Surgeons. <i>Orthopedics</i> , 2013, 36, e25-32.	1.1	37
89	On "Lower Limb Functional Index". Gabel CP, Melloh M, Burkett B, Michener LA. <i>Phys Ther.</i> 2012;92:98-110. <i>Physical Therapy</i> , 2012, 92, 181-183.	2.4	2
90	When Minimal Detectable Change Exceeds a Diagnostic Test-Based Threshold Change Value for an Outcome Measure: Resolving the Conflict. <i>Physical Therapy</i> , 2012, 92, 1338-1347.	2.4	56

#	ARTICLE	IF	CITATIONS
91	Editorial Board Response. <i>Physical Therapy</i> , 2012, 92, 878-878.	2.4	0
92	Is Pain Catastrophizing a Stable Trait or Dynamic State in Patients Scheduled for Knee Arthroplasty?. <i>Clinical Journal of Pain</i> , 2012, 28, 122-128.	1.9	45
93	Validity of clinical measures of frontal plane knee alignment: Data from the Osteoarthritis Initiative. <i>Manual Therapy</i> , 2012, 17, 459-465.	1.6	8
94	A phase III randomized three-arm trial of physical therapist delivered pain coping skills training for patients with total knee arthroplasty: the KASTPain protocol. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 149.	1.9	37
95	Extent of Tibiofemoral Osteoarthritis Before Knee Arthroplasty: Multicenter Data from the Osteoarthritis Initiative. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 2836-2842.	1.5	11
96	Factors associated with rapid progression to knee arthroplasty: Complete analysis of three-year data from the osteoarthritis initiative. <i>Joint Bone Spine</i> , 2012, 79, 298-303.	1.6	42
97	Bibliometric Analysis of Articles Published from 1980 to 2009 in Physical Therapy, <i>Journal of the American Physical Therapy Association</i> . <i>Physical Therapy</i> , 2011, 91, 642-655.	2.4	44
98	Content and Bibliometric Analysis of Articles Published in the <i>Journal of Orthopaedic & Sports Physical Therapy</i> . <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 920-931.	3.5	25
99	Early Postoperative Mortality Following Joint Arthroplasty: A Systematic Review. <i>Journal of Rheumatology</i> , 2011, 38, 1507-1513.	2.0	69
100	Pain Coping Skills Training for Patients With Elevated Pain Catastrophizing Who Are Scheduled for Knee Arthroplasty: A Quasi-Experimental Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 859-865.	0.9	108
101	Psychological health impact on 2-year changes in pain and function in persons with knee pain: data from the Osteoarthritis Initiative. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1095-1101.	1.3	88
102	Factors Associated With Care Seeking From Physicians, Physical Therapists, or Chiropractors by Persons With Spinal Pain: A Population-Based Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 467-476.	3.5	57
103	Impact of Pain Reported During Isometric Quadriceps Muscle Strength Testing in People With Knee Pain: Data From the Osteoarthritis Initiative. <i>Physical Therapy</i> , 2011, 91, 1478-1489.	2.4	32
104	Preoperative Pain Catastrophizing Predicts Pain Outcome after Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2010, 468, 798-806.	1.5	326
105	Major Depression, Generalized Anxiety Disorder, and Panic Disorder in Patients Scheduled for Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2010, 25, 581-588.	3.1	36
106	Creating an Interface Between the International Classification of Functioning, Disability and Health and Physical Therapist Practice. <i>Physical Therapy</i> , 2010, 90, 1053-1063.	2.4	76
107	Using a Case Report of a Patient With Spinal Cord Injury to Illustrate the Application of the International Classification of Functioning, Disability and Health During Multidisciplinary Patient Management. <i>Physical Therapy</i> , 2010, 90, 1039-1052.	2.4	58
108	Development of a Quality Checklist Using Delphi Methods for Prescriptive Clinical Prediction Rules: The QUADCPR. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2010, 33, 29-41.	0.9	23

#	ARTICLE	IF	CITATIONS
109	The Italian version of the Lower Extremity Functional Scale was reliable, valid, and responsive. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 550-557.	5.0	58
110	The Pragmatic-Explanatory Continuum Indicator Summary (PRECIS) instrument was useful for refining a randomized trial design: Experiences from an investigative team. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1271-1275.	5.0	32
111	Academic Difficulty and Program-Level Variables Predict Performance on the National Physical Therapy Examination for Licensure: A Population-Based Cohort Study. <i>Physical Therapy</i> , 2009, 89, 1182-1191.	2.4	37
112	So Close and Yet so Far—Growth and Progress in the Accessory Motion Testing Literature. <i>Journal of Manual and Manipulative Therapy</i> , 2009, 17, 132-133.	1.2	0
113	Variation in Outcome Measures in Hip and Knee Arthroplasty Clinical Trials: A Proposed Approach to Achieving Consensus. <i>Journal of Rheumatology</i> , 2009, 36, 2050-2056.	2.0	31
114	Interventions Associated With an Increased or Decreased Likelihood of Pain Reduction and Improved Function in Patients With Adhesive Capsulitis: A Retrospective Cohort Study. <i>Physical Therapy</i> , 2009, 89, 419-429.	2.4	56
115	Two-year incidence and predictors of future knee arthroplasty in persons with symptomatic knee osteoarthritis: Preliminary analysis of longitudinal data from the osteoarthritis initiative. <i>Knee</i> , 2009, 16, 494-500.	1.6	34
116	New study design evaluated the validity of measures to assess change after hip or knee arthroplasty. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 347-352.	5.0	57
117	An Exploration of Maitland's Concept of Pain Irritability in Patients with Low Back Pain. <i>Journal of Manual and Manipulative Therapy</i> , 2009, 17, 196-205.	1.2	22
118	The Reliability of Maitland's Irritability Judgments in Patients with Low Back Pain. <i>Journal of Manual and Manipulative Therapy</i> , 2009, 17, 135-140.	1.2	18
119	Findings of extensive variation in the types of outcome measures used in hip and knee replacement clinical trials: A systematic review. <i>Arthritis and Rheumatism</i> , 2008, 59, 876-883.	6.7	82
120	Yearly Incidence of Unicompartmental Knee Arthroplasty in the United States. <i>Journal of Arthroplasty</i> , 2008, 23, 408-412.	3.1	222
121	Assessing Recovery and Establishing Prognosis Following Total Knee Arthroplasty. <i>Physical Therapy</i> , 2008, 88, 22-32.	2.4	187
122	Sometimes It Is Better to Read the Instructions First. <i>Physical Therapy</i> , 2007, 87, 366-367.	2.4	0
123	Use of Demographic and Quantitative Admissions Data to Predict Performance on the National Physical Therapy Examination. <i>Physical Therapy</i> , 2007, 87, 1181-1193.	2.4	56
124	Use of Demographic and Quantitative Admissions Data to Predict Academic Difficulty Among Professional Physical Therapist Students. <i>Physical Therapy</i> , 2007, 87, 1164-1180.	2.4	51
125	Volume and Characteristics of Inpatient and Ambulatory Medical Care for Neck Pain in the United States. <i>Spine</i> , 2007, 32, 132-140.	2.0	34
126	Sports-Related Injuries of the Knee: An Approach to MRI Interpretation. <i>Clinics in Sports Medicine</i> , 2006, 25, 659-679.	1.8	17

#	ARTICLE	IF	CITATIONS
127	Improving the Diagnostic Process for Deep Vein Thrombosis in Orthopaedic Outpatients. <i>Clinical Orthopaedics and Related Research</i> , 2005, 432, 258-266.	1.5	2
128	Interventions That Increase or Decrease the Likelihood of a Meaningful Improvement in Physical Health in Patients With Sciatica. <i>Physical Therapy</i> , 2005, 85, 1139-1150.	2.4	12
129	A method for predicting a student's risk for academic probation in a professional program in allied health. <i>Journal of Allied Health</i> , 2005, 34, 17-23.	0.2	6
130	Interventions that increase or decrease the likelihood of a meaningful improvement in physical health in patients with sciatica. <i>Physical Therapy</i> , 2005, 85, 1139-50.	2.4	6
131	Impact of Demographic and Impairment-Related Variables on Disability Associated with Plantar Fasciitis. <i>Foot and Ankle International</i> , 2004, 25, 311-317.	2.3	88
132	Volume of Ambulatory Care Visits and Patterns of Care for Patients Diagnosed with Plantar Fasciitis: A National Study of Medical Doctors. <i>Foot and Ankle International</i> , 2004, 25, 303-310.	2.3	358
133	Diagnosis of lower-extremity deep vein thrombosis in outpatients with musculoskeletal disorders: a national survey study of physical therapists. <i>Physical Therapy</i> , 2004, 84, 717-28.	2.4	4
134	Diagnosis of lower-extremity deep vein thrombosis in outpatients. <i>Physical Therapy</i> , 2004, 84, 729-35.	2.4	4
135	Application of the HOAC II: An Episode of Care for a Patient With Low Back Pain. <i>Physical Therapy</i> , 2003, 83, 471-485.	2.4	11
136	The Hypothesis-Oriented Algorithm for Clinicians II (HOAC II): A Guide for Patient Management. <i>Physical Therapy</i> , 2003, 83, 455-470.	2.4	129
137	RISK FACTORS FOR PLANTAR FASCIITIS. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003, 85, 872-877.	3.0	564
138	The Hypothesis-Oriented Algorithm for Clinicians II (HOAC II): a guide for patient management. <i>Physical Therapy</i> , 2003, 83, 455-70.	2.4	21
139	Application of the HOAC II: an episode of care for a patient with low back pain. <i>Physical Therapy</i> , 2003, 83, 471-85.	2.4	2
140	Evaluation of the Presence of Sacroiliac Joint Region Dysfunction Using a Combination of Tests: A Multicenter Intertester Reliability Study. <i>Physical Therapy</i> , 2002, 82, 772-781.	2.4	106
141	Roland-Morris scale reliability. <i>Physical Therapy</i> , 2002, 82, 512-5; author reply 515-7.	2.4	12
142	Evaluation of the presence of sacroiliac joint region dysfunction using a combination of tests: a multicenter intertester reliability study. <i>Physical Therapy</i> , 2002, 82, 772-81.	2.4	22
143	Development and Initial Validation of the Back Pain Functional Scale. <i>Spine</i> , 2000, 25, 2095-2102.	2.0	118
144	Interpreting Validity Indexes for Diagnostic Tests: An Illustration Using the Berg Balance Test. <i>Physical Therapy</i> , 1999, 79, 939-948.	2.4	174

#	ARTICLE	IF	CITATIONS
145	Sensitivity to Change of the Roland-Morris Back Pain Questionnaire: Part 1. <i>Physical Therapy</i> , 1998, 78, 1186-1196.	2.4	364
146	Sensitivity to Change of the Roland-Morris Back Pain Questionnaire: Part 2. <i>Physical Therapy</i> , 1998, 78, 1197-1207.	2.4	167
147	Classification and Low Back Pain: A Review of the Literature and Critical Analysis of Selected Systems. <i>Physical Therapy</i> , 1998, 78, 708-737.	2.4	122
148	Use of Generic Versus Region-Specific Functional Status Measures on Patients With Cervical Spine Disorders. <i>Physical Therapy</i> , 1998, 78, 951-963.	2.4	150
149	Examination and Management of a Patient With Tarsal Coalition. <i>Physical Therapy</i> , 1998, 78, 518-525.	2.4	7
150	The Shoulder Pain and Disability Index: The Construct Validity and Responsiveness of a Region-Specific Disability Measure. <i>Physical Therapy</i> , 1997, 77, 1079-1089.	2.4	153
151	Author Comment. <i>Physical Therapy</i> , 1996, 76, 725-726.	2.4	0
152	Intertester Reliability of a Modified Version of McKenzie's Lateral Shift Assessments Obtained on Patients With Low Back Pain. <i>Physical Therapy</i> , 1996, 76, 706-716.	2.4	34
153	Health Status Measures: Strategies and Analytic Methods for Assessing Change Scores. <i>Physical Therapy</i> , 1996, 76, 1109-1123.	2.4	372
154	Radiologic "clearance"™ of the traumatized cervical spine. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 1995, 5, 179-182.	1.1	0
155	Intertester Reliability of Measurements Obtained With the KT-1000 on Patients With Reconstructed Anterior Cruciate Ligaments. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1995, 21, 113-119.	3.5	26
156	Vertebral pseudoarthrosis associated with diffuse idiopathic skeletal hyperostosis. <i>Skeletal Radiology</i> , 1994, 23, 353-355.	2.0	27
157	Issues in Determining Treatment Effectiveness of Manual Therapy. <i>Physical Therapy</i> , 1994, 74, 227-233.	2.4	26
158	Intertester Reliability of McKenzie's Classifications of the Syndrome Types Present in Patients with Low Back Pain. <i>Spine</i> , 1993, 18, 1333-1344.	2.0	99
159	On the Value of Plain Films. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 1992, 2, 71-73.	1.1	0
160	Magnetic Resonance and Related Modalities Used to Image Osteonecrosis of the Hip. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 1992, 2, 83-92.	1.1	1
161	Measurement of Accessory Motion: Critical Issues and Related Concepts. <i>Physical Therapy</i> , 1992, 72, 865-874.	2.4	44
162	Case report 568. <i>Skeletal Radiology</i> , 1989, 18, 483-484.	2.0	12

#	ARTICLE	IF	CITATIONS
163	Patient Acceptable Symptom State versus Latent Class Analysis Outcome Classification: A Comparative Longitudinal Study of Knee Arthroplasty. Arthritis Care and Research, 0, , .	3.4	0