Sabine Landau

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4126955/publications.pdf

Version: 2024-02-01

29157 30070 11,741 143 54 104 citations h-index g-index papers 152 152 152 13832 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Reduced Glial Cell Density and Neuronal Size in the Anterior Cingulate Cortex in Major Depressive Disorder. Archives of General Psychiatry, 2001, 58, 545. | 12.3 | 701 |
| 2 | Reduced Neuronal Size and Glial Cell Density in Area 9 of the Dorsolateral Prefrontal Cortex in Subjects with Major Depressive Disorder. Cerebral Cortex, 2002, 12, 386-394. | 2.9 | 527 |
| 3 | What are the consequences of deployment to Iraq and Afghanistan on the mental health of the UK armed forces? A cohort study. Lancet, The, 2010, 375, 1783-1797. | 13.7 | 489 |
| 4 | Is Impaired Set-Shifting an Endophenotype of Anorexia Nervosa?. American Journal of Psychiatry, 2005, 162, 2269-2275. | 7.2 | 308 |
| 5 | Psychological interventions to improve glycaemic control in patients with type 1 diabetes: systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2006, 333, 65. | 2.3 | 294 |
| 6 | Cognitive remediation therapy in schizophrenia. British Journal of Psychiatry, 2007, 190, 421-427. | 2.8 | 275 |
| 7 | Two-dimensional assessment of cytoarchitecture in the anterior cingulate cortex in major depressive disorder, bipolar disorder, and schizophrenia: evidence for decreased neuronal somal size and increased neuronal density. Biological Psychiatry, 2003, 53, 1086-1098. | 1.3 | 229 |
| 8 | The development of emotion-processing in children: effects of age, emotion, and intensity. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2006, 47, 1098-1106. | 5.2 | 215 |
| 9 | The density and spatial distribution of gabaergic neurons, labelled using calcium binding proteins, in the anterior cingulate cortex in major depressive disorder, bipolar disorder, and schizophrenia. Biological Psychiatry, 2002, 51, 377-386. | 1.3 | 209 |
| 10 | Is the P300 wave an endophenotype for schizophrenia? A meta-analysis and a family study. Neurolmage, 2005, 27, 960-968. | 4.2 | 197 |
| 11 | Reproducibility of quantitative dynamic MRI of normal human tissues. NMR in Biomedicine, 2002, 15, 143-153. | 2.8 | 183 |
| 12 | Cognitive remediation therapy (CRT) for young early onset patients with schizophrenia: An exploratory randomized controlled trial. Schizophrenia Research, 2007, 94, 221-230. | 2.0 | 179 |
| 13 | Cognitive behavioural therapy for adults with dissociative seizures (CODES): a pragmatic, multicentre, randomised controlled trial. Lancet Psychiatry,the, 2020, 7, 491-505. | 7.4 | 175 |
| 14 | Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. British Journal of Psychiatry, 2009, 194, 252-259. | 2.8 | 170 |
| 15 | A Randomized, Controlled Trial With 6-Month Follow-Up of Repetitive Transcranial Magnetic Stimulation and Electroconvulsive Therapy for Severe Depression. American Journal of Psychiatry, 2007, 164, 73-81. | 7.2 | 157 |
| 16 | The Maudsley Outpatient Study of Treatments for Anorexia Nervosa and Related Conditions (MOSAIC): Comparison of the Maudsley Model of Anorexia Nervosa Treatment for Adults (MANTRA) with specialist supportive clinical management (SSCM) in outpatients with broadly defined anorexia nervosa: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2015, 83, | 2.0 | 157 |
| 17 | 796-807. Impact on mental health care and on mental health service users of the COVID-19 pandemic: a mixed methods survey of UK mental health care staff. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 25-37. | 3.1 | 157 |
| 18 | The Maudsley Bipolar Disorder Project: Executive Dysfunction in Bipolar Disorder I and Its Clinical Correlates. Biological Psychiatry, 2005, 58, 859-864. | 1.3 | 151 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Depression and anxiety related subtypes in Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 803-809. | 1.9 | 150 |
| 20 | Out-patient psychological therapies for adults with anorexia nervosa: randomised controlled trial. British Journal of Psychiatry, 2012, 201, 392-399. | 2.8 | 142 |
| 21 | Randomised controlled trial of parent groups for child antisocial behaviour targeting multiple risk factors: the SPOKES project. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2010, 51, 48-57. | 5.2 | 139 |
| 22 | A pragmatic randomised multi-centre trial of multifamily and single family therapy for adolescent anorexia nervosa. BMC Psychiatry, 2016, 16, 422. | 2.6 | 138 |
| 23 | Bitemporal Versus High-Dose Unilateral Twice-Weekly Electroconvulsive Therapy for Depression (EFFECT-Dep): A Pragmatic, Randomized, Non-Inferiority Trial. American Journal of Psychiatry, 2016, 173, 408-417. | 7.2 | 132 |
| 24 | Group treatment of auditory hallucinations. British Journal of Psychiatry, 1999, 175, 180-185. | 2.8 | 129 |
| 25 | Cognitive functioning in patients with affective disorders and schizophrenia: A meta-analysis. International Review of Psychiatry, 2009, 21, 336-356. | 2.8 | 124 |
| 26 | Assessing telephone-delivered cognitive–behavioural therapy (CBT) and web-delivered CBT versus treatment as usual in irritable bowel syndrome (ACTIB): a multicentre randomised trial. Gut, 2019, 68, gutjnl-2018-317805. | 12.1 | 123 |
| 27 | Evidence for orbitofrontal pathology in bipolar disorder and major depression, but not in schizophrenia. Bipolar Disorders, 2005, 7, 358-369. | 1.9 | 118 |
| 28 | Nonmotor versus motor symptoms: How much do they matter to health status in Parkinson's disease?. Movement Disorders, 2012, 27, 236-241. | 3.9 | 116 |
| 29 | What are the effects of group cognitive behaviour therapy for voices? A randomised control trial. Schizophrenia Research, 2005, 77, 201-210. | 2.0 | 114 |
| 30 | Parkinson's disease motor subtypes and mood. Movement Disorders, 2012, 27, 379-386. | 3.9 | 114 |
| 31 | The Maudsley Bipolar Disorder Project. Journal of Clinical Psychiatry, 2003, 64, 86-93. | 2.2 | 111 |
| 32 | A Systematic Review and Meta-Analysis of the Effectiveness of Acetylcholinesterase Inhibitors and Memantine in Treating the Cognitive Symptoms of Dementia. Dementia and Geriatric Cognitive Disorders, 2018, 45, 131-151. | 1.5 | 102 |
| 33 | Cognitive interpersonal maintenance model of eating disorders: intervention for carers. British Journal of Psychiatry, 2011, 199, 225-231. | 2.8 | 97 |
| 34 | Negative Symptoms and Specific Cognitive Impairments as Combined Targets for Improved Functional Outcome Within Cognitive Remediation Therapy. Schizophrenia Bulletin, 2005, 31, 910-921. | 4.3 | 95 |
| 35 | Does age matter? Effects of cognitive rehabilitation across the age span. Schizophrenia Research, 2009, 113, 252-258. | 2.0 | 87 |
| 36 | Hippocampal volume and cognitive function in anorexia nervosa. Psychiatry Research - Neuroimaging, 2006, 146, 117-125. | 1.8 | 85 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 37 | Evaluation and validation of social and psychological markers in randomised trials of complex interventions in mental health: a methodological research programme. Health Technology Assessment, 2015, 19, 1-116. | 2.8 | 84 |
| 38 | COgnitive behavioural therapy vs standardised medical care for adults with Dissociative non-Epileptic Seizures (CODES): a multicentre randomised controlled trial protocol. BMC Neurology, 2015, 15, 98. | 1.8 | 77 |
| 39 | Characteristics associated with quality of life among people with drug-resistant epilepsy. Journal of Neurology, 2017, 264, 1174-1184. | 3.6 | 77 |
| 40 | Research Review: Harnessing the power of individual participant data in a metaâ€analysis of the benefits and harms of the Incredible Years parenting program. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2018, 59, 99-109. | 5.2 | 75 |
| 41 | Antisaccade Performance in Monozygotic Twins Discordant for Schizophrenia: The Maudsley Twin Study. American Journal of Psychiatry, 2006, 163, 543-545. | 7.2 | 73 |
| 42 | Magnetic Resonance Imaging of the Thalamus and Adhesio Interthalamica in Twins With Schizophrenia. Archives of General Psychiatry, 2007, 64, 401. | 12.3 | 70 |
| 43 | The Earlier the Better? Individual Participant Data and Traditional Metaâ€analysis of Age Effects of Parenting Interventions. Child Development, 2019, 90, 7-19. | 3.0 | 69 |
| 44 | Comparison of specialist and nonspecialist care pathways for adolescents with anorexia nervosa and related eating disorders. International Journal of Eating Disorders, 2012, 45, 949-956. | 4.0 | 68 |
| 45 | Clinical effectiveness of a skills training intervention for caregivers in improving patient and caregiver health following in-patient treatment for severe anorexia nervosa: pragmatic randomised controlled trial. BJPsych Open, 2015, 1, 56-66. | 0.7 | 68 |
| 46 | Sample size and power calculations for medical studies by simulation when closed form expressions are not available. Statistical Methods in Medical Research, 2013, 22, 324-345. | 1.5 | 65 |
| 47 | An investigation of hypothalamic-pituitary-adrenal axis hyperactivity in anorexia nervosa: The role of CRH and AVP. Journal of Psychiatric Research, 2007, 41, 131-143. | 3.1 | 64 |
| 48 | Cognitive behavioural therapy for irritable bowel syndrome: 24-month follow-up of participants in the ACTIB randomised trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 863-872. | 8.1 | 63 |
| 49 | A Practical Comparison of Two Types of Family Intervention: An Exploratory RCT of Family Day Workshops and Individual Family Work as a Supplement to Inpatient Care for Adults with Anorexia Nervosa. European Eating Disorders Review, 2012, 20, 142-150. | 4.1 | 61 |
| 50 | Effects of Age and Cognitive Reserve on Cognitive Remediation Therapy Outcome inÂPatients With Schizophrenia. American Journal of Geriatric Psychiatry, 2013, 21, 218-230. | 1.2 | 61 |
| 51 | The MOSAIC study - comparison of the Maudsley Model of Treatment for Adults with Anorexia Nervosa (MANTRA) with Specialist Supportive Clinical Management (SSCM) in outpatients with anorexia nervosa or eating disorder not otherwise specified, anorexia nervosa type: study protocol for a randomized controlled trial. Trials. 2013. 14. 160. | 1.6 | 59 |
| 52 | Personality Pathology Among Individuals With a Lifetime History of Anorexia Nervosa. Journal of Personality Disorders, 2006, 20, 417-430. | 1.4 | 58 |
| 53 | Poor social comparison and the tendency to submissive behavior in anorexia nervosa. International Journal of Eating Disorders, 2007, 40, 733-739. | 4.0 | 57 |
| 54 | Interferon Alfa–Induced Adverse Effects in Patients with a Psychiatric Diagnosis. New England Journal of Medicine, 2002, 347, 148-149. | 27.0 | 56 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 55 | Developing models of how cognitive improvements change functioning: Mediation, moderation and moderated mediation. Schizophrenia Research, 2012, 138, 88-93. | 2.0 | 55 |
| 56 | A scoping review of the problems and solutions associated with contamination in trials of complex interventions in mental health. BMC Medical Research Methodology, 2019, 19, 4. | 3.1 | 55 |
| 57 | Twoâ€year followâ€up of the MOSAIC trial: A multicenter randomized controlled trial comparing two psychological treatments in adult outpatients with broadly defined anorexia nervosa. International Journal of Eating Disorders, 2016, 49, 793-800. | 4.0 | 52 |
| 58 | Equity effects of parenting interventions for child conduct problems: a pan-European individual participant data meta-analysis. Lancet Psychiatry, the, 2019, 6, 518-527. | 7.4 | 52 |
| 59 | Characteristics of 698 patients with dissociative seizures: A <scp>UK</scp> multicenter study. Epilepsia, 2019, 60, 2182-2193. | 5.1 | 51 |
| 60 | Clustering of suicides among people with mental illness. British Journal of Psychiatry, 2005, 187, 476-480. | 2.8 | 48 |
| 61 | Evidence for altered neuronal organisation within the planum temporale in major psychiatric disorders. Schizophrenia Research, 2005, 73, 69-78. | 2.0 | 44 |
| 62 | Randomized controlled trial of Functional Family Therapy for offending and antisocial behavior in <scp>UK</scp> youth. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2017, 58, 1023-1032. | 5.2 | 44 |
| 63 | Does personalized feedback improve the outcome of cognitive-behavioural guided self-care in bulimia nervosa? A preliminary randomized controlled trial. British Journal of Clinical Psychology, 2006, 45, 111-121. | 3.5 | 43 |
| 64 | Psychological as well as illness factors influence acceptance of non-invasive ventilation (NIV) and gastrostomy in amyotrophic lateral sclerosis (ALS): A prospective population study. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 376-387. | 1.7 | 42 |
| 65 | Cognition, coping, and outcome in Parkinson's disease. International Psychogeriatrics, 2012, 24, 1656-1663. | 1.0 | 41 |
| 66 | A Pilot, Multicentre Pragmatic Randomised Trial to Explore the Impact of Carer Skills Training on Carer and Patient Behaviours: Testing the Cognitive Interpersonal Model in Adolescent Anorexia Nervosa. European Eating Disorders Review, 2017, 25, 551-561. | 4.1 | 41 |
| 67 | Impact of familiarity upon children's developing facial expression recognition. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 201-210. | 5 . 2 | 39 |
| 68 | Individual Participant Data Meta-analysis: Impact of Conduct Problem Severity, Comorbid Attention-Deficit/Hyperactivity Disorder and Emotional Problems, and Maternal Depression on Parenting Program Effects. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 933-943. | 0.5 | 39 |
| 69 | Cell density and cortical thickness in Heschl's gyrus in schizophrenia, major depression and bipolar disorder. British Journal of Psychiatry, 2004, 185, 258-259. | 2.8 | 38 |
| 70 | Striatal Dopamine Transporter Availability in Drug-Naive Patients With Schizophrenia: A Case-Control SPECT Study With [99mTc]-TRODAT-1 and a Meta-Analysis. Schizophrenia Bulletin, 2013, 39, 378-386. | 4.3 | 38 |
| 71 | Twoâ€year Followâ€up of a Pragmatic Randomised Controlled Trial Examining the Effect of Adding a Carer's Skill Training Intervention in Inpatients with Anorexia Nervosa. European Eating Disorders Review, 2016, 24, 122-130. | 4.1 | 37 |
| 72 | Could scale-up of parenting programmes improve child disruptive behaviour and reduce social inequalities? Using individual participant data meta-analysis to establish for whom programmes are effective and cost-effective. Public Health Research, 2017, 5, 1-144. | 1.3 | 36 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Early Psychological Intervention for Auditory Hallucinations: An Exploratory Study of Young People's Voices Groups. Journal of Nervous and Mental Disease, 2005, 193, 58-61. | 1.0 | 35 |
| 74 | Crisis-planning interventions for people with psychotic illness or bipolar disorder: systematic review and meta-analyses. BJPsych Open, 2019, 5, e53. | 0.7 | 35 |
| 75 | Methohexitone, propofol and etomidate in electroconvulsive therapy for depression: A naturalistic comparison study. Journal of Affective Disorders, 2009, 113, 165-171. | 4.1 | 34 |
| 76 | Assessing Cognitive behavioural Therapy in Irritable Bowel (ACTIB): protocol for a randomised controlled trial of clinical-effectiveness and cost-effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome in adults. BMJ Open, 2015, 5, e008622. | 1.9 | 32 |
| 77 | Outcome, Costs and Patient Engagement for Group and Individual CBT for Depression: A Naturalistic Clinical Study. Behavioural and Cognitive Psychotherapy, 2011, 39, 355-358. | 1.2 | 30 |
| 78 | Self-Management education for adults with poorly controlled epILEpsy (SMILE (UK)): a randomised controlled trial protocol. BMC Neurology, 2014, 14, 69. | 1.8 | 30 |
| 79 | Transition Care in Anorexia Nervosa Through Guidance Online from Peer and Carer Expertise (TRIANGLE): Study Protocol for a Randomised Controlled Trial. European Eating Disorders Review, 2017, 25, 512-523. | 4.1 | 30 |
| 80 | Patterns of presentations of dizziness in primary careâ€"a cross-sectional cluster analysis study. Journal of Psychosomatic Research, 2006, 60, 395-401. | 2.6 | 29 |
| 81 | Neurological Abnormalities in Schizophrenic Twins. Biological Psychiatry, 2006, 59, 341-348. | 1.3 | 28 |
| 82 | Beyond total treatment effects in randomised controlled trials: Baseline measurement of intermediate outcomes needed to reduce confounding in mediation investigations. Clinical Trials, 2018, 15, 247-256. | 1.6 | 28 |
| 83 | Carers' Assessment, Skills and Information Sharing: Theoretical Framework and Trial Protocol for a Randomised Controlled Trial Evaluating the Efficacy of a Complex Intervention for Carers of Inpatients with Anorexia Nervosa. European Eating Disorders Review, 2013, 21, 60-71. | 4.1 | 27 |
| 84 | Therapist telephone-delivered CBT and web-based CBT compared with treatment as usual in refractory irritable bowel syndrome: the ACTIB three-arm RCT. Health Technology Assessment, 2019, 23, 1-154. | 2.8 | 27 |
| 85 | Protocol for the saMS trial (supportive adjustment for multiple sclerosis): a randomized controlled trial comparing cognitive behavioral therapy to supportive listening for adjustment to multiple sclerosis. BMC Neurology, 2009, 9, 45. | 1.8 | 26 |
| 86 | Psychological and demographic characteristics of 368 patients with dissociative seizures: data from the CODES cohort. Psychological Medicine, 2021, 51, 2433-2445. | 4.5 | 24 |
| 87 | Integrating biomarker information within trials to evaluate treatment mechanisms and efficacy for personalised medicine. Clinical Trials, 2013, 10, 709-719. | 1.6 | 23 |
| 88 | Self-Management education for adults with poorly controlled epILEpsy [SMILE (UK)]: a randomised controlled trial. Health Technology Assessment, 2018, 22, 1-142. | 2.8 | 23 |
| 89 | Can the effects of a 1-day CBT psychoeducational workshop on self-confidence be maintained after 2 years? A naturalistic study. Depression and Anxiety, 2008, 25, 632-640. | 4.1 | 22 |
| 90 | Can exposure to a terrestrial trunked radio (TETRA)-like signal cause symptoms? A randomised double-blind provocation study. Occupational and Environmental Medicine, 2011, 68, 339-344. | 2.8 | 22 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Esquire Trial. Journal of Clinical Psychopharmacology, 2010, 30, 600-606. | 1.4 | 21 |
| 92 | Do illness characteristics and familial risk differ between women with anorexia nervosa grouped on the basis of personality pathology?. Psychological Medicine, 2006, 36, 529-538. | 4.5 | 20 |
| 93 | The effectiveness of a group selfâ€management education course for adults with poorly controlled epilepsy, SMILE (UK): A randomized controlled trial. Epilepsia, 2018, 59, 1048-1061. | 5.1 | 20 |
| 94 | Executive functioning in schizophrenia and the relationship with symptom profile and chronicity. Journal of the International Neuropsychological Society, 2008, 14, 782-792. | 1.8 | 19 |
| 95 | Open Dialogue compared to treatment as usual for adults experiencing a mental health crisis: Protocol for the ODDESSI multi-site cluster randomised controlled trial. Contemporary Clinical Trials, 2022, 113, 106664. | 1.8 | 19 |
| 96 | Motor Phenotypes, Medication and Mood: Further Associations with Impulsive Behaviours in Parkinson's Disease. Journal of Parkinson's Disease, 2014, 4, 245-254. | 2.8 | 16 |
| 97 | Self-management education for adults with poorly controlled epilepsy (SMILE (UK)): statistical, economic and qualitative analysis plan for a randomised controlled trial. Trials, 2015, 16, 269. | 1.6 | 16 |
| 98 | Assessing treatment fidelity and contamination in a cluster randomised controlled trial of motivational interviewing and cognitive behavioural therapy skills in type 2 diabetes. BMC Family Practice, 2018, 19, 60. | 2.9 | 15 |
| 99 | Treatment of anorexia nervosa: a multimethod investigation translating experimental neuroscience into clinical practice. Programme Grants for Applied Research, 2017, 5, 1-208. | 1.0 | 14 |
| 100 | Effect of Vitamin D Supplementation on Outcomes in People With Early Psychosis. JAMA Network Open, 2021, 4, e2140858. | 5.9 | 14 |
| 101 | Vasoconstrictor response to topical beclomethasone in major depression. Psychoneuroendocrinology, 2002, 27, 475-487. | 2.7 | 13 |
| 102 | Nonparametric One-way Analysis of Variance of Replicated Bivariate Spatial Point Patterns. Biometrical Journal, 2004, 46, 19-34. | 1.0 | 13 |
| 103 | COgnitive behavioural therapy versus standardised medical care for adults with Dissociative non-Epileptic Seizures (CODES): statistical and economic analysis plan for a randomised controlled trial. Trials, 2017, 18, 258. | 1.6 | 13 |
| 104 | Persistent physical symptoms reduction intervention: a system change and evaluation in secondary care (PRINCE secondary) – a CBT-based transdiagnostic approach: study protocol for a randomised controlled trial. BMC Psychiatry, 2019, 19, 307. | 2.6 | 13 |
| 105 | Patients' Experiences of Telephone-Based and Web-Based Cognitive Behavioral Therapy for Irritable Bowel Syndrome: Longitudinal Qualitative Study. Journal of Medical Internet Research, 2020, 22, e18691. | 4.3 | 13 |
| 106 | Training the Frontline Workforce to Deliver Evidence-Based Therapy to People With Psychosis: Challenges in the GOALS Study. Psychiatric Services, 2018, 69, 9-11. | 2.0 | 12 |
| 107 | Co-occurring change in children's conduct problems and maternal depression: Latent class individual participant data meta-analysis of the Incredible Years parenting program. Development and Psychopathology, 2019, 31, 1851-1862. | 2.3 | 12 |
| 108 | Software for generating liability distributions for pedigrees conditional on their observed disease states and covariates. Genetic Epidemiology, 2010, 34, 159-170. | 1.3 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The effects of a brief CBT intervention, delivered by frontline mental health staff, to promote recovery in people with psychosis and comorbid anxiety or depression (the GOALS study): study protocol for a randomized controlled trial. Trials, 2014, 15, 255. | 1.6 | 11 |
| 110 | Integrating electronic healthcare records of armed forces personnel: Developing a framework for evaluating health outcomes in England, Scotland and Wales. International Journal of Medical Informatics, 2018, 113, 17-25. | 3.3 | 11 |
| 111 | Improving implementation of evidence based practice for people with psychosis through training the wider workforce: Results of the GOALS feasibility randomised controlled trial. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 59, 121-128. | 1.2 | 11 |
| 112 | ADVANCE integrated group intervention to address both substance use and intimate partner abuse perpetration by men in substance use treatment: a feasibility randomised controlled trial. BMC Public Health, 2021, 21, 980. | 2.9 | 11 |
| 113 | Vitamin D supplementation compared to placebo in people with First Episode psychosis - Neuroprotection Design (DFEND): a protocol for a randomised, double-blind, placebo-controlled, parallel-group trial. Trials, 2020, 21, 14. | 1.6 | 10 |
| 114 | Glial cell number and nuclear size in the mediodorsal thalamic nucleus (MDNT) in schizophrenia. Schizophrenia Research, 2008, 102, 344-345. | 2.0 | 9 |
| 115 | Expression of the Rap1 Guanine Nucleotide Exchange Factor, MR-GEF, Is Altered in Individuals with Bipolar Disorder. PLoS ONE, 2010, 5, e10392. | 2.5 | 9 |
| 116 | Tower of London i>versus / i> Real Life Analogue Planning in Schizophrenia with Disorganization and Psychomotor Poverty Symptoms. Journal of the International Neuropsychological Society, 2011, 17, 474-484. | 1.8 | 9 |
| 117 | Randomised controlled trial of the short-term effects of OROS-methylphenidate on ADHD symptoms and behavioural outcomes in young male prisoners with attention-deficit/hyperactivity disorder (CIAO-II). Trials, 2019, 20, 663. | 1.6 | 9 |
| 118 | Dose–response modeling in mental health using steinâ€like estimators with instrumental variables. Statistics in Medicine, 2017, 36, 1696-1714. | 1.6 | 8 |
| 119 | Cognitive–behavioural therapy compared with standardised medical care for adults with dissociative non-epileptic seizures: the CODES RCT. Health Technology Assessment, 2021, 25, 1-144. | 2.8 | 8 |
| 120 | Do not adjust coefficients in Shapley value regression. Applied Stochastic Models in Business and Industry, 2010, 26, 194-202. | 1.5 | 7 |
| 121 | The spatial relationship between neurons and astrocytes in HIV-associated dementia. Journal of NeuroVirology, 2013, 19, 123-130. | 2.1 | 7 |
| 122 | Sudden gains in the outpatient treatment of anorexia nervosa: A processâ€outcome study. International Journal of Eating Disorders, 2017, 50, 1162-1171. | 4.0 | 7 |
| 123 | Six-month outcomes of the CODES randomised controlled trial of cognitive behavioural therapy for dissociative seizures: A secondary analysis. Seizure: the Journal of the British Epilepsy Association, 2022, 96, 128-136. | 2.0 | 7 |
| 124 | Long-term Trends, Seasonality, Weekly Distribution, and Methodsof Suicide in Slovenia: A Comparison Between the Younger and Older Population. Archives of Suicide Research, 2003, 7, 135-143. | 2.3 | 6 |
| 125 | Suppression of human immunodeficiency virus replication in human brain tissue by nucleoside reverse transcriptase inhibitors. Journal of NeuroVirology, 2004, 10, 136-139. | 2.1 | 5 |
| 126 | Persistent physical symptoms reduction intervention: a system change and evaluation (PRINCE)â€"integrated GP care for persistent physical symptoms: protocol for a feasibility and cluster randomised waiting list, controlled trial. BMJ Open, 2019, 9, e025513. | 1.9 | 5 |

| # | Article | IF | Citations |
|-----|--|-------------------------|---------------|
| 127 | Exploring mechanisms of action in clinical trials of complex surgical interventions using mediation analysis. Clinical Trials, 2020, 17, 654-663. | 1.6 | 5 |
| 128 | Efficacy of therapist-delivered transdiagnostic CBT for patients with persistent physical symptoms in secondary care: a randomised controlled trial. Psychological Medicine, 0, , 1-11. | 4.5 | 4 |
| 129 | Adult Recall of Having Been Bullied in Attenders of an Anxiety Disorder Unit and Attenders of a Dental Clinic: A Pilot Controlled Study. Behaviour Change, 2005, 22, 44-49. | 1.3 | 3 |
| 130 | Up the garden path: A critique of Penke and Deary and further exploration concerning the Charlton et al. path analysis relating loss of white matter integrity to cognition in normal aging. Neurobiology of Aging, 2010, 31, 1661-1666. | 3.1 | 3 |
| 131 | Olanzapine and risperidone plasma concentration therapeutic drug monitoring: A feasibility study. Journal of Psychopharmacology, 2015, 29, 933-942. | 4.0 | 3 |
| 132 | Integrated GP care for patients with persistent physical symptoms: feasibility cluster randomised trial. BMC Family Practice, 2020, 21, 207. | 2.9 | 3 |
| 133 | A study protocol to assess the feasibility of conducting an evaluation trial of the ADVANCE integrated intervention to address both substance use and intimate partner abuse perpetration to men in substance use treatment. Pilot and Feasibility Studies, 2020, 6, 62. | 1.2 | 3 |
| 134 | The clinical effectiveness and cost-effectiveness of a †stepping into day treatment†approach versus inpatient treatment as usual for anorexia nervosa in adult specialist eating disorder services (DAISIES) Tj ETQq0 | 0 0 _{1.6} BT / | Overlock 10 T |
| 135 | non-inferiority trial. Trials, 2022, 23, . Stein-like estimators for causal mediation analysis in randomized trials. Statistical Methods in Medical Research, 2020, 29, 1129-1148. | 1.5 | 2 |
| 136 | Cost effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome: the ACTIB randomised trial. BMC Gastroenterology, 2021, 21, 276. | 2.0 | 2 |
| 137 | Model-based clustering using S-PLUS. International Journal of Methods in Psychiatric Research, 2006, 15, 146-156. | 2.1 | 1 |
| 138 | Effects of Age and Cognitive Reserve on Cognitive Remediation Therapy Outcome in Patients With Schizophrenia. American Journal of Geriatric Psychiatry, 2012, , 1 . | 1.2 | 1 |
| 139 | Causal Inference: Efficacy and Mechanism Evaluation. , 2020, , 1-22. | | 1 |
| 140 | Past-year intimate partner violence perpetration among people with and without depression: an individual participant data (IPD) meta-mediation analysis. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1. | 3.1 | 1 |
| 141 | OROS-methylphenidate to reduce ADHD symptoms in male prisoners aged 16–25 years: a RCT. Efficacy and Mechanism Evaluation, 2022, 9, 1-114. | 0.7 | 1 |
| 142 | Authors' reply. British Journal of Psychiatry, 2013, 202, 384-385. | 2.8 | 0 |
| 143 | PO055â€Results of an rct of self-management education in epilepsy: smile-uk. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, A26.2-A26. | 1.9 | 0 |