

Anna Maria Mastrangelo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4128037/publications.pdf>

Version: 2024-02-01

66
papers

8,022
citations

87888

38
h-index

114465

63
g-index

66
all docs

66
docs citations

66
times ranked

8065
citing authors

#	ARTICLE	IF	CITATIONS
1	Specialized metabolites: Physiological and biochemical role in stress resistance, strategies to improve their accumulation, and new applications in crop breeding and management. <i>Plant Physiology and Biochemistry</i> , 2022, 172, 48-55.	5.8	36
2	Editorial: Advances in Breeding for Quantitative Disease Resistance. <i>Frontiers in Plant Science</i> , 2022, 13, 890002.	3.6	1
3	Sustainable Use of Bioactive Compounds from <i>Solanum Tuberosum</i> and Brassicaceae Wastes and by-Products for Crop Protection—A Review. <i>Molecules</i> , 2021, 26, 2174.	3.8	17
4	Genomic Approaches to Identify Molecular Bases of Crop Resistance to Diseases and to Develop Future Breeding Strategies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5423.	4.1	11
5	Importance of Landraces in Cereal Breeding for Stress Tolerance. <i>Plants</i> , 2021, 10, 1267.	3.5	54
6	What Makes Bread and Durum Wheat Different?. <i>Trends in Plant Science</i> , 2021, 26, 677-684.	8.8	34
7	The Global Durum Wheat Panel (GDP): An International Platform to Identify and Exchange Beneficial Alleles. <i>Frontiers in Plant Science</i> , 2020, 11, 569905.	3.6	44
8	Durum wheat genome highlights past domestication signatures and future improvement targets. <i>Nature Genetics</i> , 2019, 51, 885-895.	21.4	576
9	Tuning the structure and wetting properties of organic-inorganic nanocomposite coatings prepared by aerosol-assisted atmospheric pressure cold plasma deposition. <i>Surface and Coatings Technology</i> , 2019, 358, 67-75.	4.8	10
10	Genetic Mapping of Loci for Resistance to Stem Rust in a Tetraploid Wheat Collection. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3907.	4.1	20
11	Environmental and Genetic Variation for Yield-Related Traits of Durum Wheat as Affected by Development. <i>Frontiers in Plant Science</i> , 2018, 9, 8.	3.6	31
12	Regulation and Evolution of NLR Genes: A Close Interconnection for Plant Immunity. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1662.	4.1	68
13	Genetic dissection of the relationships between grain yield components by genome-wide association mapping in a collection of tetraploid wheats. <i>PLoS ONE</i> , 2018, 13, e0190162.	2.5	85
14	Genetic markers associated to arbuscular mycorrhizal colonization in durum wheat. <i>Scientific Reports</i> , 2018, 8, 10612.	3.3	45
15	The carotenoid biosynthetic and catabolic genes in wheat and their association with yellow pigments. <i>BMC Genomics</i> , 2017, 18, 122.	2.8	72
16	Mapping QTL for Root and Shoot Morphological Traits in a Durum Wheat—T. dicoccum Segregating Population at Seedling Stage. <i>International Journal of Genomics</i> , 2017, 2017, 1-17.	1.6	62
17	Association between Grain Size and Shape and Quality Traits, and Path Analysis of Thousand Grain Weight in Iranian Bread Wheat Landraces from Different Geographic Regions. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2016, 44, 228-236.	1.1	36
18	Effects of Heat Stress on Metabolite Accumulation and Composition, and Nutritional Properties of Durum Wheat Grain. <i>International Journal of Molecular Sciences</i> , 2015, 16, 30382-30404.	4.1	61

#	ARTICLE	IF	CITATIONS
19	Conservation of AtTZF1, AtTZF2, and AtTZF3 homolog gene regulation by salt stress in evolutionarily distant plant species. <i>Frontiers in Plant Science</i> , 2015, 6, 394.	3.6	10
20	Identification of New Resistance Loci to African Stem Rust Race TTKSK in Tetraploid Wheats Based on Linkage and Genome-Wide Association Mapping. <i>Frontiers in Plant Science</i> , 2015, 6, 1033.	3.6	59
21	Post-transcriptional and post-translational regulations of drought and heat response in plants: a spider's web of mechanisms. <i>Frontiers in Plant Science</i> , 2015, 6, 57.	3.6	136
22	A high-density, SNP-based consensus map of tetraploid wheat as a bridge to integrate durum and bread wheat genomics and breeding. <i>Plant Biotechnology Journal</i> , 2015, 13, 648-663.	8.3	386
23	Preparation of Multifunctional Superhydrophobic Nanocomposite Coatings by Aerosol-Assisted Atmospheric Cold Plasma Deposition. <i>Nanoscience and Nanotechnology Letters</i> , 2015, 7, 84-88.	0.4	13
24	Genetic analysis of root morphological traits in wheat. <i>Molecular Genetics and Genomics</i> , 2015, 290, 785-806.	2.1	37
25	Integrated views in plant breeding: from the perspective of biotechnology. , 2015, , 467-486.		2
26	Linkage Disequilibrium and Genome-Wide Association Mapping in Tetraploid Wheat (<i>Triticum turgidum</i>) Tj ETQq0 0.0 rgBT /Overlock 10	2.5	75
27	Identification and mapping of quantitative trait loci for leaf rust resistance derived from a tetraploid wheat <i>Triticum dicoccum</i> accession. <i>Molecular Breeding</i> , 2014, 34, 1659-1675.	2.1	33
28	Characterization of polyploid wheat genomic diversity using a high-density 90,000 single nucleotide polymorphism array. <i>Plant Biotechnology Journal</i> , 2014, 12, 787-796.	8.3	1,828
29	Genetic variation for the duration of pre-anthesis development in durum wheat and its interaction with vernalization treatment and photoperiod. <i>Journal of Experimental Botany</i> , 2014, 65, 3177-3188.	4.8	25
30	A dense durum wheat-dicoccum linkage map based on SNP markers for the study of seed morphology. <i>Molecular Breeding</i> , 2014, 34, 1579-1597.	2.1	67
31	The colours of durum wheat: a review. <i>Crop and Pasture Science</i> , 2014, 65, 1.	1.5	142
32	QTLs for barley yield adaptation to Mediterranean environments in the "Nure"–"Tremois" biparental population. <i>Euphytica</i> , 2014, 197, 73-86.	1.2	74
33	Aerosol-Assisted Atmospheric Cold Plasma Deposition and Characterization of Superhydrophobic Organic-Inorganic Nanocomposite Thin Films. <i>Langmuir</i> , 2014, 30, 857-865.	3.5	71
34	Genetic basis of qualitative and quantitative resistance to powdery mildew in wheat: from consensus regions to candidate genes. <i>BMC Genomics</i> , 2013, 14, 562.	2.8	84
35	Molecular mapping of stomatal conductance-related traits in durum wheat (<i>Triticum turgidum</i>) Tj ETQq1 1 0.784314 rgBT /	2.5	27
36	Different stress responsive strategies to drought and heat in two durum wheat cultivars with contrasting water use efficiency. <i>BMC Genomics</i> , 2013, 14, 821.	2.8	93

#	ARTICLE	IF	CITATIONS
37	Plant Nucleotide Binding Site-“Leucine-Rich Repeat (NBS-LRR) Genes: Active Guardians in Host Defense Responses. <i>International Journal of Molecular Sciences</i> , 2013, 14, 7302-7326.	4.1	279
38	On the relationship between N management and grain protein content in six durum wheat cultivars in Mediterranean environment. <i>Journal of Plant Interactions</i> , 2013, 8, 271-279.	2.1	12
39	Genetic Diversity and Population Structure of Tetraploid Wheats (<i>Triticum turgidum</i> L.) Estimated by SSR, DArT and Pedigree Data. <i>PLoS ONE</i> , 2013, 8, e67280.	2.5	137
40	Identification of a Protein Network Interacting with TdRF1, a Wheat RING Ubiquitin Ligase with a Protective Role against Cellular Dehydration. <i>Plant Physiology</i> , 2012, 158, 777-789.	4.8	27
41	A major QTL for resistance to soil-borne cereal mosaic virus derived from an old Italian durum wheat cultivar. <i>Journal of Plant Interactions</i> , 2012, 7, 290-300.	2.1	14
42	A high-density consensus map of A and B wheat genomes. <i>Theoretical and Applied Genetics</i> , 2012, 125, 1619-1638.	3.6	117
43	Alternative splicing: Enhancing ability to cope with stress via transcriptome plasticity. <i>Plant Science</i> , 2012, 185-186, 40-49.	3.6	237
44	Characterization of wheat DArT markers: genetic and functional features. <i>Molecular Genetics and Genomics</i> , 2012, 287, 741-753.	2.1	46
45	Improvement of Drought Resistance in Crops: From Conventional Breeding to Genomic Selection. , 2012, , 225-259.		10
46	Relationships between grain protein content and grain yield components through quantitative trait locus analyses in a recombinant inbred line population derived from two elite durum wheat cultivars. <i>Molecular Breeding</i> , 2012, 30, 79-92.	2.1	147
47	Constitutive differences in water use efficiency between two durum wheat cultivars. <i>Field Crops Research</i> , 2012, 125, 49-60.	5.1	56
48	Quantitative trait loci for yellow pigment concentration and individual carotenoid compounds in durum wheat. <i>Journal of Cereal Science</i> , 2011, 54, 255-264.	3.7	105
49	Insight into durum wheat Lpx-B1: a small gene family coding for the lipoxygenase responsible for carotenoid bleaching in mature grains. <i>BMC Plant Biology</i> , 2010, 10, 263.	3.6	45
50	Comparative proteome analysis of metabolic proteins from seeds of durum wheat (cv. Svevo) subjected to heat stress. <i>Proteomics</i> , 2010, 10, 2359-2368.	2.2	114
51	Development and characterization of EST-derived SSRs from a “totipotent” cDNA library of durum wheat. <i>Plant Breeding</i> , 2010, 129, 715-717.	1.9	5
52	Genetic improvement effects on yield stability in durum wheat genotypes grown in Italy. <i>Field Crops Research</i> , 2010, 119, 68-77.	5.1	118
53	Integrated Views in Plant Breeding. , 2009, , 327-354.		4
54	Transcriptional profiling in response to terminal drought stress reveals differential responses along the wheat genome. <i>BMC Genomics</i> , 2009, 10, 279.	2.8	137

#	ARTICLE	IF	CITATIONS
55	Genetic analysis of durable resistance against leaf rust in durum wheat. <i>Molecular Breeding</i> , 2009, 24, 25-39.	2.1	41
56	Mapping adaptation of barley to droughted environments. <i>Euphytica</i> , 2008, 161, 35-45.	1.2	44
57	Abiotic stress response in plants: When post-transcriptional and post-translational regulations control transcription. <i>Plant Science</i> , 2008, 174, 420-431.	3.6	243
58	Drought tolerance improvement in crop plants: An integrated view from breeding to genomics. <i>Field Crops Research</i> , 2008, 105, 1-14.	5.1	1,122
59	Durum wheat genes up-regulated in the early phases of cold stress are modulated by drought in a developmental and genotype dependent manner. <i>Plant Science</i> , 2007, 172, 1005-1016.	3.6	36
60	Effects of breeding activity on durum wheat traits breed in Italy during the 20th century. <i>Italian Journal of Agronomy</i> , 2007, 2, 451.	1.0	7
61	Bio-agronomic Evaluation of Old and Modern Wheat, Spelt and Emmer Genotypes for Low-input Farming in Mediterranean Environment. <i>Italian Journal of Agronomy</i> , 2007, 2, 291.	1.0	7
62	The Transcript Levels of two Plant Mitochondrial Uncoupling Protein (pUCP)-Related Genes are not Affected by Hyperosmotic Stress in Durum Wheat Seedlings Showing an Increased Level of pUCP Activity. <i>Bioscience Reports</i> , 2006, 26, 251-261.	2.4	12
63	The E3 Ubiquitin Ligase Gene Family in Plants: Regulation by Degradation. <i>Current Genomics</i> , 2006, 7, 509-522.	1.6	219
64	Low temperature promotes intron retention in two e-cor genes of durum wheat. <i>Planta</i> , 2005, 221, 705-715.	3.2	58
65	Chromosome regions and stress-related sequences involved in resistance to abiotic stress in Triticeae. <i>Plant Molecular Biology</i> , 2002, 48, 649-665.	3.9	190
66	The cold dependent accumulation of COR TMC-AP3 in cereals with contrasting, frost tolerance is regulated by different mRNA expression and protein turnover. <i>Plant Science</i> , 2000, 156, 47-54.	3.6	8