

Fumio Takei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4129201/publications.pdf>

Version: 2024-02-01

103
papers

6,677
citations

71102

41
h-index

64796

79
g-index

104
all docs

104
docs citations

104
times ranked

6384
citing authors

#	ARTICLE	IF	CITATIONS
1	Tissue Resident and Migratory Group 2 Innate Lymphoid Cells. <i>Frontiers in Immunology</i> , 2022, 13, 877005.	4.8	11
2	The Fate of Activated Group 2 Innate Lymphoid Cells. <i>Frontiers in Immunology</i> , 2021, 12, 671966.	4.8	15
3	Innate lymphoid cell development. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1549-1560.	2.9	21
4	Migration of Lung Resident Group 2 Innate Lymphoid Cells Link Allergic Lung Inflammation and Liver Immunity. <i>Frontiers in Immunology</i> , 2021, 12, 679509.	4.8	11
5	Abortive β TCR rearrangements suggest ILC2s are derived from T-cell precursors. <i>Blood Advances</i> , 2020, 4, 5362-5372.	5.2	29
6	Single-cell analysis of ROR γ tracer mouse lung reveals ILC progenitors and effector ILC2 subsets. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	74
7	Lung group 2 innate lymphoid cells are trained by endogenous IL-33 in the neonatal period. <i>JCI Insight</i> , 2020, 5, .	5.0	33
8	The Transcription Factor ROR γ Preserves ILC3 Lineage Identity and Function during Chronic Intestinal Infection. <i>Journal of Immunology</i> , 2019, 203, 3209-3215.	0.8	27
9	Identification of Group 2 Innate Lymphoid Cells in Mouse Lung, Liver, Small Intestine, Bone Marrow, and Mediastinal and Mesenteric Lymph Nodes. <i>Current Protocols in Immunology</i> , 2019, 125, e73.	3.6	12
10	Female and male mouse lung group 2 innate lymphoid cells differ in gene expression profiles and cytokine production. <i>PLoS ONE</i> , 2019, 14, e0214286.	2.5	22
11	<sc>ILC</sc>2 memory: Recollection of previous activation. <i>Immunological Reviews</i> , 2018, 283, 41-53.	6.0	32
12	Type 2 Innate Lymphocytes Actuate Immunity Against Tumours and Limit Cancer Metastasis. <i>Scientific Reports</i> , 2018, 8, 2924.	3.3	84
13	Type 2 innate lymphoid cells disrupt bronchial epithelial barrier integrity by targeting tight junctions through IL-13 in asthmatic patients. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 300-310.e11.	2.9	182
14	Group 2 innate lymphoid cell activation in the neonatal lung drives type 2 immunity and allergen sensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 593-595.e3.	2.9	67
15	Immunological Memory of Group 2 Innate Lymphoid Cells. <i>Trends in Immunology</i> , 2017, 38, 423-431.	6.8	34
16	Development of Group 2 Innate Lymphoid Cells. , 2016, , 149-155.		1
17	Allergen-Experienced Group 2 Innate Lymphoid Cells Acquire Memory-like Properties and Enhance Allergic Lung Inflammation. <i>Immunity</i> , 2016, 45, 198-208.	14.3	223
18	Common-Lymphoid-Progenitor-Independent Pathways of Innate and T Lymphocyte Development. <i>Cell Reports</i> , 2016, 15, 471-480.	6.4	53

#	ARTICLE	IF	CITATIONS
19	UV-inactivated HSV-1 potently activates NK cell killing of leukemic cells. <i>Blood</i> , 2016, 127, 2575-2586.	1.4	28
20	G9a regulates group 2 innate lymphoid cell development by repressing the group 3 innate lymphoid cell program. <i>Journal of Experimental Medicine</i> , 2016, 213, 1153-1162.	8.5	32
21	Lung ILC2s link innate and adaptive responses in allergic inflammation. <i>Trends in Immunology</i> , 2015, 36, 189-195.	6.8	143
22	A NK complex-linked locus restricts the spread of herpes simplex virus type 1 in the brains of C57BL/6 mice. <i>Immunology and Cell Biology</i> , 2015, 93, 877-884.	2.3	16
23	Group 2 Innate Lymphoid Cells Are Critical for the Initiation of Adaptive T Helper 2 Cell-Mediated Allergic Lung Inflammation. <i>Immunity</i> , 2014, 40, 425-435.	14.3	803
24	Isolation and Characterization of Mouse Innate Lymphoid Cells. <i>Current Protocols in Immunology</i> , 2014, 106, 3.25.1-3.25.13.	3.6	29
25	Group 2 innate lymphoid cells facilitate sensitization to local, but not systemic, TH2-inducing allergen exposures. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1142-1148.e5.	2.9	193
26	Retinoic-Acid-Receptor-Related Orphan Nuclear Receptor Alpha Is Required for Natural Helper Cell Development and Allergic Inflammation. <i>Immunity</i> , 2012, 37, 463-474.	14.3	339
27	Lung Natural Helper Cells Are a Critical Source of Th2 Cell-Type Cytokines in Protease Allergen-Induced Airway Inflammation. <i>Immunity</i> , 2012, 36, 451-463.	14.3	723
28	Lymphoid progenitors in normal mouse lymph nodes develop into NK cells and T cells in vitro and in vivo. <i>Experimental Hematology</i> , 2012, 40, 401-406.	0.4	5
29	Unique progenitors in mouse lymph node develop into CD127+ NK cells: thymus-dependent and thymus-independent pathways. <i>Blood</i> , 2011, 117, 4012-4021.	1.4	26
30	LAK cell therapy of AML: Not to be lost in translation. <i>Experimental Hematology</i> , 2011, 39, 1045-1046.	0.4	6
31	Redundancy in the immune system restricts the spread of HSV-1 in the central nervous system (CNS) of C57BL/6 mice. <i>Virology</i> , 2010, 400, 248-258.	2.4	31
32	Elucidation of the integrin LFA-1-mediated signaling pathway of actin polarization in natural killer cells. <i>Blood</i> , 2010, 116, 1272-1279.	1.4	64
33	An Accessory Role for B Cells in the IL-12-Induced Activation of Resting Mouse NK Cells. <i>Journal of Immunology</i> , 2009, 183, 3608-3615.	0.8	8
34	A Dual Role for Talin in NK Cell Cytotoxicity: Activation of LFA-1-Mediated Cell Adhesion and Polarization of NK Cells. <i>Journal of Immunology</i> , 2009, 182, 948-956.	0.8	58
35	Evidence for high bi-allelic expression of activating Ly49 receptors. <i>Nucleic Acids Research</i> , 2009, 37, 5331-5342.	14.5	19
36	B cell co-receptor CD72 is expressed on NK cells and inhibits IFN- γ production but not cytotoxicity. <i>European Journal of Immunology</i> , 2009, 39, 826-832.	2.9	19

#	ARTICLE	IF	CITATIONS
37	Unique subset of natural killer cells develops from progenitors in lymph node. <i>Blood</i> , 2008, 111, 4201-4208.	1.4	27
38	LFA-1 Binding to Ligand Induces Talin-Mediated Reorganization of the Actin Cytoskeleton in Cytotoxic T Cells. <i>The Open Immunology Journal</i> , 2008, 1, 51-61.	1.5	2
39	A Novel B220+ NK Cell Progenitor Found in the Murine Lung with Potent in Vitro NK Potential Gives Rise to Mature NK Cells with Distinct NK Cell-Surface Receptor Expression. <i>Blood</i> , 2008, 112, 4779-4779.	1.4	5
40	Comprehensive Profiling of Micrnas in Murine Hematopoietic Stem Cells and Lineages Using a Microfluidics Approach. <i>Blood</i> , 2008, 112, 2468-2468.	1.4	1
41	Activation of LFA-1 by ionomycin is independent of calpain-mediated talin cleavage. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 207-212.	2.1	10
42	Plasticity of Ly49g expression is due to epigenetics. <i>Molecular Immunology</i> , 2007, 44, 821-826.	2.2	11
43	Expression of murine killer immunoglobulin-like receptor KIRL1 on CD1d-independent NK1.1+ T cells. <i>Immunogenetics</i> , 2007, 59, 641-651.	2.4	5
44	Characterization of Developmental Pathway of Natural Killer Cells from Embryonic Stem Cells In Vitro. <i>PLoS ONE</i> , 2007, 2, e232.	2.5	12
45	Expression of rearranged TCR β genes in natural killer cells suggests a minor thymus-dependent pathway of lineage commitment. <i>Blood</i> , 2006, 107, 2673-2679.	1.4	47
46	A Role for DNA Hypomethylation and Histone Acetylation in Maintaining Allele-Specific Expression of Mouse NKG2A in Developing and Mature NK Cells. <i>Journal of Immunology</i> , 2006, 177, 414-421.	0.8	14
47	Evidence for Epigenetic Maintenance of <i>Ly49a</i> Monoallelic Gene Expression. <i>Journal of Immunology</i> , 2006, 176, 2991-2999.	0.8	37
48	Murine CD160, Ig-Like Receptor on NK Cells and NKT Cells, Recognizes Classical and Nonclassical MHC Class I and Regulates NK Cell Activation. <i>Journal of Immunology</i> , 2005, 175, 4426-4432.	0.8	89
49	Lipid Rafts Mediate Association of LFA-1 and CD3 and Formation of the Immunological Synapse of CTL. <i>Journal of Immunology</i> , 2004, 173, 2960-2967.	0.8	31
50	The Rap GTPases Regulate Integrin-mediated Adhesion, Cell Spreading, Actin Polymerization, and Pyk2 Tyrosine Phosphorylation in B Lymphocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 12009-12019.	3.4	125
51	CD1d-Independent NKT Cells in β 2-Microglobulin-Deficient Mice Have Hybrid Phenotype and Function of NK and T Cells. <i>Journal of Immunology</i> , 2004, 172, 6115-6122.	0.8	32
52	Transcriptional Control of Murine <i>CD94</i> Gene: Differential Usage of Dual Promoters by Lymphoid Cell Types. <i>Journal of Immunology</i> , 2003, 171, 4219-4226.	0.8	24
53	Membrane cholesterol regulates LFA-1 function and lipid raft heterogeneity. <i>Blood</i> , 2003, 102, 215-222.	1.4	103
54	Acquisition of MHC-Specific Receptors on Murine Natural Killer Cells. <i>Critical Reviews in Immunology</i> , 2003, 23, 251-266.	0.5	21

#	ARTICLE	IF	CITATIONS
55	Slow receptor acquisition by NK cells regenerated in vivo from transplanted fetal liver or adult bone marrow stem cells. <i>Experimental Hematology</i> , 2003, 31, 1015-8.	0.4	1
56	Orderly and Nonstochastic Acquisition of CD94/NKG2 Receptors by Developing NK Cells Derived from Embryonic Stem Cells In Vitro. <i>Journal of Immunology</i> , 2002, 168, 4980-4987.	0.8	42
57	Functional analysis of 5' and 3' regions of the closely related Ly49c and j genes. <i>Immunogenetics</i> , 2001, 52, 212-223.	2.4	19
58	Comparative analysis of the promoter regions and transcriptional start sites of mouse Ly49 genes. <i>Immunogenetics</i> , 2001, 53, 215-224.	2.4	24
59	Ly49 and CD94/NKG2: developmentally regulated expression and evolution. <i>Immunological Reviews</i> , 2001, 181, 90-103.	6.0	64
60	Regulation of NKT Cells by Ly49: Analysis of Primary NKT Cells and Generation of NKT Cell Line. <i>Journal of Immunology</i> , 2001, 167, 4180-4186.	0.8	52
61	The non-classical MHC class I molecule Qa-1b inhibits classical MHC class I-restricted cytotoxicity of cytotoxic T lymphocytes. <i>International Immunology</i> , 2001, 13, 321-327.	4.0	21
62	Clonal analysis of NK cell development from bone marrow progenitors in vitro: orderly acquisition of receptor gene expression. <i>European Journal of Immunology</i> , 2000, 30, 2074-2082.	2.9	79
63	The genomic organization of the mouse CD94 C-type lectin gene. <i>International Journal of Immunogenetics</i> , 2000, 27, 149-151.	1.2	7
64	Inhibition of NK Cells by Murine CMV-Encoded Class I MHC Homologue m144. <i>Cellular Immunology</i> , 1999, 191, 145-151.	3.0	42
65	Expression analysis of new Ly49 genes: most transcripts of Ly49j lack the transmembrane domain. <i>Immunogenetics</i> , 1999, 49, 685-691.	2.4	29
66	Cloning of murine NKG2A, B and C: second family of C-type lectin receptors on murine NK cells. <i>European Journal of Immunology</i> , 1999, 29, 755-761.	2.9	52
67	Cloning of murine NKG2A, B and C: second family of C-type lectin receptors on murine NK cells. <i>European Journal of Immunology</i> , 1999, 29, 755-761.	2.9	6
68	Localization of five new Ly49 genes, including three closely related to Ly49c. <i>Immunogenetics</i> , 1998, 48, 174-183.	2.4	75
69	Induction of sensitivity to NK-mediated cytotoxicity by TNF- α treatment: possible role of ICAM-3 and CD44. <i>Leukemia</i> , 1998, 12, 1565-1572.	7.2	25
70	The NK2.1 receptor is encoded by Ly-49C and its expression is regulated by MHC class I alleles. <i>International Immunology</i> , 1997, 9, 533-540.	4.0	27
71	The Role of LFA-1 (CD11a/CD18) Cytoplasmic Domains in Binding to Intercellular Adhesion Molecule-1 (CD54) and in Postreceptor Cell Spreading. <i>Experimental Cell Research</i> , 1997, 233, 78-87.	2.6	11
72	The Ly-49 family: genes, proteins and recognition of class I MHC. <i>Immunological Reviews</i> , 1997, 155, 67-77.	6.0	169

#	ARTICLE	IF	CITATIONS
73	ICAM-2 Provides a Costimulatory Signal for T Cell Stimulation by Allogeneic Class II MHC. Scandinavian Journal of Immunology, 1997, 45, 248-254.	2.7	12
74	New insights into the regulation of ICAM-1 gene expression. Leukemia and Lymphoma, 1996, 20, 223-228.	1.3	23
75	Cross-linking the murine heat-stable antigen induces apoptosis in B cell precursors and suppresses the anti-CD40-induced proliferation of mature resting B lymphocytes.. Journal of Experimental Medicine, 1996, 184, 1639-1649.	8.5	47
76	Recognition of class I major histocompatibility complex molecules by Ly-49: specificities and domain interactions.. Journal of Experimental Medicine, 1996, 183, 1553-1559.	8.5	99
77	Heterogeneity Among Ly-49C Natural Killer (NK) Cells: Characterization of Highly Related Receptors with Differing Functions and Expression Patterns. Journal of Experimental Medicine, 1996, 184, 2085-2090.	8.5	108
78	Role of the intercellular adhesion molecule-1(ICAM-1) in endotoxin-induced pneumonia evaluated using ICAM-1 antisense oligonucleotides, anti-ICAM-1 monoclonal antibodies, and ICAM-1 mutant mice.. Journal of Clinical Investigation, 1996, 97, 2362-2369.	8.2	193
79	Regulation of ICAM-1 mRNA stability by cycloheximide: Role of serine/threonine phosphorylation and protein synthesis. Journal of Cellular Biochemistry, 1995, 59, 202-213.	2.6	23
80	Low ICAM-1 expression in the epidermis of depigmenting C57BL/6J-mivit/mivit mice: A possible cause of muted contact sensitization. Experimental Dermatology, 1995, 4, 20-29.	2.9	11
81	Carbohydrate Recognition by a Natural Killer Cell Receptor, Ly-49C. Journal of Biological Chemistry, 1995, 270, 9691-9694.	3.4	67
82	Expression of different members of the Ly-49 gene family defines distinct natural killer cell subsets and cell adhesion properties.. Journal of Experimental Medicine, 1994, 180, 2287-2295.	8.5	164
83	Defective development of thymocytes overexpressing the costimulatory molecule, heat-stable antigen.. Journal of Experimental Medicine, 1994, 179, 177-184.	8.5	48
84	Monoclonal antibody to MALA-2 (ICAM-1) reduces acute autoimmune nephritis in kdkd mice. Clinical Immunology and Immunopathology, 1992, 64, 129-134.	2.0	32
85	Adhesion molecules on murine brain microvascular endothelial cells: expression and regulation of ICAM-1 and Lgp 55. Journal of Neuroimmunology, 1992, 36, 1-11.	2.3	158
86	REDUCTION IN THE SEVERITY OF GRAFT-VERSUS-HOST DISEASE AND INCREASED SURVIVAL IN ALLOGENEIC MICE BY TREATMENT WITH MONOCLONAL ANTIBODIES TO CELL ADHESION ANTIGENS LFA-1 AND MALA-2. Transplantation, 1991, 52, 842-845.	1.0	56
87	Characterization of pancreatic islet cell infiltrates in NOD mice: effect of cell transfer and transgene expression. European Journal of Immunology, 1991, 21, 1171-1180.	2.9	126
88	Late administration of monoclonal antibody to leukocyte function-antigen 1 abrogates incipient murine cerebral malaria. European Journal of Immunology, 1991, 21, 2265-2267.	2.9	126
89	Expression and induction of intercellular adhesion molecules (ICAMs) and major histocompatibility complex (MHC) antigens on cultured murine oligodendrocytes and astrocytes. Journal of Neuroscience Research, 1991, 29, 1-12.	2.9	56
90	Differing regulation and function of ICAM-1 and class II antigens on renal tubular cells. Kidney International, 1990, 38, 417-425.	5.2	114

#	ARTICLE	IF	CITATIONS
91	Mesangial cell accessory functions: Mediation by intercellular adhesion molecule-1. <i>Kidney International</i> , 1990, 38, 1039-1046.	5.2	86
92	MALA-2, mouse homologue of human adhesion molecule ICAM-1 (CD54). <i>European Journal of Immunology</i> , 1989, 19, 1551-1557.	2.9	101
93	Expression of an Acute Myelogenous Leukemia-Associated Antigen (NHL-30.5) on Immature Leukemic Cells. , 1986, , 315-326.		1
94	Monoclonal Antibody-Defined Cell Surface Molecules Regulate Lymphocyte Activation. , 1986, , 519-526.		0
95	NHL-30.5: A monoclonal antibody reactive with an acute myeloid leukemia (AML)-associated antigen. <i>Leukemia Research</i> , 1985, 9, 135-145.	0.8	14
96	Localisation of metastatic carcinoma by a radiolabelled monoclonal antibody. <i>British Journal of Cancer</i> , 1983, 47, 253-259.	6.4	72
97	Immunohistochemical techniques in the early screening of monoclonal antibodies to human colonic epithelium. <i>British Journal of Cancer</i> , 1982, 46, 9-17.	6.4	38
98	Biochemical characterization of H9/25, an allospecificity encoded by the Ly-6 region. <i>Immunogenetics</i> , 1982, 16, 201-208.	2.4	19
99	Ly-6 region regulates expression of multiple allospecificities. <i>Immunogenetics</i> , 1981, 13, 435-441.	2.4	10
100	H9/25 monoclonal antibody recognizes a new allospecificity of mouse lymphocyte subpopulations: Strain and tissue distribution. <i>European Journal of Immunology</i> , 1980, 10, 241-246.	2.9	36
101	Monoclonal antibody H 9/25 reacts with functional subsets of T and B cells: killer, killer precursor and plaque-forming cells. <i>European Journal of Immunology</i> , 1980, 10, 503-509.	2.9	19
102	Effect of adult thymectomy on tumour immunity in mice. <i>British Journal of Cancer</i> , 1978, 37, 723-731.	6.4	4
103	Single-cell analysis of RORÎ± tracer mouse lung reveals ILC progenitors and effector ILC2 subsets. <i>Journal of Experimental Medicine</i> , 0, , .	8.5	0