

Alexander M Binshtok

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4129353/publications.pdf>

Version: 2024-02-01

33
papers

2,952
citations

331670

21
h-index

414414

32
g-index

35
all docs

35
docs citations

35
times ranked

3684
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | InÂvivo optical recordings of ion dynamics in mouse corneal primary nociceptive terminals. STAR Protocols, 2022, 3, 101224. | 1.2 | 0 |
| 2 | Photopharmacological modulation of native CRAC channels using azoboronate photoswitches. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2118160119. | 7.1 | 7 |
| 3 | mTORC2 mediates structural plasticity in distal nociceptive endings that contributes to pain hypersensitivity following inflammation. Journal of Clinical Investigation, 2022, 132, . | 8.2 | 6 |
| 4 | Optical Assessment of Nociceptive TRP Channel Function at the Peripheral Nerve Terminal. International Journal of Molecular Sciences, 2021, 22, 481. | 4.1 | 5 |
| 5 | The Input-Output Relation of Primary Nociceptive Neurons is Determined by the Morphology of the Peripheral Nociceptive Terminals. Journal of Neuroscience, 2020, 40, 9346-9363. | 3.6 | 20 |
| 6 | Abnormal Reinnervation of Denervated Areas Following Nerve Injury Facilitates Neuropathic Pain. Cells, 2020, 9, 1007. | 4.1 | 9 |
| 7 | 2-APB and CBD-Mediated Targeting of Charged Cytotoxic Compounds Into Tumor Cells Suggests the Involvement of TRPV2 Channels. Frontiers in Pharmacology, 2019, 10, 1198. | 3.5 | 22 |
| 8 | Location and Plasticity of the Sodium Spike Initiation Zone in Nociceptive Terminals InÂvivo. Neuron, 2019, 102, 801-812.e5. | 8.1 | 30 |
| 9 | Platelet-derived growth factor activates nociceptive neurons by inhibiting M-current and contributes to inflammatory pain. Pain, 2019, 160, 1281-1296. | 4.2 | 28 |
| 10 | Teriparatide attenuates scarring around murine cranial bone allograft via modulation of angiogenesis. Bone, 2017, 97, 192-200. | 2.9 | 15 |
| 11 | Ultrafast optical recording reveals distinct capsaicin-induced ion dynamics along single nociceptive neurite terminals <i>in vitro</i> . Journal of Biomedical Optics, 2017, 22, 076010. | 2.6 | 6 |
| 12 | Differential cytotoxicity and intracellular calcium-signalling following activation of the calcium-permeable ion channels TRPV1 and TRPA1. Cell Calcium, 2017, 68, 34-44. | 2.4 | 30 |
| 13 | K _v 7/M channels as targets for lipopolysaccharide-induced inflammatory neuronal hyperexcitability. Journal of Physiology, 2017, 595, 713-738. | 2.9 | 25 |
| 14 | The Role of Kv7/M Potassium Channels in Controlling Ectopic Firing in Nociceptors. Frontiers in Molecular Neuroscience, 2017, 10, 181. | 2.9 | 23 |
| 15 | Quaternary Lidocaine Derivative QX-314 Activates and Permeates Human TRPV1 and TRPA1 to Produce Inhibition of Sodium Channels and Cytotoxicity. Anesthesiology, 2016, 124, 1153-1165. | 2.5 | 35 |
| 16 | Privileged crosstalk between TRPV1 channels and mitochondrial calcium shuttling machinery controls nociception. Biochimica Et Biophysica Acta - Molecular Cell Research, 2016, 1863, 2868-2880. | 4.1 | 33 |
| 17 | The role of slow and persistent TTX-resistant sodium currents in acute tumor necrosis factor- α -mediated increase in nociceptors excitability. Journal of Neurophysiology, 2015, 113, 601-619. | 1.8 | 83 |
| 18 | Multispectral labeling technique to map many neighboring axonal projections in the same tissue. Nature Methods, 2015, 12, 547-552. | 19.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Activity-dependent silencing reveals functionally distinct itch-generating sensory neurons. <i>Nature Neuroscience</i> , 2013, 16, 910-918. | 14.8 | 133 |
| 20 | Chronic pain-related remodeling of cerebral cortex â€” pain memoryâ€™: a possible target for treatment of chronic pain. <i>Pain Management</i> , 2013, 3, 35-45. | 1.5 | 23 |
| 21 | Permeation and block of TRPV1 channels by the cationic lidocaine derivative QX-314. <i>Journal of Neurophysiology</i> , 2013, 109, 1704-1712. | 1.8 | 85 |
| 22 | Expression of TRPV1 Channels after Nerve Injury Provides an Essential Delivery Tool for Neuropathic Pain Attenuation. <i>PLoS ONE</i> , 2012, 7, e44023. | 2.5 | 36 |
| 23 | Mechanisms of Nociceptive Transduction and Transmission: A Machinery for Pain Sensation and Tools for Selective Analgesia. <i>International Review of Neurobiology</i> , 2011, 97, 143-177. | 2.0 | 22 |
| 24 | Selectively targeting pain in the trigeminal system. <i>Pain</i> , 2010, 150, 29-40. | 4.2 | 51 |
| 25 | Voltage-gated sodium channels in pain states: Role in pathophysiology and targets for treatment. <i>Brain Research Reviews</i> , 2009, 60, 65-83. | 9.0 | 130 |
| 26 | Coapplication of Lidocaine and the Permanently Charged Sodium Channel Blocker QX-314 Produces a Long-lasting Nociceptive Blockade in Rodents. <i>Anesthesiology</i> , 2009, 111, 127-137. | 2.5 | 103 |
| 27 | Nociceptors Are Interleukin-1 β Sensors. <i>Journal of Neuroscience</i> , 2008, 28, 14062-14073. | 3.6 | 533 |
| 28 | Capsaicin Combined with Local Anesthetics Preferentially Prolongs Sensory/Nociceptive Block in Rat Sciatic Nerve. <i>Anesthesiology</i> , 2008, 109, 872-878. | 2.5 | 60 |
| 29 | BACE1 regulates voltage-gated sodium channels and neuronal activity. <i>Nature Cell Biology</i> , 2007, 9, 755-764. | 10.3 | 274 |
| 30 | Inhibition of nociceptors by TRPV1-mediated entry of impermeant sodium channel blockers. <i>Nature</i> , 2007, 449, 607-610. | 27.8 | 404 |
| 31 | GTP cyclohydrolase and tetrahydrobiopterin regulate pain sensitivity and persistence. <i>Nature Medicine</i> , 2006, 12, 1269-1277. | 30.7 | 504 |
| 32 | NMDA Receptors in Layer 4 Spiny Stellate Cells of the Mouse Barrel Cortex Contain the NR2C Subunit. <i>Journal of Neuroscience</i> , 2006, 26, 708-715. | 3.6 | 81 |
| 33 | Functionally Distinct NMDA Receptors Mediate Horizontal Connectivity within Layer 4 of Mouse Barrel Cortex. <i>Neuron</i> , 1998, 21, 1055-1065. | 8.1 | 112 |