Stephen H Howell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/413075/publications.pdf

Version: 2024-02-01

51 papers 5,888 citations

33 h-index 214800 47 g-index

52 all docs 52 docs citations

times ranked

52

4987 citing authors

#	Article	IF	Citations
1	Endoplasmic Reticulum Stress Responses in Plants. Annual Review of Plant Biology, 2013, 64, 477-499.	18.7	422
2	Endoplasmic Reticulum Protein Quality Control and Its Relationship to Environmental Stress Responses in Plants. Plant Cell, 2010, 22, 2930-2942.	6.6	413
3	Heat induces the splicing by IRE1 of a mRNA encoding a transcription factor involved in the unfolded protein response in Arabidopsis. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 7247-7252.	7.1	405
4	Salt stress responses in Arabidopsis utilize a signal transduction pathway related to endoplasmic reticulum stress signaling. Plant Journal, 2007, 51, 897-909.	5.7	401
5	An Endoplasmic Reticulum Stress Response in <i>Arabidopsis</i> Is Mediated by Proteolytic Processing and Nuclear Relocation of a Membrane-Associated Transcription Factor, bZIP28. Plant Cell, 2008, 19, 4111-4119.	6.6	394
6	bZIP28 and NF-Y Transcription Factors Are Activated by ER Stress and Assemble into a Transcriptional Complex to Regulate Stress Response Genes in <i>Arabidopsis</i> Â Â. Plant Cell, 2010, 22, 782-796.	6.6	356
7	Degradation of the Endoplasmic Reticulum by Autophagy during Endoplasmic Reticulum Stress in <i>Arabidopsis</i> . Plant Cell, 2012, 24, 4635-4651.	6.6	246
8	Gene Expression Programs during Shoot, Root, and Callus Development in Arabidopsis Tissue Culture. Plant Physiology, 2006, 141, 620-637.	4.8	225
9	Global and Hormone-Induced Gene Expression Changes during Shoot Development in Arabidopsis. Plant Cell, 2002, 14, 2771-2785.	6.6	186
10	Regulation and processing of a plant peptide hormone, AtRALF23, in Arabidopsis. Plant Journal, 2009, 59, 930-939.	5.7	174
11	Developmental steps in acquiring competence for shoot development in Arabidopsis tissue culture. Planta, 2007, 226, 1183-1194.	3.2	168
12	Managing the protein folding demands in the endoplasmic reticulum of plants. New Phytologist, 2016, 211, 418-428.	7.3	165
13	The ENHANCER OF SHOOT REGENERATION 2 gene in Arabidopsis Regulates CUP-SHAPED COTYLEDON 1 at the Transcriptional Level and Controls Cotyledon Development. Plant and Cell Physiology, 2006, 47, 1443-1456.	3.1	154
14	BINDING PROTEIN Is a Master Regulator of the Endoplasmic Reticulum Stress Sensor/Transducer bZIP28 in <i>Arabidopsis</i> Â Â Â. Plant Cell, 2013, 25, 1416-1429.	6.6	139
15	Proteolytic processing of a precursor protein for a growthâ€promoting peptide by a subtilisin serine protease in Arabidopsis. Plant Journal, 2008, 56, 219-227.	5.7	134
16	Protein kinase and ribonuclease domains of IRE1 confer stress tolerance, vegetative growth, and reproductive development in <i>Arabidopsis</i> the United States of America, 2013, 110, 19633-19638.	7.1	132
17	Genetic Regulation of Gene Expression During Shoot Development in Arabidopsis. Genetics, 2006, 172, 1155-1164.	2.9	131
18	Activation of autophagy by unfolded proteins during endoplasmic reticulum stress. Plant Journal, 2016, 85, 83-95.	5 . 7	131

#	Article	IF	CITATIONS
19	Developmental events and shoot apical meristem gene expression patterns during shoot development in Arabidopsis thaliana. Plant Journal, 2002, 32, 867-877.	5.7	130
20	Cytokinins and shoot development. Trends in Plant Science, 2003, 8, 453-459.	8.8	124
21	Stressâ€induced expression of an activated form of AtbZIP17 provides protection from salt stress in <i>Arabidopsis</i> . Plant, Cell and Environment, 2008, 31, 1735-1743.	5.7	116
22	<scp>IRE</scp> 1, a component of the unfolded protein response signaling pathway, protects pollen development in Arabidopsis from heat stress. Plant Journal, 2016, 88, 193-204.	5.7	113
23	Endoplasmic Reticulum (ER) Stress Response and Its Physiological Roles in Plants. International Journal of Molecular Sciences, 2013, 14, 8188-8212.	4.1	98
24	Gene Expression Patterns During Somatic Embryo Development and Germination in Maize Hi II Callus Cultures. Plant Molecular Biology, 2006, 62, 1-14.	3.9	80
25	The Transcription Factor bZIP60 Links the Unfolded Protein Response to the Heat Stress Response in Maize. Plant Cell, 2020, 32, 3559-3575.	6.6	75
26	The Unfolded Protein Response Supports Plant Development and Defense as well as Responses to Abiotic Stress. Frontiers in Plant Science, 2017, 8, 344.	3.6	74
27	Stress sensing in plants by an ER stress sensor/transducer, bZIP28. Frontiers in Plant Science, 2014, 5, 59.	3.6	72
28	Response to Persistent ER Stress in Plants: A Multiphasic Process That Transitions Cells from Prosurvival Activities to Cell Death. Plant Cell, 2018, 30, 1220-1242.	6.6	67
29	IRE1B degrades RNAs encoding proteins that interfere with the induction of autophagy by ER stress in <1>Arabidopsis thaliana	9.1	66
30	ZmbZIP60 mRNA is spliced in maize in response to ER stress. BMC Research Notes, 2012, 5, 144.	1.4	65
31	Elements proximal to and within the transmembrane domain mediate the organelleâ€toâ€organelle movement of bZIP28 under ER stress conditions. Plant Journal, 2012, 70, 1033-1042.	5.7	57
32	Heat Stress Responses and Thermotolerance in Maize. International Journal of Molecular Sciences, 2021, 22, 948.	4.1	57
33	Arabidopsis mutants with increased organ regeneration in tissue culture are more competent to respond to hormonal signals. Planta, 2001, 213, 700-707.	3.2	52
34	A Functional Unfolded Protein Response Is Required for Normal Vegetative Development. Plant Physiology, 2019, 179, 1834-1843.	4.8	37
35	Quantitative Trait Loci Associated With Adventitious Shoot Formation in Tissue Culture and the Program of Shoot Development in Arabidopsis. Genetics, 2004, 167, 1883-1892.	2.9	33
36	Evolution of the unfolded protein response in plants. Plant, Cell and Environment, 2021, 44, 2625-2635.	5.7	28

3

#	Article	IF	CITATIONS
37	The GET System Inserts the Tail-Anchored Protein, SYP72, into Endoplasmic Reticulum Membranes. Plant Physiology, 2017, 173, 1137-1145.	4.8	24
38	Cis-Effects Condition the Induction of a Major Unfolded Protein Response Factor, ZmbZIP60, in Response to Heat Stress in Maize. Frontiers in Plant Science, 2018, 9, 833.	3.6	23
39	Overexpression of an Arabidopsis gene encoding a subtilase (AtSBT5.4) produces a clavata-like phenotype. Planta, 2009, 230, 687-697.	3.2	20
40	Review: The two faces of IRE1 and their role in protecting plants from stress. Plant Science, 2021, 303, 110758.	3 . 6	17
41	When is the unfolded protein response not the unfolded protein response?. Plant Science, 2017, 260, 139-143.	3.6	16
42	Daily temperature cycles promote alternative splicing of RNAs encoding SR45a, a splicing regulator in maize. Plant Physiology, 2021, 186, 1318-1335.	4.8	16
43	Salt stress signaling in Arabidopsis thaliana involves a membrane-bound transcription factor AtbZIP17 as a signal transducer. Plant Signaling and Behavior, 2008, 3, 56-57.	2.4	14
44	Assessing plant performance in the Enviratron. Plant Methods, 2019, 15, 117.	4.3	13
45	Control of translation during the unfolded protein response in maize seedlings: Life without PERKs. Plant Direct, 2020, 4, e00241.	1.9	11
46	Endoplasmic reticulumââ,¬â€shape and function in stress translation. Frontiers in Plant Science, 2014, 5, 425.	3.6	8
47	Robotic Assay for Drought (RoAD): an automated phenotyping system for brassinosteroid and drought responses. Plant Journal, 2021, 107, 1837-1853.	5.7	4
48	Processing of Peptides. Signaling and Communication in Plants, 2012, , 199-215.	0.7	0
49	ER Stress Signaling in Plants. , 2014, , 213-243.		0
50	Integrating active learning into a large introductory course: Preparing students for success in science. FASEB Journal, 2013, 27, 739.9.	0.5	0
51	Cytoplasm: ER Stress. , 2014, , 1-25.		O