

Richard P Ebstein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4132106/publications.pdf>

Version: 2024-02-01

287
papers

22,530
citations

9756

73
h-index

11288

136
g-index

307
all docs

307
docs citations

307
times ranked

20387
citing authors

#	ARTICLE	IF	CITATIONS
1	A geneâ€“brainâ€“behavior basis for familiarity bias in source preference. <i>Theory and Decision</i> , 2022, 92, 531-567.	0.5	2
2	Asymmetric valuation and belief updating over gain and loss in risky decision making: A behavioral and electrophysiological investigation. <i>Behavioural Brain Research</i> , 2022, , 113909.	1.2	0
3	The heart-brain axis: A proteomics study of meditation on the cardiovascular system of Tibetan Monks. <i>EBioMedicine</i> , 2022, 80, 104026.	2.7	8
4	Serotonin and early life stress interact to shape brain architecture and anxious avoidant behavior â€“ a TPH2 imaging genetics approach. <i>Psychological Medicine</i> , 2021, 51, 2476-2484.	2.7	24
5	Intranasal oxytocin in the treatment of autism spectrum disorders: A multilevel meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 122, 18-27.	2.9	68
6	Effects of Mindfulness-Based Stress Reduction on Affect Dynamics: a Randomized Controlled Trial. <i>Mindfulness</i> , 2021, 12, 1490-1501.	1.6	12
7	Secondary rewards acquire enhanced incentive motivation via increasing anticipatory activity of the lateral orbitofrontal cortex. <i>Brain Structure and Function</i> , 2021, 226, 2339-2355.	1.2	8
8	Blending oxytocin and dopamine with everyday creativity. <i>Scientific Reports</i> , 2021, 11, 16185.	1.6	4
9	Genetic variation in the oxytocin system and its link to social motivation in human infants. <i>Psychoneuroendocrinology</i> , 2021, 131, 105290.	1.3	9
10	Common and Disorder-Specific Neurofunctional Markers of Dysregulated Empathic Reactivity in Major Depression and Generalized Anxiety Disorder. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 114-116.	4.0	33
11	Molecular genetics in psychology and personality neuroscience: On candidate genes, genome wide scans, and new research strategies. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 118, 163-174.	2.9	32
12	Effects of Mindfulness-Based Stress Reduction on Psychological Symptoms and Telomere Length: A Randomized Active-Controlled Trial. <i>Behavior Therapy</i> , 2020, 51, 984-996.	1.3	13
13	A Novel Role of CD38 and Oxytocin as Tandem Molecular Moderators of Human Social Behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 115, 251-272.	2.9	23
14	To Reveal or Not to Reveal? Observation of Social Outcomes Facilitates Reward Processing. <i>Frontiers in Neuroscience</i> , 2020, 14, 579702.	1.4	3
15	Cumulative Risk on Oxytocin-Pathway Genes Impairs Default Mode Network Connectivity in Trauma-Exposed Youth. <i>Frontiers in Endocrinology</i> , 2020, 11, 335.	1.5	11
16	<i>Personality and Health.</i> , 2020, , 153-191.		0
17	Association among dispositional mindfulness, self-compassion, and leukocyte telomere length in Chinese adults. <i>BMC Psychology</i> , 2019, 7, 47.	0.9	3
18	Human Extinction Learning Is Accelerated by an Angiotensin Antagonist via Ventromedial Prefrontal Cortex and Its Connections With Basolateral Amygdala. <i>Biological Psychiatry</i> , 2019, 86, 910-920.	0.7	42

#	ARTICLE	IF	CITATIONS
19	To run with the herd or not: Electrophysiological dynamics are associated with preference change in crowdfunding. <i>Neuropsychologia</i> , 2019, 134, 107232.	0.7	7
20	Successful aging, cognitive function, socioeconomic status, and leukocyte telomere length. <i>Psychoneuroendocrinology</i> , 2019, 103, 180-187.	1.3	19
21	The role of the Oxytocin-Neurophysin I gene in contributing to human personality traits promoting sociality. <i>International Journal of Psychophysiology</i> , 2019, 136, 81-86.	0.5	6
22	COMPETITIVENESS AND STRESS. <i>International Economic Review</i> , 2018, 59, 1263-1281.	0.6	29
23	Genetic Variation in the Maternal Oxytocin System Affects Cortisol Responsiveness to Breastfeeding in Infants and Mothers. <i>Adaptive Human Behavior and Physiology</i> , 2018, 4, 248-263.	0.6	4
24	Has the Gloom Lifted on Genome-wide Association Studies?. <i>Biological Psychiatry</i> , 2018, 83, 544-545.	0.7	1
25	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018, 83, 1044-1053.	0.7	146
26	Vicarious social touch biases gazing at faces and facial emotions.. <i>Emotion</i> , 2018, 18, 1097-1105.	1.5	11
27	Genome-wide association study of Parkinson's disease in East Asians. <i>Human Molecular Genetics</i> , 2017, 26, ddw379.	1.4	94
28	ADP ribosyl-cyclases (CD38 / CD157), social skills and friendship. <i>Psychoneuroendocrinology</i> , 2017, 78, 185-192.	1.3	10
29	Social impairments among children perinatally exposed to oxytocin or oxytocin receptor antagonist. <i>Early Human Development</i> , 2017, 106-107, 13-18.	0.8	11
30	To Cheat or Not To Cheat: Tryptophan Hydroxylase 2 SNP Variants Contribute to Dishonest Behavior. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 82.	1.0	12
31	Paternal HLA-C and Maternal Killer-Cell Immunoglobulin-Like Receptor Genotypes in the Development of Autism. <i>Frontiers in Pediatrics</i> , 2016, 4, 76.	0.9	3
32	Genome-wide association study identifies five new susceptibility loci for primary angle closure glaucoma. <i>Nature Genetics</i> , 2016, 48, 556-562.	9.4	147
33	Genetic risk of extranodal natural killer T-cell lymphoma: a genome-wide association study. <i>Lancet Oncology</i> , The, 2016, 17, 1240-1247.	5.1	84
34	Verbal Versus Figural Fluency Tests in Currently Ill and Weight Restored Anorexia Nervosa Patients. <i>European Eating Disorders Review</i> , 2016, 24, 206-213.	2.3	1
35	Cognitive and social-communication abilities among young children conceived by assisted reproductive technologies. <i>European Journal of Developmental Psychology</i> , 2016, 13, 515-528.	1.0	1
36	Delay discounting, genetic sensitivity, and leukocyte telomere length. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 2780-2785.	3.3	20

#	ARTICLE	IF	CITATIONS
37	Oxytocin Pathway Genes: Evolutionary Ancient System Impacting on Human Affiliation, Sociality, and Psychopathology. <i>Biological Psychiatry</i> , 2016, 79, 174-184.	0.7	296
38	Dopamine D4 receptor gene and religious affiliation correlate with dictator game altruism in males and not females: evidence for gender-sensitive gene × culture interaction. <i>Frontiers in Neuroscience</i> , 2015, 9, 338.	1.4	7
39	Dopamine D4 receptor polymorphism and sex interact to predict children's affective knowledge. <i>Frontiers in Psychology</i> , 2015, 6, 846.	1.1	8
40	Identification of new susceptibility loci for IgA nephropathy in Han Chinese. <i>Nature Communications</i> , 2015, 6, 7270.	5.8	109
41	Association between the dopamine D4 receptor gene exon III variable number of tandem repeats and political attitudes in female Han Chinese. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20151360.	1.2	2
42	The association between 2D:4D ratio and cognitive empathy is contingent on a common polymorphism in the oxytocin receptor gene (OXTR rs53576). <i>Psychoneuroendocrinology</i> , 2015, 58, 23-32.	1.3	59
43	Genetic variation in CD38 and breastfeeding experience interact to impact infants' attention to social eye cues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E5434-42.	3.3	50
44	Oxytocin receptor and vasopressin receptor 1a genes are respectively associated with emotional and cognitive empathy. <i>Hormones and Behavior</i> , 2015, 67, 60-65.	1.0	100
45	CD38 Gene Expression and Human Personality Traits: Inverse Association with Novelty Seeking. <i>Messenger</i> (Los Angeles, Calif: Print), 2014, 3, 72-77.	0.3	2
46	Affiliation buffers stress: cumulative genetic risk in oxytocin/vasopressin genes combines with early caregiving to predict PTSD in war-exposed young children. <i>Translational Psychiatry</i> , 2014, 4, e370-e370.	2.4	59
47	The sorting test of the DKEFS in current and weight restored anorexia nervosa patients. <i>International Journal of Eating Disorders</i> , 2014, 47, 92-98.	2.1	10
48	Association study in three different populations between the GPR88 gene and major psychoses. <i>Molecular Genetics & Genomic Medicine</i> , 2014, 2, 152-159.	0.6	33
49	Oxytonergic circuitry sustains and enables creative cognition in humans. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1159-1165.	1.5	84
50	Cumulative risk on the oxytocin receptor gene (OXTR) underpins empathic communication difficulties at the first stages of romantic love. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1524-1529.	1.5	76
51	The role of oxytocin and vasopressin in emotional and social behaviors. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 124, 53-68.	1.0	40
52	Advancing consumer neuroscience. <i>Marketing Letters</i> , 2014, 25, 257-267.	1.9	114
53	Employing executive functions of perceptual and memory abilities in underweight and weight-restored anorexia nervosa patients. <i>Eating and Weight Disorders</i> , 2014, 19, 479-487.	1.2	5
54	Dissociable contribution of prefrontal and striatal dopaminergic genes to learning in economic games. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9615-9620.	3.3	29

#	ARTICLE	IF	CITATIONS
55	The Dopamine D4 receptor gene shows a gender-sensitive association with cognitive empathy: Evidence from two independent samples. <i>Emotion</i> , 2014, 14, 712-721.	1.5	34
56	Candidate Genetic Pathways for Attention-Deficit/Hyperactivity Disorder (ADHD) Show Association to Hyperactive/Impulsive Symptoms in Children With ADHD. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2013, 52, 1204-1212.e1.	0.3	75
57	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	9.4	2,067
58	Association between <i>DRD2</i> / <i>DRD4</i> interaction and conduct disorder: A potential developmental pathway to alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 546-549.	1.1	15
59	Sex-hormone genes and gender difference in ultimatum game: Experimental evidence from China and Israel. <i>Journal of Economic Behavior and Organization</i> , 2013, 90, 28-42.	1.0	16
60	Hypnotizability Is Associated With a Protective but Not Acquisitive Self-Presentation Style. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2013, 61, 183-192.	1.1	1
61	Impact of Maternal Depression Across the First 6 Years of Life on the Child's Mental Health, Social Engagement, and Empathy: The Moderating Role of Oxytocin. <i>American Journal of Psychiatry</i> , 2013, 170, 1161-1168.	4.0	214
62	Parental Oxytocin and Early Caregiving Jointly Shape Children's Oxytocin Response and Social Reciprocity. <i>Neuropsychopharmacology</i> , 2013, 38, 1154-1162.	2.8	542
63	Boys' serotonin transporter genotype affects maternal behavior through self-control: A case of evocative gene-environment correlation. <i>Development and Psychopathology</i> , 2013, 25, 151-162.	1.4	34
64	The Dopamine D4 Receptor (DRD4) Exon 3 VNTR Contributes to Adaptive Personality Differences in an Italian Small Island Population. <i>European Journal of Personality</i> , 2013, 27, 593-604.	1.9	7
65	Genome-wide association study of B cell non-Hodgkin lymphoma identifies 3q27 as a susceptibility locus in the Chinese population. <i>Nature Genetics</i> , 2013, 45, 804-807.	9.4	43
66	Dopamine Transporter Genotype Dependent Effects of Apomorphine on Cold Pain Tolerance in Healthy Volunteers. <i>PLoS ONE</i> , 2013, 8, e63808.	1.1	18
67	DAT1 Polymorphism Determines L-DOPA Effects on Learning about Others' Prosociality. <i>PLoS ONE</i> , 2013, 8, e67820.	1.1	33
68	Effects of arginine vasopressin on musical working memory. <i>Frontiers in Psychology</i> , 2013, 4, 712.	1.1	8
69	The role of D4 receptor gene exon III polymorphisms in shaping human altruism and prosocial behavior. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 195.	1.0	20
70	The association between creativity and 7R polymorphism in the dopamine receptor D4 gene (DRD4). <i>Frontiers in Human Neuroscience</i> , 2013, 7, 502.	1.0	60
71	Frontiers in oxytocin science: from basic to practice. <i>Frontiers in Neuroscience</i> , 2013, 7, 250.	1.4	23
72	Nicotinamide-N-methyltransferase (NNMT) in schizophrenia: genetic association and decreased frontal cortex mRNA levels. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 727-737.	1.0	24

#	ARTICLE	IF	CITATIONS
73	Human maternal behaviour is associated with arginine vasopressin receptor 1A gene. <i>Biology Letters</i> , 2012, 8, 894-896.	1.0	48
74	Minor Fetal Sonographic Findings in Autism Spectrum Disorder. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 176-186.	0.2	7
75	Genome-wide association study of motor coordination problems in ADHD identifies genes for brain and muscle function. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 211-222.	1.3	35
76	The contributions of oxytocin and vasopressin pathway genes to human behavior. <i>Hormones and Behavior</i> , 2012, 61, 359-379.	1.0	258
77	Sensitive Parenting Is Associated with Plasma Oxytocin and Polymorphisms in the OXTR and CD38 Genes. <i>Biological Psychiatry</i> , 2012, 72, 175-181.	0.7	358
78	Imaging genetics for utility of risks over gains and losses. <i>NeuroImage</i> , 2012, 59, 540-546.	2.1	11
79	Why some people discount more than others: baseline activation in the dorsal PFC mediates the link between COMT genotype and impatient choice. <i>Frontiers in Neuroscience</i> , 2012, 6, 54.	1.4	53
80	Genome-wide copy number variation study associates metabotropic glutamate receptor gene networks with attention deficit hyperactivity disorder. <i>Nature Genetics</i> , 2012, 44, 78-84.	9.4	334
81	Dopaminergic Polymorphisms Associated with Time-on-Task Declines and Fatigue in the Psychomotor Vigilance Test. <i>PLoS ONE</i> , 2012, 7, e33767.	1.1	53
82	Epigenetic and Genetic Factors Predict Women's Salivary Cortisol following a Threat to the Social Self. <i>PLoS ONE</i> , 2012, 7, e48597.	1.1	58
83	U-Shaped Relation between Plasma Oxytocin Levels and Behavior in the Trust Game. <i>PLoS ONE</i> , 2012, 7, e51095.	1.1	71
84	The Broad Autism Phenotype Questionnaire: Mothers Versus Fathers of Children with an Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2012, 42, 837-846.	1.7	35
85	The hierarchical factor model of ADHD: invariant across age and national groupings?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012, 53, 292-303.	3.1	72
86	Vasopressin selectively impairs emotion recognition in men. <i>Psychoneuroendocrinology</i> , 2012, 37, 576-580.	1.3	75
87	Oxytocin, but not vasopressin, increases both parochial and universal altruism. <i>Psychoneuroendocrinology</i> , 2012, 37, 1341-1344.	1.3	84
88	Children's noncompliance during saliva collection predicts measures of salivary cortisol. <i>Developmental Psychobiology</i> , 2012, 54, 113-123.	0.9	12
89	Ambiguity aversion and familiarity bias: Evidence from behavioral and gene association studies. <i>Journal of Risk and Uncertainty</i> , 2012, 44, 1-18.	0.8	58
90	Association of Reelin (RELN) Single Nucleotide Polymorphism rs7341475 with Prepulse Inhibition in the Jewish Israeli Population. <i>Biological Psychiatry</i> , 2011, 69, e17-e18.	0.7	14

#	ARTICLE	IF	CITATIONS
91	A Functional Variant of the Serotonin Transporter Gene (SLC6A4) Moderates Impulsive Choice in Attention-Deficit/Hyperactivity Disorder Boys and Siblings. <i>Biological Psychiatry</i> , 2011, 70, 230-236.	0.7	40
92	Vasopressin needs an audience: Neuropeptide elicited stress responses are contingent upon perceived social evaluative threats. <i>Hormones and Behavior</i> , 2011, 60, 121-127.	1.0	61
93	Defensive self-presentation style is associated with reduced prepulse inhibition. <i>European Neuropsychopharmacology</i> , 2011, 21, 810-813.	0.3	2
94	Association Between Polymorphisms in Serotonin and Dopamine-Related Genes and Endogenous Pain Modulation. <i>Journal of Pain</i> , 2011, 12, 875-883.	0.7	54
95	All-trans Retinoic Acid Upregulates Reduced CD38 Transcription in Lymphoblastoid Cell Lines from Autism Spectrum Disorder. <i>Molecular Medicine</i> , 2011, 17, 799-806.	1.9	72
96	Sex-Hormone Genes and Gender Difference in Ultimatum Game: Experimental Evidence from China and Israel. <i>SSRN Electronic Journal</i> , 2011, , .	0.4	0
97	Differential Genetic Susceptibility to Child Risk at Birth in Predicting Observed Maternal Behavior. <i>PLoS ONE</i> , 2011, 6, e19765.	1.1	26
98	AVPR1A Variant Associated with Preschoolers' Lower Altruistic Behavior. <i>PLoS ONE</i> , 2011, 6, e25274.	1.1	74
99	Methylation Matters in Child Development: Toward Developmental Behavioral Epigenetics. <i>Child Development Perspectives</i> , 2011, 5, 305-310.	2.1	66
100	Are retinoids potential therapeutic agents in disorders of social cognition including autism?. <i>FEBS Letters</i> , 2011, 585, 1529-1536.	1.3	30
101	Hypnotizability and Sensorimotor Gating:A Dopaminergic Mechanism of Hypnosis. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2011, 59, 399-405.	1.1	5
102	The impact of study design and diagnostic approach in a large multi-centre ADHD study. Part 1: ADHD symptom patterns. <i>BMC Psychiatry</i> , 2011, 11, 54.	1.1	64
103	The impact of study design and diagnostic approach in a large multi-centre ADHD study: Part 2: Dimensional measures of psychopathology and intelligence. <i>BMC Psychiatry</i> , 2011, 11, 55.	1.1	44
104	The <i>ATXN1</i> and <i>TRIM31</i> genes are related to intelligence in an ADHD background: Evidence from a large collaborative study totaling 4,963 Subjects. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 145-157.	1.1	21
105	Identification of a functional rare variant in autism using genome-wide screen for monoallelic expression. <i>Human Molecular Genetics</i> , 2011, 20, 3632-3641.	1.4	69
106	Heritability of children's prosocial behavior and differential susceptibility to parenting by variation in the dopamine receptor D4 gene. <i>Development and Psychopathology</i> , 2011, 23, 53-67.	1.4	144
107	Common oxytocin receptor gene (<i>OXTR</i>) polymorphism and social support interact to reduce stress in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 19937-19942.	3.3	239
108	Dopamine risk and paternal ADHD symptomatology associated with ADHD symptoms in four and a half-year-old boys. <i>Psychiatric Genetics</i> , 2010, 20, 160-165.	0.6	10

#	ARTICLE	IF	CITATIONS
109	Low CD38 expression in lymphoblastoid cells and haplotypes are both associated with autism in a family-based study. <i>Autism Research</i> , 2010, 3, 293-302.	2.1	95
110	Association between a Synaptosomal Protein (SNAP-25) Gene Polymorphism and Verbal Memory and Attention in Patients with Endogenous Psychoses and Mentally Healthy Subjects. <i>Neuroscience and Behavioral Physiology</i> , 2010, 40, 461-465.	0.2	15
111	Intranasal oxytocin modulates EEG mu/alpha and beta rhythms during perception of biological motion. <i>Psychoneuroendocrinology</i> , 2010, 35, 1446-1453.	1.3	118
112	Mothers' dopamine receptor polymorphism modulates the relation between infant fussiness and sensitive parenting. <i>Developmental Psychobiology</i> , 2010, 52, 149-157.	0.9	27
113	Emotional lability in children and adolescents with attention deficit/hyperactivity disorder (ADHD): clinical correlates and familial prevalence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 915-923.	3.1	279
114	Fine mapping of <i>AHI1</i> as a schizophrenia susceptibility gene: from association to evolutionary evidence. <i>FASEB Journal</i> , 2010, 24, 3066-3082.	0.2	39
115	Predictability of oppositional defiant disorder and symptom dimensions in children and adolescents with ADHD combined type. <i>Psychological Medicine</i> , 2010, 40, 2089-2100.	2.7	44
116	Meta-Analysis of Genome-Wide Association Studies of Attention-Deficit/Hyperactivity Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 884-897.	0.3	423
117	Dopamine Receptor D4 Polymorphism Predicts the Effect of L-DOPA on Gambling Behavior. <i>Biological Psychiatry</i> , 2010, 67, 702-706.	0.7	103
118	Copy number variation of the <i>SELENBP1</i> gene in schizophrenia. <i>Behavioral and Brain Functions</i> , 2010, 6, 40.	1.4	12
119	Identifying Loci for the Overlap Between Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Using a Genome-wide QTL Linkage Approach. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 675-685.	0.3	32
120	Genetics of Human Social Behavior. <i>Neuron</i> , 2010, 65, 831-844.	3.8	266
121	Preliminary effects of bupropion and the promoter region (HTTLPR) serotonin transporter (<i>SLC6A4</i>) polymorphism on smoking behavior in schizophrenia. <i>Psychiatry Research</i> , 2010, 175, 38-42.	1.7	26
122	Healthy aging and preclinical dementia: The United States-Israel Longitudinal Database Project. , 2010, 6, 475-481.		5
123	The Role of Oxytocin in Neuropsychiatric Disorders: Concepts and Mechanisms. , 2010, , 611-635.		2
124	Identifying Loci for the Overlap Between Attention-Deficit/Hyperactivity Disorder and Autism Spectrum Disorder Using a Genome-wide QTL Linkage Approach. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 675-685.	0.3	40
125	Dopamine D4 Receptor Gene Associated with Fairness Preference in Ultimatum Game. <i>PLoS ONE</i> , 2010, 5, e13765.	1.1	44
126	The Heritability of Attitude Toward Economic Risk. <i>Twin Research and Human Genetics</i> , 2009, 12, 103-107.	0.3	76

#	ARTICLE	IF	CITATIONS
127	A neurochemical approach to valuation sensitivity over gains and losses. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 4181-4188.	1.2	72
128	Associations between polymorphisms in dopamine neurotransmitter pathway genes and pain response in healthy humans. <i>Pain</i> , 2009, 147, 187-193.	2.0	63
129	BDNF Val66Met polymorphism is associated with HPA axis reactivity to psychological stress characterized by genotype and gender interactions. <i>Psychoneuroendocrinology</i> , 2009, 34, 382-388.	1.3	168
130	Association between arginine vasopressin 1a receptor (AVPR1a) promoter region polymorphisms and prepulse inhibition. <i>Psychoneuroendocrinology</i> , 2009, 34, 901-908.	1.3	59
131	The intergenerational effects of trauma from terror: A real possibility. <i>Infant Mental Health Journal</i> , 2009, 30, 158-179.	0.7	88
132	Autism symptoms in Attention-Deficit/Hyperactivity Disorder: A Familial trait which Correlates with Conduct, Oppositional Defiant, Language and Motor Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2009, 39, 197-209.	1.7	189
133	Arginine Vasopressin and Oxytocin Modulate Human Social Behavior. <i>Annals of the New York Academy of Sciences</i> , 2009, 1167, 87-102.	1.8	163
134	Research Review: Crossing syndrome boundaries in the search for brain endophenotypes. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 657-668.	3.1	38
135	Dopamine and serotonin transporter genotypes moderate sensitivity to maternal expressed emotion: the case of conduct and emotional problems in attention deficit/hyperactivity disorder. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2009, 50, 1052-1063.	3.1	114
136	Association Between Sodium- and Potassium-Activated Adenosine Triphosphatase $\hat{\pm}$ Isoforms and Bipolar Disorders. <i>Biological Psychiatry</i> , 2009, 65, 985-991.	0.7	62
137	Self-Monitoring in Anorexia Nervosa. <i>International Journal of Social Psychiatry</i> , 2009, 55, 170-179.	1.6	10
138	Molecular Genetics of Personality: How Our Genes can Bring Us to a Better Understanding of Why We Act the Way We Do. , 2009, , 239-250.		4
139	The Psychometric Properties of the Revised Self-Monitoring Scale (RSMS) and the Concern for Appropriateness Scale (CAS) in Hebrew. <i>European Journal of Psychological Assessment</i> , 2009, 25, 8-15.	1.7	15
140	The Oxytocin Receptor (OXTR) Contributes to Prosocial Fund Allocations in the Dictator Game and the Social Value Orientations Task. <i>PLoS ONE</i> , 2009, 4, e5535.	1.1	230
141	Monoamine Oxidase A Gene (MAOA) Associated with Attitude Towards Longshot Risks. <i>PLoS ONE</i> , 2009, 4, e8516.	1.1	58
142	Co-transmission of conduct problems with attention-deficit/hyperactivity disorder: familial evidence for a distinct disorder. <i>Journal of Neural Transmission</i> , 2008, 115, 163-175.	1.4	70
143	Association of dopamine receptor D5 gene polymorphism with peculiarities of voluntary attention in schizophrenic patients and their relatives. <i>Bulletin of Experimental Biology and Medicine</i> , 2008, 145, 65-67.	0.3	4
144	Population differences in the International Multi-Centre ADHD Gene Project. <i>Genetic Epidemiology</i> , 2008, 32, 98-107.	0.6	19

#	ARTICLE	IF	CITATIONS
145	Intelligence in DSM-IV combined type attention-deficit/hyperactivity disorder is not predicted by either dopamine receptor/transporter genes or other previously identified risk alleles for attention-deficit/hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 316-319.	1.1	17
146	Genetic heterogeneity in ADHD: <i>dat1</i> gene only affects probands without CD. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1481-1487.	1.1	36
147	Parent of origin effects in attention/deficit hyperactivity disorder (ADHD): Analysis of data from the international multicenter ADHD genetics (IMAGE) program. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1495-1500.	1.1	25
148	DSM-IV combined type ADHD shows familial association with sibling trait scores: A sampling strategy for QTL linkage. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1450-1460.	1.1	129
149	Association between tryptophan hydroxylase 2, performance on a continuance performance test and response to methylphenidate in ADHD participants. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1501-1508.	1.1	22
150	Does parental expressed emotion moderate genetic effects in ADHD? an exploration using a genome wide association scan. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1359-1368.	1.1	78
151	Genome-wide association scan of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1337-1344.	1.1	228
152	Genome-wide association scan of quantitative traits for attention deficit hyperactivity disorder identifies novel associations and confirms candidate gene associations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1345-1354.	1.1	335
153	Genome-wide association scan of the time to onset of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1355-1358.	1.1	103
154	Conduct disorder and ADHD: Evaluation of conduct problems as a categorical and quantitative trait in the international multicentre ADHD genetics study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1369-1378.	1.1	106
155	Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1392-1398.	1.1	160
156	Individual differences in allocation of funds in the dictator game associated with length of the arginine vasopressin 1a receptor RS3 promoter region and correlation between RS3 length and hippocampal mRNA. <i>Genes, Brain and Behavior</i> , 2008, 7, 266-275.	1.1	303
157	Association between the oxytocin receptor (OXTR) gene and autism: relationship to Vineland Adaptive Behavior Scales and cognition. <i>Molecular Psychiatry</i> , 2008, 13, 980-988.	4.1	318
158	A high-density SNP linkage scan with 142 combined subtype ADHD sib pairs identifies linkage regions on chromosomes 9 and 16. <i>Molecular Psychiatry</i> , 2008, 13, 514-521.	4.1	70
159	Molecular genetic studies of the arginine vasopressin 1a receptor (AVPR1a) and the oxytocin receptor (OXTR) in human behaviour: from autism to altruism with some notes in between. <i>Progress in Brain Research</i> , 2008, 170, 435-449.	0.9	95
160	The influence of serotonin- and other genes on impulsive behavioral aggression and cognitive impulsivity in children with attention-deficit/hyperactivity disorder (ADHD): Findings from a family-based association test (FBAT) analysis. <i>Behavioral and Brain Functions</i> , 2008, 4, 48.	1.4	145
161	Linkage to Chromosome 1p36 for Attention-Deficit/Hyperactivity Disorder Traits in School and Home Settings. <i>Biological Psychiatry</i> , 2008, 64, 571-576.	0.7	41
162	Confirmation That a Specific Haplotype of the Dopamine Transporter Gene Is Associated With Combined-Type ADHD. <i>American Journal of Psychiatry</i> , 2007, 164, 674-677.	4.0	125

#	ARTICLE	IF	CITATIONS
163	High glycine levels are associated with prepulse inhibition deficits in chronic schizophrenia patients. <i>Schizophrenia Research</i> , 2007, 91, 14-21.	1.1	32
164	Mitochondrial DNA HV lineage increases the susceptibility to schizophrenia among Israeli Arabs. <i>Schizophrenia Research</i> , 2007, 94, 354-358.	1.1	39
165	Partial Replication of a DRD4 Association in ADHD Individuals Using a Statistically Derived Quantitative Trait for ADHD in a Family-Based Association Test. <i>Biological Psychiatry</i> , 2007, 62, 985-990.	0.7	28
166	Anorexia nervosa, perfectionism, and dopamine D4 receptor (DRD4). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 748-756.	1.1	61
167	The relationship between selflessness levels and the severity of anorexia nervosa symptomatology. <i>European Eating Disorders Review</i> , 2007, 15, 213-220.	2.3	25
168	Provisional evidence that the arginine vasopressin 1a receptor gene is associated with musical memory. <i>Evolution and Human Behavior</i> , 2007, 28, 313-318.	1.4	40
169	Relationship between dopamine system genes and extraversion and novelty seeking. <i>Neuroscience and Behavioral Physiology</i> , 2007, 37, 601-606.	0.2	93
170	Interaction of dopamine system genes and cognitive functions in patients with schizophrenia and their relatives and in healthy subjects from the general population. <i>Neuroscience and Behavioral Physiology</i> , 2007, 37, 643-650.	0.2	10
171	An Examination of Cognitive Versus Behavioral Components of Recovery From Anorexia Nervosa. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 697-703.	0.5	85
172	How Anorexic-like Are the Symptom and Personality Profiles of Aesthetic Athletes?. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 628-636.	0.2	38
173	No evidence for association between NOTCH4 and schizophrenia in a large family-based and case-control association analysis. <i>Psychiatric Genetics</i> , 2006, 16, 197-203.	0.6	6
174	AHL1, a pivotal neurodevelopmental gene, and C6orf217 are associated with susceptibility to schizophrenia. <i>European Journal of Human Genetics</i> , 2006, 14, 1111-1119.	1.4	68
175	Association between the arginine vasopressin 1a receptor (AVPR1a) gene and autism in a family-based study: mediation by socialization skills. <i>Molecular Psychiatry</i> , 2006, 11, 488-494.	4.1	217
176	The molecular genetic architecture of human personality: beyond self-report questionnaires. <i>Molecular Psychiatry</i> , 2006, 11, 427-445.	4.1	342
177	Polymorphisms in the dopamine D4 receptor gene (DRD4) contribute to individual differences in human sexual behavior: desire, arousal and sexual function. <i>Molecular Psychiatry</i> , 2006, 11, 782-786.	4.1	103
178	Why do young women smoke? II. Role of traumatic life experience, psychological characteristics and serotonergic genes. <i>Molecular Psychiatry</i> , 2006, 11, 771-781.	4.1	46
179	The analysis of 51 genes in DSM-IV combined type attention deficit hyperactivity disorder: association signals in DRD4, DAT1 and 16 other genes. <i>Molecular Psychiatry</i> , 2006, 11, 934-953.	4.1	480
180	Association study of COMT gene Val158Met polymorphism with auditory P300 and performance on neurocognitive tests in patients with schizophrenia and their relatives. <i>World Journal of Biological Psychiatry</i> , 2006, 7, 238-245.	1.3	34

#	ARTICLE	IF	CITATIONS
181	Association between a functional dopamine D4 receptor promoter region polymorphism (-C521T) and pre-eclampsia: a family-based study. <i>Molecular Human Reproduction</i> , 2006, 12, 85-88.	1.3	4
182	Dopaminergic polymorphisms associated with self-report measures of human altruism: a fresh phenotype for the dopamine D4 receptor. <i>Molecular Psychiatry</i> , 2005, 10, 333-335.	4.1	102
183	Candidate genes associated with ageing and life expectancy in the Jerusalem longitudinal study. <i>Mechanisms of Ageing and Development</i> , 2005, 126, 333-339.	2.2	46
184	Fine mapping of a region on chromosome 8p gives evidence for a QTL contributing to individual differences in an anxiety-related personality trait: TPQ harm avoidance. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 132B, 104-108.	1.1	23
185	Link Between Vasopressin Receptor AVPR1A Promoter Region Microsatellites and Measures of Social Behavior in Humans. <i>Journal of Individual Differences</i> , 2005, 26, 2-10.	0.5	50
186	AVPR1a and SLC6A4 Gene Polymorphisms Are Associated with Creative Dance Performance. <i>PLoS Genetics</i> , 2005, 1, e42.	1.5	166
187	Acetylcholinesterase/paraoxonase interactions increase the risk of insecticide-induced Parkinson's disease. <i>FASEB Journal</i> , 2005, 19, 1-17.	0.2	87
188	Association Between the Insulin-Like Growth Factor 2 Gene (IGF2) and Scores on the Eating Attitudes Test in Nonclinical Subjects: A Family-Based Study. <i>American Journal of Psychiatry</i> , 2005, 162, 2256-2262.	4.0	13
189	Association of the Serotonin Transporter Gene With Smoking Behavior. <i>American Journal of Psychiatry</i> , 2005, 162, 924-930.	4.0	85
190	D-serine efficacy as add-on pharmacotherapy to risperidone and olanzapine for treatment-refractory schizophrenia. <i>Biological Psychiatry</i> , 2005, 57, 577-585.	0.7	365
191	Hypnotic Susceptibility: Multidimensional Relationships With Cloninger's Tridimensional Personality Questionnaire, COMT Polymorphisms, Absorption, and Attentional Characteristics. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2004, 52, 47-72.	1.1	78
192	Examination of IMPA1 and IMPA2 genes in manic-depressive patients: association between IMPA2 promoter polymorphisms and bipolar disorder. <i>Molecular Psychiatry</i> , 2004, 9, 621-629.	4.1	76
193	An association between fibromyalgia and the dopamine D4 receptor exon III repeat polymorphism and relationship to novelty seeking personality traits. <i>Molecular Psychiatry</i> , 2004, 9, 730-731.	4.1	132
194	Association of the dopamine D5 receptor with attention deficit hyperactivity disorder (ADHD) and scores on a continuous performance test (TOVA). <i>American Journal of Medical Genetics Part A</i> , 2004, 127B, 73-77.	2.4	50
195	Association between a vasopressin receptor AVPR1A promoter region microsatellite and eating behavior measured by a self-report questionnaire (Eating Attitudes Test) in a family-based study of a nonclinical population. <i>International Journal of Eating Disorders</i> , 2004, 36, 451-460.	2.1	34
196	Joint Analysis of the DRD5 Marker Concludes Association with Attention-Deficit/Hyperactivity Disorder Confined to the Predominantly Inattentive and Combined Subtypes. <i>American Journal of Human Genetics</i> , 2004, 74, 348-356.	2.6	168
197	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. <i>NeuroReport</i> , 2004, 15, 1987-1991.	0.6	56
198	Tridimensional personality questionnaire trait of harm avoidance (anxiety proneness) is linked to a locus on chromosome 8p21. <i>American Journal of Medical Genetics Part A</i> , 2003, 117B, 66-69.	2.4	50

#	ARTICLE	IF	CITATIONS
199	Relation of Shyness in Grade School Children to the Genotype for the Long Form of the Serotonin Transporter Promoter Region Polymorphism. American Journal of Psychiatry, 2003, 160, 671-676.	4.0	182
200	No Link between Hypnotizability and the Self-Monitoring Scale. American Journal of Clinical Hypnosis, 2002, 45, 21-30.	0.3	5
201	Association between the COMT locus and obsessive-compulsive disorder in females but not males. American Journal of Medical Genetics Part A, 2002, 114, 116-120.	2.4	107
202	Family-based and population study of a functional promoter-region monoamine oxidase A polymorphism in autism: Possible association with IQ. American Journal of Medical Genetics Part A, 2002, 114, 284-287.	2.4	33
203	Confirmation of an association between fibromyalgia and serotonin transporter promoter region (5-HTT) polymorphism. Rheumatism, 2002, 46, 845-847.	6.7	157
204	Reduced inositol content in lymphocyte-derived cell lines from bipolar patients. Bipolar Disorders, 2002, 4, 67-69.	1.1	26
205	Family-based and association studies of monoamine oxidase A and attention deficit hyperactivity disorder (ADHD): preferential transmission of the long promoter-region repeat and its association with impaired performance on a continuous performance test (TOVA). Molecular Psychiatry, 2002, 7, 626-632.	4.1	118
206	The short DRD4 repeats confer risk to attention deficit hyperactivity disorder in a family-based design and impair performance on a continuous performance test (TOVA). Molecular Psychiatry, 2002, 7, 790-794.	4.1	133
207	A meta-analysis of the association between DRD4 polymorphism and novelty seeking. Molecular Psychiatry, 2002, 7, 712-717.	4.1	238
208	Genetics of Sensation or Novelty Seeking and Criminal Behavior. Neurobiological Foundation of Aberrant Behaviors, 2002, , 51-78.	0.2	2
209	Analysis of Three Coding Region Polymorphisms in Autism. , 2002, , 91-101.		1
210	An update on molecular genetic studies of human personality traits. Applied Bioinformatics, 2002, 1, 57-68.	1.7	17
211	Characterization of two genes, Impa1 and Impa2 encoding mouse myo-inositol monophosphatases. Gene, 2001, 271, 285-291.	1.0	16
212	Genes for Human Personality Traits: "Endophenotypes" of Psychiatric Disorders?. World Journal of Biological Psychiatry, 2001, 2, 54-57.	1.3	18
213	DRD4 related to infant attention and information processing: a developmental link to ADHD?. Psychiatric Genetics, 2001, 11, 31-35.	0.6	82
214	Family-based association study of the serotonin transporter promoter region polymorphism (5-HTTLPR) in attention deficit hyperactivity disorder. American Journal of Medical Genetics Part A, 2001, 105, 91-95.	2.4	136
215	A family-based study of the Cys23Ser 5HT2C serotonin receptor polymorphism in schizophrenia. American Journal of Medical Genetics Part A, 2001, 105, 236-238.	2.4	8
216	No evidence for linkage by transmission disequilibrium test analysis of microsatellite marker D22S278 and schizophrenia in a Palestinian Arab and in a German population. American Journal of Medical Genetics Part A, 2001, 105, 328-331.	2.4	3

#	ARTICLE	IF	CITATIONS
217	Evidence for an association with the serotonin transporter promoter region polymorphism and autism. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 381-386.	2.4	145
218	The Association of the Dopamine D4 Receptor Gene (DRD4) and the Serotonin Transporter Promoter Gene (5-HTTLPR) with Temperament in 12-month-old Infants. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2001, 42, 777-783.	3.1	192
219	The psychometric properties of the Hebrew version of Cloninger's Tridimensional Personality Questionnaire. <i>Personality and Individual Differences</i> , 2001, 30, 1297-1309.	1.6	43
220	Inositol Monophosphatase Activity in Brain and Lymphocyte-Derived Cell Lines of Bipolar Patients. <i>World Journal of Biological Psychiatry</i> , 2001, 2, 95-98.	1.3	23
221	Family-based association study of the serotonin transporter promoter region polymorphism (5-HTTLPR) in attention deficit hyperactivity disorder. , 2001, 105, 91.		6
222	Genetics of personality dimensions. <i>Current Opinion in Psychiatry</i> , 2000, 13, 617-622.	3.1	31
223	A haplotype relative risk study of the dopamine D4 receptor (DRD4) exon III repeat polymorphism and attention deficit hyperactivity disorder (ADHD). <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 258-261.	2.4	72
224	Failure to replicate an excess of the long dopamine D4 exon III repeat polymorphism in ADHD in a family-based study. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 278-281.	2.4	82
225	Confirmation of an excess of the high enzyme activity COMTval allele in heroin addicts in a family-based haplotype relative risk study. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 599-603.	2.4	81
226	Exploratory association study between catechol-O-methyltransferase (COMT) high/low enzyme activity polymorphism and hypnotizability. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 771-774.	2.4	60
227	Evidence for linkage by transmission disequilibrium test analysis of a chromosome 22 microsatellite marker D22S278 and bipolar disorder in a Palestinian Arab population. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 836-838.	2.4	17
228	Failure to replicate an association between the catechol-O-methyltransferase polymorphism and attention deficit hyperactivity disorder in a second, independently recruited Israeli cohort. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 858-860.	2.4	41
229	Personality and polymorphisms of genes involved in aminergic neurotransmission. <i>European Journal of Pharmacology</i> , 2000, 410, 205-214.	1.7	97
230	An Interaction between the Catechol O-Methyltransferase and Serotonin Transporter Promoter Region Polymorphisms Contributes to Tridimensional Personality Questionnaire Persistence Scores in Normal Subjects. <i>Neuropsychobiology</i> , 2000, 41, 48-53.	0.9	59
231	Haplotype relative risk study of catechol-O-methyltransferase (COMT) and attention deficit hyperactivity disorder (ADHD): Association of the high-enzyme activity val allele with adhd impulsive-hyperactive phenotype. , 1999, 88, 497-502.		134
232	Homicidal behavior in schizophrenia associated with a genetic polymorphism determining low catechol O-methyltransferase (COMT) activity. , 1999, 88, 628-633.		142
233	Effect of bipolar disorder on lymphocyte inositol monophosphatase mRNA levels. <i>International Journal of Neuropsychopharmacology</i> , 1999, 2, 25-29.	1.0	33
234	Homicidal behavior in schizophrenia associated with a genetic polymorphism determining low catechol O-methyltransferase (COMT) activity. , 1999, 88, 628.		2

#	ARTICLE	IF	CITATIONS
235	Additional evidence for an association between the dopamine D4 receptor (D4DR) exon III seven-repeat allele and substance abuse in opioid dependent subjects: relationship of treatment retention to genotype and personality. <i>Addiction Biology</i> , 1998, 3, 473-481.	1.4	13
236	No significant associations between two dopamine receptor polymorphisms and normal temperament. , 1998, 13, 11-15.		4
237	Genes for personality traits: implications for psychopathology. <i>International Journal of Neuropsychopharmacology</i> , 1998, 1, 153-168.	1.0	39
238	The Distribution of β -Amyloid Precursor Protein in Rat Cortex after Systemic Kainate-Induced Seizures. <i>Experimental Neurology</i> , 1997, 147, 361-376.	2.0	17
239	Dopamine D4 receptor gene polymorphisms: relation to ethnicity, no association with schizophrenia and response to clozapine in Israeli subjects. <i>European Neuropsychopharmacology</i> , 1997, 7, 39-43.	0.3	75
240	Evidence for an Association between the Dopamine D3 Receptor Gene DRD3 and Schizophrenia. <i>Human Heredity</i> , 1997, 47, 6-16.	0.4	52
241	5-HT2C (HTR2C)serotonin receptor gene polymorphism associated with the human personality trait of reward dependence: Interaction with dopamine D4 receptor (D4DR) and dopamine D3 receptor (D3DR) polymorphisms. , 1997, 74, 65-72.		145
242	Changes in expression of lymphocyte amyloid precursor protein mRNA isoforms in normal aging and Alzheimer's disease. <i>Molecular Brain Research</i> , 1996, 35, 260-268.	2.5	13
243	A combined analysis of D22S278 marker alleles in affected sib-pairs: Support for a susceptibility locus for schizophrenia at chromosome 22q12. , 1996, 67, 40-45.		205
244	Dopamine D4 receptor (D4DR) exon III polymorphism associated with the human personality trait of Novelty Seeking. <i>Nature Genetics</i> , 1996, 12, 78-80.	9.4	1,451
245	Genetic linkage analysis of schizophrenia using chromosome 11q13-24 markers in Israeli pedigrees. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 103-108.	2.4	19
246	Evaluation of a susceptibility gene for schizophrenia on chromosome 6p by multipoint affected sib-pair linkage analysis. <i>Nature Genetics</i> , 1995, 11, 325-327.	9.4	277
247	Deletion of exon 3 of the insulin receptor gene in a kindred with a familial form of insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 1153-1158.	1.8	14
248	The effect of nerve growth factor on cholinergic cells in primary fetal striatal cultures: characterization by in situ hybridization. <i>Developmental Brain Research</i> , 1993, 73, 165-172.	2.1	12
249	Iron accumulation in the rat basal ganglia after excitatory amino acid injections—Dissociation from neuronal loss. <i>Experimental Neurology</i> , 1992, 118, 227-241.	2.0	24
250	Phospholipase A2 activity in Epstein-Barr virus-transformed lymphoblast cells from schizophrenic patients. <i>Biological Psychiatry</i> , 1991, 29, 1058-1062.	0.7	20
251	Cortical second messengers after NBM damage: No change in responses to cholinergic agonists. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 36, 507-513.	1.3	5
252	Platelet adenylate cyclase and phospholipase C activity in posttraumatic stress disorder. <i>Biological Psychiatry</i> , 1990, 27, 735-740.	0.7	22

#	ARTICLE	IF	CITATIONS
253	Cyclic AMP second messenger signal generation in EBV-transformed lymphoblastoid cells from schizophrenic patients. <i>Journal of Psychiatric Research</i> , 1990, 24, 121-127.	1.5	31
254	Reduced Sensitivity of Lymphocyte Beta-Adrenergic Receptors in Migraine. <i>Cephalalgia</i> , 1989, 9, 97-98.	1.8	3
255	Uptake of 3H-siperone by lymphocytes in schizophrenia. <i>Journal of Psychiatric Research</i> , 1989, 23, 221-227.	1.5	8
256	Lithium modulation of second messenger signal amplification in man: Inhibition of phosphatidylinositol-specific phospholipase C and adenylate cyclase activity. <i>Psychiatry Research</i> , 1988, 24, 45-52.	1.7	47
257	Cyclic AMP Second-Messenger Signal Amplification in Depression. <i>British Journal of Psychiatry</i> , 1988, 152, 665-669.	1.7	58
258	Effect of lithium in vitro and after chronic treatment on human platelet adenylate cyclase activity: Postreceptor modification of second messenger signal amplification. <i>Psychiatry Research</i> , 1987, 21, 221-228.	1.7	33
259	Isoelectric focusing of human platelet phospholipase C: Evidence for multimolecular forms. <i>Life Sciences</i> , 1987, 40, 161-167.	2.0	7
260	Age related decline in aluminum-activated human platelet adenylate cyclase: Post-receptor changes in cyclic AMP second messenger signal amplification in normal aging and dementia of the Alzheimer type. <i>Life Sciences</i> , 1986, 39, 1167-1175.	2.0	13
261	The cyclic AMP second messenger system in man: The effects of heredity, hormones, drugs, aluminum, age and disease on signal amplification. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1986, 10, 323-353.	2.5	35
262	Hormone and forskolin-stimulated cyclic AMP accumulation in human lymphocytes: reliability of longitudinal time measurements. <i>Experientia</i> , 1986, 42, 838-841.	1.2	5
263	Beta-adrenergic-stimulated adenylate cyclase activity in normal and EBV-transformed lymphocytes. <i>Experientia</i> , 1985, 41, 1552-1554.	1.2	11
264	Plasma cyclic AMP and cyclic GMP in childhood-onset psychoses. <i>Journal of Autism and Developmental Disorders</i> , 1984, 14, 159-164.	1.7	8
265	Alzheimer's disease: Isoproterenol and prostaglandin E1-stimulated cyclic AMP accumulation in lymphocytes. <i>Life Sciences</i> , 1984, 34, 2239-2243.	2.0	24
266	Acute desensitization of lymphocyte beta-adrenergic-stimulated adenylate cyclase in old age and Alzheimer's disease. <i>Life Sciences</i> , 1984, 35, 1795-1802.	2.0	16
267	Electroconvulsive shock prevents dopamine receptor supersensitivity. <i>European Journal of Pharmacology</i> , 1982, 80, 131-134.	1.7	20
268	Lack of effect of beta-2 adrenergic stimulation on human prolactin. <i>Psychoneuroendocrinology</i> , 1981, 6, 177-179.	1.3	1
269	Serum and CSF levels of haloperidol by radioimmunoassay and radioreceptor assay during high-dose therapy of resistant schizophrenic patients. <i>Psychopharmacology</i> , 1981, 73, 197-199.	1.5	51
270	Subsensitivity of human β -adrenergic adenylate cyclase after salbutamol treatment of depression. <i>Psychopharmacology</i> , 1981, 75, 169-172.	1.5	43

#	ARTICLE	IF	CITATIONS
271	The effect of propranolol treatment in schizophrenia on CSF amine metabolites and prolactin. <i>Psychopharmacology</i> , 1979, 63, 293-296.	1.5	22
272	Effect of lithium on the physostigmine-induced behavioral syndrome and plasma cyclic GMP. <i>Journal of Psychiatric Research</i> , 1979, 15, 133-138.	1.5	46
273	A Possible Cardiovascular Effect of Lithium. <i>American Journal of Psychiatry</i> , 1979, 136, 577-579.	4.0	7
274	Haloperidol and lithium blocking of the mood response to intravenous methylphenidate. <i>Psychopharmacology</i> , 1978, 57, 83-87.	1.5	32
275	The effect of l-dopa and propranolol on human CSF cyclic nucleotides. <i>Psychopharmacology</i> , 1978, 58, 307-310.	1.5	25
276	Electrophoretic pattern of plasma MAO in schizophrenia and affective illness. <i>Journal of Psychiatric Research</i> , 1977, 13, 119-123.	1.5	3
277	Platelet Monoamine Oxidase in Schizophrenia and Manic-Depressive Illness. <i>British Journal of Psychiatry</i> , 1976, 129, 227-232.	1.7	70
278	Lithium inhibition of adrenaline-stimulated adenylate cyclase in humans. <i>Nature</i> , 1976, 259, 411-413.	13.7	125
279	Cyclic GMP in the CSF of patients with schizophrenia before and after neuroleptic treatment. <i>Psychopharmacology</i> , 1976, 51, 71-74.	1.5	27
280	The effect of haloperidol on epinephrine-stimulated adenylate cyclase in humans. <i>Psychopharmacology</i> , 1976, 49, 215-217.	1.5	8
281	Serum Dopamine- β -Hydroxylase in Various Pathological States. , 1975, , 155-166.		0
282	A radioimmunoassay for dopamine- β -hydroxylase using a glass-bound antibody. <i>Experientia</i> , 1974, 30, 1363-1364.	1.2	6
283	Serum dopamine- β -hydroxylase levels in Down's syndrome. <i>Clinical Genetics</i> , 1974, 5, 312-315.	1.0	37
284	A radioimmunoassay of human circulatory dopamine- β -hydroxylase. <i>Life Sciences</i> , 1973, 13, 769-774.	2.0	44
285	Characterization, localization and regulation of dopamine- β -hydroxylase and of other catecholamine synthesizing enzymes. <i>Life Sciences</i> , 1973, 13, liii-lv.	2.0	1
286	Competitiveness and Stress. <i>SSRN Electronic Journal</i> , 0, , .	0.4	3
287	Individual Differences in Reactivity to Social Stress in the Laboratory and Its Mediation by Common Genetic Polymorphisms. , 0, , 93-116.		1