

Kazukuni Tahara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4135935/publications.pdf>

Version: 2024-02-01

109
papers

5,942
citations

76294

40
h-index

74108

75
g-index

122
all docs

122
docs citations

122
times ranked

4156
citing authors

#	ARTICLE	IF	CITATIONS
1	Revisiting Dehydrothiopheno[12]annulenes: Synthesis, Electronic Properties, and Aromaticity. <i>Journal of Organic Chemistry</i> , 2021, 86, 13198-13211.	1.7	9
2	Chirality in porous self-assembled monolayer networks at liquid/solid interfaces: induction, reversion, recognition and transfer. <i>Chemical Communications</i> , 2021, 57, 962-977.	2.2	15
3	On the Thermal Stability of Aryl Groups Chemisorbed on Graphite. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1980-1990.	1.5	15
4	Hierarchical two-dimensional molecular assembly through dynamic combination of conformational states at the liquid/solid interface. <i>Chemical Science</i> , 2020, 11, 9254-9261.	3.7	12
5	Porous Self-Assembled Molecular Networks as Templates for Chiral-Position-Controlled Chemical Functionalization of Graphitic Surfaces. <i>Journal of the American Chemical Society</i> , 2020, 142, 7699-7708.	6.6	26
6	Trapping a pentagonal molecule in a self-assembled molecular network: an alkoxyated isosceles triangular molecule does the job. <i>Chemical Communications</i> , 2020, 56, 5401-5404.	2.2	8
7	Stereospecific Epitaxial Growth of Bilayered Porous Molecular Networks. <i>Journal of the American Chemical Society</i> , 2020, 142, 8662-8671.	6.6	11
8	An Approach to the Synthesis of a Two-Dimensional Polymer Using a Preorganized Host-Guest Network by Self-Assembly at the Liquid/Solid Interface. <i>ChemNanoMat</i> , 2020, 6, 550-559.	1.5	3
9	Theoretical Study on the Geometry, Aromaticity, and Electronic Properties of Benzo[3,4]cyclobutathiophenes and Their Homologues. <i>Journal of Organic Chemistry</i> , 2019, 84, 9850-9858.	1.7	8
10	Alkoxy Chain Number Effect on Self-Assembly of a Trigonal Molecule at the Liquid/Solid Interface. <i>Journal of Physical Chemistry C</i> , 2019, 123, 27020-27029.	1.5	11
11	Electrostatically Driven Guest Binding in Self-Assembled Molecular Network of Hexagonal Pyridine Macrocycle at the Liquid/Solid Interface: Symmetry Breaking Induced by Coadsorbed Solvent Molecules. <i>Langmuir</i> , 2019, 35, 15051-15062.	1.6	5
12	Phase selectivity triggered by nanoconfinement: the impact of corral dimensions. <i>Chemical Communications</i> , 2019, 55, 2226-2229.	2.2	17
13	On-Surface Evolution of meso-Isomerism in Two-Dimensional Supramolecular Assemblies. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 9611-9618.	7.2	6
14	On-Surface Evolution of meso-Isomerism in Two-Dimensional Supramolecular Assemblies. <i>Angewandte Chemie</i> , 2019, 131, 9713-9720.	1.6	0
15	Reversing the Handedness of Self-Assembled Porous Molecular Networks through the Number of Identical Chiral Centres. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 7733-7738.	7.2	19
16	Reversing the Handedness of Self-Assembled Porous Molecular Networks through the Number of Identical Chiral Centres. <i>Angewandte Chemie</i> , 2019, 131, 7815-7820.	1.6	4
17	Steric and Electronic Effects of Electrochemically Generated Aryl Radicals on Grafting of the Graphite Surface. <i>Langmuir</i> , 2019, 35, 2089-2098.	1.6	30
18	Structural Insights into the Mechanism of Chiral Recognition and Chirality Transfer in Host-Guest Assemblies at the Liquid-Solid Interface. <i>Journal of Physical Chemistry C</i> , 2018, 122, 8228-8235.	1.5	19

#	ARTICLE	IF	CITATIONS
19	Electrostatically Driven Guest Binding in a Self-Assembled Porous Network at the Liquid/Solid Interface. <i>Langmuir</i> , 2018, 34, 6036-6045.	1.6	8
20	Computational insight into the origin of unexpected contrast in chiral markers as revealed by STM. <i>Nanoscale</i> , 2018, 10, 1680-1694.	2.8	5
21	How Does Chemisorption Impact Physisorption? Molecular View of Defect Incorporation and Perturbation of Two-Dimensional Self-Assembly. <i>Journal of Physical Chemistry C</i> , 2018, 122, 24046-24054.	1.5	14
22	Self-Assembled Monolayers as Templates for Linearly Nanopatterned Covalent Chemical Functionalization of Graphite and Graphene Surfaces. <i>ACS Nano</i> , 2018, 12, 11520-11528.	7.3	44
23	Host-Guest Chemistry in Integrated Porous Space Formed by Molecular Self-Assembly at Liquid-Solid Interfaces. <i>Langmuir</i> , 2017, 33, 4601-4618.	1.6	60
24	Odd-Even Effects in Chiral Phase Transition at the Liquid/Solid Interface. <i>Journal of Physical Chemistry C</i> , 2017, 121, 10430-10438.	1.5	18
25	Area-selective passivation of sp^2 carbon surfaces by supramolecular self-assembly. <i>Nanoscale</i> , 2017, 9, 5188-5193.	2.8	14
26	Generation of Aromatic (Dehydro)benzoannulene Dications Stabilized by Platinum Catecholate Complexes. <i>ChemPlusChem</i> , 2017, 82, 1052-1056.	1.3	5
27	On the formation of concentric 2D multicomponent assemblies at the solution-solid interface. <i>Chemical Communications</i> , 2017, 53, 1108-1111.	2.2	40
28	Transfer of chiral information from a chiral solvent to a two-dimensional network. <i>Faraday Discussions</i> , 2017, 204, 215-231.	1.6	10
29	Hexagonal Molecular Tiling by Hexagonal Macrocycles at the Liquid/Solid Interface: Structural Effects on Packing Geometry. <i>Langmuir</i> , 2017, 33, 12453-12462.	1.6	21
30	Self-Assembled Dehydro[24]annulene Monolayers at the Liquid/Solid Interface: Toward On-Surface Synthesis of Tubular π -Conjugated Nanowires. <i>Langmuir</i> , 2016, 32, 5532-5541.	1.6	12
31	Dynamic control over supramolecular handedness by selecting chiral induction pathways at the solution-solid interface. <i>Nature Chemistry</i> , 2016, 8, 711-717.	6.6	107
32	Complex Chiral Induction Processes at the Solution/Solid Interface. <i>Journal of Physical Chemistry C</i> , 2016, 120, 17444-17453.	1.5	18
33	Construction of cyclic arrays of Zn-porphyrin units and their guest binding at the solid-liquid interface. <i>Chemical Communications</i> , 2016, 52, 14419-14422.	2.2	6
34	Coadsorption of Tb^{III} -Porphyrin Double-decker Single-molecule Magnets in a Porous Molecular Network: Toward Controlled Alignment of Single-molecule Magnets on a Carbon Surface. <i>Chemistry Letters</i> , 2016, 45, 286-288.	0.7	4
35	Adaptive Building Blocks Consisting of Rigid Triangular Core and Flexible Alkoxy Chains for Self-Assembly at Liquid/Solid Interfaces. <i>Bulletin of the Chemical Society of Japan</i> , 2016, 89, 1277-1306.	2.0	65
36	Thermal control of sequential on-surface transformation of a hydrocarbon molecule on a copper surface. <i>Nature Communications</i> , 2016, 7, 12711.	5.8	71

#	ARTICLE	IF	CITATIONS
37	Periodic Functionalization of Surface-Confined Pores in a Two-Dimensional Porous Network Using a Tailored Molecular Building Block. <i>ACS Nano</i> , 2016, 10, 2113-2120.	7.3	40
38	Alkoxyated dehydrobenzo[12]annulene on Au(111): from single molecules to quantum dot molecular networks. <i>Chemical Communications</i> , 2015, 51, 10917-10920.	2.2	6
39	Square Tiling by Square Macrocycles at the Liquid/Solid Interface: Co-crystallisation with One- or Two-Dimensional Order. <i>Chemistry - A European Journal</i> , 2015, 21, 6806-6816.	1.7	18
40	Efficient screening of 2D molecular polymorphs at the solution-solid interface. <i>Nanoscale</i> , 2015, 7, 5344-5349.	2.8	22
41	Chemistry of Anthracene-Acetylene Oligomers XXV: On-Surface Chirality of a Self-Assembled Molecular Network of a Fan-Shaped Anthracene-Acetylene Macrocyclic with a Long Alkyl Chain. <i>Chemistry - A European Journal</i> , 2015, 21, 5520-5527.	1.7	10
42	Multicomponent Self-Assembly with a Shape-Persistent <i>N</i> -Heterotriangulene Macrocyclic on Au(111). <i>Chemistry - A European Journal</i> , 2015, 21, 1652-1659.	1.7	33
43	Effect of Multiple Interactions on Face-On vs Edge-On Configurations of Butadiyne-Bridged Octadehydridibenzo[12]annulene Derivatives at the Liquid/Graphite Interface. <i>Journal of Physical Chemistry C</i> , 2015, 119, 15977-15981.	1.5	8
44	PROFILE: Early Excellence in Physical Organic Chemistry. <i>Journal of Physical Organic Chemistry</i> , 2015, 28, 243-243.	0.9	1
45	Formation of Multicomponent Star Structures at the Liquid/Solid Interface. <i>Langmuir</i> , 2015, 31, 7032-7040.	1.6	38
46	Covalent Modification of Graphene and Graphite Using Diazonium Chemistry: Tunable Grafting and Nanomanipulation. <i>ACS Nano</i> , 2015, 9, 5520-5535.	7.3	274
47	On the stability of surface-confined nanoporous molecular networks. <i>Journal of Chemical Physics</i> , 2015, 142, 101932.	1.2	6
48	Towards enantioselective adsorption in surface-confined nanoporous systems. <i>Chemical Communications</i> , 2015, 51, 4766-4769.	2.2	53
49	Design of efficient sergeant molecules for chiral induction in nano-porous supramolecular assemblies. <i>RSC Advances</i> , 2015, 5, 6642-6646.	1.7	7
50	Direct observation of adsorption geometry for the van der Waals adsorption of a single π -conjugated hydrocarbon molecule on Au(111). <i>Journal of Chemical Physics</i> , 2014, 140, 074709.	1.2	13
51	Harnessing by a diacetylene unit: a molecular design for porous two-dimensional network formation at the liquid/solid interface. <i>Chemical Communications</i> , 2014, 50, 2831.	2.2	16
52	Porous molecular networks formed by the self-assembly of positively-charged trigonal building blocks at the liquid/solid interfaces. <i>Chemical Communications</i> , 2014, 50, 7683-7685.	2.2	10
53	Multifunctional π -Expanded Macrocyclic Oligothiophene 6-Mers and Related Macrocyclic Oligomers. <i>Journal of the American Chemical Society</i> , 2014, 136, 2389-2396.	6.6	56
54	Functionalized Surface-Confined Pores: Guest Binding Directed by Lateral Noncovalent Interactions at the Solid-Liquid Interface. <i>ACS Nano</i> , 2014, 8, 8683-8694.	7.3	37

#	ARTICLE	IF	CITATIONS
55	Efficient molecular recognition based on nonspecific van der Waals interaction at the solid/liquid interface. <i>Chemical Communications</i> , 2014, 50, 11946-11949.	2.2	14
56	Syntheses and Properties of Graphyne Fragments: Trigonally Expanded Dehydrobenzo[12]annulenes. <i>Chemistry - A European Journal</i> , 2013, 19, 11251-11260.	1.7	66
57	Self-Assembled Air-Stable Supramolecular Porous Networks on Graphene. <i>ACS Nano</i> , 2013, 7, 10764-10772.	7.3	55
58	Self-assembly of molecular tripods in two dimensions: structure and thermodynamics from computer simulations. <i>RSC Advances</i> , 2013, 3, 25159.	1.7	29
59	Temperature-Induced Structural Phase Transitions in a Two-Dimensional Self-Assembled Network. <i>Journal of the American Chemical Society</i> , 2013, 135, 12068-12075.	6.6	180
60	A Tale of Tails: Alkyl Chain Directed Formation of 2D Porous Networks Reveals Odd-Even Effects and Unexpected Bicomponent Phase Behavior. <i>ACS Nano</i> , 2013, 7, 8031-8042.	7.3	58
61	Tailoring Surface-Confined Nanopores with Photoresponsive Groups. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 8373-8376.	7.2	57
62	Solvent-Induced Homochirality in Surface-Confined Low-Density Nanoporous Molecular Networks. <i>Journal of the American Chemical Society</i> , 2012, 134, 19568-19571.	6.6	69
63	Role of Substrate in Directing the Self-Assembly of Multicomponent Supramolecular Networks at the Liquid-Solid Interface. <i>ACS Nano</i> , 2012, 6, 8381-8389.	7.3	74
64	Tuning the size of supramolecular M4L4 tetrahedra by ligand connectivity. <i>Dalton Transactions</i> , 2012, 41, 9316.	1.6	11
65	Molecular Propellers that Consist of Dehydrobenzo[14]annulene Blades. <i>Chemistry - A European Journal</i> , 2012, 18, 12814-12824.	1.7	19
66	Ordering of Molecules with π -Conjugated Triangular Core by Switching Hydrogen Bonding and van der Waals Interactions. <i>Journal of Physical Chemistry C</i> , 2012, 116, 17082-17088.	1.5	17
67	One Building Block, Two Different Nanoporous Self-Assembled Monolayers: A Combined STM and Monte Carlo Study. <i>ACS Nano</i> , 2012, 6, 897-903.	7.3	69
68	Chemistry of Anthracene-Acetylene Oligomers XX: Synthesis, Structures, and Self-Association of Anthracene-Anthraquinone Cyclic Compounds with Ethynylene Linkers. <i>Chemistry - an Asian Journal</i> , 2012, 7, 935-943.	1.7	6
69	Direct dendronization of polystyrenes using dendritic diarylcarbenium ion pools. <i>Chemical Communications</i> , 2011, 47, 5575-5577.	2.2	20
70	Molecular pentagonal tiling: self-assemblies of pentagonal-shaped macrocycles at liquid/solid interfaces. <i>CrystEngComm</i> , 2011, 13, 5551.	1.3	28
71	Formation of a non-crystalline bimolecular porous network at a liquid/solid interface. <i>Chemical Communications</i> , 2011, 47, 11459.	2.2	17
72	Control and induction of surface-confined homochiral porous molecular networks. <i>Nature Chemistry</i> , 2011, 3, 714-719.	6.6	179

#	ARTICLE	IF	CITATIONS
73	Electrophilic Transannular Cyclization of Octadehydrodibenzo[12]annulene Reexamined: Indication of the Formation of Both <i>anti</i> and <i>syn</i> -Indenofluorenes. <i>Journal of Organic Chemistry</i> , 2011, 76, 9116-9121.	1.7	22
74	Mixing Behavior of Alkoxyated Dehydrobenzo[12]annulenes at the Solid–Liquid Interface: Scanning Tunneling Microscopy and Monte Carlo Simulations. <i>ACS Nano</i> , 2011, 5, 4145-4157.	7.3	37
75	Conductance of Single Triangular Dehydrobenzo[12]annulene Derivative Bridged between Au Electrodes. <i>Chemistry Letters</i> , 2010, 39, 788-789.	0.7	16
76	Self-Assembled Monolayers of Alkoxy-Substituted Octadehydrodibenzo[12]annulenes on a Graphite Surface: Attempts at <i>peri</i> -Benzopolyacene Formation by On-Surface Polymerization. <i>Chemistry - A European Journal</i> , 2010, 16, 8319-8328.	1.7	26
77	Towards two-dimensional nanoporous networks: crystal engineering at the solid–liquid interface. <i>CrystEngComm</i> , 2010, 12, 3369.	1.3	41
78	Role of pseudopolymorphism on concentration dependent competitive adsorption at a liquid/solid interface. <i>Chemical Communications</i> , 2010, 46, 9125.	2.2	27
79	Supramolecular surface-confined architectures created by self-assembly of triangular phenylene–ethynylene macrocycles via van der Waals interaction. <i>Chemical Communications</i> , 2010, 46, 8507.	2.2	170
80	Titelbild: Two-Dimensional Crystal Engineering: A Four-Component Architecture at a Liquid-Solid Interface (<i>Angew. Chem.</i> 40/2009). <i>Angewandte Chemie</i> , 2009, 121, 7403-7403.	1.6	2
81	Two-Dimensional Crystal Engineering: A Four-Component Architecture at a Liquid–Solid Interface. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 7353-7357.	7.2	154
82	Di- and Trinuclear [70]Fullerene Complexes: Syntheses and Metal–Metal Electronic Interactions. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 6239-6241.	7.2	27
83	Cover Picture: Two-Dimensional Crystal Engineering: A Four-Component Architecture at a Liquid-Solid Interface (<i>Angew. Chem. Int. Ed.</i> 40/2009). <i>Angewandte Chemie - International Edition</i> , 2009, 48, 7267-7267.	7.2	3
84	2D Networks of Rhombic-Shaped Fused Dehydrobenzo[12]annulenes: Structural Variations under Concentration Control. <i>Journal of the American Chemical Society</i> , 2009, 131, 17583-17590.	6.6	124
85	One Building Block, Two Different Supramolecular Surface-Confined Patterns: Concentration in Control at the Solid–Liquid Interface. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 2964-2968.	7.2	273
86	Solvophobic driven self-association of a butadiyne-bridged pyridine macrocycle. <i>Tetrahedron</i> , 2008, 64, 11490-11494.	1.0	14
87	Giant molecular spoked wheels in giant voids: two-dimensional molecular self-assembly goes big. <i>Chemical Communications</i> , 2008, , 3897.	2.2	55
88	Programmable Hierarchical Three-Component 2D Assembly at a Liquid–Solid Interface: Recognition, Selection, and Transformation. <i>Nano Letters</i> , 2008, 8, 2541-2546.	4.5	155
89	Donors and Acceptors Based on Triangular Dehydrobenzo[12]annulenes: Formation of a Triple-Layered Rosette Structure by a Charge-Transfer Complex. <i>Journal of the American Chemical Society</i> , 2008, 130, 14339-14345.	6.6	91
90	Site-Selective Guest Inclusion in Molecular Networks of Butadiyne-Bridged Pyridino and Benzeno Square Macrocycles on a Surface. <i>Journal of the American Chemical Society</i> , 2008, 130, 6666-6667.	6.6	66

#	ARTICLE	IF	CITATIONS
91	Uniquely Shaped Double-Decker Buckyferrocenesâ€”Distinct Electron Donorâ€”Acceptor Interactions. <i>Journal of the American Chemical Society</i> , 2008, 130, 16207-16215.	6.6	38
92	Molecular Clusters in Two-Dimensional Surface-Confined Nanoporous Molecular Networks: Structure, Rigidity, and Dynamics. <i>Journal of the American Chemical Society</i> , 2008, 130, 7119-7129.	6.6	149
93	Syntheses and Photophysical Properties of Boomerang-shaped Bis(dehydrobenzo[12]annulene) and Trapezoid-shaped Tris(dehydrobenzo[12]annulene). <i>Chemistry Letters</i> , 2007, 36, 838-839.	0.7	21
94	Synthesis of Dehydrobenzo[18]annulene Derivatives and Formation of Self-Assembled Monolayers:â€” Implications of Core Size on Alkyl Chain Interdigitation. <i>Langmuir</i> , 2007, 23, 10190-10197.	1.6	81
95	Structural Transformation of a Two-Dimensional Molecular Network in Response to Selective Guest Inclusion. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2831-2834.	7.2	182
96	Regioselective Eightfold and Tenfold Additions of a Pyridine-Modified Organocopper Reagent to [60]Fullerene. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2844-2847.	7.2	55
97	Twoâ€”Photon Absorption Properties of Dehydrobenzo[12]annulenes and Hexakis(phenylethynyl)benzenes: Effect of Edgeâ€”Linkage. <i>ChemPhysChem</i> , 2007, 8, 2671-2677.	1.0	33
98	Theoretical Studies on Graphyne Substructures:â€” Geometry, Aromaticity, and Electronic Properties of the Multiply Fused Dehydrobenzo[12]annulenes. <i>Journal of Organic Chemistry</i> , 2007, 72, 1437-1442.	1.7	62
99	Two-Dimensional Porous Molecular Networks of Dehydrobenzo[12]annulene Derivatives via Alkyl Chain Interdigitation. <i>Journal of the American Chemical Society</i> , 2006, 128, 16613-16625.	6.6	343
100	Molecular Loops and Belts. <i>Chemical Reviews</i> , 2006, 106, 5274-5290.	23.0	339
101	Synthesis and Properties of Trefoil-Shaped Tris(hexadehydrotribenzo[12]annulene) and Tris(tetradehydrotribenzo[12]annulene). <i>Organic Letters</i> , 2006, 8, 2933-2936.	2.4	110
102	Synthesis and Electrochemistry of Double-Decker Buckyferrocenes. <i>Journal of the American Chemical Society</i> , 2006, 128, 7154-7155.	6.6	63
103	Molecular Geometry Directed KagomÃ© and Honeycomb Networks:â€” Toward Two-Dimensional Crystal Engineering. <i>Journal of the American Chemical Society</i> , 2006, 128, 3502-3503.	6.6	143
104	X-ray Crystallographic Characterization of Potassium Pentaphenyl[60]fullerene. <i>Chemistry Letters</i> , 2005, 34, 1078-1079.	0.7	29
105	Creation of Hoop- and Bowl-Shaped Benzenoid Systems by Selective Detraction of [60]Fullerene Conjugation. [10]Cyclophenacene and Fused Corannulene Derivatives. <i>Journal of the American Chemical Society</i> , 2004, 126, 8725-8734.	6.6	84
106	Theoretical Studies on Structures and Aromaticity of Finite-Length Armchair Carbon Nanotubes. <i>Organic Letters</i> , 2003, 5, 5103-5103.	2.4	6
107	Synthesis, Structure, and Aromaticity of a Hoop-Shaped Cyclic Benzenoid [10]Cyclophenacene. <i>Journal of the American Chemical Society</i> , 2003, 125, 2834-2835.	6.6	187
108	Theoretical Studies on Structures and Aromaticity of Finite-Length Armchair Carbon Nanotubes. <i>Organic Letters</i> , 2003, 5, 3181-3184.	2.4	158

#	ARTICLE	IF	CITATIONS
109	Synthesis, electronic properties, and self-assembly of an alkylated dibenzo(biscorannulene). Organic Chemistry Frontiers, 0, , .	2.3	0