

Hein de Vries

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4138698/publications.pdf>

Version: 2024-02-01

439
papers

17,041
citations

17440

63
h-index

31849

101
g-index

465
all docs

465
docs citations

465
times ranked

14575
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-efficacy: the third factor besides attitude and subjective norm as a predictor of behavioural intentions. <i>Health Education Research</i> , 1988, 3, 273-282.	1.9	627
2	Parenting style and adolescent fruit consumption. <i>Appetite</i> , 2003, 41, 43-50.	3.7	342
3	The European Smoking prevention Framework Approach (EFSA): an example of integral prevention. <i>Health Education Research</i> , 2003, 18, 611-626.	1.9	326
4	The Impact of a Computer-Tailored Nutrition Intervention. <i>Preventive Medicine</i> , 1996, 25, 236-242.	3.4	310
5	The Impact of Social Influences in the Context of Attitude, Self-Efficacy, Intention, and Previous Behavior as Predictors of Smoking Onset ¹ . <i>Journal of Applied Social Psychology</i> , 1995, 25, 237-257.	2.0	293
6	The general public's information needs and perceptions regarding hereditary cancer: an application of the Integrated Change Model. <i>Patient Education and Counseling</i> , 2005, 56, 154-165.	2.2	276
7	Determinants of initiation and maintenance of physical activity among older adults: a literature review. <i>Health Psychology Review</i> , 2009, 3, 147-207.	8.6	251
8	The impact of non-response bias due to sampling in public health studies: A comparison of voluntary versus mandatory recruitment in a Dutch national survey on adolescent health. <i>BMC Public Health</i> , 2017, 17, 276.	2.9	249
9	Psychosocial Determinants of Fruit and Vegetable Consumption. <i>Appetite</i> , 1995, 25, 285-296.	3.7	215
10	Parents' and friends' smoking status as predictors of smoking onset: findings from six European countries. <i>Health Education Research</i> , 2003, 18, 627-636.	1.9	203
11	Parental factors and adolescents' smoking behavior: an extension of The theory of planned behavior. <i>Preventive Medicine</i> , 2004, 39, 951-961.	3.4	188
12	The development of computer-generated tailored interventions. <i>Patient Education and Counseling</i> , 1999, 36, 193-203.	2.2	187
13	Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. <i>PLoS Medicine</i> , 2018, 15, e1002714.	8.4	186
14	Clusters of lifestyle behaviors: Results from the Dutch SMILE study. <i>Preventive Medicine</i> , 2008, 46, 203-208.	3.4	173
15	Parental rules and communication: their association with adolescent smoking. <i>Addiction</i> , 2005, 100, 862-870.	3.3	171
16	An Integrated Approach for Understanding Health Behavior; The I-Change Model as an Example. <i>Psychology and Behavioral Science International Journal</i> , 2017, 2, .	0.0	151
17	Efficacy and Use of an Internet-delivered Computer-tailored Lifestyle Intervention, Targeting Saturated Fat Intake, Physical Activity and Smoking Cessation: A Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2008, 35, 125-135.	2.9	144
18	Dynamics of adolescent friendship networks and smoking behavior: Social network analyses in six European countries. <i>Social Science and Medicine</i> , 2009, 69, 1506-1514.	3.8	143

#	ARTICLE	IF	CITATIONS
19	A qualitative study on detecting cancer symptoms and seeking medical help; an application of Andersen's model of total patient delay. <i>Patient Education and Counseling</i> , 2001, 42, 145-157.	2.2	129
20	A match-mismatch test of a stage model of behaviour change in tobacco smoking. <i>Addiction</i> , 2006, 101, 1035-1043.	3.3	127
21	Differential Beliefs, Perceived Social Influences, and Self-Efficacy Expectations among Smokers in Various Motivational Phases. <i>Preventive Medicine</i> , 1998, 27, 681-689.	3.4	126
22	Perceptions and Reasons Regarding E-Cigarette Use among Users and Non-Users: A Narrative Literature Review. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1190.	2.6	126
23	Tailored interventions to communicate stage-matched information to smokers in different motivational stages.. <i>Journal of Consulting and Clinical Psychology</i> , 1998, 66, 549-557.	2.0	124
24	Personality and parenting style in parents of adolescents. <i>Journal of Adolescence</i> , 2010, 33, 395-402.	2.4	123
25	Misconceptions of Fruit and Vegetable Consumption: Differences between Objective and Subjective Estimation of Intake. <i>Journal of Nutrition Education and Behavior</i> , 1997, 29, 313-320.	0.5	112
26	Participation in a Breast Cancer Screening Program: Influence of Past Behavior and Determinants on Future Screening Participation. <i>Preventive Medicine</i> , 1997, 26, 473-482.	3.4	108
27	Planned health education and the role of self-efficacy: Dutch research. <i>Health Education Research</i> , 1991, 6, 231-238.	1.9	107
28	Quantifying the strength of the associations of prototype perceptions with behaviour, behavioural willingness and intentions: a meta-analysis. <i>Health Psychology Review</i> , 2016, 10, 25-43.	8.6	104
29	How economic recessions and unemployment affect illegal drug use: A systematic realist literature review. <i>International Journal of Drug Policy</i> , 2017, 44, 69-83.	3.3	102
30	A Systematic Review of the Impact of Genetic Counseling on Risk Perception Accuracy. <i>Journal of Genetic Counseling</i> , 2009, 18, 217-228.	1.6	101
31	Predictors of successful and unsuccessful quit attempts among smokers motivated to quit. <i>Addictive Behaviors</i> , 2014, 39, 1318-1324.	3.0	101
32	Effects of a Web-Based Tailored Multiple-Lifestyle Intervention for Adults: A Two-Year Randomized Controlled Trial Comparing Sequential and Simultaneous Delivery Modes. <i>Journal of Medical Internet Research</i> , 2014, 16, e26.	4.3	101
33	Influences of Parental and Best Friends' Smoking and Drinking on Adolescent Use: A Longitudinal Study. <i>Journal of Applied Social Psychology</i> , 1999, 29, 337-361.	2.0	97
34	Antecedents of Smoking Cessation among Adolescents: Who Is Motivated to Change?. <i>Preventive Medicine</i> , 1998, 27, 348-357.	3.4	96
35	From theory to practice: An explorative study into the instrumentality and specificity of implementation intentions. <i>Psychology and Health</i> , 2010, 25, 351-364.	2.2	94
36	Tailoring information to enhance quitting in smokers with low motivation to quit: Three basic efficacy questions.. <i>Health Psychology</i> , 1998, 17, 513-519.	1.6	92

#	ARTICLE	IF	CITATIONS
37	Measuring risk perceptions of skin cancer: Reliability and validity of different operationalizations. <i>British Journal of Health Psychology</i> , 2011, 16, 92-112.	3.5	92
38	The Utilization of Qualitative and Quantitative Data for Health Education Program Planning, Implementation, and Evaluation: A Spiral Approach. <i>Health Education Quarterly</i> , 1992, 19, 101-115.	1.4	90
39	Targeting Smokers with Low Readiness to Change with Tailored and Nontailored Self-Help Materials. <i>Preventive Medicine</i> , 1999, 28, 203-211.	3.4	89
40	Social influences on young adults' alcohol consumption: Norms, modeling, pressure, socializing, and conformity. <i>Addictive Behaviors</i> , 1996, 21, 187-197.	3.0	88
41	Efficacy of a single computer-tailored e-mail for smoking cessation: results after 6 months. <i>Health Education Research</i> , 2009, 24, 930-940.	1.9	88
42	Preventing Smoking Relapse via Web-Based Computer-Tailored Feedback: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2012, 14, e109.	4.3	88
43	Short-term efficacy of a computer-tailored physical activity intervention for prostate and colorectal cancer patients and survivors: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 106.	4.6	85
44	The European Smoking prevention Framework Approach (ESFA): effects after 24 and 30 months. <i>Health Education Research</i> , 2006, 21, 116-132.	1.9	81
45	The long-term efficacy of two computer-tailored physical activity interventions for older adults: Main effects and mediators.. <i>Health Psychology</i> , 2011, 30, 442-452.	1.6	81
46	Effects of PREPARE, a Multi-component, School-Based HIV and Intimate Partner Violence (IPV) Prevention Programme on Adolescent Sexual Risk Behaviour and IPV: Cluster Randomised Controlled Trial. <i>AIDS and Behavior</i> , 2016, 20, 1821-1840.	2.7	81
47	Associations of social-environmental and individual-level factors with adolescent soft drink consumption: results from the SMILE study. <i>Health Education Research</i> , 2006, 22, 227-237.	1.9	79
48	Disentangling social selection and social influence effects on adolescent smoking: the importance of reciprocity in friendships. <i>Addiction</i> , 2007, 102, 1483-1492.	3.3	79
49	Effectiveness of a Web-Based Multiple Tailored Smoking Cessation Program: A Randomized Controlled Trial Among Dutch Adult Smokers. <i>Journal of Medical Internet Research</i> , 2012, 14, e82.	4.3	79
50	Cost-Effectiveness and Cost-Utility of Internet-Based Computer Tailoring for Smoking Cessation. <i>Journal of Medical Internet Research</i> , 2013, 15, e57.	4.3	77
51	Short-Term Effects of a Randomized Computer-Based Out-of-School Smoking Prevention Trial Aimed at Elementary Schoolchildren. <i>Preventive Medicine</i> , 2002, 34, 581-589.	3.4	76
52	A Dutch social influence smoking prevention approach for vocational school students. <i>Health Education Research</i> , 1994, 9, 365-374.	1.9	72
53	The European Smoking Prevention Framework Approach (ESFA): short-term effects. <i>Health Education Research</i> , 2003, 18, 649-663.	1.9	72
54	Are anti-smoking parenting practices related to adolescent smoking cognitions and behavior?. <i>Health Education Research</i> , 2006, 21, 66-77.	1.9	72

#	ARTICLE	IF	CITATIONS
55	Subtypes within a sample of precontemplating smokers: A preliminary extension of the stages of change. <i>Addictive Behaviors</i> , 1997, 22, 327-337.	3.0	71
56	Help-seeking behaviour for cancer symptoms: perceptions of patients and general practitioners. <i>Psycho-Oncology</i> , 2001, 10, 469-478.	2.3	71
57	The role of action planning and plan enactment for smoking cessation. <i>BMC Public Health</i> , 2013, 13, 393.	2.9	70
58	Long-term efficacy of a printed or a Web-based tailored physical activity intervention among older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 104.	4.6	70
59	Exploring consensus on how to measure smoking cessation. A Delphi study. <i>BMC Public Health</i> , 2017, 17, 890.	2.9	70
60	The Active plus protocol: systematic development of two theory- and evidence-based tailored physical activity interventions for the over-fifties. <i>BMC Public Health</i> , 2008, 8, 399.	2.9	69
61	Differences in Reach and Attrition Between Web-Based and Print-Delivered Tailored Interventions Among Adults over 50 Years of Age: Clustered Randomized Trial. <i>Journal of Medical Internet Research</i> , 2012, 14, e179.	4.3	69
62	Comparison of Text and Video Computer-Tailored Interventions for Smoking Cessation: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e69.	4.3	69
63	A Minimal-Contact Intervention for Cardiac Inpatients: Long-Term Effects on Smoking Cessation. <i>Preventive Medicine</i> , 2002, 35, 181-192.	3.4	68
64	Motives of Belgian Adolescents for Using Sunscreen: The Role of Action Plans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1360-1366.	2.5	68
65	Relapse prevention in a national smoking cessation contest: Effects of coping planning. <i>British Journal of Health Psychology</i> , 2008, 13, 525-535.	3.5	68
66	Can a Website-Delivered Computer-Tailored Physical Activity Intervention Be Acceptable, Usable, and Effective for Older People?. <i>Health Education and Behavior</i> , 2013, 40, 160-170.	2.5	68
67	Modeling Individual and Physical Environmental Factors with Adolescent Physical Activity. <i>American Journal of Preventive Medicine</i> , 2006, 30, 507-512.	3.0	66
68	Educating the general public about multifactorial genetic disease: applying a theory-based framework to understand current public knowledge. <i>Genetics in Medicine</i> , 2008, 10, 251-258.	2.4	66
69	Efficacy of Two Tailored Interventions Promoting Physical Activity in Older Adults. <i>American Journal of Preventive Medicine</i> , 2009, 37, 405-417.	3.0	66
70	Smokers in four stages of readiness to change. <i>Addictive Behaviors</i> , 1998, 23, 339-350.	3.0	65
71	The impact of educational and environmental interventions in Dutch worksite cafeterias. <i>Health Promotion International</i> , 2004, 19, 335-343.	1.8	65
72	Tailored Print Communication and Telephone Motivational Interviewing Are Equally Successful in Improving Multiple Lifestyle Behaviors in a Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2011, 41, 104-118.	2.9	65

#	ARTICLE	IF	CITATIONS
73	Subtypes within the precontemplation stage of adolescent smoking acquisition. <i>Addictive Behaviors</i> , 2001, 26, 237-251.	3.0	63
74	Self-efficacy moderates message-framing effects: The case of skin-cancer detection. <i>Psychology and Health</i> , 2010, 25, 339-349.	2.2	63
75	Smoking-based selection and influence in gender-segregated friendship networks: a social network analysis of adolescent smoking. <i>Addiction</i> , 2010, 105, 1280-1289.	3.3	63
76	Does perceived risk influence the effects of message framing? A new investigation of a widely held notion. <i>Psychology and Health</i> , 2014, 29, 933-949.	2.2	63
77	Association between personality and adolescent smoking. <i>Addictive Behaviors</i> , 2006, 31, 232-245.	3.0	62
78	Smoking cessation in patients with COPD in daily general practice (SMOCC): Six months' results. <i>Preventive Medicine</i> , 2005, 41, 822-827.	3.4	61
79	The influence of self-efficacy on the effects of framed health messages. <i>European Journal of Social Psychology</i> , 2008, 38, 800-809.	2.4	60
80	Who Follows eHealth Interventions as Recommended? A Study of Participants' Personal Characteristics From the Experimental Arm of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e115.	4.3	59
81	Evaluation of a nurse-managed minimal-contact smoking cessation intervention for cardiac inpatients. <i>Health Education Research</i> , 2002, 17, 99-116.	1.9	58
82	Understanding the Positive Effects of Graphical Risk Information on Comprehension: Measuring Attention Directed to Written, Tabular, and Graphical Risk Information. <i>Risk Analysis</i> , 2010, 30, 1387-1398.	2.7	58
83	Analyzing recommender systems for health promotion using a multidisciplinary taxonomy: A scoping review. <i>International Journal of Medical Informatics</i> , 2018, 114, 143-155.	3.3	58
84	Correspondence between proxy and self-reports on smoking in a full family study. <i>Drug and Alcohol Dependence</i> , 2006, 84, 40-47.	3.2	57
85	Prevalence and reasons for use of electronic cigarettes among smokers: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2015, 26, 601-608.	3.3	57
86	Smoking in immigrants: do socioeconomic gradients follow the pattern expected from the tobacco epidemic?. <i>Tobacco Control</i> , 2006, 15, 385-391.	3.2	56
87	Predictors of smoking stage transitions for adolescent boys and girls. <i>Preventive Medicine</i> , 2007, 44, 485-489.	3.4	56
88	Does perceived risk influence the effects of message framing? Revisiting the link between prospect theory and message framing. <i>Health Psychology Review</i> , 2016, 10, 447-459.	8.6	56
89	Characteristics of patients with COPD in three motivational stages related to smoking cessation. <i>Patient Education and Counseling</i> , 2006, 61, 449-457.	2.2	55
90	The population impact of smoke-free workplace and hospitality industry legislation on smoking behaviour. Findings from a national population survey. <i>Addiction</i> , 2011, 106, 816-823.	3.3	55

#	ARTICLE	IF	CITATIONS
91	Tobacco smoking and smoking cessation in times of COVID-19. <i>Tobacco Prevention and Cessation</i> , 2020, 6, 39.	0.4	55
92	The effects of smoking cessation counseling by midwives on Dutch pregnant women and their partners. <i>Patient Education and Counseling</i> , 2006, 63, 177-187.	2.2	54
93	Exploring the Efficacy and Moderators of Two Computer-Tailored Physical Activity Interventions for Older Adults: A Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2010, 39, 139-150.	2.9	54
94	Is web interviewing a good alternative to telephone interviewing? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>BMC Public Health</i> , 2010, 10, 351.	2.9	54
95	Reasons for non-attendance in cervical cancer screening programmes: an application of the Integrated Model for Behavioural Change. <i>European Journal of Cancer Prevention</i> , 2007, 16, 436-445.	1.3	52
96	A qualitative investigation of alcohol use advice during pregnancy: Experiences of Dutch midwives, pregnant women and their partners. <i>Midwifery</i> , 2013, 29, e89-e98.	2.3	51
97	Self-efficacy expectations with regard to different tasks in smoking cessation. <i>Psychology and Health</i> , 2000, 15, 501-511.	2.2	50
98	Investigating message-framing effects in the context of a tailored intervention promoting physical activity. <i>Health Education Research</i> , 2010, 25, 343-354.	1.9	50
99	Using Online Computer Tailoring to Promote Physical Activity: A Randomized Trial of Text, Video, and Combined Intervention Delivery Modes. <i>Journal of Health Communication</i> , 2014, 19, 1377-1392.	2.4	50
100	The importance of affectively-laden beliefs about health risks: the case of tobacco use and sun protection. <i>Journal of Behavioral Medicine</i> , 2014, 37, 11-21.	2.1	50
101	The Missing=Smoking Assumption: A Fallacy in Internet-Based Smoking Cessation Trials?. <i>Nicotine and Tobacco Research</i> , 2016, 18, ntv055.	2.6	50
102	mHealth or eHealth? Efficacy, Use, and Appreciation of a Web-Based Computer-Tailored Physical Activity Intervention for Dutch Adults: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e278.	4.3	50
103	Social Psychology and Health Education. <i>European Review of Social Psychology</i> , 1996, 7, 241-282.	9.4	49
104	Why do Danish adolescents take up smoking?. <i>European Journal of Public Health</i> , 2003, 13, 67-74.	0.3	49
105	Clustering of diet, physical activity and smoking and a general willingness to change. <i>Psychology and Health</i> , 2008, 23, 265-278.	2.2	49
106	Development of Web-Based Computer-Tailored Advice to Promote Physical Activity Among People Older Than 50 years. <i>Journal of Medical Internet Research</i> , 2012, 14, e39.	4.3	49
107	Periodic Email Prompts to Re-Use an Internet-Delivered Computer-Tailored Lifestyle Program: Influence of Prompt Content and Timing. <i>Journal of Medical Internet Research</i> , 2013, 15, e23.	4.3	49
108	Determinants of Intention to Quit Smoking among Dutch Employees: The Influence of the Social Environment. <i>Preventive Medicine</i> , 1996, 25, 195-202.	3.4	48

#	ARTICLE	IF	CITATIONS
109	How recommender systems could support and enhance computer-tailored digital health programs: A scoping review. <i>Digital Health</i> , 2019, 5, 205520761882472.	1.8	48
110	Effects of a Web-Based Computer-Tailored Game to Reduce Binge Drinking Among Dutch Adolescents: A Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e29.	4.3	48
111	Distinct pathways to persuasion: The role of affect in message framing effects. <i>European Journal of Social Psychology</i> , 2010, 40, 1261-1276.	2.4	47
112	Thinking versus feeling: Differentiating between cognitive and affective components of perceived cancer risk. <i>Psychology and Health</i> , 2012, 27, 767-783.	2.2	47
113	Psycho-social Determinants and Motivational Phases in Smoking Behavior of Cardiac Inpatients. <i>Preventive Medicine</i> , 1998, 27, 738-747.	3.4	46
114	Predicting Condom Use in South Africa: A Test of Two Integrative Models. <i>AIDS and Behavior</i> , 2014, 18, 135-145.	2.7	46
115	A randomized controlled trial evaluating the effectiveness of a web-based, computer-tailored self-management intervention for people with or at risk for COPD. <i>International Journal of COPD</i> , 2015, 10, 1061.	2.3	46
116	Comparing a Video and Text Version of a Web-Based Computer-Tailored Intervention for Obesity Prevention: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e236.	4.3	46
117	Effectiveness of a Web-Based Computer-Tailored Multiple-Lifestyle Intervention for People Interested in Reducing their Cardiovascular Risk: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e78.	4.3	46
118	Social influence and selection effects in the context of smoking behavior: Changes during early and mid adolescence.. <i>Health Psychology</i> , 2009, 28, 73-82.	1.6	45
119	The Influence of User Characteristics and a Periodic Email Prompt on Exposure to an Internet-Delivered Computer-Tailored Lifestyle Program. <i>Journal of Medical Internet Research</i> , 2012, 14, e40.	4.3	45
120	Effects of a Web-Based Tailored Intervention to Reduce Alcohol Consumption in Adults: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e206.	4.3	45
121	Self-Efficacy and Emotional Adjustment as Precursors of Smoking in Early Adolescence. <i>Substance Use and Misuse</i> , 2005, 40, 1883-1893.	1.4	44
122	Short- and long-term effects of tailored information versus general information on determinants and intentions related to early detection of cancer. <i>Preventive Medicine</i> , 2004, 38, 694-703.	3.4	43
123	The influence of newspaper coverage and a media campaign on smokers' support for smoke-free bars and restaurants and on secondhand smoke harm awareness: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Tobacco Control</i> , 2012, 21, 24-29.	3.2	43
124	Too old for technology? Stereotype threat and technology use by older adults. <i>Behaviour and Information Technology</i> , 2022, 41, 1503-1514.	4.0	43
125	Program Completion of a Web-Based Tailored Lifestyle Intervention for Adults: Differences between a Sequential and a Simultaneous Approach. <i>Journal of Medical Internet Research</i> , 2012, 14, e26.	4.3	43
126	Is parenting style a context for smoking-specific parenting practices?. <i>Drug and Alcohol Dependence</i> , 2007, 89, 116-125.	3.2	42

#	ARTICLE	IF	CITATIONS
127	An Economic Evaluation of a Video- and Text-Based Computer-Tailored Intervention for Smoking Cessation: A Cost-Effectiveness and Cost-Utility Analysis of a Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e110117.	2.5	42
128	A breast-feeding promotion and support program a randomized trial in the Netherlands. <i>Preventive Medicine</i> , 2005, 40, 60-70.	3.4	41
129	The working mechanisms of an environmentally tailored physical activity intervention for older adults: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 83.	4.6	41
130	Understanding the Positive Associations of Sleep, Physical Activity, Fruit and Vegetable Intake as Predictors of Quality of Life and Subjective Health Across Age Groups: A Theory Based, Cross-Sectional Web-Based Study. <i>Frontiers in Psychology</i> , 2018, 9, 977.	2.1	41
131	Reducing Alcohol Use During Pregnancy Via Health Counseling by Midwives and Internet-Based Computer-Tailored Feedback: A Cluster Randomized Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e274.	4.3	41
132	Usability Evaluation of an Online, Tailored Self-Management Intervention for Chronic Obstructive Pulmonary Disease Patients Incorporating Behavior Change Techniques. <i>JMIR Research Protocols</i> , 2013, 2, e3.	1.0	41
133	A randomized controlled trial of Web-based Attentional Bias Modification to help smokers quit.. <i>Health Psychology</i> , 2016, 35, 870-880.	1.6	40
134	Self-Evaluation and Motivation To Change: Social Cognitive Constructs In Smoking Cessation. <i>Psychology and Health</i> , 1999, 14, 747-759.	2.2	39
135	The Behavioral Determinants of Breast-Feeding in the Netherlands: Predictors for the Initiation of Breast-Feeding. <i>Health Education and Behavior</i> , 2005, 32, 809-824.	2.5	39
136	Nurse adherence to a minimalâ€œcontact smoking cessation intervention on cardiac wards. <i>Research in Nursing and Health</i> , 2007, 30, 429-444.	1.6	39
137	Action planning as predictor of health protective and health risk behavior: an investigation of fruit and snack consumption. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 69.	4.6	39
138	Social influence, intention to smoke, and adolescent smoking behaviour longitudinal relations. <i>British Journal of Health Psychology</i> , 2011, 16, 779-798.	3.5	39
139	Economic Evaluation of a Web-Based Tailored Lifestyle Intervention for Adults: Findings Regarding Cost-Effectiveness and Cost-Utility From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e91.	4.3	39
140	Impact of Educational Level on Study Attrition and Evaluation of Web-Based Computer-Tailored Interventions: Results From Seven Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2015, 17, e228.	4.3	39
141	Clusters of precontemplating smokers defined by the perception of the pros, cons, and self-efficacy. <i>Addictive Behaviors</i> , 2000, 25, 373-385.	3.0	38
142	Effects of in-school and tailored out-of-school smoking prevention among Dutch vocational school students. <i>Health Education Research</i> , 2004, 19, 51-63.	1.9	38
143	The motivational determinants of breast-feeding: Predictors for the continuation of breast-feeding. <i>Preventive Medicine</i> , 2006, 43, 394-401.	3.4	38
144	The Relations Between Parents' Smoking, General Parenting, Parental Smoking Communication, and Adolescents' Smoking. <i>Journal of Research on Adolescence</i> , 2010, 20, 140-165.	3.7	38

#	ARTICLE	IF	CITATIONS
145	A web-based computer-tailored smoking prevention programme for primary school children: intervention design and study protocol. <i>BMC Public Health</i> , 2012, 12, 277.	2.9	38
146	Smoking Cessation Treatment Practices. <i>Journal of Cardiovascular Nursing</i> , 2013, 28, 35-47.	1.1	38
147	Short- and Medium-Term Efficacy of a Web-Based Computer-Tailored Nutrition Education Intervention for Adults Including Cognitive and Environmental Feedback: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e23.	4.3	38
148	Factors determining cardiac nurses' intentions to continue using a smoking cessation protocol. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2002, 31, 15-24.	1.6	37
149	Nicotine Dependence and Withdrawal Symptoms among Occasional Smokers. <i>Journal of Adolescent Health</i> , 2007, 40, 144-150.	2.5	37
150	Vitalum study design: RCT evaluating the efficacy of tailored print communication and telephone motivational interviewing on multiple health behaviors. <i>BMC Public Health</i> , 2008, 8, 216.	2.9	37
151	Effects of a Teenage Pregnancy Prevention Program in KwaZulu-Natal, South Africa. <i>Health Care for Women International</i> , 2014, 35, 845-858.	1.1	37
152	The influence of best friends and siblings on adolescent smoking: A longitudinal study. <i>Psychology and Health</i> , 2007, 22, 269-289.	2.2	36
153	Cross-sectional associations between multiple lifestyle behaviours and excellent well-being in Australian adults. <i>Preventive Medicine</i> , 2018, 116, 119-125.	3.4	36
154	Focus points for school health promotion improvements in Dutch primary schools. <i>Health Education Research</i> , 2006, 22, 58-69.	1.9	35
155	A Mobile Health Solution Complementing Psychopharmacology-Supported Smoking Cessation: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020, 8, e17530.	3.7	35
156	Do self-help interventions in health education lead to cognitive changes, and do cognitive changes lead to behavioural change?. <i>British Journal of Health Psychology</i> , 2001, 6, 121-134.	3.5	34
157	Long-term health outcomes and cost-effectiveness of a computer-tailored physical activity intervention among people aged over fifty: modelling the results of a randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 1099.	2.9	34
158	Sociocognitive Predictors of Condom Use and Intentions Among Adolescents in Three Sub-Saharan Sites. <i>Archives of Sexual Behavior</i> , 2016, 45, 353-365.	1.9	34
159	Parenting style and adolescent smoking cognitions and behaviour. <i>Psychology and Health</i> , 2007, 22, 575-593.	2.2	33
160	Longitudinal effects of the European smoking prevention framework approach (ESFA) project in Spanish adolescents. <i>European Journal of Public Health</i> , 2008, 18, 491-497.	0.3	33
161	General practice counseling for patients with chronic obstructive pulmonary disease to quit smoking: Impact after 1 year of two complex interventions. <i>Patient Education and Counseling</i> , 2011, 83, 120-124.	2.2	33
162	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1474-1482.	2.6	33

#	ARTICLE	IF	CITATIONS
163	Tailoring motivational health messages for smoking cessation using an mHealth recommender system integrated with an electronic health record: a study protocol. <i>BMC Public Health</i> , 2018, 18, 698.	2.9	33
164	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 64.	4.6	32
165	Validation of smoking cessation self-reported by patients with chronic obstructive pulmonary disease. <i>International Journal of General Medicine</i> , 2011, 4, 85.	1.8	32
166	The influence of narrative risk communication on feelings of cancer risk. <i>British Journal of Health Psychology</i> , 2013, 18, 407-419.	3.5	32
167	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1101-1108.	2.6	32
168	Predicting parental sunscreen use: Disentangling the role of action planning in the intention-behavior relationship. <i>Psychology and Health</i> , 2008, 23, 829-847.	2.2	31
169	The PAS study: A randomized controlled trial evaluating the effectiveness of a web-based multiple tailored smoking cessation programme and tailored counselling by practice nurses. <i>Contemporary Clinical Trials</i> , 2010, 31, 251-258.	1.8	31
170	Self-efficacy mediates the impact of craving on smoking abstinence in low to moderately anxious patients: Results of a moderated mediation approach. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 113-124.	2.1	31
171	Adolescents' Beliefs About Forced Sex in KwaZulu-Natal, South Africa. <i>Archives of Sexual Behavior</i> , 2014, 43, 1087-1095.	1.9	31
172	The influence of pre-motivational factors on behavior via motivational factors: a test of the I-Change model. <i>BMC Psychology</i> , 2019, 7, 7.	2.1	31
173	A Review of the Theoretical Basis, Effects, and Cost Effectiveness of Online Smoking Cessation Interventions in the Netherlands: A Mixed-Methods Approach. <i>Journal of Medical Internet Research</i> , 2017, 19, e230.	4.3	31
174	Tailored versus general information on early detection of cancer: a comparison of the reactions of Dutch adults and the impact on attitudes and behaviors. <i>Health Education Research</i> , 2002, 17, 239-252.	1.9	30
175	Unplanned smoking initiation: new insights and implications for interventions. <i>Patient Education and Counseling</i> , 2004, 55, 345-352.	2.2	30
176	Beliefs of Turkish and Moroccan immigrants in The Netherlands about smoking cessation: implications for prevention. <i>Health Education Research</i> , 2005, 20, 622-634.	1.9	30
177	Progression of oral snuff use among Finnish 13-16-year-old students and its relation to smoking behaviour. <i>Addiction</i> , 2006, 101, 581-589.	3.3	30
178	Examining the Influence of Self-Efficacy on Message-Framing Effects: Reducing Salt Consumption in the General Population. <i>Basic and Applied Social Psychology</i> , 2010, 32, 165-172.	2.1	30
179	Study protocol of a Dutch smoking cessation e-health program. <i>BMC Public Health</i> , 2011, 11, 847.	2.9	30
180	Longitudinal Study of Relations Between School Achievement and Smoking Behavior Among Secondary School Students in Finland: Results of the ESFA Study. <i>Substance Use and Misuse</i> , 2011, 46, 569-579.	1.4	30

#	ARTICLE	IF	CITATIONS
181	Influence of recruitment strategy on the reach and effect of a web-based multiple tailored smoking cessation intervention among Dutch adult smokers. <i>Health Education Research</i> , 2012, 27, 191-199.	1.9	30
182	Effectiveness of a telephone delivered and a face-to-face delivered counseling intervention for smoking cessation in patients with coronary heart disease: a 6-month follow-up. <i>Journal of Behavioral Medicine</i> , 2014, 37, 709-24.	2.1	30
183	Self-Reporting of Smoking Cessation in Cardiac Patients. <i>Journal of Addiction Medicine</i> , 2015, 9, 308-316.	2.6	30
184	Exploring the gateway hypothesis of e-cigarettes and tobacco: a prospective replication study among adolescents in the Netherlands and Flanders. <i>Tobacco Control</i> , 2023, 32, 170-178.	3.2	30
185	Long-Term Effectiveness of Two Dutch Work Site Smoking Cessation Programs. <i>Health Education and Behavior</i> , 1998, 25, 418-435.	2.5	29
186	Determinants of adoption of cognitive behavioral interventions in a hospital setting: Example of a minimal-contact smoking cessation intervention for cardiology wards. <i>Patient Education and Counseling</i> , 2006, 61, 262-271.	2.2	29
187	EQUIPT: protocol of a comparative effectiveness research study evaluating cross-context transferability of economic evidence on tobacco control. <i>BMJ Open</i> , 2014, 4, e006945.	1.9	29
188	Integrating a tailored e-health self-management application for chronic obstructive pulmonary disease patients into primary care: a pilot study. <i>BMC Family Practice</i> , 2014, 15, 4.	2.9	29
189	Associations between tobacco control policy awareness, social acceptability of smoking and smoking cessation. Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Health Education Research</i> , 2014, 29, 72-82.	1.9	29
190	Effectiveness of video- versus text-based computer-tailored smoking cessation interventions among smokers after one year. <i>Preventive Medicine</i> , 2016, 82, 42-50.	3.4	29
191	Internet based Computer Tailored Feedback on Sunscreen Use. <i>Journal of Medical Internet Research</i> , 2012, 14, e48.	4.3	29
192	A Web-Based Computer-Tailored Alcohol Prevention Program for Adolescents: Cost-Effectiveness and Intersectoral Costs and Benefits. <i>Journal of Medical Internet Research</i> , 2016, 18, e93.	4.3	29
193	The Effectiveness of a Computer-Tailored E-Learning Program for Practice Nurses to Improve Their Adherence to Smoking Cessation Counseling Guidelines: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e193.	4.3	29
194	Determinants of smoking among adolescents in the Southern Cape-Karoo region, South Africa. <i>Health Promotion International</i> , 2007, 22, 207-217.	1.8	28
195	The formation of specific action plans can enhance sun protection behavior in motivated parents. <i>Preventive Medicine</i> , 2008, 47, 127-132.	3.4	28
196	Need for a New Skin Cancer Management Strategy. <i>Archives of Dermatology</i> , 2010, 146, 332-6.	1.4	28
197	Systematic development of a text-driven and a video-driven web-based computer-tailored obesity prevention intervention. <i>BMC Public Health</i> , 2013, 13, 978.	2.9	28
198	Habit as moderator of the intention-physical activity relationship in older adults: a longitudinal study. <i>Psychology and Health</i> , 2013, 28, 514-532.	2.2	28

#	ARTICLE	IF	CITATIONS
199	Generating and predicting high quality action plans to facilitate physical activity and fruit and vegetable consumption: results from an experimental arm of a randomised controlled trial. BMC Public Health, 2016, 16, 317.	2.9	28
200	The determinants of four cancer-related risk behaviours. Health Education Research, 1993, 8, 461-472.	1.9	27
201	Participation in an Employee Fitness Program. Journal of Occupational and Environmental Medicine, 1995, 37, 429-436.	1.7	27
202	Testing a Dutch web-based tailored lifestyle programme among adults: a study protocol. BMC Public Health, 2011, 11, 108.	2.9	27
203	Electronic Cigarettes—Attitudes and Use in Germany. Nicotine and Tobacco Research, 2016, 18, 660-669.	2.6	27
204	A Web-Based and Print-Based Computer-Tailored Physical Activity Intervention for Prostate and Colorectal Cancer Survivors: A Comparison of User Characteristics and Intervention Use. Journal of Medical Internet Research, 2017, 19, e298.	4.3	27
205	What determines future smoking intentions of 12- to 13-year-old UK African-Caribbean, Indian, Pakistani and white young people?. Health Education Research, 2004, 19, 15-28.	1.9	26
206	Clustering of drinker prototype characteristics: What characterizes the typical drinker?. British Journal of Psychology, 2013, 104, 382-399.	2.3	26
207	A Web-based computer-tailored game to reduce binge drinking among 16 to 18-year old Dutch adolescents: development and study protocol. BMC Public Health, 2014, 14, 1054.	2.9	26
208	Health literacy in patients dealing with gout: a qualitative study. Clinical Rheumatology, 2015, 34, 1599-1603.	2.2	26
209	Effect of the PREPARE intervention on sexual initiation and condom use among adolescents aged 12–14: a cluster randomised controlled trial in Dar es Salaam, Tanzania. BMC Public Health, 2017, 17, 322.	2.9	26
210	E-Liquid Flavor Preferences and Individual Factors Related to Vaping: A Survey among Dutch Never-Users, Smokers, Dual Users, and Exclusive Vapers. International Journal of Environmental Research and Public Health, 2019, 16, 4661.	2.6	26
211	Feasibility of implementation of a Dutch smoking cessation and relapse prevention protocol for pregnant women. Patient Education and Counseling, 2003, 49, 35-43.	2.2	25
212	Impact of a primary care intervention on smoking, drinking, diet, weight, sun exposure, and work risk in families with cancer experience. Cancer Causes and Control, 2007, 18, 525-535.	1.8	25
213	Too Old for Computers? The Longitudinal Relationship Between Stereotype Threat and Computer Use by Older Adults. Frontiers in Psychology, 2020, 11, 568972.	2.1	25
214	Psychosocial correlates of leisure-time walking among Australian adults of lower and higher socio-economic status. Health Education Research, 2010, 25, 316-324.	1.9	24
215	Are clusters of dietary patterns and cluster membership stable over time? Results of a longitudinal cluster analysis study. Appetite, 2014, 82, 154-159.	3.7	24
216	Cost-Effectiveness of Smoking Cessation Modalities: Comparing Apples with Oranges?. Preventive Medicine, 1996, 25, 708-716.	3.4	23

#	ARTICLE	IF	CITATIONS
217	Determinants of smoking cessation among adolescents in South Africa. <i>Health Education Research</i> , 2005, 20, 586-599.	1.9	23
218	Self-efficacy as a Potential Moderator of the Effects of Framed Health Messages. <i>Journal of Health Psychology</i> , 2011, 16, 199-207.	2.3	23
219	Risk groups and predictors of short-term abstinence from smoking in patients with coronary heart disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2012, 41, 332-343.	1.6	23
220	Determinants of practice nurses' intention to implement a new smoking cessation intervention: the importance of attitude and innovation characteristics. <i>Journal of Advanced Nursing</i> , 2013, 69, 2665-2674.	3.3	23
221	Determinants of binge drinking in a permissive environment: focus group interviews with Dutch adolescents and parents. <i>BMC Public Health</i> , 2013, 13, 882.	2.9	23
222	Understanding the stakeholders'™ intention to use economic decision-support tools: A cross-sectional study with the tobacco return on investment tool. <i>Health Policy</i> , 2016, 120, 46-54.	3.0	23
223	Exploring beliefs on diabetes treatment adherence among Dutch type 2 diabetes patients and healthcare providers. <i>Patient Education and Counseling</i> , 2018, 101, 92-98.	2.2	23
224	Efficacy of a Web-Based Computer-Tailored Smoking Prevention Intervention for Dutch Adolescents: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e82.	4.3	23
225	Drinker Prototype Alteration and Cue Reminders as Strategies in a Tailored Web-Based Intervention Reducing Adults'™ Alcohol Consumption: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e35.	4.3	23
226	Use and Effectiveness of a Video- and Text-Driven Web-Based Computer-Tailored Intervention: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e222.	4.3	23
227	Saying "No" to Environmental Tobacco Smoke: Determinants of Assertiveness among Nonsmoking Employees. <i>Preventive Medicine</i> , 1996, 25, 575-582.	3.4	22
228	Planning health behaviour change: Comparing the behavioural influence of two types of self-regulatory planning. <i>British Journal of Health Psychology</i> , 2010, 15, 133-149.	3.5	22
229	Habit as mediator of the relationship between prior and later physical activity: A longitudinal study in older adults. <i>Psychology of Sport and Exercise</i> , 2015, 19, 95-102.	2.1	22
230	Reaching the hard to reach: longitudinal investigation of adolescents'™ attendance at an after-school sexual and reproductive health programme in Western Cape, South Africa. <i>BMC Public Health</i> , 2015, 15, 608.	2.9	22
231	A deliberate choice? Exploring factors related to informed decision-making about childhood vaccination among acceptors, refusers, and partial acceptors. <i>Vaccine</i> , 2019, 37, 5637-5644.	3.8	22
232	Influence of Delivery Strategy on Message-Processing Mechanisms and Future Adherence to a Dutch Computer-Tailored Smoking Cessation Intervention. <i>Journal of Medical Internet Research</i> , 2013, 15, e28.	4.3	22
233	Associations between abstainer, moderate and heavy drinker prototypes and drinking behaviour in young adults. <i>Psychology and Health</i> , 2013, 28, 1407-1423.	2.2	21
234	Similarities and differences in underlying beliefs of socio-cognitive factors related to diet and physical activity in lower-educated Dutch, Turkish, and Moroccan adults in the Netherlands: a focus group study. <i>BMC Public Health</i> , 2016, 16, 813.	2.9	21

#	ARTICLE	IF	CITATIONS
235	Verbal Bullying Changes Among Students Following an Educational Intervention Using the Integrated Model for Behavior Change. <i>Journal of School Health</i> , 2016, 86, 813-822.	1.6	21
236	Effectiveness of a Video-Versus Text-Based Computer-Tailored Intervention for Obesity Prevention after One Year: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1275.	2.6	21
237	Awareness, use and perceptions of cigarillos, heated tobacco products and nicotine pouches: A survey among Dutch adolescents and adults. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109136.	3.2	21
238	Effect of recruitment method and setting on the composition of samples consisting of adult smokers. <i>Patient Education and Counseling</i> , 2007, 65, 79-86.	2.2	20
239	Does the workplace-smoking ban eliminate differences in risk for environmental tobacco smoke exposure at work?. <i>Health Policy</i> , 2009, 92, 197-202.	3.0	20
240	Factors influencing Dutch practice nurses'™ intention to adopt a new smoking cessation intervention. <i>Journal of Advanced Nursing</i> , 2012, 68, 2185-2194.	3.3	20
241	Designing a theory- and evidence-based tailored eHealth rehabilitation aftercare program in Germany and the Netherlands: study protocol. <i>BMC Public Health</i> , 2013, 13, 1081.	2.9	20
242	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. <i>Tobacco Control</i> , 2016, 25, 325-332.	3.2	20
243	Electronic monitoring and health promotion: an evaluation of the E-MOVO Web site by adolescents. <i>Health Education Research</i> , 2008, 23, 382-391.	1.9	19
244	Alerting the general population to genetic risks: The value of health messages communicating the existence of genetic risk factors for public health promotion.. <i>Health Psychology</i> , 2009, 28, 734-745.	1.6	19
245	Age and educational inequalities in smoking cessation due to three population-level tobacco control interventions: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health Education Research</i> , 2013, 28, 83-91.	1.9	19
246	Partner's™ Influences and Other Correlates of Prenatal Alcohol Use. <i>Maternal and Child Health Journal</i> , 2015, 19, 908-916.	1.5	19
247	Web-based interventions to decrease alcohol use in adolescents: a Delphi study about increasing effectiveness and reducing drop-out. <i>BMC Public Health</i> , 2015, 15, 340.	2.9	19
248	Similarities and differences between stakeholders'™ opinions on using Health Technology Assessment (HTA) information across five European countries: results from the EQUIPT survey. <i>Health Research Policy and Systems</i> , 2016, 14, 38.	2.8	19
249	Smoking cessation in cardiac patients: the influence of action plans, coping plans and self-efficacy on quitting smoking. <i>Health Education Research</i> , 2016, 31, 350-362.	1.9	19
250	A longitudinal study on how implicit attitudes and explicit cognitions synergistically influence physical activity intention and behavior. <i>BMC Psychology</i> , 2018, 6, 18.	2.1	19
251	Opening the Black Box: Explaining the Process of Basing a Health Recommender System on the I-Change Behavioral Change Model. <i>IEEE Access</i> , 2019, 7, 176525-176540.	4.2	19
252	A Web-Based, Computer-Tailored Smoking Prevention Program to Prevent Children From Starting to Smoke After Transferring to Secondary School: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e59.	4.3	19

#	ARTICLE	IF	CITATIONS
253	COVID-19 Vaccine Hesitancy: The Role of Information Sources and Beliefs in Dutch Adults. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3205.	2.6	19
254	Prevention of Lyme Disease in Dutch Children: Analysis of Determinants of Tick Inspection by Parents. <i>Preventive Medicine</i> , 2002, 35, 160-165.	3.4	18
255	Attitudes, social influences and self-efficacy expectations across different motivational stages among immigrant smokers: Replication of the â... pattern. <i>Preventive Medicine</i> , 2006, 43, 306-311.	3.4	18
256	Effectiveness of a smoking cessation intervention in Dutch pharmacies and general practices. <i>Health Education</i> , 2010, 110, 17-29.	0.9	18
257	The role of risk perception in explaining parental sunscreen use. <i>Psychology and Health</i> , 2012, 27, 1342-1358.	2.2	18
258	Long-term efficacy of a Web-based computer-tailored nutrition education intervention for adults including cognitive and environmental feedback: a randomized controlled trial. <i>BMC Public Health</i> , 2015, 15, 372.	2.9	18
259	Barriers and Facilitators for Health Behavior Change among Adults from Multi-Problem Households: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1229.	2.6	18
260	Practical Nutrition Knowledge Mediates the Relationship Between Sociodemographic Characteristics and Diet Quality in Adults: A Cross-Sectional Analysis. <i>American Journal of Health Promotion</i> , 2020, 34, 59-62.	1.7	18
261	Exploring Determinants of Condom Use among University Students in Sudan. <i>Archives of Sexual Behavior</i> , 2020, 49, 1379-1391.	1.9	18
262	Gender factors associated with sexual abstinent behaviour of rural South African high school going youth in KwaZulu-Natal, South Africa. <i>Health Education Research</i> , 2009, 24, 450-460.	1.9	17
263	Eating in moderation and the essential role of awareness. A Dutch longitudinal study identifying psychosocial predictors. <i>Appetite</i> , 2015, 87, 152-159.	3.7	17
264	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2016, 29, 73-79.	3.3	17
265	A Web-Based Computer-Tailored Program to Improve Treatment Adherence in Patients With Type 2 Diabetes: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e18524.	4.3	17
266	Bi-directional relations between anti-smoking parenting practices and adolescent smoking in a Dutch sample.. <i>Health Psychology</i> , 2007, 26, 762-768.	1.6	16
267	Examining direct and indirect pathways to health behaviour: The influence of cognitive and affective probability beliefs. <i>Psychology and Health</i> , 2013, 28, 546-560.	2.2	16
268	Sun protection during snow sports: an analysis of behavior and psychosocial determinants. <i>Health Education Research</i> , 2015, 30, 380-387.	1.9	16
269	Identifying binge drinkers based on parenting dimensions and alcohol-specific parenting practices: building classifiers on adolescent-parent paired data. <i>BMC Public Health</i> , 2015, 15, 747.	2.9	16
270	Parenting practices and styles associated with adolescent sexual health in Dar es Salaam, Tanzania. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1467-1472.	1.2	16

#	ARTICLE	IF	CITATIONS
271	Brief report: Compensatory health beliefs are negatively associated with intentions for regular fruit and vegetable consumption when self-efficacy is low. <i>Journal of Health Psychology</i> , 2017, 22, 1094-1100.	2.3	16
272	Does the discrepancy between implicit and explicit attitudes moderate the relationships between explicit attitude and (intention to) being physically active?. <i>BMC Psychology</i> , 2019, 7, 52.	2.1	16
273	Parents modelling, peer influence and peer selection impact on adolescent smoking behavior: A longitudinal study in two age cohorts. <i>Addictive Behaviors</i> , 2020, 100, 106131.	3.0	16
274	Implementing primary healthcare-based measurement, advice and treatment for heavy drinking and comorbid depression at the municipal level in three Latin American countries: final protocol for a quasiexperimental study (SCALA study). <i>BMJ Open</i> , 2020, 10, e038226.	1.9	16
275	A Web-Based, Computer-Tailored Intervention to Reduce Alcohol Consumption and Binge Drinking Among Spanish Adolescents: Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15438.	4.3	16
276	Health Effects of Underground Workspaces cohort: study design and baseline characteristics. <i>Epidemiology and Health</i> , 2019, 41, e2019025.	1.9	16
277	The Dutch cancer information helpline: More critical patients after 10 years. <i>Patient Education and Counseling</i> , 2006, 63, 215-222.	2.2	15
278	Preaching to the choir? The influence of personal relevance on the effects of gain- and loss-framed health-promoting messages. <i>Journal of Health Psychology</i> , 2012, 17, 712-723.	2.3	15
279	A randomised controlled trial testing a web-based, computer-tailored self-management intervention for people with or at risk for chronic obstructive pulmonary disease: a study protocol. <i>BMC Public Health</i> , 2013, 13, 557.	2.9	15
280	Predicting fruit consumption: the role of habits, previous behavior and mediation effects. <i>BMC Public Health</i> , 2014, 14, 730.	2.9	15
281	Explaining young adults' drinking behaviour within an augmented Theory of Planned Behaviour: Temporal stability of drinker prototypes. <i>British Journal of Health Psychology</i> , 2015, 20, 305-323.	3.5	15
282	A longitudinal study on determinants of the intention to start smoking among Non-smoking boys and girls of high and low socioeconomic status. <i>BMC Public Health</i> , 2015, 15, 648.	2.9	15
283	Is Action Planning Helpful for Smoking Cessation? Assessing the Effects of Action Planning in a Web-Based Computer-Tailored Intervention. <i>Substance Use and Misuse</i> , 2015, 50, 1249-1260.	1.4	15
284	Predicting Primary and Secondary Abstinence Among Adolescent Boys and Girls in the Western Cape, South Africa. <i>AIDS and Behavior</i> , 2017, 21, 1417-1428.	2.7	15
285	Design, implementation and evaluation of a web-based computer-tailored intervention to prevent binge drinking in adolescents: study protocol. <i>BMC Public Health</i> , 2018, 18, 449.	2.9	15
286	Is it cost-effective to provide internet-based interventions to complement the current provision of smoking cessation services in the Netherlands? An analysis based on the EQUIPTMOD. <i>Addiction</i> , 2018, 113, 87-95.	3.3	15
287	A recommender system to quit smoking with mobile motivational messages: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 618.	1.6	15
288	Comparison of statistical analysis methods for object case best-worst scaling. <i>Journal of Medical Economics</i> , 2019, 22, 509-515.	2.1	15

#	ARTICLE	IF	CITATIONS
289	Message frame and self-efficacy influence the persuasiveness of nutrition information in a fast-food restaurant. <i>Food Quality and Preference</i> , 2013, 29, 1-5.	4.6	14
290	Effectiveness of a national reimbursement policy and accompanying media attention on use of cessation treatment and on smoking cessation: a real-world study in the Netherlands. <i>Tobacco Control</i> , 2015, 24, 455-461.	3.2	14
291	The Linkage Approach Applied to a School-Based Smoking Prevention Program in the Netherlands. <i>Journal of School Health</i> , 1993, 63, 339-342.	1.6	13
292	Intention to adopt a smoking cessation expert system within a self-selected sample of Dutch general practitioners. <i>European Journal of Cancer Prevention</i> , 2006, 15, 82-86.	1.3	13
293	Optimizing the efficacy of smoking cessation contests: an exploration of determinants of successful quitting. <i>Health Education Research</i> , 2008, 24, 54-63.	1.9	13
294	Exploring beliefs about dietary supplement use: focus group discussions with Dutch adults. <i>Public Health Nutrition</i> , 2017, 20, 2694-2705.	2.2	13
295	A Deliberate Choice? Exploring the Decision to Switch from Cigarettes to E-Cigarettes. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 624.	2.6	13
296	Psychological predictors of adherence to oral hypoglycaemic agents: an application of the ProMAS questionnaire. <i>Psychology and Health</i> , 2020, 35, 387-404.	2.2	13
297	Identifying the Most Autonomy-Supportive Message Frame in Digital Health Communication: A 2x2 Between-Subjects Experiment. <i>Journal of Medical Internet Research</i> , 2019, 21, e14074.	4.3	13
298	Explaining socio-economic differences in intention to smoke among primary school children. <i>BMC Public Health</i> , 2014, 14, 191.	2.9	12
299	Predicting safe sex: Assessment of autoregressive and cross-lagged effects within the Theory of Planned Behavior. <i>Journal of Health Psychology</i> , 2015, 20, 1397-1404.	2.3	12
300	Economic evaluation of a telephone- and face-to-face-delivered counseling intervention for smoking cessation in patients with coronary heart disease. <i>European Journal of Health Economics</i> , 2016, 17, 269-285.	2.8	12
301	Dutch practice nurses' adherence to evidence-based smoking cessation treatment guidelines. <i>Family Practice</i> , 2017, 34, 685-691.	1.9	12
302	Smoking uptake among Saudi adolescents: tobacco epidemic indicators and preventive actions needed. <i>Global Health Promotion</i> , 2018, 25, 6-15.	1.3	12
303	Internet use by middle-aged and older adults: Longitudinal relationships with functional ability, social support, and self-perceptions of aging.. <i>Psychology and Aging</i> , 2021, 36, 983-995.	1.6	12
304	Effects of a Workplace-Smoking Ban in Combination With Tax Increases on Smoking in the Dutch Population. <i>Nicotine and Tobacco Research</i> , 2011, 13, 412-418.	2.6	11
305	MOST IMPORTANT BARRIERS AND FACILITATORS REGARDING THE USE OF HEALTH TECHNOLOGY ASSESSMENT. <i>International Journal of Technology Assessment in Health Care</i> , 2017, 33, 183-191.	0.5	11
306	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.3	11

#	ARTICLE	IF	CITATIONS
307	Beliefs About Sexual Intimate Partner Violence Perpetration Among Adolescents in South Africa. <i>Journal of Interpersonal Violence</i> , 2021, 36, NP2056-2078NP.	2.0	11
308	Do Email and Mobile Phone Prompts Stimulate Primary School Children to Reuse an Internet-Delivered Smoking Prevention Intervention?. <i>Journal of Medical Internet Research</i> , 2014, 16, e86.	4.3	11
309	Why are Spanish Adolescents Binge Drinkers? Focus Group with Adolescents and Parents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3551.	2.6	11
310	Skin cancer prevention behaviours during summer holidays in 14 and 18-year-old Belgian adolescents. <i>European Journal of Cancer Prevention</i> , 2006, 15, 431-438.	1.3	10
311	Intended Coping Responses to Cancer Symptoms in Healthy Adults: The Roles of Symptom Knowledge, Detection Behavior, and Perceived Threat. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 818-826.	2.5	10
312	Effects of a randomized controlled trial to assess the six-months effects of a school based smoking prevention program in Saudi Arabia. <i>Preventive Medicine</i> , 2016, 90, 100-106.	3.4	10
313	Exploring individual cognitions, self-regulation skills, and environmental-level factors as mediating variables of two versions of a Web-based computer-tailored nutrition education intervention aimed at adults: A randomized controlled trial. <i>Appetite</i> , 2016, 98, 101-114.	3.7	10
314	Counselor competence for telephone Motivation Interviewing addressing lifestyle change among Dutch older adults. <i>Evaluation and Program Planning</i> , 2017, 65, 47-53.	1.6	10
315	An economic evaluation of a computer-tailored e-learning program to promote smoking cessation counseling guideline adherence among practice nurses. <i>Patient Education and Counseling</i> , 2019, 102, 1802-1811.	2.2	10
316	Examining the Factor Structure of the Pittsburgh Sleep Quality Index in a Multi-Ethnic Working Population in Singapore. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4590.	2.6	10
317	Impact of Training and Municipal Support on Primary Health Care-Based Measurement of Alcohol Consumption in Three Latin American Countries: 5-Month Outcome Results of the Quasi-experimental Randomized SCALA Trial. <i>Journal of General Internal Medicine</i> , 2021, 36, 2663-2671.	2.6	10
318	Using the Social-Local-Mobile App for Smoking Cessation in the SmokeFreeBrain Project: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2018, 7, e12464.	1.0	10
319	Avoidance orientation moderates the effect of threatening messages. <i>Journal of Health Psychology</i> , 2012, 17, 14-25.	2.3	9
320	Compliance with the workplace-smoking ban in the Netherlands. <i>Health Policy</i> , 2013, 109, 200-206.	3.0	9
321	Prevalence and Risk Factors Associated with Forced-Sex Among South African High School Students. <i>Journal of Community Health</i> , 2017, 42, 1035-1043.	3.8	9
322	From action planning and plan enactment to fruit consumption: moderated mediation effects. <i>BMC Public Health</i> , 2017, 17, 832.	2.9	9
323	Dating SOS: a systematic and theory-based development of a web-based tailored intervention to prevent dating violence among Brazilian youth. <i>BMC Public Health</i> , 2020, 20, 391.	2.9	9
324	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. <i>F1000Research</i> , 2017, 6, 311.	1.6	9

#	ARTICLE	IF	CITATIONS
325	Electronic cigarette use: comparing smokers, vapers, and dual users on characteristics and motivational factors. <i>Tobacco Prevention and Cessation</i> , 2017, 3, 8.	0.4	9
326	Scaling-up primary health care-based prevention and management of heavy drinking at the municipal level in middle-income countries in Latin America: Background and protocol for a three-country quasi-experimental study. <i>F1000Research</i> , 2017, 6, 311.	1.6	9
327	Authoritative parenting stimulates academic achievement, also partly via self-efficacy and intention towards getting good grades. <i>PLoS ONE</i> , 2022, 17, e0265595.	2.5	9
328	Smoking Prevention and Young People: using research to identify out-of-school intervention sites in three countries. <i>Educational Review</i> , 1996, 48, 143-152.	3.7	8
329	Avalia�o longitudinal de programa de preven�o do tabagismo para adolescentes. <i>Revista De Saude Publica</i> , 2011, 45, 344-354.	1.7	8
330	Are smokers interested in genetic testing for smoking addiction? A socio-cognitive approach. <i>Psychology and Health</i> , 2011, 26, 1099-1112.	2.2	8
331	Situational and Affective Risk Situations of Relapse and the Quality of Implementation Intentions in an E-Health Smoking Relapse Prevention Programme. <i>Substance Use and Misuse</i> , 2013, 48, 635-644.	1.4	8
332	Correlates of the Intention to Implement a Tailored Physical Activity Intervention: Perceptions of Intermediaries. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 1885-1903.	2.6	8
333	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	3.2	8
334	Rationale, design and baseline characteristics of a randomized controlled trial of a web-based computer-tailored physical activity intervention for adults from Quebec City. <i>BMC Public Health</i> , 2015, 15, 1038.	2.9	8
335	Self-efficacy: skip the main factor paradigm! A comment on Williams and Rhodes (2016). <i>Health Psychology Review</i> , 2016, 10, 140-143.	8.6	8
336	Modeling Longitudinal Relationships Between Habit and Physical Activity: Two Cross-Lagged Panel Design Studies in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2017, 25, 464-473.	1.0	8
337	Is Academic Achievement Related to Mediterranean Diet, Substance Use and Social-Cognitive Factors: Findings from Lebanese Adolescents. <i>Nutrients</i> , 2020, 12, 1535.	4.1	8
338	Should Individuals Be Informed about Their Salt Sensitivity Status? First Indications of the Value of Testing for Genetic Predisposition to Low-Risk Conditions. <i>Genetic Testing and Molecular Biomarkers</i> , 2007, 11, 307-314.	1.7	7
339	Access point analysis in smoking and nonsmoking adolescents: findings from the European Smoking Prevention Framework Approach study. <i>European Journal of Cancer Prevention</i> , 2007, 16, 257-265.	1.3	7
340	Perceptions and attitudes of secondary school students in Kwazulu-Natal towards virginity testing. <i>Health SA Gesondheid</i> , 2007, 12, .	0.8	7
341	Single-item and multiple-item measures of adherence to public health behavior guidelines were incongruent. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 75-84.	5.0	7
342	Are there income differences in the impact of a national reimbursement policy for smoking cessation treatment and accompanying media attention? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Drug and Alcohol Dependence</i> , 2014, 140, 183-190.	3.2	7

#	ARTICLE	IF	CITATIONS
343	Tailored eHealth Lifestyle Promotion: Which Behavioral Modules Do Users Prefer?. <i>Journal of Health Communication</i> , 2015, 20, 663-672.	2.4	7
344	Are action planning and physical activity mediators of the intention-habit relationship?. <i>Psychology of Sport and Exercise</i> , 2016, 27, 243-251.	2.1	7
345	Pictorial Cigarette Warning Labels: Effects of Severity and Likelihood of Risk Messages. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1315-1323.	2.6	7
346	Assessment of cost-effective changes to the current and potential provision of smoking cessation services: an analysis based on the EQUIPTMOD. <i>Addiction</i> , 2018, 113, 96-105.	3.3	7
347	Factors Associated with Acceptability, Consideration and Intention of Uptake of Direct-To-Consumer Genetic Testing: A Survey Study. <i>Public Health Genomics</i> , 2018, 21, 45-52.	1.0	7
348	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. <i>Drug and Alcohol Dependence</i> , 2020, 207, 107818.	3.2	7
349	The role of knowledge, risk perceptions, and cues to action among Iranian women concerning cervical cancer and screening: a qualitative exploration. <i>BMC Public Health</i> , 2020, 20, 1688.	2.9	7
350	Exploring factors influencing recruitment results of nurses recruiting diabetes patients for a randomized controlled trial. <i>Clinical Trials</i> , 2020, 17, 448-458.	1.6	7
351	Effects of the reform of the Dutch healthcare into managed competition: Results of a Delphi study among experts. <i>Health Policy</i> , 2021, 125, 27-33.	3.0	7
352	Influence of Animation- Versus Text-Based Delivery of a Web-Based Computer-Tailored Smoking Cessation Intervention on User Perceptions. <i>European Journal of Health Communication</i> , 2021, 2, 1-23.	1.0	7
353	Parenting style as longitudinal predictor of adolescents' health behaviors in Lebanon. <i>Health Education Research</i> , 2021, 36, 100-115.	1.9	7
354	Impact of a comprehensive worksite smoking cessation programme on employees who do not take part in cessation activities. <i>Psychology and Health</i> , 1999, 14, 887-895.	2.2	6
355	Access point analysis: what do adolescents in South Africa say about tobacco control programmes?. <i>Health Education Research</i> , 2006, 21, 393-406.	1.9	6
356	Knowledge, attitudes and preferences regarding genetic testing for smoking cessation. A cross-sectional survey among Dutch smokers. <i>BMJ Open</i> , 2012, 2, e000321.	1.9	6
357	Changing fit and fat bias using an implicit retraining task. <i>Psychology and Health</i> , 2014, 29, 796-812.	2.2	6
358	Which smoking cessation aids are proven effective according to smokers who want to quit smoking? A report from the Netherlands: Table A1. <i>Tobacco Control</i> , 2014, 23, 525-526.	3.2	6
359	Subgroups Among Smokers in Preparation: A Cluster Analysis Using the I-Change Model. <i>Substance Use and Misuse</i> , 2018, 53, 400-411.	1.4	6
360	A Multifactorial Approach to Sleep and Its Association with Health-Related Quality of Life in a Multiethnic Asian Working Population: A Cross-Sectional Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4147.	2.6	6

#	ARTICLE	IF	CITATIONS
361	Hereditary diseases and child wish: exploring motives, considerations, and the (joint) decision-making process of genetically at-risk couples. <i>Journal of Community Genetics</i> , 2021, 12, 325-335.	1.2	6
362	Some signals cannot wait: Effects of a national campaign on early detection of cancer among Dutch adults (>55 years). <i>Cancer Epidemiology</i> , 2009, 33, 194-200.	1.9	5
363	Depressive symptoms associated with psychological correlates of physical activity and perceived helpfulness of intervention features. <i>Mental Health and Physical Activity</i> , 2015, 9, 16-23.	1.8	5
364	Correlates of partner support to abstain from prenatal alcohol use: a cross-sectional survey among Dutch partners of pregnant women. <i>Health and Social Care in the Community</i> , 2016, 24, 614-622.	1.6	5
365	Feasibility and acceptability of a telephone- and face-to-face delivered counseling intervention for smoking cessation in Dutch patients with coronary heart disease. <i>Research in Nursing and Health</i> , 2017, 40, 444-458.	1.6	5
366	Implementation of web-based interventions by Dutch occupational health centers. <i>Health Promotion International</i> , 2017, 32, 818-830.	1.8	5
367	OPTIMIZING USABILITY OF AN ECONOMIC DECISION SUPPORT TOOL: PROTOTYPE OF THE EQUIPT TOOL. <i>International Journal of Technology Assessment in Health Care</i> , 2018, 34, 68-77.	0.5	5
368	Implicit attitudes and explicit cognitions jointly predict a reduced red meat intake: a three-wave longitudinal study. <i>Health Psychology and Behavioral Medicine</i> , 2020, 8, 73-95.	1.8	5
369	A Qualitative Exploration of Parental Perceptions Regarding Children's Sun Exposure, Sun Protection, and Sunburn. <i>Frontiers in Public Health</i> , 2021, 9, 596253.	2.7	5
370	Decision aids to facilitate decision making around behavior change in the field of health promotion: A scoping review. <i>Patient Education and Counseling</i> , 2021, 104, 1266-1285.	2.2	5
371	Increased Adherence to the Mediterranean Diet and Higher Efficacy Beliefs Are Associated with Better Academic Achievement: A Longitudinal Study of High School Adolescents in Lebanon. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6928.	2.6	5
372	User Centered Virtual Coaching for Older Adults at Home Using SMART Goal Plans and I-Change Model. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6868.	2.6	5
373	Cognitive functioning mediates the relationship between self-perceptions of aging and computer use behavior in late adulthood: Evidence from two longitudinal studies. <i>Computers in Human Behavior</i> , 2021, 121, 106807.	8.5	5
374	Primary care-based screening and management of depression amongst heavy drinking patients: Interim secondary outcomes of a three-country quasi-experimental study in Latin America. <i>PLoS ONE</i> , 2021, 16, e0255594.	2.5	5
375	An Animation- Versus Text-Based Computer-Tailored Game Intervention to Prevent Alcohol Consumption and Binge Drinking in Adolescents: Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9978.	2.6	5
376	A randomized controlled trial comparing community lifestyle interventions to improve adherence to diet and physical activity recommendations: the VitalUM study. <i>European Journal of Epidemiology</i> , 2021, 36, 345-360.	5.7	5
377	A quasi-experimental study evaluating a health promotion program targeting healthy nutrition, physical activity and social network enhancement for low-income multi-problem households: study protocol. <i>International Journal of Clinical Trials</i> , 2018, 5, 132.	0.2	5
378	Effects of Interactivity on Recall of Health Information: Experimental Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e14783.	4.3	5

#	ARTICLE	IF	CITATIONS
379	Smoking Prevention for Adolescents in Romanian Schools. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 7017-7021.	1.2	5
380	Knowledge Regarding Early Detection of Cancer among Romanian Women having Relatives with Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 1091-1095.	1.2	5
381	Assessing sexual practices and beliefs among university students in Khartoum, Sudan; a qualitative study. <i>Sahara J</i> , 2021, 18, 170-182.	0.7	5
382	Comment on "Modifiable family and school environmental factors associated with smoking status among adolescents in Guangzhou, China". <i>Preventive Medicine</i> , 2007, 45, 119-120.	3.4	4
383	Development of a computer-tailored nutrition and physical activity intervention for lower-educated women of Dutch, Turkish and Moroccan origin using content matching and ethnic identity tailoring. <i>BMC Public Health</i> , 2016, 16, 924.	2.9	4
384	Social Acceptance of Smoking Restrictions During 10 Years of Policy Implementation, Reversal, and Reenactment in the Netherlands: Findings From a National Population Survey. <i>Nicotine and Tobacco Research</i> , 2017, 19, 231-238.	2.6	4
385	A Combination of Factors Related to Smoking Behavior, Attractive Product Characteristics, and Socio-Cognitive Factors are Important to Distinguish a Dual User from an Exclusive E-Cigarette User. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4191.	2.6	4
386	How Do Health and Social Networks Compare between Low-Income Multiproblem Households and the General Population?. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4967.	2.6	4
387	The Impact of Participation in Research About Abuse and Intimate Partner Violence: An Investigation of Harms, Benefits, and Regrets in Young Adolescents in the Western Cape of South Africa. <i>Journal of Interpersonal Violence</i> , 2020, 35, 943-963.	2.0	4
388	Differences in smokers' awareness of the health risks of smoking before and after introducing pictorial tobacco health warnings: findings from the 2012-2017 international tobacco control (ITC) Netherlands surveys. <i>BMC Public Health</i> , 2020, 20, 512.	2.9	4
389	Effectiveness of a web-based computer-tailored intervention promoting physical activity for adults from Quebec City: a randomized controlled trial. <i>Health Psychology and Behavioral Medicine</i> , 2020, 8, 601-622.	1.8	4
390	Reasons for (not) participating in a community-based health promotion program for low-income multiproblem households in the Netherlands: A qualitative study. <i>Health and Social Care in the Community</i> , 2021, 29, 241-249.	1.6	4
391	A referral aid for smoking cessation interventions in primary care: study protocol for a randomized controlled trial. <i>Primary Health Care Research and Development</i> , 2021, 22, e22.	1.2	4
392	How to use the Integrated-Change Model to design digital health programs. , 2021, , 143-157.		4
393	Factors Associated with Primary Health Care Providers' Alcohol Screening Behavior in Colombia, Mexico and Peru. <i>Substance Abuse</i> , 2021, 42, 1007-1015.	2.3	4
394	The Impact of Participant Characteristics on Use and Satisfaction of a Web-Based Computer-Tailored Chronic Obstructive Pulmonary Disease Self-Management Intervention: A Process Evaluation. <i>JMIR Formative Research</i> , 2017, 1, e1.	1.4	4
395	Combining the Integrated-Change Model with Self-Determination Theory: Application in Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 28.	2.6	4
396	Development of community strategies supporting brief alcohol advice in three Latin American countries: a protocol. <i>Health Promotion International</i> , 2023, 38, .	1.8	4

#	ARTICLE	IF	CITATIONS
397	Does smoke-free legislation and smoking outside bars increase feelings of stigmatization among smokers? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health and Place</i> , 2012, 18, 1436-1440.	3.3	3
398	A comparison of time-varying covariates in two smoking cessation interventions for cardiac patients. <i>Health Education Research</i> , 2013, 28, 300-312.	1.9	3
399	Dutch midwives' experiences with implementing health counselling to prevent prenatal alcohol use. <i>Journal of Clinical Nursing</i> , 2014, 23, 3286-3289.	3.0	3
400	How to foster informed decision making about food supplements: results from an international Delphi study. <i>Health Education Research</i> , 2019, 34, 435-446.	1.9	3
401	Motivational factors for initiating and maintaining physical activity among adults aged over fifty targeted by a tailored intervention. <i>Psychology and Health</i> , 2020, 35, 1184-1206.	2.2	3
402	Effects of Providing Tailored Information About e-Cigarettes in a Web-Based Smoking Cessation Intervention: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e27088.	1.0	3
403	Perceived appropriateness of alcohol screening and brief advice programmes in Colombia, Mexico and Peru and barriers to their implementation in primary health care – a cross-sectional survey. <i>Primary Health Care Research and Development</i> , 2021, 22, e4.	1.2	3
404	Reducing Physical Aggression in High School Students in KwaZulu-Natal: A Cluster Randomized Trial. <i>Violence and Victims</i> , 2020, 35, 861-884.	0.7	3
405	Reduced alcohol consumption during the COVID-19 pandemic: Analyses of 17â€‰000 patients seeking primary health care in Colombia and Mexico. <i>Journal of Global Health</i> , 2022, 12, 05002.	2.7	3
406	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 4.	4.6	2
407	An Empirical Test of the Materialist Framework for Understanding the General Population's Reaction to Nonpersonalized Genetic Health Messages. <i>Journal of Health Communication</i> , 2011, 16, 550-562.	2.4	2
408	Predictability of smoking onset among Romanian adolescents. <i>Zdravstveno Varstvo</i> , 2014, 53, 78-88.	0.9	2
409	Influencing Feelings of Cancer Risk: Direct and Moderator Effects of Affectively Laden Phrases in Risk Communication. <i>Journal of Health Communication</i> , 2015, 20, 321-327.	2.4	2
410	Dealing With Missing Behavioral Endpoints in Health Promotion Research by Modeling Cognitive Parameters in Costâ€‰Effectiveness Analyses of Behavioral Interventions: A Validation Study. <i>Health Economics (United Kingdom)</i> , 2016, 25, 24-39.	1.7	2
411	Thinking is the best way to travel: towards an ecological interactionist approach: a comment on Peters and Crutzen. <i>Health Psychology Review</i> , 2017, 11, 135-139.	8.6	2
412	Understanding perceived availability and importance of tobacco control interventions to inform European adoption of a UK economic model: a cross-sectional study. <i>BMC Health Services Research</i> , 2018, 18, 115.	2.2	2
413	Did E-Cigarette Users Notice the New European Unionâ€™s E-Cigarette Legislation? Findings from the 2015â€‰2017 International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2917.	2.6	2
414	How the New European Unionâ€™s (Pictorial) Tobacco Health Warnings Influence Quit Attempts and Smoking Cessation: Findings from the 2016â€‰2017 International Tobacco Control (ITC) Netherlands Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4260.	2.6	2

#	ARTICLE	IF	CITATIONS
415	Risk Factors for Non-Communicable Diseases at Baseline and Their Short-Term Changes in a Workplace Cohort in Singapore. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4551.	2.6	2
416	Process Evaluation of the First Computer Tailored Program for Smoking Cessation among Romanian Smokers. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 8809-8814.	1.2	2
417	Demand for Factory-Made Cigarettes and Roll-Your-Own Tobacco and Differences Between Age and Socioeconomic Groups: Findings From the International Tobacco Control Netherlands Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 529-535.	2.6	2
418	Children's sunburn exposed: identification of sun exposure and parental sun protection patterns. <i>European Journal of Dermatology</i> , 2021, 31, 538-548.	0.6	2
419	Identifying Gender Differences among Romanian Non-smoking Junior High School Students. <i>Central European Journal of Public Health</i> , 2012, 20, 33-37.	1.1	2
420	Smoking among Romanian adolescents: do the gender differences exist?. <i>Pneumologia</i> , 2009, 58, 240-6.	0.1	2
421	Development of a patient decision aid for the initiation of urate-lowering therapy in gout patients. <i>RMD Open</i> , 2022, 8, e001979.	3.8	2
422	Intervention Fidelity of Telephone Motivational Interviewing On Physical Activity, Fruit Intake, and Vegetable Consumption in Dutch Outpatients With and Without Hypertension. <i>International Journal of Behavioral Medicine</i> , 2023, 30, 108-121.	1.7	2
423	Development and usability of a web-based patient-tailored tool to support adherence to urate-lowering therapy in gout. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 95.	3.0	2
424	Applying Collective Intelligence in Health Recommender Systems for Smoking Cessation: A Comparison Trial. <i>Electronics (Switzerland)</i> , 2022, 11, 1219.	3.1	2
425	Socio-cognitive determinants affecting insulin adherence/non-adherence in late adolescents and young adults with type 1 diabetes: a systematic review protocol. <i>Journal of Diabetes and Metabolic Disorders</i> , 2022, 21, 1207-1215.	1.9	2
426	Training primary health care providers in Colombia, Mexico and Peru to increase alcohol screening: Mixed-methods process evaluation of implementation strategy. <i>Implementation Research and Practice</i> , 2022, 3, 263348952211126.	1.9	2
427	Genetic health messages in the mass media: Do the general public perceive non-personalized genetic health message as personally relevant?. <i>British Journal of Health Psychology</i> , 2010, 15, 941-956.	3.5	1
428	Smoking cessation counselling in general practice for COPD smokers: determinants for general practitioners' compliance with a treatment protocol. <i>International Journal of Health Promotion and Education</i> , 2013, 51, 64-74.	0.9	1
429	Invited Commentary: Corporate social responsibility and public health: An unwanted marriage. <i>Preventive Medicine</i> , 2016, 89, 345-347.	3.4	1
430	Enhancing Executive Functions Among Dutch Elementary School Children Using the Train Your Mind Program: Protocol for a Cluster Randomized Trial. <i>JMIR Research Protocols</i> , 2018, 7, e144.	1.0	1
431	The Usability of an Online Tool to Promote the Use of Evidence-Based Smoking Cessation Interventions. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10836.	2.6	1
432	Website Use and Effects of Online Information About Tobacco Additives Among the Dutch General Population: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e60.	4.3	1

#	ARTICLE	IF	CITATIONS
433	Costs of an Alcohol Measurement Intervention in Three Latin American Countries. International Journal of Environmental Research and Public Health, 2022, 19, 700.	2.6	1
434	“Ik wed dat ik het kan!” Bereik en effect van een televisieprogramma over stoppen met roken bij laag-, middelbaar en hoogopgeleide rokers. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2014, 92, 84-92.	0.1	0
435	Mindfulness is not associated with dissonant attitudes but enhances the ability to cope with them. BMC Psychology, 2020, 8, 32.	2.1	0
436	Illustration of tailored digital health and potential new avenues. , 2021, , 159-169.		0
437	O que os pais devem saber e fazer para prevenir o tabagismo e as suas consequências nos seus filhos. , 2015, , 165-190.		0
438	Effect of Community Support on the Implementation of Primary Health Care-Based Measurement of Alcohol Consumption. Prevention Science, 2022, 23, 224-236.	2.6	0
439	Do e-cigarettes attract youths who are otherwise unlikely to use addictive substances? Cross-sectional analyses of Dutch and Flemish secondary school students. Tobacco Prevention and Cessation, 2021, 7, 1-14.	0.4	0