

# Hein de Vries

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4138698/publications.pdf>

Version: 2024-02-01

439  
papers

17,041  
citations

17440

63  
h-index

31849

101  
g-index

465  
all docs

465  
docs citations

465  
times ranked

14575  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring the gateway hypothesis of e-cigarettes and tobacco: a prospective replication study among adolescents in the Netherlands and Flanders. <i>Tobacco Control</i> , 2023, 32, 170-178.	3.2	30
2	Development of community strategies supporting brief alcohol advice in three Latin American countries: a protocol. <i>Health Promotion International</i> , 2023, 38, .	1.8	4
3	Intervention Fidelity of Telephone Motivational Interviewing On Physical Activity, Fruit Intake, and Vegetable Consumption in Dutch Outpatients With and Without Hypertension. <i>International Journal of Behavioral Medicine</i> , 2023, 30, 108-121.	1.7	2
4	Too old for technology? Stereotype threat and technology use by older adults. <i>Behaviour and Information Technology</i> , 2022, 41, 1503-1514.	4.0	43
5	Demand for Factory-Made Cigarettes and Roll-Your-Own Tobacco and Differences Between Age and Socioeconomic Groups: Findings From the International Tobacco Control Netherlands Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 529-535.	2.6	2
6	Effect of Community Support on the Implementation of Primary Health Care-Based Measurement of Alcohol Consumption. <i>Prevention Science</i> , 2022, 23, 224-236.	2.6	0
7	Costs of an Alcohol Measurement Intervention in Three Latin American Countries. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 700.	2.6	1
8	Development of a patient decision aid for the initiation of urate-lowering therapy in gout patients. <i>RMD Open</i> , 2022, 8, e001979.	3.8	2
9	COVID-19 Vaccine Hesitancy: The Role of Information Sources and Beliefs in Dutch Adults. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3205.	2.6	19
10	Reduced alcohol consumption during the COVID-19 pandemic: Analyses of 17â€™%000 patients seeking primary health care in Colombia and Mexico. <i>Journal of Global Health</i> , 2022, 12, 05002.	2.7	3
11	Authoritative parenting stimulates academic achievement, also partly via self-efficacy and intention towards getting good grades. <i>PLoS ONE</i> , 2022, 17, e0265595.	2.5	9
12	Development and usability of a web-based patient-tailored tool to support adherence to urate-lowering therapy in gout. <i>BMC Medical Informatics and Decision Making</i> , 2022, 22, 95.	3.0	2
13	Applying Collective Intelligence in Health Recommender Systems for Smoking Cessation: A Comparison Trial. <i>Electronics (Switzerland)</i> , 2022, 11, 1219.	3.1	2
14	Socio-cognitive determinants affecting insulin adherence/non-adherence in late adolescents and young adults with type 1 diabetes: a systematic review protocol. <i>Journal of Diabetes and Metabolic Disorders</i> , 2022, 21, 1207-1215.	1.9	2
15	Training primary health care providers in Colombia, Mexico and Peru to increase alcohol screening: Mixed-methods process evaluation of implementation strategy. <i>Implementation Research and Practice</i> , 2022, 3, 263348952211126.	1.9	2
16	Beliefs About Sexual Intimate Partner Violence Perpetration Among Adolescents in South Africa. <i>Journal of Interpersonal Violence</i> , 2021, 36, NP2056-2078NP.	2.0	11
17	Effects of the reform of the Dutch healthcare into managed competition: Results of a Delphi study among experts. <i>Health Policy</i> , 2021, 125, 27-33.	3.0	7
18	Reasons for (not) participating in a communityâ€™based health promotion program for lowâ€™income multiâ€™problem households in the Netherlands: A qualitative study. <i>Health and Social Care in the Community</i> , 2021, 29, 241-249.	1.6	4

#	ARTICLE	IF	CITATIONS
19	Illustration of tailored digital health and potential new avenues. , 2021, , 159-169.		0
20	A referral aid for smoking cessation interventions in primary care: study protocol for a randomized controlled trial. Primary Health Care Research and Development, 2021, 22, e22.	1.2	4
21	How to use the Integrated-Change Model to design digital health programs. , 2021, , 143-157.		4
22	A Qualitative Exploration of Parental Perceptions Regarding Children's Sun Exposure, Sun Protection, and Sunburn. Frontiers in Public Health, 2021, 9, 596253.	2.7	5
23	A Web-Based Computer-Tailored Program to Improve Treatment Adherence in Patients With Type 2 Diabetes: Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e18524.	4.3	17
24	Hereditary diseases and child wish: exploring motives, considerations, and the (joint) decision-making process of genetically at-risk couples. Journal of Community Genetics, 2021, 12, 325-335.	1.2	6
25	Factors Associated with Primary Health Care Providers' Alcohol Screening Behavior in Colombia, Mexico and Peru. Substance Abuse, 2021, 42, 1007-1015.	2.3	4
26	Effects of Providing Tailored Information About e-Cigarettes in a Web-Based Smoking Cessation Intervention: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e27088.	1.0	3
27	Decision aids to facilitate decision making around behavior change in the field of health promotion: A scoping review. Patient Education and Counseling, 2021, 104, 1266-1285.	2.2	5
28	Increased Adherence to the Mediterranean Diet and Higher Efficacy Beliefs Are Associated with Better Academic Achievement: A Longitudinal Study of High School Adolescents in Lebanon. International Journal of Environmental Research and Public Health, 2021, 18, 6928.	2.6	5
29	User Centered Virtual Coaching for Older Adults at Home Using SMART Goal Plans and I-Change Model. International Journal of Environmental Research and Public Health, 2021, 18, 6868.	2.6	5
30	Influence of Animation- Versus Text-Based Delivery of a Web-Based Computer-Tailored Smoking Cessation Intervention on User Perceptions. European Journal of Health Communication, 2021, 2, 1-23.	1.0	7
31	Cognitive functioning mediates the relationship between self-perceptions of aging and computer use behavior in late adulthood: Evidence from two longitudinal studies. Computers in Human Behavior, 2021, 121, 106807.	8.5	5
32	Primary care-based screening and management of depression amongst heavy drinking patients: Interim secondary outcomes of a three-country quasi-experimental study in Latin America. PLoS ONE, 2021, 16, e0255594.	2.5	5
33	Internet use by middle-aged and older adults: Longitudinal relationships with functional ability, social support, and self-perceptions of aging.. Psychology and Aging, 2021, 36, 983-995.	1.6	12
34	An Animation- Versus Text-Based Computer-Tailored Game Intervention to Prevent Alcohol Consumption and Binge Drinking in Adolescents: Study Protocol. International Journal of Environmental Research and Public Health, 2021, 18, 9978.	2.6	5
35	Perceived appropriateness of alcohol screening and brief advice programmes in Colombia, Mexico and Peru and barriers to their implementation in primary health care – a cross-sectional survey. Primary Health Care Research and Development, 2021, 22, e4.	1.2	3
36	Impact of Training and Municipal Support on Primary Health Care-Based Measurement of Alcohol Consumption in Three Latin American Countries: 5-Month Outcome Results of the Quasi-experimental Randomized SCALA Trial. Journal of General Internal Medicine, 2021, 36, 2663-2671.	2.6	10

#	ARTICLE	IF	CITATIONS
37	A randomized controlled trial comparing community lifestyle interventions to improve adherence to diet and physical activity recommendations: the VitalUM study. <i>European Journal of Epidemiology</i> , 2021, 36, 345-360.	5.7	5
38	Parenting style as longitudinal predictor of adolescents' health behaviors in Lebanon. <i>Health Education Research</i> , 2021, 36, 100-115.	1.9	7
39	Children's sunburn exposed: identification of sun exposure and parental sun protection patterns. <i>European Journal of Dermatology</i> , 2021, 31, 538-548.	0.6	2
40	The Usability of an Online Tool to Promote the Use of Evidence-Based Smoking Cessation Interventions. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10836.	2.6	1
41	Awareness, use and perceptions of cigarillos, heated tobacco products and nicotine pouches: A survey among Dutch adolescents and adults. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109136.	3.2	21
42	Combining the Integrated-Change Model with Self-Determination Theory: Application in Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 28.	2.6	4
43	Assessing sexual practices and beliefs among university students in Khartoum, Sudan; a qualitative study. <i>Sahara J</i> , 2021, 18, 170-182.	0.7	5
44	Do e-cigarettes attract youths who are otherwise unlikely to use addictive substances? Cross-sectional analyses of Dutch and Flemish secondary school students. <i>Tobacco Prevention and Cessation</i> , 2021, 7, 1-14.	0.4	0
45	The Impact of Participation in Research About Abuse and Intimate Partner Violence: An Investigation of Harms, Benefits, and Regrets in Young Adolescents in the Western Cape of South Africa. <i>Journal of Interpersonal Violence</i> , 2020, 35, 943-963.	2.0	4
46	Practical Nutrition Knowledge Mediates the Relationship Between Sociodemographic Characteristics and Diet Quality in Adults: A Cross-Sectional Analysis. <i>American Journal of Health Promotion</i> , 2020, 34, 59-62.	1.7	18
47	Psychological predictors of adherence to oral hypoglycaemic agents: an application of the ProMAS questionnaire. <i>Psychology and Health</i> , 2020, 35, 387-404.	2.2	13
48	Parents modelling, peer influence and peer selection impact on adolescent smoking behavior: A longitudinal study in two age cohorts. <i>Addictive Behaviors</i> , 2020, 100, 106131.	3.0	16
49	Quasi-experimentally examining the impact of introducing tobacco pictorial health warnings: Findings from the International Tobacco Control (ITC) 4C and Netherlands surveys in the Netherlands, Australia, Canada, United Kingdom, and the United States. <i>Drug and Alcohol Dependence</i> , 2020, 207, 107818.	3.2	7
50	The role of knowledge, risk perceptions, and cues to action among Iranian women concerning cervical cancer and screening: a qualitative exploration. <i>BMC Public Health</i> , 2020, 20, 1688.	2.9	7
51	Differences in smokers' awareness of the health risks of smoking before and after introducing pictorial tobacco health warnings: findings from the 2012-2017 international tobacco control (ITC) Netherlands surveys. <i>BMC Public Health</i> , 2020, 20, 512.	2.9	4
52	Implementing primary healthcare-based measurement, advice and treatment for heavy drinking and comorbid depression at the municipal level in three Latin American countries: final protocol for a quasiexperimental study (SCALA study). <i>BMJ Open</i> , 2020, 10, e038226.	1.9	16
53	Effectiveness of a web-based computer-tailored intervention promoting physical activity for adults from Quebec City: a randomized controlled trial. <i>Health Psychology and Behavioral Medicine</i> , 2020, 8, 601-622.	1.8	4
54	Too Old for Computers? The Longitudinal Relationship Between Stereotype Threat and Computer Use by Older Adults. <i>Frontiers in Psychology</i> , 2020, 11, 568972.	2.1	25

#	ARTICLE	IF	CITATIONS
55	Exploring factors influencing recruitment results of nurses recruiting diabetes patients for a randomized controlled trial. <i>Clinical Trials</i> , 2020, 17, 448-458.	1.6	7
56	Is Academic Achievement Related to Mediterranean Diet, Substance Use and Social-Cognitive Factors: Findings from Lebanese Adolescents. <i>Nutrients</i> , 2020, 12, 1535.	4.1	8
57	Motivational factors for initiating and maintaining physical activity among adults aged over fifty targeted by a tailored intervention. <i>Psychology and Health</i> , 2020, 35, 1184-1206.	2.2	3
58	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.3	11
59	Implicit attitudes and explicit cognitions jointly predict a reduced red meat intake: a three-wave longitudinal study. <i>Health Psychology and Behavioral Medicine</i> , 2020, 8, 73-95.	1.8	5
60	Exploring Determinants of Condom Use among University Students in Sudan. <i>Archives of Sexual Behavior</i> , 2020, 49, 1379-1391.	1.9	18
61	Mindfulness is not associated with dissonant attitudes but enhances the ability to cope with them. <i>BMC Psychology</i> , 2020, 8, 32.	2.1	0
62	Dating SOS: a systematic and theory-based development of a web-based tailored intervention to prevent dating violence among Brazilian youth. <i>BMC Public Health</i> , 2020, 20, 391.	2.9	9
63	Tobacco smoking and smoking cessation in times of COVID-19. <i>Tobacco Prevention and Cessation</i> , 2020, 6, 39.	0.4	55
64	Effects of Interactivity on Recall of Health Information: Experimental Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e14783.	4.3	5
65	A Web-Based, Computer-Tailored Intervention to Reduce Alcohol Consumption and Binge Drinking Among Spanish Adolescents: Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020, 22, e15438.	4.3	16
66	A Mobile Health Solution Complementing Psychopharmacology-Supported Smoking Cessation: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020, 8, e17530.	3.7	35
67	Why are Spanish Adolescents Binge Drinkers? Focus Group with Adolescents and Parents. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3551.	2.6	11
68	Reducing Physical Aggression in High School Students in KwaZulu-Natal: A Cluster Randomized Trial. <i>Violence and Victims</i> , 2020, 35, 861-884.	0.7	3
69	Did E-Cigarette Users Notice the New European Union's E-Cigarette Legislation? Findings from the 2015-2017 International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2917.	2.6	2
70	An economic evaluation of a computer-tailored e-learning program to promote smoking cessation counseling guideline adherence among practice nurses. <i>Patient Education and Counseling</i> , 2019, 102, 1802-1811.	2.2	10
71	A Multifactorial Approach to Sleep and Its Association with Health-Related Quality of Life in a Multiethnic Asian Working Population: A Cross-Sectional Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4147.	2.6	6
72	A Combination of Factors Related to Smoking Behavior, Attractive Product Characteristics, and Socio-Cognitive Factors are Important to Distinguish a Dual User from an Exclusive E-Cigarette User. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4191.	2.6	4

#	ARTICLE	IF	CITATIONS
73	Does the discrepancy between implicit and explicit attitudes moderate the relationships between explicit attitude and (intention to) being physically active?. <i>BMC Psychology</i> , 2019, 7, 52.	2.1	16
74	A deliberate choice? Exploring factors related to informed decision-making about childhood vaccination among acceptors, refusers, and partial acceptors. <i>Vaccine</i> , 2019, 37, 5637-5644.	3.8	22
75	How to foster informed decision making about food supplements: results from an international Delphi study. <i>Health Education Research</i> , 2019, 34, 435-446.	1.9	3
76	A Deliberate Choice? Exploring the Decision to Switch from Cigarettes to E-Cigarettes. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 624.	2.6	13
77	The influence of pre-motivational factors on behavior via motivational factors: a test of the I-Change model. <i>BMC Psychology</i> , 2019, 7, 7.	2.1	31
78	How recommender systems could support and enhance computer-tailored digital health programs: A scoping review. <i>Digital Health</i> , 2019, 5, 205520761882472.	1.8	48
79	How the New European Union's (Pictorial) Tobacco Health Warnings Influence Quit Attempts and Smoking Cessation: Findings from the 2016-2017 International Tobacco Control (ITC) Netherlands Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4260.	2.6	2
80	E-Liquid Flavor Preferences and Individual Factors Related to Vaping: A Survey among Dutch Never-Users, Smokers, Dual Users, and Exclusive Vapers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4661.	2.6	26
81	Risk Factors for Non-Communicable Diseases at Baseline and Their Short-Term Changes in a Workplace Cohort in Singapore. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4551.	2.6	2
82	Examining the Factor Structure of the Pittsburgh Sleep Quality Index in a Multi-Ethnic Working Population in Singapore. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4590.	2.6	10
83	How Do Health and Social Networks Compare between Low-Income Multiproblem Households and the General Population?. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4967.	2.6	4
84	Opening the Black Box: Explaining the Process of Basing a Health Recommender System on the I-Change Behavioral Change Model. <i>IEEE Access</i> , 2019, 7, 176525-176540.	4.2	19
85	Comparison of statistical analysis methods for object case best-worst scaling. <i>Journal of Medical Economics</i> , 2019, 22, 509-515.	2.1	15
86	Identifying the Most Autonomy-Supportive Message Frame in Digital Health Communication: A 2x2 Between-Subjects Experiment. <i>Journal of Medical Internet Research</i> , 2019, 21, e14074.	4.3	13
87	Health Effects of Underground Workspaces cohort: study design and baseline characteristics. <i>Epidemiology and Health</i> , 2019, 41, e2019025.	1.9	16
88	OPTIMIZING USABILITY OF AN ECONOMIC DECISION SUPPORT TOOL: PROTOTYPE OF THE EQUIPT TOOL. <i>International Journal of Technology Assessment in Health Care</i> , 2018, 34, 68-77.	0.5	5
89	Assessment of cost-effective changes to the current and potential provision of smoking cessation services: an analysis based on the EQUIPTMOD. <i>Addiction</i> , 2018, 113, 96-105.	3.3	7
90	Analyzing recommender systems for health promotion using a multidisciplinary taxonomy: A scoping review. <i>International Journal of Medical Informatics</i> , 2018, 114, 143-155.	3.3	58

#	ARTICLE	IF	CITATIONS
91	Subgroups Among Smokers in Preparation: A Cluster Analysis Using the I-Change Model. Substance Use and Misuse, 2018, 53, 400-411.	1.4	6
92	Design, implementation and evaluation of a web-based computer-tailored intervention to prevent binge drinking in adolescents: study protocol. BMC Public Health, 2018, 18, 449.	2.9	15
93	Smoking uptake among Saudi adolescents: tobacco epidemic indicators and preventive actions needed. Global Health Promotion, 2018, 25, 6-15.	1.3	12
94	Construct and Predictive Validity of Three Measures of Intention to Quit Smoking: Findings From the International Tobacco Control (ITC) Netherlands Survey. Nicotine and Tobacco Research, 2018, 20, 1101-1108.	2.6	32
95	Exploring beliefs on diabetes treatment adherence among Dutch type 2 diabetes patients and healthcare providers. Patient Education and Counseling, 2018, 101, 92-98.	2.2	23
96	Is it cost-effective to provide internet-based interventions to complement the current provision of smoking cessation services in the Netherlands? An analysis based on the EQUIPTMOD. Addiction, 2018, 113, 87-95.	3.3	15
97	A recommender system to quit smoking with mobile motivational messages: study protocol for a randomized controlled trial. Trials, 2018, 19, 618.	1.6	15
98	Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. PLoS Medicine, 2018, 15, e1002714.	8.4	186
99	Factors Associated with Acceptability, Consideration and Intention of Uptake of Direct-To-Consumer Genetic Testing: A Survey Study. Public Health Genomics, 2018, 21, 45-52.	1.0	7
100	Short-term efficacy of a computer-tailored physical activity intervention for prostate and colorectal cancer patients and survivors: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 106.	4.6	85
101	Cross-sectional associations between multiple lifestyle behaviours and excellent well-being in Australian adults. Preventive Medicine, 2018, 116, 119-125.	3.4	36
102	Understanding the Positive Associations of Sleep, Physical Activity, Fruit and Vegetable Intake as Predictors of Quality of Life and Subjective Health Across Age Groups: A Theory Based, Cross-Sectional Web-Based Study. Frontiers in Psychology, 2018, 9, 977.	2.1	41
103	Tailoring motivational health messages for smoking cessation using an mHealth recommender system integrated with an electronic health record: a study protocol. BMC Public Health, 2018, 18, 698.	2.9	33
104	Perceptions and Reasons Regarding E-Cigarette Use among Users and Non-Users: A Narrative Literature Review. International Journal of Environmental Research and Public Health, 2018, 15, 1190.	2.6	126
105	Understanding perceived availability and importance of tobacco control interventions to inform European adoption of a UK economic model: a cross-sectional study. BMC Health Services Research, 2018, 18, 115.	2.2	2
106	A longitudinal study on how implicit attitudes and explicit cognitions synergistically influence physical activity intention and behavior. BMC Psychology, 2018, 6, 18.	2.1	19
107	A quasi-experimental study evaluating a health promotion program targeting healthy nutrition, physical activity and social network enhancement for low-income multi-problem households: study protocol. International Journal of Clinical Trials, 2018, 5, 132.	0.2	5
108	Using the Social-Local-Mobile App for Smoking Cessation in the SmokeFreeBrain Project: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e12464.	1.0	10

#	ARTICLE	IF	CITATIONS
109	The Effectiveness of a Computer-Tailored E-Learning Program for Practice Nurses to Improve Their Adherence to Smoking Cessation Counseling Guidelines: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e193.	4.3	29
110	Enhancing Executive Functions Among Dutch Elementary School Children Using the Train Your Mind Program: Protocol for a Cluster Randomized Trial. <i>JMIR Research Protocols</i> , 2018, 7, e144.	1.0	1
111	Brief report: Compensatory health beliefs are negatively associated with intentions for regular fruit and vegetable consumption when self-efficacy is low. <i>Journal of Health Psychology</i> , 2017, 22, 1094-1100.	2.3	16
112	Modeling Longitudinal Relationships Between Habit and Physical Activity: Two Cross-Lagged Panel Design Studies in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2017, 25, 464-473.	1.0	8
113	How economic recessions and unemployment affect illegal drug use: A systematic realist literature review. <i>International Journal of Drug Policy</i> , 2017, 44, 69-83.	3.3	102
114	Dutch practice nurses' adherence to evidence-based smoking cessation treatment guidelines. <i>Family Practice</i> , 2017, 34, 685-691.	1.9	12
115	Predicting Primary and Secondary Abstinence Among Adolescent Boys and Girls in the Western Cape, South Africa. <i>AIDS and Behavior</i> , 2017, 21, 1417-1428.	2.7	15
116	MOST IMPORTANT BARRIERS AND FACILITATORS REGARDING THE USE OF HEALTH TECHNOLOGY ASSESSMENT. <i>International Journal of Technology Assessment in Health Care</i> , 2017, 33, 183-191.	0.5	11
117	Prevalence and Risk Factors Associated with Forced-Sex Among South African High School Students. <i>Journal of Community Health</i> , 2017, 42, 1035-1043.	3.8	9
118	The impact of non-response bias due to sampling in public health studies: A comparison of voluntary versus mandatory recruitment in a Dutch national survey on adolescent health. <i>BMC Public Health</i> , 2017, 17, 276.	2.9	249
119	Thinking is the best way to travel: towards an ecological interactionist approach: a comment on Peters and Crutzen. <i>Health Psychology Review</i> , 2017, 11, 135-139.	8.6	2
120	Exploring beliefs about dietary supplement use: focus group discussions with Dutch adults. <i>Public Health Nutrition</i> , 2017, 20, 2694-2705.	2.2	13
121	Feasibility and acceptability of a telephone- and face-to-face delivered counseling intervention for smoking cessation in Dutch patients with coronary heart disease. <i>Research in Nursing and Health</i> , 2017, 40, 444-458.	1.6	5
122	Counselor competence for telephone Motivation Interviewing addressing lifestyle change among Dutch older adults. <i>Evaluation and Program Planning</i> , 2017, 65, 47-53.	1.6	10
123	Effect of the PREPARE intervention on sexual initiation and condom use among adolescents aged 12-14: a cluster randomised controlled trial in Dar es Salaam, Tanzania. <i>BMC Public Health</i> , 2017, 17, 322.	2.9	26
124	Implementation of web-based interventions by Dutch occupational health centers. <i>Health Promotion International</i> , 2017, 32, 818-830.	1.8	5
125	Barriers and Facilitators for Health Behavior Change among Adults from Multi-Problem Households: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1229.	2.6	18
126	From action planning and plan enactment to fruit consumption: moderated mediation effects. <i>BMC Public Health</i> , 2017, 17, 832.	2.9	9



#	ARTICLE	IF	CITATIONS
127	Exploring consensus on how to measure smoking cessation. A Delphi study. BMC Public Health, 2017, 17, 890.	2.9	70
128	Social Acceptance of Smoking Restrictions During 10 Years of Policy Implementation, Reversal, and Reenactment in the Netherlands: Findings From a National Population Survey. Nicotine and Tobacco Research, 2017, 19, 231-238.	2.6	4
129	Effectiveness of a Video-Versus Text-Based Computer-Tailored Intervention for Obesity Prevention after One Year: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2017, 14, 1275.	2.6	21
130	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. F1000Research, 2017, 6, 311.	1.6	9
131	Electronic cigarette use: comparing smokers, vapers, and dual users on characteristics and motivational factors. Tobacco Prevention and Cessation, 2017, 3, 8.	0.4	9
132	An Integrated Approach for Understanding Health Behavior; The I-Change Model as an Example. Psychology and Behavioral Science International Journal, 2017, 2, .	0.0	151
133	The Impact of Participant Characteristics on Use and Satisfaction of a Web-Based Computer-Tailored Chronic Obstructive Pulmonary Disease Self-Management Intervention: A Process Evaluation. JMIR Formative Research, 2017, 1, e1.	1.4	4
134	A Review of the Theoretical Basis, Effects, and Cost Effectiveness of Online Smoking Cessation Interventions in the Netherlands: A Mixed-Methods Approach. Journal of Medical Internet Research, 2017, 19, e230.	4.3	31
135	A Web-Based and Print-Based Computer-Tailored Physical Activity Intervention for Prostate and Colorectal Cancer Survivors: A Comparison of User Characteristics and Intervention Use. Journal of Medical Internet Research, 2017, 19, e298.	4.3	27
136	Website Use and Effects of Online Information About Tobacco Additives Among the Dutch General Population: A Randomized Controlled Trial. Journal of Medical Internet Research, 2017, 19, e60.	4.3	1
137	Scaling-up primary health care-based prevention and management of heavy drinking at the municipal level in middle-income countries in Latin America: Background and protocol for a three-country quasi-experimental study. F1000Research, 2017, 6, 311.	1.6	9
138	The Missing=Smoking Assumption: A Fallacy in Internet-Based Smoking Cessation Trials?. Nicotine and Tobacco Research, 2016, 18, ntv055.	2.6	50
139	Similarities and differences between stakeholders'™ opinions on using Health Technology Assessment (HTA) information across five European countries: results from the EQUIPT survey. Health Research Policy and Systems, 2016, 14, 38.	2.8	19
140	Parenting practices and styles associated with adolescent sexual health in Dar es Salaam, Tanzania. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1467-1472.	1.2	16
141	Similarities and differences in underlying beliefs of socio-cognitive factors related to diet and physical activity in lower-educated Dutch, Turkish, and Moroccan adults in the Netherlands: a focus group study. BMC Public Health, 2016, 16, 813.	2.9	21
142	Effectiveness of video- versus text-based computer-tailored smoking cessation interventions among smokers after one year. Preventive Medicine, 2016, 82, 42-50.	3.4	29
143	Self-efficacy: skip the main factor paradigm! A comment on Williams and Rhodes (2016). Health Psychology Review, 2016, 10, 140-143.	8.6	8
144	Does perceived risk influence the effects of message framing? Revisiting the link between prospect theory and message framing. Health Psychology Review, 2016, 10, 447-459.	8.6	56

#	ARTICLE	IF	CITATIONS
145	E-cigarette advertisements, and associations with the use of e-cigarettes and disapproval or quitting of smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2016, 29, 73-79.	3.3	17
146	Are action planning and physical activity mediators of the intention-habit relationship?. <i>Psychology of Sport and Exercise</i> , 2016, 27, 243-251.	2.1	7
147	Effects of a randomized controlled trial to assess the six-months effects of a school based smoking prevention program in Saudi Arabia. <i>Preventive Medicine</i> , 2016, 90, 100-106.	3.4	10
148	Invited Commentary: Corporate social responsibility and public health: An unwanted marriage. <i>Preventive Medicine</i> , 2016, 89, 345-347.	3.4	1
149	Verbal Bullying Changes Among Students Following an Educational Intervention Using the Integrated Model for Behavior Change. <i>Journal of School Health</i> , 2016, 86, 813-822.	1.6	21
150	Development of a computer-tailored nutrition and physical activity intervention for lower-educated women of Dutch, Turkish and Moroccan origin using content matching and ethnic identity tailoring. <i>BMC Public Health</i> , 2016, 16, 924.	2.9	4
151	Effects of PREPARE, a Multi-component, School-Based HIV and Intimate Partner Violence (IPV) Prevention Programme on Adolescent Sexual Risk Behaviour and IPV: Cluster Randomised Controlled Trial. <i>AIDS and Behavior</i> , 2016, 20, 1821-1840.	2.7	81
152	Generating and predicting high quality action plans to facilitate physical activity and fruit and vegetable consumption: results from an experimental arm of a randomised controlled trial. <i>BMC Public Health</i> , 2016, 16, 317.	2.9	28
153	Correlates of partner support to abstain from prenatal alcohol use: a cross-sectional survey among Dutch partners of pregnant women. <i>Health and Social Care in the Community</i> , 2016, 24, 614-622.	1.6	5
154	Dealing With Missing Behavioral Endpoints in Health Promotion Research by Modeling Cognitive Parameters in Cost-Effectiveness Analyses of Behavioral Interventions: A Validation Study. <i>Health Economics (United Kingdom)</i> , 2016, 25, 24-39.	1.7	2
155	Exploring individual cognitions, self-regulation skills, and environmental-level factors as mediating variables of two versions of a Web-based computer-tailored nutrition education intervention aimed at adults: A randomized controlled trial. <i>Appetite</i> , 2016, 98, 101-114.	3.7	10
156	Understanding the stakeholders'™ intention to use economic decision-support tools: A cross-sectional study with the tobacco return on investment tool. <i>Health Policy</i> , 2016, 120, 46-54.	3.0	23
157	Pictorial Cigarette Warning Labels: Effects of Severity and Likelihood of Risk Messages. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1315-1323.	2.6	7
158	Smoking cessation in cardiac patients: the influence of action plans, coping plans and self-efficacy on quitting smoking. <i>Health Education Research</i> , 2016, 31, 350-362.	1.9	19
159	Sociocognitive Predictors of Condom Use and Intentions Among Adolescents in Three Sub-Saharan Sites. <i>Archives of Sexual Behavior</i> , 2016, 45, 353-365.	1.9	34
160	Electronic Cigarettes'™ Attitudes and Use in Germany. <i>Nicotine and Tobacco Research</i> , 2016, 18, 660-669.	2.6	27
161	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. <i>Tobacco Control</i> , 2016, 25, 325-332.	3.2	20
162	Quantifying the strength of the associations of prototype perceptions with behaviour, behavioural willingness and intentions: a meta-analysis. <i>Health Psychology Review</i> , 2016, 10, 25-43.	8.6	104

#	ARTICLE	IF	CITATIONS
163	Economic evaluation of a telephone- and face-to-face-delivered counseling intervention for smoking cessation in patients with coronary heart disease. <i>European Journal of Health Economics</i> , 2016, 17, 269-285.	2.8	12
164	A randomized controlled trial of Web-based Attentional Bias Modification to help smokers quit.. <i>Health Psychology</i> , 2016, 35, 870-880.	1.6	40
165	Effects of a Web-Based Computer-Tailored Game to Reduce Binge Drinking Among Dutch Adolescents: A Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e29.	4.3	48
166	Effectiveness of a Web-Based Computer-Tailored Multiple-Lifestyle Intervention for People Interested in Reducing their Cardiovascular Risk: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e78.	4.3	46
167	A Web-Based Computer-Tailored Alcohol Prevention Program for Adolescents: Cost-Effectiveness and Intersectoral Costs and Benefits. <i>Journal of Medical Internet Research</i> , 2016, 18, e93.	4.3	29
168	mHealth or eHealth? Efficacy, Use, and Appreciation of a Web-Based Computer-Tailored Physical Activity Intervention for Dutch Adults: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e278.	4.3	50
169	Sun protection during snow sports: an analysis of behavior and psychosocial determinants. <i>Health Education Research</i> , 2015, 30, 380-387.	1.9	16
170	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	3.2	8
171	Rationale, design and baseline characteristics of a randomized controlled trial of a web-based computer-tailored physical activity intervention for adults from Quebec City. <i>BMC Public Health</i> , 2015, 15, 1038.	2.9	8
172	Explaining young adults' drinking behaviour within an augmented Theory of Planned Behaviour: Temporal stability of drinker prototypes. <i>British Journal of Health Psychology</i> , 2015, 20, 305-323.	3.5	15
173	Self-Reporting of Smoking Cessation in Cardiac Patients. <i>Journal of Addiction Medicine</i> , 2015, 9, 308-316.	2.6	30
174	A randomized controlled trial evaluating the effectiveness of a web-based, computer-tailored self-management intervention for&nbsp;people&nbsp;with or&nbsp;at risk for COPD. <i>International Journal of COPD</i> , 2015, 10, 1061.	2.3	46
175	Long-term efficacy of a Web-based computer-tailored nutrition education intervention for adults including cognitive and environmental feedback: a randomized controlled trial. <i>BMC Public Health</i> , 2015, 15, 372.	2.9	18
176	A longitudinal study on determinants of the intention to start smoking among Non-smoking boys and girls of high and low socioeconomic status. <i>BMC Public Health</i> , 2015, 15, 648.	2.9	15
177	Effectiveness of a national reimbursement policy and accompanying media attention on use of cessation treatment and on smoking cessation: a real-world study in the Netherlands. <i>Tobacco Control</i> , 2015, 24, 455-461.	3.2	14
178	Health literacy in patients dealing with gout: a qualitative study. <i>Clinical Rheumatology</i> , 2015, 34, 1599-1603.	2.2	26
179	Partner's Influences and Other Correlates of Prenatal Alcohol Use. <i>Maternal and Child Health Journal</i> , 2015, 19, 908-916.	1.5	19
180	Influencing Feelings of Cancer Risk: Direct and Moderator Effects of Affectively Laden Phrases in Risk Communication. <i>Journal of Health Communication</i> , 2015, 20, 321-327.	2.4	2

#	ARTICLE	IF	CITATIONS
181	Prevalence and reasons for use of electronic cigarettes among smokers: Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>International Journal of Drug Policy</i> , 2015, 26, 601-608.	3.3	57
182	Eating in moderation and the essential role of awareness. A Dutch longitudinal study identifying psychosocial predictors. <i>Appetite</i> , 2015, 87, 152-159.	3.7	17
183	Tailored eHealth Lifestyle Promotion: Which Behavioral Modules Do Users Prefer?. <i>Journal of Health Communication</i> , 2015, 20, 663-672.	2.4	7
184	Habit as mediator of the relationship between prior and later physical activity: A longitudinal study in older adults. <i>Psychology of Sport and Exercise</i> , 2015, 19, 95-102.	2.1	22
185	Web-based interventions to decrease alcohol use in adolescents: a Delphi study about increasing effectiveness and reducing drop-out. <i>BMC Public Health</i> , 2015, 15, 340.	2.9	19
186	Predicting safe sex: Assessment of autoregressive and cross-lagged effects within the Theory of Planned Behavior. <i>Journal of Health Psychology</i> , 2015, 20, 1397-1404.	2.3	12
187	Is Action Planning Helpful for Smoking Cessation? Assessing the Effects of Action Planning in a Web-Based Computer-Tailored Intervention. <i>Substance Use and Misuse</i> , 2015, 50, 1249-1260.	1.4	15
188	Depressive symptoms associated with psychological correlates of physical activity and perceived helpfulness of intervention features. <i>Mental Health and Physical Activity</i> , 2015, 9, 16-23.	1.8	5
189	Reaching the hard to reach: longitudinal investigation of adolescents'™ attendance at an after-school sexual and reproductive health programme in Western Cape, South Africa. <i>BMC Public Health</i> , 2015, 15, 608.	2.9	22
190	Identifying binge drinkers based on parenting dimensions and alcohol-specific parenting practices: building classifiers on adolescent-parent paired data. <i>BMC Public Health</i> , 2015, 15, 747.	2.9	16
191	Drinker Prototype Alteration and Cue Reminders as Strategies in a Tailored Web-Based Intervention Reducing Adults'™ Alcohol Consumption: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e35.	4.3	23
192	A Web-Based, Computer-Tailored Smoking Prevention Program to Prevent Children From Starting to Smoke After Transferring to Secondary School: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e59.	4.3	19
193	Short- and Medium-Term Efficacy of a Web-Based Computer-Tailored Nutrition Education Intervention for Adults Including Cognitive and Environmental Feedback: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e23.	4.3	38
194	Who Follows eHealth Interventions as Recommended? A Study of Participants' Personal Characteristics From the Experimental Arm of a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e115.	4.3	59
195	Comparing a Video and Text Version of a Web-Based Computer-Tailored Intervention for Obesity Prevention: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e236.	4.3	46
196	Use and Effectiveness of a Video- and Text-Driven Web-Based Computer-Tailored Intervention: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e222.	4.3	23
197	Impact of Educational Level on Study Attrition and Evaluation of Web-Based Computer-Tailored Interventions: Results From Seven Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2015, 17, e228.	4.3	39
198	Knowledge Regarding Early Detection of Cancer among Romanian Women having Relatives with Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 1091-1095.	1.2	5

#	ARTICLE	IF	CITATIONS
199	O que os pais devem saber e fazer para prevenir o tabagismo e as suas consequências nos seus filhos. , 2015, , 165-190.		0
200	Effectiveness of a telephone delivered and a face-to-face delivered counseling intervention for smoking cessation in patients with coronary heart disease: a 6-month follow-up. Journal of Behavioral Medicine, 2014, 37, 709-24.	2.1	30
201	Correlates of the Intention to Implement a Tailored Physical Activity Intervention: Perceptions of Intermediaries. International Journal of Environmental Research and Public Health, 2014, 11, 1885-1903.	2.6	8
202	Changing fit and fat bias using an implicit retraining task. Psychology and Health, 2014, 29, 796-812.	2.2	6
203	A Web-based computer-tailored game to reduce binge drinking among 16 to 18-year old Dutch adolescents: development and study protocol. BMC Public Health, 2014, 14, 1054.	2.9	26
204	Long-term health outcomes and cost-effectiveness of a computer-tailored physical activity intervention among people aged over fifty: modelling the results of a randomized controlled trial. BMC Public Health, 2014, 14, 1099.	2.9	34
205	Using Online Computer Tailoring to Promote Physical Activity: A Randomized Trial of Text, Video, and Combined Intervention Delivery Modes. Journal of Health Communication, 2014, 19, 1377-1392.	2.4	50
206	Which smoking cessation aids are proven effective according to smokers who want to quit smoking? A report from the Netherlands: Table A1. Tobacco Control, 2014, 23, 525-526.	3.2	6
207	EQUIPT: protocol of a comparative effectiveness research study evaluating cross-context transferability of economic evidence on tobacco control. BMJ Open, 2014, 4, e006945.	1.9	29
208	Dutch midwives' experiences with implementing health counselling to prevent prenatal alcohol use. Journal of Clinical Nursing, 2014, 23, 3286-3289.	3.0	3
209	Integrating a tailored e-health self-management application for chronic obstructive pulmonary disease patients into primary care: a pilot study. BMC Family Practice, 2014, 15, 4.	2.9	29
210	The importance of affectively-laden beliefs about health risks: the case of tobacco use and sun protection. Journal of Behavioral Medicine, 2014, 37, 11-21.	2.1	50
211	Predicting Condom Use in South Africa: A Test of Two Integrative Models. AIDS and Behavior, 2014, 18, 135-145.	2.7	46
212	“Ik wed dat ik het kan!” “Bereik en effect van een televisieprogramma over stoppen met roken bij laag-, middelbaar en hoogopgeleide rokers. TSG: Tijdschrift Voor Gezondheidswetenschappen, 2014, 92, 84-92.	0.1	0
213	Effects of a Teenage Pregnancy Prevention Program in KwaZulu-Natal, South Africa. Health Care for Women International, 2014, 35, 845-858.	1.1	37
214	Associations between tobacco control policy awareness, social acceptability of smoking and smoking cessation. Findings from the International Tobacco Control (ITC) Europe Surveys. Health Education Research, 2014, 29, 72-82.	1.9	29
215	Are clusters of dietary patterns and cluster membership stable over time? Results of a longitudinal cluster analysis study. Appetite, 2014, 82, 154-159.	3.7	24
216	Predicting fruit consumption: the role of habits, previous behavior and mediation effects. BMC Public Health, 2014, 14, 730.	2.9	15

#	ARTICLE	IF	CITATIONS
217	Adolescents' Beliefs About Forced Sex in KwaZulu-Natal, South Africa. <i>Archives of Sexual Behavior</i> , 2014, 43, 1087-1095.	1.9	31
218	Explaining socio-economic differences in intention to smoke among primary school children. <i>BMC Public Health</i> , 2014, 14, 191.	2.9	12
219	Does perceived risk influence the effects of message framing? A new investigation of a widely held notion. <i>Psychology and Health</i> , 2014, 29, 933-949.	2.2	63
220	Are there income differences in the impact of a national reimbursement policy for smoking cessation treatment and accompanying media attention? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Drug and Alcohol Dependence</i> , 2014, 140, 183-190.	3.2	7
221	Predictors of successful and unsuccessful quit attempts among smokers motivated to quit. <i>Addictive Behaviors</i> , 2014, 39, 1318-1324.	3.0	101
222	Predictability of smoking onset among Romanian adolescents. <i>Zdravstveno Varstvo</i> , 2014, 53, 78-88.	0.9	2
223	An Economic Evaluation of a Video- and Text-Based Computer-Tailored Intervention for Smoking Cessation: A Cost-Effectiveness and Cost-Utility Analysis of a Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e110117.	2.5	42
224	Efficacy of a Web-Based Computer-Tailored Smoking Prevention Intervention for Dutch Adolescents: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e82.	4.3	23
225	Comparison of Text and Video Computer-Tailored Interventions for Smoking Cessation: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e69.	4.3	69
226	Do Email and Mobile Phone Prompts Stimulate Primary School Children to Reuse an Internet-Delivered Smoking Prevention Intervention?. <i>Journal of Medical Internet Research</i> , 2014, 16, e86.	4.3	11
227	Effects of a Web-Based Tailored Multiple-Lifestyle Intervention for Adults: A Two-Year Randomized Controlled Trial Comparing Sequential and Simultaneous Delivery Modes. <i>Journal of Medical Internet Research</i> , 2014, 16, e26.	4.3	101
228	Economic Evaluation of a Web-Based Tailored Lifestyle Intervention for Adults: Findings Regarding Cost-Effectiveness and Cost-Utility From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e91.	4.3	39
229	Reducing Alcohol Use During Pregnancy Via Health Counseling by Midwives and Internet-Based Computer-Tailored Feedback: A Cluster Randomized Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e274.	4.3	41
230	Process Evaluation of the First Computer Tailored Program for Smoking Cessation among Romanian Smokers. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 8809-8814.	1.2	2
231	A randomised controlled trial testing a web-based, computer-tailored self-management intervention for people with or at risk for chronic obstructive pulmonary disease: a study protocol. <i>BMC Public Health</i> , 2013, 13, 557.	2.9	15
232	The role of action planning and plan enactment for smoking cessation. <i>BMC Public Health</i> , 2013, 13, 393.	2.9	70
233	Clustering of drinker prototype characteristics: What characterizes the typical drinker?. <i>British Journal of Psychology</i> , 2013, 104, 382-399.	2.3	26
234	Compliance with the workplace-smoking ban in the Netherlands. <i>Health Policy</i> , 2013, 109, 200-206.	3.0	9

#	ARTICLE	IF	CITATIONS
235	A qualitative investigation of alcohol use advice during pregnancy: Experiences of Dutch midwives, pregnant women and their partners. <i>Midwifery</i> , 2013, 29, e89-e98.	2.3	51
236	Determinants of practice nurses' intention to implement a new smoking cessation intervention: the importance of attitude and innovation characteristics. <i>Journal of Advanced Nursing</i> , 2013, 69, 2665-2674.	3.3	23
237	Determinants of binge drinking in a permissive environment: focus group interviews with Dutch adolescents and parents. <i>BMC Public Health</i> , 2013, 13, 882.	2.9	23
238	Long-term efficacy of a printed or a Web-based tailored physical activity intervention among older adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 104.	4.6	70
239	Designing a theory- and evidence-based tailored eHealth rehabilitation aftercare program in Germany and the Netherlands: study protocol. <i>BMC Public Health</i> , 2013, 13, 1081.	2.9	20
240	The influence of narrative risk communication on feelings of cancer risk. <i>British Journal of Health Psychology</i> , 2013, 18, 407-419.	3.5	32
241	Situational and Affective Risk Situations of Relapse and the Quality of Implementation Intentions in an E-Health Smoking Relapse Prevention Programme. <i>Substance Use and Misuse</i> , 2013, 48, 635-644.	1.4	8
242	Message frame and self-efficacy influence the persuasiveness of nutrition information in a fast-food restaurant. <i>Food Quality and Preference</i> , 2013, 29, 1-5.	4.6	14
243	Systematic development of a text-driven and a video-driven web-based computer-tailored obesity prevention intervention. <i>BMC Public Health</i> , 2013, 13, 978.	2.9	28
244	Examining direct and indirect pathways to health behaviour: The influence of cognitive and affective probability beliefs. <i>Psychology and Health</i> , 2013, 28, 546-560.	2.2	16
245	Smoking Cessation Treatment Practices. <i>Journal of Cardiovascular Nursing</i> , 2013, 28, 35-47.	1.1	38
246	A comparison of time-varying covariates in two smoking cessation interventions for cardiac patients. <i>Health Education Research</i> , 2013, 28, 300-312.	1.9	3
247	Age and educational inequalities in smoking cessation due to three population-level tobacco control interventions: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health Education Research</i> , 2013, 28, 83-91.	1.9	19
248	Can a Website-Delivered Computer-Tailored Physical Activity Intervention Be Acceptable, Usable, and Effective for Older People?. <i>Health Education and Behavior</i> , 2013, 40, 160-170.	2.5	68
249	Associations between abstainer, moderate and heavy drinker prototypes and drinking behaviour in young adults. <i>Psychology and Health</i> , 2013, 28, 1407-1423.	2.2	21
250	Habit as moderator of the intention-physical activity relationship in older adults: a longitudinal study. <i>Psychology and Health</i> , 2013, 28, 514-532.	2.2	28
251	Smoking cessation counselling in general practice for COPD smokers: determinants for general practitioners' compliance with a treatment protocol. <i>International Journal of Health Promotion and Education</i> , 2013, 51, 64-74.	0.9	1
252	Self-efficacy mediates the impact of craving on smoking abstinence in low to moderately anxious patients: Results of a moderated mediation approach.. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 113-124.	2.1	31

#	ARTICLE	IF	CITATIONS
253	Cost-Effectiveness and Cost-Utility of Internet-Based Computer Tailoring for Smoking Cessation. <i>Journal of Medical Internet Research</i> , 2013, 15, e57.	4.3	77
254	Periodic Email Prompts to Re-Use an Internet-Delivered Computer-Tailored Lifestyle Program: Influence of Prompt Content and Timing. <i>Journal of Medical Internet Research</i> , 2013, 15, e23.	4.3	49
255	Influence of Delivery Strategy on Message-Processing Mechanisms and Future Adherence to a Dutch Computer-Tailored Smoking Cessation Intervention. <i>Journal of Medical Internet Research</i> , 2013, 15, e28.	4.3	22
256	Effects of a Web-Based Tailored Intervention to Reduce Alcohol Consumption in Adults: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2013, 15, e206.	4.3	45
257	Usability Evaluation of an Online, Tailored Self-Management Intervention for Chronic Obstructive Pulmonary Disease Patients Incorporating Behavior Change Techniques. <i>JMIR Research Protocols</i> , 2013, 2, e3.	1.0	41
258	Smoking Prevention for Adolescents in Romanian Schools. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 7017-7021.	1.2	5
259	The influence of newspaper coverage and a media campaign on smokers' support for smoke-free bars and restaurants and on secondhand smoke harm awareness: findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Tobacco Control</i> , 2012, 21, 24-29.	3.2	43
260	Influence of recruitment strategy on the reach and effect of a web-based multiple tailored smoking cessation intervention among Dutch adult smokers. <i>Health Education Research</i> , 2012, 27, 191-199.	1.9	30
261	Preaching to the choir? The influence of personal relevance on the effects of gain- and loss-framed health-promoting messages. <i>Journal of Health Psychology</i> , 2012, 17, 712-723.	2.3	15
262	Pathways of Change Explaining the Effect of Smoke-Free Legislation on Smoking Cessation in the Netherlands. An Application of the International Tobacco Control Conceptual Model. <i>Nicotine and Tobacco Research</i> , 2012, 14, 1474-1482.	2.6	33
263	Avoidance orientation moderates the effect of threatening messages. <i>Journal of Health Psychology</i> , 2012, 17, 14-25.	2.3	9
264	Knowledge, attitudes and preferences regarding genetic testing for smoking cessation. A cross-sectional survey among Dutch smokers. <i>BMJ Open</i> , 2012, 2, e000321.	1.9	6
265	Thinking versus feeling: Differentiating between cognitive and affective components of perceived cancer risk. <i>Psychology and Health</i> , 2012, 27, 767-783.	2.2	47
266	The role of risk perception in explaining parental sunscreen use. <i>Psychology and Health</i> , 2012, 27, 1342-1358.	2.2	18
267	Risk groups and predictors of short-term abstinence from smoking in patients with coronary heart disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2012, 41, 332-343.	1.6	23
268	A web-based computer-tailored smoking prevention programme for primary school children: intervention design and study protocol. <i>BMC Public Health</i> , 2012, 12, 277.	2.9	38
269	Does smoke-free legislation and smoking outside bars increase feelings of stigmatization among smokers? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health and Place</i> , 2012, 18, 1436-1440.	3.3	3
270	Factors influencing Dutch practice nurses' intention to adopt a new smoking cessation intervention. <i>Journal of Advanced Nursing</i> , 2012, 68, 2185-2194.	3.3	20



#	ARTICLE	IF	CITATIONS
271	Development of Web-Based Computer-Tailored Advice to Promote Physical Activity Among People Older Than 50 years. <i>Journal of Medical Internet Research</i> , 2012, 14, e39.	4.3	49
272	Effectiveness of a Web-Based Multiple Tailored Smoking Cessation Program: A Randomized Controlled Trial Among Dutch Adult Smokers. <i>Journal of Medical Internet Research</i> , 2012, 14, e82.	4.3	79
273	Internet based Computer Tailored Feedback on Sunscreen Use. <i>Journal of Medical Internet Research</i> , 2012, 14, e48.	4.3	29
274	The Influence of User Characteristics and a Periodic Email Prompt on Exposure to an Internet-Delivered Computer-Tailored Lifestyle Program. <i>Journal of Medical Internet Research</i> , 2012, 14, e40.	4.3	45
275	Program Completion of a Web-Based Tailored Lifestyle Intervention for Adults: Differences between a Sequential and a Simultaneous Approach. <i>Journal of Medical Internet Research</i> , 2012, 14, e26.	4.3	43
276	Preventing Smoking Relapse via Web-Based Computer-Tailored Feedback: A Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2012, 14, e109.	4.3	88
277	Differences in Reach and Attrition Between Web-Based and Print-Delivered Tailored Interventions Among Adults over 50 Years of Age: Clustered Randomized Trial. <i>Journal of Medical Internet Research</i> , 2012, 14, e179.	4.3	69
278	Identifying Gender Differences among Romanian Non-smoking Junior High School Students. <i>Central European Journal of Public Health</i> , 2012, 20, 33-37.	1.1	2
279	Self-efficacy as a Potential Moderator of the Effects of Framed Health Messages. <i>Journal of Health Psychology</i> , 2011, 16, 199-207.	2.3	23
280	Social influence, intention to smoke, and adolescent smoking behaviour longitudinal relations. <i>British Journal of Health Psychology</i> , 2011, 16, 779-798.	3.5	39
281	Avalia�o longitudinal de programa de preven�o do tabagismo para adolescentes. <i>Revista De Saude Publica</i> , 2011, 45, 344-354.	1.7	8
282	Validation of smoking cessation self-reported by patients with chronic obstructive pulmonary disease. <i>International Journal of General Medicine</i> , 2011, 4, 85.	1.8	32
283	The long-term efficacy of two computer-tailored physical activity interventions for older adults: Main effects and mediators.. <i>Health Psychology</i> , 2011, 30, 442-452.	1.6	81
284	The population impact of smoke-free workplace and hospitality industry legislation on smoking behaviour. Findings from a national population survey. <i>Addiction</i> , 2011, 106, 816-823.	3.3	55
285	Measuring risk perceptions of skin cancer: Reliability and validity of different operationalizations. <i>British Journal of Health Psychology</i> , 2011, 16, 92-112.	3.5	92
286	Tailored Print Communication and Telephone Motivational Interviewing Are Equally Successful in Improving Multiple Lifestyle Behaviors in a Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2011, 41, 104-118.	2.9	65
287	Testing a Dutch web-based tailored lifestyle programme among adults: a study protocol. <i>BMC Public Health</i> , 2011, 11, 108.	2.9	27
288	Study protocol of a Dutch smoking cessation e-health program. <i>BMC Public Health</i> , 2011, 11, 847.	2.9	30

#	ARTICLE	IF	CITATIONS
289	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 4.	4.6	2
290	General practice counseling for patients with chronic obstructive pulmonary disease to quit smoking: Impact after 1 year of two complex interventions. <i>Patient Education and Counseling</i> , 2011, 83, 120-124.	2.2	33
291	Are smokers interested in genetic testing for smoking addiction? A socio-cognitive approach. <i>Psychology and Health</i> , 2011, 26, 1099-1112.	2.2	8
292	Effects of a Workplace-Smoking Ban in Combination With Tax Increases on Smoking in the Dutch Population. <i>Nicotine and Tobacco Research</i> , 2011, 13, 412-418.	2.6	11
293	Longitudinal Study of Relations Between School Achievement and Smoking Behavior Among Secondary School Students in Finland: Results of the ESFA Study. <i>Substance Use and Misuse</i> , 2011, 46, 569-579.	1.4	30
294	An Empirical Test of the Materialist Framework for Understanding the General Population's Reaction to Nonpersonalized Genetic Health Messages. <i>Journal of Health Communication</i> , 2011, 16, 550-562.	2.4	2
295	Effectiveness of a smoking cessation intervention in Dutch pharmacies and general practices. <i>Health Education</i> , 2010, 110, 17-29.	0.9	18
296	Planning health behaviour change: Comparing the behavioural influence of two types of self-regulatory planning. <i>British Journal of Health Psychology</i> , 2010, 15, 133-149.	3.5	22
297	Genetic health messages in the mass media: Do the general public perceive nonpersonalized genetic health message as personally relevant?. <i>British Journal of Health Psychology</i> , 2010, 15, 941-956.	3.5	1
298	Self-efficacy moderates message-framing effects: The case of skin-cancer detection. <i>Psychology and Health</i> , 2010, 25, 339-349.	2.2	63
299	Exploring the Efficacy and Moderators of Two Computer-Tailored Physical Activity Interventions for Older Adults: A Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2010, 39, 139-150.	2.9	54
300	Is web interviewing a good alternative to telephone interviewing? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>BMC Public Health</i> , 2010, 10, 351.	2.9	54
301	Distinct pathways to persuasion: The role of affect in message-framing effects. <i>European Journal of Social Psychology</i> , 2010, 40, 1261-1276.	2.4	47
302	Understanding the Positive Effects of Graphical Risk Information on Comprehension: Measuring Attention Directed to Written, Tabular, and Graphical Risk Information. <i>Risk Analysis</i> , 2010, 30, 1387-1398.	2.7	58
303	The Relations Between Parents' Smoking, General Parenting, Parental Smoking Communication, and Adolescents' Smoking. <i>Journal of Research on Adolescence</i> , 2010, 20, 140-165.	3.7	38
304	Smoking-based selection and influence in gender-segregated friendship networks: a social network analysis of adolescent smoking. <i>Addiction</i> , 2010, 105, 1280-1289.	3.3	63
305	Psychosocial correlates of leisure-time walking among Australian adults of lower and higher socio-economic status. <i>Health Education Research</i> , 2010, 25, 316-324.	1.9	24
306	Need for a New Skin Cancer Management Strategy. <i>Archives of Dermatology</i> , 2010, 146, 332-6.	1.4	28

#	ARTICLE	IF	CITATIONS
307	Examining the Influence of Self-Efficacy on Message-Framing Effects: Reducing Salt Consumption in the General Population. <i>Basic and Applied Social Psychology</i> , 2010, 32, 165-172.	2.1	30
308	Investigating message-framing effects in the context of a tailored intervention promoting physical activity. <i>Health Education Research</i> , 2010, 25, 343-354.	1.9	50
309	Cost-effectiveness of tailored print communication, telephone motivational interviewing, and a combination of the two: results of an economic evaluation alongside the Vitalum randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 64.	4.6	32
310	From theory to practice: An explorative study into the instrumentality and specificity of implementation intentions. <i>Psychology and Health</i> , 2010, 25, 351-364.	2.2	94
311	Single-item and multiple-item measures of adherence to public health behavior guidelines were incongruent. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 75-84.	5.0	7
312	The PAS study: A randomized controlled trial evaluating the effectiveness of a web-based multiple tailored smoking cessation programme and tailored counselling by practice nurses. <i>Contemporary Clinical Trials</i> , 2010, 31, 251-258.	1.8	31
313	Personality and parenting style in parents of adolescents. <i>Journal of Adolescence</i> , 2010, 33, 395-402.	2.4	123
314	Efficacy of a single computer-tailored e-mail for smoking cessation: results after 6 months. <i>Health Education Research</i> , 2009, 24, 930-940.	1.9	88
315	Determinants of initiation and maintenance of physical activity among older adults: a literature review. <i>Health Psychology Review</i> , 2009, 3, 147-207.	8.6	251
316	Gender factors associated with sexual abstinent behaviour of rural South African high school going youth in KwaZulu-Natal, South Africa. <i>Health Education Research</i> , 2009, 24, 450-460.	1.9	17
317	Dynamics of adolescent friendship networks and smoking behavior: Social network analyses in six European countries. <i>Social Science and Medicine</i> , 2009, 69, 1506-1514.	3.8	143
318	A Systematic Review of the Impact of Genetic Counseling on Risk Perception Accuracy. <i>Journal of Genetic Counseling</i> , 2009, 18, 217-228.	1.6	101
319	Some signals cannot wait: Effects of a national campaign on early detection of cancer among Dutch adults (>55 years). <i>Cancer Epidemiology</i> , 2009, 33, 194-200.	1.9	5
320	Does the workplace-smoking ban eliminate differences in risk for environmental tobacco smoke exposure at work?. <i>Health Policy</i> , 2009, 92, 197-202.	3.0	20
321	Efficacy of Two Tailored Interventions Promoting Physical Activity in Older Adults. <i>American Journal of Preventive Medicine</i> , 2009, 37, 405-417.	3.0	66
322	Action planning as predictor of health protective and health risk behavior: an investigation of fruit and snack consumption. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 69.	4.6	39
323	The working mechanisms of an environmentally tailored physical activity intervention for older adults: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 83.	4.6	41
324	Social influence and selection effects in the context of smoking behavior: Changes during early and mid adolescence.. <i>Health Psychology</i> , 2009, 28, 73-82.	1.6	45

#	ARTICLE	IF	CITATIONS
325	Alerting the general population to genetic risks: The value of health messages communicating the existence of genetic risk factors for public health promotion.. Health Psychology, 2009, 28, 734-745.	1.6	19
326	Smoking among Romanian adolescents: do the gender differences exist?. Pneumologia, 2009, 58, 240-6.	0.1	2
327	Efficacy and Use of an Internet-delivered Computer-tailored Lifestyle Intervention, Targeting Saturated Fat Intake, Physical Activity and Smoking Cessation: A Randomized Controlled Trial. Annals of Behavioral Medicine, 2008, 35, 125-135.	2.9	144
328	The influence of self-efficacy on the effects of framed health messages. European Journal of Social Psychology, 2008, 38, 800-809.	2.4	60
329	Relapse prevention in a national smoking cessation contest: Effects of coping planning. British Journal of Health Psychology, 2008, 13, 525-535.	3.5	68
330	Vitalum study design: RCT evaluating the efficacy of tailored print communication and telephone motivational interviewing on multiple health behaviors. BMC Public Health, 2008, 8, 216.	2.9	37
331	The Active plus protocol: systematic development of two theory- and evidence-based tailored physical activity interventions for the over-fifties. BMC Public Health, 2008, 8, 399.	2.9	69
332	Clusters of lifestyle behaviors: Results from the Dutch SMILE study. Preventive Medicine, 2008, 46, 203-208.	3.4	173
333	The formation of specific action plans can enhance sun protection behavior in motivated parents. Preventive Medicine, 2008, 47, 127-132.	3.4	28
334	Clustering of diet, physical activity and smoking and a general willingness to change. Psychology and Health, 2008, 23, 265-278.	2.2	49
335	Predicting parental sunscreen use: Disentangling the role of action planning in the intention-behavior relationship. Psychology and Health, 2008, 23, 829-847.	2.2	31
336	Longitudinal effects of the European smoking prevention framework approach (ESFA) project in Spanish adolescents. European Journal of Public Health, 2008, 18, 491-497.	0.3	33
337	Intended Coping Responses to Cancer Symptoms in Healthy Adults: The Roles of Symptom Knowledge, Detection Behavior, and Perceived Threat. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 818-826.	2.5	10
338	Optimizing the efficacy of smoking cessation contests: an exploration of determinants of successful quitting. Health Education Research, 2008, 24, 54-63.	1.9	13
339	Electronic monitoring and health promotion: an evaluation of the E-MOVO Web site by adolescents. Health Education Research, 2008, 23, 382-391.	1.9	19
340	Educating the general public about multifactorial genetic disease: applying a theory-based framework to understand current public knowledge. Genetics in Medicine, 2008, 10, 251-258.	2.4	66
341	Should Individuals Be Informed about Their Salt Sensitivity Status? First Indications of the Value of Testing for Genetic Predisposition to Low-Risk Conditions. Genetic Testing and Molecular Biomarkers, 2007, 11, 307-314.	1.7	7
342	Determinants of smoking among adolescents in the Southern Cape-Karoo region, South Africa. Health Promotion International, 2007, 22, 207-217.	1.8	28

#	ARTICLE	IF	CITATIONS
343	Parenting style and adolescent smoking cognitions and behaviour. <i>Psychology and Health</i> , 2007, 22, 575-593.	2.2	33
344	Bi-directional relations between anti-smoking parenting practices and adolescent smoking in a Dutch sample.. <i>Health Psychology</i> , 2007, 26, 762-768.	1.6	16
345	Access point analysis in smoking and nonsmoking adolescents: findings from the European Smoking Prevention Framework Approach study. <i>European Journal of Cancer Prevention</i> , 2007, 16, 257-265.	1.3	7
346	Reasons for non-attendance in cervical cancer screening programmes: an application of the Integrated Model for Behavioural Change. <i>European Journal of Cancer Prevention</i> , 2007, 16, 436-445.	1.3	52
347	The influence of best friends and siblings on adolescent smoking: A longitudinal study. <i>Psychology and Health</i> , 2007, 22, 269-289.	2.2	36
348	Predictors of smoking stage transitions for adolescent boys and girls. <i>Preventive Medicine</i> , 2007, 44, 485-489.	3.4	56
349	Comment on "Modifiable family and school environmental factors associated with smoking status among adolescents in Guangzhou, China". <i>Preventive Medicine</i> , 2007, 45, 119-120.	3.4	4
350	Is parenting style a context for smoking-specific parenting practices?. <i>Drug and Alcohol Dependence</i> , 2007, 89, 116-125.	3.2	42
351	Nicotine Dependence and Withdrawal Symptoms among Occasional Smokers. <i>Journal of Adolescent Health</i> , 2007, 40, 144-150.	2.5	37
352	Perceptions and attitudes of secondary school students in Kwazulu-Natal towards virginity testing. <i>Health SA Gesondheid</i> , 2007, 12, .	0.8	7
353	Disentangling social selection and social influence effects on adolescent smoking: the importance of reciprocity in friendships. <i>Addiction</i> , 2007, 102, 1483-1492.	3.3	79
354	Nurse adherence to a minimal-contact smoking cessation intervention on cardiac wards. <i>Research in Nursing and Health</i> , 2007, 30, 429-444.	1.6	39
355	Impact of a primary care intervention on smoking, drinking, diet, weight, sun exposure, and work risk in families with cancer experience. <i>Cancer Causes and Control</i> , 2007, 18, 525-535.	1.8	25
356	Effect of recruitment method and setting on the composition of samples consisting of adult smokers. <i>Patient Education and Counseling</i> , 2007, 65, 79-86.	2.2	20
357	Associations of social-environmental and individual-level factors with adolescent soft drink consumption: results from the SMILE study. <i>Health Education Research</i> , 2006, 22, 227-237.	1.9	79
358	Modeling Individual and Physical Environmental Factors with Adolescent Physical Activity. <i>American Journal of Preventive Medicine</i> , 2006, 30, 507-512.	3.0	66
359	Association between personality and adolescent smoking. <i>Addictive Behaviors</i> , 2006, 31, 232-245.	3.0	62
360	Correspondence between proxy and self-reports on smoking in a full family study. <i>Drug and Alcohol Dependence</i> , 2006, 84, 40-47.	3.2	57

#	ARTICLE	IF	CITATIONS
361	The motivational determinants of breast-feeding: Predictors for the continuation of breast-feeding. Preventive Medicine, 2006, 43, 394-401.	3.4	38
362	Attitudes, social influences and self-efficacy expectations across different motivational stages among immigrant smokers: Replication of the â... pattern. Preventive Medicine, 2006, 43, 306-311.	3.4	18
363	Skin cancer prevention behaviours during summer holidays in 14 and 18-year-old Belgian adolescents. European Journal of Cancer Prevention, 2006, 15, 431-438.	1.3	10
364	Intention to adopt a smoking cessation expert system within a self-selected sample of Dutch general practitioners. European Journal of Cancer Prevention, 2006, 15, 82-86.	1.3	13
365	Progression of oral snuff use among Finnish 13-16-year-old students and its relation to smoking behaviour. Addiction, 2006, 101, 581-589.	3.3	30
366	A match-mismatch test of a stage model of behaviour change in tobacco smoking. Addiction, 2006, 101, 1035-1043.	3.3	127
367	Determinants of adoption of cognitive behavioral interventions in a hospital setting: Example of a minimal-contact smoking cessation intervention for cardiology wards. Patient Education and Counseling, 2006, 61, 262-271.	2.2	29
368	The Dutch cancer information helpline: More critical patients after 10 years. Patient Education and Counseling, 2006, 63, 215-222.	2.2	15
369	Characteristics of patients with COPD in three motivational stages related to smoking cessation. Patient Education and Counseling, 2006, 61, 449-457.	2.2	55
370	The effects of smoking cessation counseling by midwives on Dutch pregnant women and their partners. Patient Education and Counseling, 2006, 63, 177-187.	2.2	54
371	Motives of Belgian Adolescents for Using Sunscreen: The Role of Action Plans. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1360-1366.	2.5	68
372	Smoking in immigrants: do socioeconomic gradients follow the pattern expected from the tobacco epidemic?. Tobacco Control, 2006, 15, 385-391.	3.2	56
373	Are anti-smoking parenting practices related to adolescent smoking cognitions and behavior?. Health Education Research, 2006, 21, 66-77.	1.9	72
374	Focus points for school health promotion improvements in Dutch primary schools. Health Education Research, 2006, 22, 58-69.	1.9	35
375	Access point analysis: what do adolescents in South Africa say about tobacco control programmes?. Health Education Research, 2006, 21, 393-406.	1.9	6
376	The European Smoking prevention Framework Approach (ESFA): effects after 24 and 30 months. Health Education Research, 2006, 21, 116-132.	1.9	81
377	The general publicâ€™s information needs and perceptions regarding hereditary cancer: an application of the Integrated Change Model. Patient Education and Counseling, 2005, 56, 154-165.	2.2	276
378	Parental rules and communication: their association with adolescent smoking. Addiction, 2005, 100, 862-870.	3.3	171

#	ARTICLE	IF	CITATIONS
379	Determinants of smoking cessation among adolescents in South Africa. <i>Health Education Research</i> , 2005, 20, 586-599.	1.9	23
380	The Behavioral Determinants of Breast-Feeding in the Netherlands: Predictors for the Initiation of Breast-Feeding. <i>Health Education and Behavior</i> , 2005, 32, 809-824.	2.5	39
381	Beliefs of Turkish and Moroccan immigrants in The Netherlands about smoking cessation: implications for prevention. <i>Health Education Research</i> , 2005, 20, 622-634.	1.9	30
382	Self-Efficacy and Emotional Adjustment as Precursors of Smoking in Early Adolescence. <i>Substance Use and Misuse</i> , 2005, 40, 1883-1893.	1.4	44
383	A breast-feeding promotion and support program a randomized trial in the Netherlands. <i>Preventive Medicine</i> , 2005, 40, 60-70.	3.4	41
384	Smoking cessation in patients with COPD in daily general practice (SMOCC): Six months' results. <i>Preventive Medicine</i> , 2005, 41, 822-827.	3.4	61
385	Effects of in-school and tailored out-of-school smoking prevention among Dutch vocational school students. <i>Health Education Research</i> , 2004, 19, 51-63.	1.9	38
386	The impact of educational and environmental interventions in Dutch worksite cafeterias. <i>Health Promotion International</i> , 2004, 19, 335-343.	1.8	65
387	What determines future smoking intentions of 12- to 13-year-old UK African-Caribbean, Indian, Pakistani and white young people?. <i>Health Education Research</i> , 2004, 19, 15-28.	1.9	26
388	Unplanned smoking initiation: new insights and implications for interventions. <i>Patient Education and Counseling</i> , 2004, 55, 345-352.	2.2	30
389	Short- and long-term effects of tailored information versus general information on determinants and intentions related to early detection of cancer. <i>Preventive Medicine</i> , 2004, 38, 694-703.	3.4	43
390	Parental factors and adolescents' smoking behavior: an extension of The theory of planned behavior. <i>Preventive Medicine</i> , 2004, 39, 951-961.	3.4	188
391	Feasibility of implementation of a Dutch smoking cessation and relapse prevention protocol for pregnant women. <i>Patient Education and Counseling</i> , 2003, 49, 35-43.	2.2	25
392	Parenting style and adolescent fruit consumption. <i>Appetite</i> , 2003, 41, 43-50.	3.7	342
393	The European Smoking Prevention Framework Approach (ESFA): short-term effects. <i>Health Education Research</i> , 2003, 18, 649-663.	1.9	72
394	The European Smoking prevention Framework Approach (EFSA): an example of integral prevention. <i>Health Education Research</i> , 2003, 18, 611-626.	1.9	326
395	Parents' and friends' smoking status as predictors of smoking onset: findings from six European countries. <i>Health Education Research</i> , 2003, 18, 627-636.	1.9	203
396	Why do Danish adolescents take up smoking?. <i>European Journal of Public Health</i> , 2003, 13, 67-74.	0.3	49

#	ARTICLE	IF	CITATIONS
397	Tailored versus general information on early detection of cancer: a comparison of the reactions of Dutch adults and the impact on attitudes and behaviors. <i>Health Education Research</i> , 2002, 17, 239-252.	1.9	30
398	Short-Term Effects of a Randomized Computer-Based Out-of-School Smoking Prevention Trial Aimed at Elementary Schoolchildren. <i>Preventive Medicine</i> , 2002, 34, 581-589.	3.4	76
399	A Minimal-Contact Intervention for Cardiac Inpatients: Long-Term Effects on Smoking Cessation. <i>Preventive Medicine</i> , 2002, 35, 181-192.	3.4	68
400	Prevention of Lyme Disease in Dutch Children: Analysis of Determinants of Tick Inspection by Parents. <i>Preventive Medicine</i> , 2002, 35, 160-165.	3.4	18
401	Evaluation of a nurse-managed minimal-contact smoking cessation intervention for cardiac inpatients. <i>Health Education Research</i> , 2002, 17, 99-116.	1.9	58
402	Factors determining cardiac nurses' intentions to continue using a smoking cessation protocol. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2002, 31, 15-24.	1.6	37
403	Subtypes within the precontemplation stage of adolescent smoking acquisition. <i>Addictive Behaviors</i> , 2001, 26, 237-251.	3.0	63
404	Help-seeking behaviour for cancer symptoms: perceptions of patients and general practitioners. <i>Psycho-Oncology</i> , 2001, 10, 469-478.	2.3	71
405	Do self-help interventions in health education lead to cognitive changes, and do cognitive changes lead to behavioural change?. <i>British Journal of Health Psychology</i> , 2001, 6, 121-134.	3.5	34
406	A qualitative study on detecting cancer symptoms and seeking medical help; an application of Andersen's model of total patient delay. <i>Patient Education and Counseling</i> , 2001, 42, 145-157.	2.2	129
407	Self-efficacy expectations with regard to different tasks in smoking cessation. <i>Psychology and Health</i> , 2000, 15, 501-511.	2.2	50
408	Clusters of precontemplating smokers defined by the perception of the pros, cons, and self-efficacy. <i>Addictive Behaviors</i> , 2000, 25, 373-385.	3.0	38
409	Self-Evaluation and Motivation To Change: Social Cognitive Constructs In Smoking Cessation. <i>Psychology and Health</i> , 1999, 14, 747-759.	2.2	39
410	The development of computer-generated tailored interventions. <i>Patient Education and Counseling</i> , 1999, 36, 193-203.	2.2	187
411	Influences of Parental and Best Friends' Smoking and Drinking on Adolescent Use: A Longitudinal Study. <i>Journal of Applied Social Psychology</i> , 1999, 29, 337-361.	2.0	97
412	Targeting Smokers with Low Readiness to Change with Tailored and Nontailored Self-Help Materials. <i>Preventive Medicine</i> , 1999, 28, 203-211.	3.4	89
413	Impact of a comprehensive worksite smoking cessation programme on employees who do not take part in cessation activities. <i>Psychology and Health</i> , 1999, 14, 887-895.	2.2	6
414	Smokers in four stages of readiness to change. <i>Addictive Behaviors</i> , 1998, 23, 339-350.	3.0	65



#	ARTICLE	IF	CITATIONS
415	Antecedents of Smoking Cessation among Adolescents: Who Is Motivated to Change?. Preventive Medicine, 1998, 27, 348-357.	3.4	96
416	Differential Beliefs, Perceived Social Influences, and Self-Efficacy Expectations among Smokers in Various Motivational Phases. Preventive Medicine, 1998, 27, 681-689.	3.4	126
417	Psycho-social Determinants and Motivational Phases in Smoking Behavior of Cardiac Inpatients. Preventive Medicine, 1998, 27, 738-747.	3.4	46
418	Long-Term Effectiveness of Two Dutch Work Site Smoking Cessation Programs. Health Education and Behavior, 1998, 25, 418-435.	2.5	29
419	Tailored interventions to communicate stage-matched information to smokers in different motivational stages.. Journal of Consulting and Clinical Psychology, 1998, 66, 549-557.	2.0	124
420	Tailoring information to enhance quitting in smokers with low motivation to quit: Three basic efficacy questions.. Health Psychology, 1998, 17, 513-519.	1.6	92
421	Participation in a Breast Cancer Screening Program: Influence of Past Behavior and Determinants on Future Screening Participation. Preventive Medicine, 1997, 26, 473-482.	3.4	108
422	Misconceptions of Fruit and Vegetable Consumption: Differences between Objective and Subjective Estimation of Intake. Journal of Nutrition Education and Behavior, 1997, 29, 313-320.	0.5	112
423	Subtypes within a sample of precontemplating smokers: A preliminary extension of the stages of change. Addictive Behaviors, 1997, 22, 327-337.	3.0	71
424	Social Psychology and Health Education. European Review of Social Psychology, 1996, 7, 241-282.	9.4	49
425	Social influences on young adults' alcohol consumption: Norms, modeling, pressure, socializing, and conformity. Addictive Behaviors, 1996, 21, 187-197.	3.0	88
426	Determinants of Intention to Quit Smoking among Dutch Employees: The Influence of the Social Environment. Preventive Medicine, 1996, 25, 195-202.	3.4	48
427	The Impact of a Computer-Tailored Nutrition Intervention. Preventive Medicine, 1996, 25, 236-242.	3.4	310
428	Saying "No" to Environmental Tobacco Smoke: Determinants of Assertiveness among Nonsmoking Employees. Preventive Medicine, 1996, 25, 575-582.	3.4	22
429	Cost-Effectiveness of Smoking Cessation Modalities: Comparing Apples with Oranges?. Preventive Medicine, 1996, 25, 708-716.	3.4	23
430	Smoking Prevention and Young People: using research to identify out-of-school intervention sites in three countries. Educational Review, 1996, 48, 143-152.	3.7	8
431	Participation in an Employee Fitness Program. Journal of Occupational and Environmental Medicine, 1995, 37, 429-436.	1.7	27
432	The Impact of Social Influences in the Context of Attitude, Self-Efficacy, Intention, and Previous Behavior as Predictors of Smoking Onset. Journal of Applied Social Psychology, 1995, 25, 237-257.	2.0	293

#	ARTICLE	IF	CITATIONS
433	Psychosocial Determinants of Fruit and Vegetable Consumption. <i>Appetite</i> , 1995, 25, 285-296.	3.7	215
434	A Dutch social influence smoking prevention approach for vocational school students. <i>Health Education Research</i> , 1994, 9, 365-374.	1.9	72
435	The Linkage Approach Applied to a School-Based Smoking Prevention Program in the Netherlands. <i>Journal of School Health</i> , 1993, 63, 339-342.	1.6	13
436	The determinants of four cancer-related risk behaviours. <i>Health Education Research</i> , 1993, 8, 461-472.	1.9	27
437	The Utilization of Qualitative and Quantitative Data for Health Education Program Planning, Implementation, and Evaluation: A Spiral Approach. <i>Health Education Quarterly</i> , 1992, 19, 101-115.	1.4	90
438	Planned health education and the role of self-efficacy: Dutch research. <i>Health Education Research</i> , 1991, 6, 231-238.	1.9	107
439	Self-efficacy: the third factor besides attitude and subjective norm as a predictor of behavioural intentions. <i>Health Education Research</i> , 1988, 3, 273-282.	1.9	627