## Leon Flicker

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4143424/publications.pdf

Version: 2024-02-01

459 papers

21,652 citations

76 h-index 124 g-index

472 all docs

472 docs citations

times ranked

472

25216 citing authors

#	Article	IF	CITATIONS
1	Effect of Physical Activity on Cognitive Function in Older Adults at Risk for Alzheimer Disease. JAMA - Journal of the American Medical Association, 2008, 300, 1027.	3.8	1,331
2	A Pooled Analysis of Vitamin D Dose Requirements for Fracture Prevention. New England Journal of Medicine, 2012, 367, 40-49.	13.9	710
3	International Clinical Practice Guidelines for Sarcopenia (ICFSR): Screening, Diagnosis and Management. Journal of Nutrition, Health and Aging, 2018, 22, 1148-1161.	1.5	549
4	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	3.0	528
5	Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. Journal of Nutrition, Health and Aging, 2019, 23, 771-787.	1.5	474
6	The Asia-Pacific Clinical Practice Guidelines for the Management of Frailty. Journal of the American Medical Directors Association, 2017, 18, 564-575.	1.2	408
7	Effect modification by population dietary folate on the association between MTHFR genotype, homocysteine, and stroke risk: a meta-analysis of genetic studies and randomised trials. Lancet, The, 2011, 378, 584-594.	6.3	273
8	Should Older People in Residential Care Receive Vitamin D to Prevent Falls? Results of a Randomized Trial. Journal of the American Geriatrics Society, 2005, 53, 1881-1888.	1.3	270
9	Falls among healthy, community-dwelling, older women: a prospective study of frequency, circumstances, consequences and prediction accuracy. Australian and New Zealand Journal of Public Health, 1999, 23, 41-48.	0.8	249
10	One year follow-up study of the association between chemical castration, sex hormones, beta-amyloid, memory and depression in men. Psychoneuroendocrinology, 2004, 29, 1071-1081.	1.3	241
11	Low Free Testosterone Predicts Frailty in Older Men: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3165-3172.	1.8	240
12	Lower Testosterone Levels Predict Incident Stroke and Transient Ischemic Attack in Older Men. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 2353-2359.	1.8	226
13	Cohort Profile: The Health In Men Study (HIMS). International Journal of Epidemiology, 2009, 38, 48-52.	0.9	209
14	Serum Vitamin D and Falls in Older Women in Residential Care in Australia. Journal of the American Geriatrics Society, 2003, 51, 1533-1538.	1.3	204
15	Falls Relate to Vitamin D and Parathyroid Hormone in an Australian Nursing Home and Hostel. Journal of the American Geriatrics Society, 1999, 47, 1195-1201.	1.3	186
16	Body Mass Index and Survival in Men and Women Aged 70 to 75. Journal of the American Geriatrics Society, 2010, 58, 234-241.	1.3	185
17	Reporting standards for studies of diagnostic test accuracy in dementia. Neurology, 2014, 83, 364-373.	1.5	182
18	Bone density determinants in elderly women: A twin study. Journal of Bone and Mineral Research, 1995, 10, 1607-1613.	3.1	181

#	Article	IF	CITATIONS
19	Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. Lancet, The, 2015, 385, 2592-2599.	6.3	178
20	Calcium supplementation and the risks of atherosclerotic vascular disease in older women: Results of a 5-year RCT and a 4.5-year follow-up. Journal of Bone and Mineral Research, 2011, 26, 35-41.	3.1	176
21	The mind of a failing heart: a systematic review of the association between congestive heart failure and cognitive functioning. Internal Medicine Journal, 2001, 31, 290-295.	0.5	168
22	Factors associated with suicidal thoughts in a large community study of older adults. British Journal of Psychiatry, 2012, 201, 466-472.	1.7	158
23	Deprescribing in Frail Older People: A Randomised Controlled Trial. PLoS ONE, 2016, 11, e0149984.	1.1	158
24	Low Free Testosterone Predicts Mortality from Cardiovascular Disease But Not Other Causes: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 179-189.	1.8	155
25	In Older Men an Optimal Plasma Testosterone Is Associated With Reduced All-Cause Mortality and Higher Dihydrotestosterone With Reduced Ischemic Heart Disease Mortality, While Estradiol Levels Do Not Predict Mortality. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E9-E18.	1.8	155
26	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. European Journal of Endocrinology, 2010, 163, 265-272.	1.9	148
27	Depression as a modifiable factor to decrease the risk of dementia. Translational Psychiatry, 2017, 7, e1117-e1117.	2.4	138
28	Low Free Testosterone Concentration as a Potentially Treatable Cause of Depressive Symptoms in Older Men. Archives of General Psychiatry, 2008, 65, 283.	13.8	137
29	Smoking as a risk factor for Alzheimer's disease: contrasting evidence from a systematic review of case-control and cohort studies. Addiction, 2002, 97, 15-28.	1.7	133
30	Smoking Is Associated With Reduced Cortical Regional Gray Matter Density in Brain Regions Associated With Incipient Alzheimer Disease. American Journal of Geriatric Psychiatry, 2008, 16, 92-98.	0.6	133
31	Homocysteine and Depression in Later Life. Archives of General Psychiatry, 2008, 65, 1286.	13.8	133
32	Reference Ranges and Determinants of Testosterone, Dihydrotestosterone, and Estradiol Levels Measured using Liquid Chromatography-Tandem Mass Spectrometry in a Population-Based Cohort of Older Men. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 4030-4039.	1.8	133
33	Cognitive and brain changes associated with ischaemic heart disease and heart failure. European Heart Journal, 2012, 33, 1769-1776.	1.0	131
34	Self-reported ballet classes undertaken at age 10–12 years and hip bone mineral density in later life. Osteoporosis International, 1998, 8, 165-173.	1.3	126
35	Falls, Depression and Antidepressants in Later Life: A Large Primary Care Appraisal. PLoS ONE, 2008, 3, e2423.	1.1	126
36	Global Prevalence of Young-Onset Dementia. JAMA Neurology, 2021, 78, 1080.	4.5	124

#	Article	IF	Citations
37	Systematic review and meta-analysis of randomized placebo-controlled trials of folate and vitamin B12 for depression. International Psychogeriatrics, 2015, 27, 727-737.	0.6	121
38	In men older than 70 years, total testosterone remains stable while free testosterone declines with age. The Health in Men Study. European Journal of Endocrinology, 2007, 156, 585-594.	1.9	118
39	Effects of Anticholinergic Drugs on Cognitive Function in Older Australians: Results from the AIBL Study. Dementia and Geriatric Cognitive Disorders, 2011, 31, 173-178.	0.7	115
40	Falls, injuries from falls, health related quality of life and mortality in older adults with vision and hearing impairmentâ€"ls there a gender difference?. Maturitas, 2011, 69, 359-364.	1.0	112
41	Hearing loss and the risk of dementia in later life. Maturitas, 2018, 112, 1-11.	1.0	111
42	Lower serum testosterone is independently associated with insulin resistance in non-diabetic older men: the Health In Men Study. European Journal of Endocrinology, 2009, 161, 591-598.	1.9	109
43	A Randomized, Doubleâ€Blind, Placeboâ€Controlled Study of Oral Vitamin B12Supplementation in Older Patients with Subnormal or Borderline Serum Vitamin B12Concentrations. Journal of the American Geriatrics Society, 2002, 50, 146-151.	1.3	107
44	A 20-week randomized controlled trial of estradiol replacement therapy for women aged 70 years and older: Effect on mood, cognition and quality of life. Neurobiology of Aging, 2006, 27, 141-149.	1.5	107
45	Physical activity and all-cause mortality in older women and men. British Journal of Sports Medicine, 2012, 46, 664-668.	3.1	105
46	Improving the health behaviours of elderly people: randomised controlled trial of a general practice education programme. BMJ: British Medical Journal, 1999, 319, 683-687.	2.4	103
47	Interface between residential aged care facilities and a teaching hospital emergency department in Western Australia. Medical Journal of Australia, 2006, 184, 432-435.	0.8	103
48	Association Between Lifestyle Factors and Mental Health Measures Among Community-Dwelling Older Women. Australian and New Zealand Journal of Psychiatry, 2004, 38, 940-947.	1.3	101
49	Quality use of medicines and health outcomes among a cohort of community dwelling older men: an observational study. British Journal of Clinical Pharmacology, 2011, 71, 592-599.	1.1	101
50	Validation of the <scp>FRAIL</scp> Scale in a Cohort of Older Australian Women. Journal of the American Geriatrics Society, 2012, 60, 171-173.	1.3	101
51	150â€minutes of vigorous physical activity per week predicts survival and successful ageing: a population-based 11-year longitudinal study of 12â€201 older Australian men. British Journal of Sports Medicine, 2014, 48, 220-225.	3.1	100
52	Kimberley Indigenous Cognitive Assessment tool (KICA): development of a cognitive assessment tool for older indigenous Australians. International Psychogeriatrics, 2006, 18, 269-280.	0.6	99
53	Development of a telemedicine protocol for the diagnosis of Alzheimer's disease. Journal of Telemedicine and Telecare, 2007, 13, 90-94.	1.4	99
54	Can patients with dementia be assessed at a distance? The use of Telehealth and standardised assessments. Internal Medicine Journal, 2004, 34, 239-242.	0.5	96

#	Article	IF	CITATIONS
55	Lower sex hormone-binding globulin is more strongly associated with metabolic syndrome than lower total testosterone in older men: the Health in Men Study. European Journal of Endocrinology, 2008, 158, 785-792.	1.9	96
56	Patterns of dietary intake and psychological distress in older Australians: benefits not just from a Mediterranean diet. International Psychogeriatrics, 2013, 25, 456-466.	0.6	96
57	Association of Cardiovascular Risk Factors and Disease With Depression in Later Life. American Journal of Geriatric Psychiatry, 2007, 15, 506-513.	0.6	94
58	Successful Mental Health Aging: Results From a Longitudinal Study of Older Australian Men. American Journal of Geriatric Psychiatry, 2006, 14, 27-35.	0.6	93
59	Factors Associated with Self and Informant Ratings of the Quality of Life of People with Dementia Living in Care Facilities: A Cross Sectional Study. PLoS ONE, 2010, 5, e15621.	1.1	92
60	Results of a 10 week community based strength and balance training programme to reduce fall risk factors: a randomised controlled trial in 65-75 year old women with osteoporosis. British Journal of Sports Medicine, 2001, 35, 348-351.	3.1	91
61	Donepezil for mild cognitive impairment. The Cochrane Library, 2006, , CD006104.	1.5	91
62	Clinical practice guidelines for dementia in Australia. Medical Journal of Australia, 2016, 204, 191-193.	0.8	91
63	The Association of C-Reactive Protein and CRP Genotype with Coronary Heart Disease: Findings from Five Studies with 4,610 Cases amongst 18,637 Participants. PLoS ONE, 2008, 3, e3011.	1.1	90
64	Safety and efficacy of fluoxetine on functional outcome after acute stroke (AFFINITY): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2020, 19, 651-660.	4.9	90
65	Bone Density, Vitamin D Nutrition, and Parathyroid Hormone Levels in Women with Dementia. Journal of the American Geriatrics Society, 1995, 43, 1088-1091.	1.3	89
66	Depression, Frailty, and All-Cause Mortality: A Cohort Study of Men Older than 75ÂYears. Journal of the American Medical Directors Association, 2015, 16, 296-300.	1,2	89
67	Prevalence of Sexual Activity and Associated Factors in Men Aged 75 to 95 Years. Annals of Internal Medicine, 2010, 153, 693.	2.0	88
68	Anxiety, depression, and comorbid anxiety and depression: risk factors and outcome over two years. International Psychogeriatrics, 2012, 24, 1622-1632.	0.6	88
69	Plasma and cerebrospinal fluid amyloid beta for the diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). The Cochrane Library, 2014, , CD008782.	1.5	88
70	Risk factors for secondary hyperparathyroidism in a nursing home population. Clinical Endocrinology, 1996, 44, 375-383.	1.2	87
71	Higher Serum Undercarboxylated Osteocalcin and Other Bone Turnover Markers Are Associated With Reduced Diabetes Risk and Lower Estradiol Concentrations in Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 63-71.	1.8	86
72	Bâ€vitamins reduce the longâ€term risk of depression after stroke: The VITATOPSâ€DEP trial. Annals of Neurology, 2010, 68, 503-510.	2.8	85

#	Article	IF	Citations
73	Determinants of Bone Density in 30- to 65-Year-Old Women: A Co-Twin Study. Journal of Bone and Mineral Research, 2003, 18, 1650-1656.	3.1	84
74	KIBRA genetic polymorphism influences episodic memory in later life, but does not increase the risk of mild cognitive impairment. Journal of Cellular and Molecular Medicine, 2008, 12, 1672-1676.	1.6	83
75	THE PREDICTIVE VALUE OF DEMENTIA SCREENING INSTRUMENTS IN CLINICAL POPULATIONS. , 1997, 12, 203-209.		81
76	Do memory clinics improve the quality of life of carers? A randomized pilot trial., 1999, 14, 626-632.		81
77	Contribution of the MTHFR gene to the causal pathway for depression, anxiety and cognitive impairment in later life. Neurobiology of Aging, 2005, 26, 251-257.	1.5	81
78	The Significance of Subnormal Serum Vitamin B <sub>12</sub> Concentration in Older People: A Case Control Study. Journal of the American Geriatrics Society, 1996, 44, 1355-1361.	1.3	80
79	24-Month effect of smoking cessation on cognitive function and brain structure in later life. Neurolmage, 2011, 55, 1480-1489.	2.1	79
80	Age-specific population centiles for androgen status in men. European Journal of Endocrinology, 2015, 173, 809-817.	1.9	79
81	The Diagnostic Accuracy of Telegeriatrics for the Diagnosis of Dementia via Video Conferencing. Journal of the American Medical Directors Association, 2012, 13, 487.e19-487.e24.	1.2	78
82	Associations between Testosterone Levels and Incident Prostate, Lung, and Colorectal Cancer. A Population-Based Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1319-1329.	1.1	76
83	In Older Men, Higher Plasma Testosterone or Dihydrotestosterone Is an Independent Predictor for Reduced Incidence of Stroke but Not Myocardial Infarction. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4565-4573.	1.8	76
84	Obesity and Metabolic Syndrome Increase the Risk of Incident Depression in Older Men: The Health in Men Study. American Journal of Geriatric Psychiatry, 2009, 17, 889-898.	0.6	75
85	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. European Urology, 2018, 74, 585-594.	0.9	75
86	An Examination of Pain Perception and Cerebral Event-Related Potentials following Carbon Dioxide Laser Stimulation in Patients with Alzheimer's Disease and Age-Matched Control Volunteers. Pain Research and Management, 2001, 6, 126-132.	0.7	71
87	Associations of total osteocalcin with all-cause and cardiovascular mortality in older men. The Health In Men Study. Osteoporosis International, 2012, 23, 599-606.	1.3	71
88	Polymorphisms of the CRP gene inhibit inflammatory response and increase susceptibility to depression: The Health in Men Study. International Journal of Epidemiology, 2009, 38, 1049-1059.	0.9	70
89	Determinants of hip axis length in women aged 10–89 years: A twin study. Bone, 1996, 18, 41-45.	1.4	69
90	Depression, Antidepressant Use and Mortality in Later Life: The Health in Men Study. PLoS ONE, 2010, 5, e11266.	1.1	69

#	Article	IF	Citations
91	Understanding diagnosis and management of dementia and guideline implementation in general practice: a qualitative study using the theoretical domains framework. Implementation Science, 2014, 9, 31.	2.5	69
92	Modifiable Lifestyle Risk Factors for Alzheimer's Disease. Journal of Alzheimer's Disease, 2010, 20, 803-811.	1.2	68
93	Exercise is medicine, for the body and the brain. British Journal of Sports Medicine, 2014, 48, 943-944.	3.1	68
94	Mortality among People with Severe Mental Disorders Who Reach Old Age: A Longitudinal Study of a Community-Representative Sample of 37892 Men. PLoS ONE, 2014, 9, e111882.	1.1	67
95	Effectiveness of a smoking cessation intervention in older adults. Addiction, 2007, 102, 148-155.	1.7	66
96	Systematic review of the body of evidence for the use of biomarkers in the diagnosis of dementia. Alzheimer's and Dementia, 2013, 9, e96-e105.	0.4	66
97	Low Vitamin D Status Is an Independent Predictor of Increased Frailty and All-Cause Mortality in Older Men: The Health in Men Study. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 3821-3828.	1.8	66
98	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 731-734.	0.6	65
99	Higher free thyroxine levels are associated with all-cause mortality in euthyroid older men: the Health In Men Study. European Journal of Endocrinology, 2013, 169, 401-408.	1.9	63
100	Vitamins B12, B6, and Folic Acid for Onset of Depressive Symptoms in Older Men. Journal of Clinical Psychiatry, 2008, 69, 1203-1209.	1.1	63
101	Higher Free Thyroxine Levels Predict Increased Incidence of Dementia in Older Men: The Health In Men Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E2230-E2237.	1.8	62
102	Social connectedness and predictors of successful ageing. Maturitas, 2013, 75, 361-366.	1.0	61
103	Higher serum free testosterone is associated with better cognitive function in older men, while total testosterone is not. The Health In Men Study. Clinical Endocrinology, 2008, 68, 404-412.	1.2	59
104	Prospective longitudinal study of testosterone and incident depression in older men: The Health In Men Study. Psychoneuroendocrinology, 2016, 64, 57-65.	1.3	58
105	Equity of access to a memory clinic in Melbourne? Non-English speaking background attenders are more severely demented and have increased rates of psychiatric disorders. International Journal of Geriatric Psychiatry, 2001, 16, 327-334.	1.3	57
106	The combination of cognitive testing and an informant questionnaire in screening for dementia. Age and Ageing, 2003, 32, 541-547.	0.7	57
107	Factors Associated with Dementia in Aboriginal Australians. Australian and New Zealand Journal of Psychiatry, 2010, 44, 888-893.	1.3	57
108	A Randomized Trial to Reduce the Prevalence of Depression and Self-Harm Behavior in Older Primary Care Patients. Annals of Family Medicine, 2012, 10, 347-356.	0.9	57

#	Article	IF	CITATIONS
109	Duration of diabetes and its association with depression in later life: The Health In Men Study (HIMS). Maturitas, 2016, 86, 3-9.	1.0	57
110	Screening for and Managing the Person with Frailty in Primary Care: ICFSR Consensus Guidelines. Journal of Nutrition, Health and Aging, 2020, 24, 920-927.	1.5	56
111	Body Adiposity in Later Life and the Incidence of Dementia: The Health in Men Study. PLoS ONE, 2011, 6, e17902.	1.1	55
112	Older Men Who Use Computers Have Lower Risk of Dementia. PLoS ONE, 2012, 7, e44239.	1.1	55
113	Risk of dementia and death in community-dwelling older men with bipolar disorder. British Journal of Psychiatry, 2016, 209, 121-126.	1.7	55
114	Use of emergency departments by older people from residential care: a population based study. Age and Ageing, 2008, 38, 314-318.	0.7	54
115	Thyroid Hormones and Depression: The Health In Men Study. American Journal of Geriatric Psychiatry, 2011, 19, 763-770.	0.6	54
116	Plasma lipoprotein $\hat{l}^2$ -amyloid in subjects with Alzheimer's disease or mild cognitive impairment. Annals of Clinical Biochemistry, 2008, 45, 395-403.	0.8	53
117	B vitamins to enhance treatment response to antidepressants in middle-aged and older adults: results from the B-VITAGE randomised, double-blind, placebo-controlled trial. British Journal of Psychiatry, 2014, 205, 450-457.	1.7	53
118	Aspirin decreases the risk of depression in older men with high plasma homocysteine. Translational Psychiatry, 2012, 2, e151-e151.	2.4	52
119	Contributors to cognitive impairment in congestive heart failure: a pilot case–control study. Internal Medicine Journal, 2009, 39, 600-605.	0.5	51
120	A practical approach to assess depression risk and to guide risk reduction strategies in later life. International Psychogeriatrics, 2011, 23, 280-291.	0.6	51
121	Higher free thyroxine levels are associated with frailty in older men: the Health In Men Study. Clinical Endocrinology, 2012, 76, 741-748.	1.2	51
122	Association of Thyroid Dysfunction With Cognitive Function. JAMA Internal Medicine, 2021, 181, 1440.	2.6	51
123	Energy, protein, calcium, vitamin D and fibre intakes from meals in residential care establishments in Australia. Asia Pacific Journal of Clinical Nutrition, 2003, 12, 172-7.	0.3	51
124	A memory clinic at a geriatric hospital: rationale, routine and results from the first 100 patients. Medical Journal of Australia, 1992, 156, 618-622.	0.8	50
125	Prevalence and Predictors of Sexual Problems in Men Aged 75–95 Years: A Populationâ€Based Study. Journal of Sexual Medicine, 2012, 9, 442-453.	0.3	50
126	Resident-to-resident physical aggression leading to injury in nursing homes: a systematic review. Age and Ageing, 2015, 44, 356-364.	0.7	50

#	Article	IF	Citations
127	Apathy and depressive symptoms in older people and incident myocardial infarction, stroke, and mortality: a systematic review and meta-analysis of individual participant data. Clinical Epidemiology, 2018, Volume 10, 363-379.	1.5	49
128	The association between C-reactive protein concentration and depression in later life is due to poor physical health: results from the Health in Men Study (HIMS). Psychological Medicine, 2007, 37, 1775-1786.	2.7	48
129	Reference Intervals for Bone Turnover Markers and Their Association With Incident Hip Fractures in Older Men: The Health In Men Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 90-99.	1.8	48
130	Association between depression and hospital outcomes among older men. Cmaj, 2013, 185, 117-123.	0.9	47
131	Prevalence and incidence of frailty in Aboriginal Australians, and associations with mortality and disability. Maturitas, 2016, 87, 89-94.	1.0	47
132	Healthier lifestyle predicts higher circulating testosterone in older men: the Health In Men Study. Clinical Endocrinology, 2009, 70, 455-463.	1.2	46
133	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 <scp>A</scp> ustralian cohorts. International Journal of Cancer, 2015, 137, 1699-1708.	2.3	46
134	Complaints of difficulty to fall asleep increase the risk of depression in later life: The health in men study. Journal of Affective Disorders, 2011, 134, 208-216.	2.0	45
135	The Kimberley Assessment of Depression of Older Indigenous Australians: Prevalence of Depressive Disorders, Risk Factors and Validation of the KICA-dep Scale. PLoS ONE, 2014, 9, e94983.	1.1	45
136	Attitudes Toward Information and Communication Technology (ICT) inÂResidential Aged Care in Western Australia. Journal of the American Medical Directors Association, 2009, 10, 408-413.	1.2	44
137	Higher Luteinizing Hormone is Associated with Poor Memory Recall: The Health in Men Study. Journal of Alzheimer's Disease, 2010, 19, 943-951.	1.2	44
138	Elevated LH predicts ischaemic heart disease events in older men: the Health in Men Study. European Journal of Endocrinology, 2011, 164, 569-577.	1.9	44
139	Incidence and predictors of cognitive impairment and dementia in Aboriginal Australians: A followâ€up study of 5 years. Alzheimer's and Dementia, 2016, 12, 252-261.	0.4	44
140	Nandrolone decanoate and intranasal calcitonin as therapy in established osteoporosis. Osteoporosis International, 1997, 7, 29-35.	1.3	43
141	Dietary Patterns Are Associated with Cognition among Older People with Mild Cognitive Impairment. Nutrients, 2012, 4, 1542-1551.	1.7	43
142	Brain and mood changes over 2 years in healthy controls and adults with heart failure and ischaemic heart disease. European Journal of Heart Failure, 2013, 15, 850-858.	2.9	42
143	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. PLoS Medicine, 2019, 16, e1002807.	3.9	42
144	Alcohol use and mortality in older men and women. Addiction, 2010, 105, 1391-1400.	1.7	41

#	Article	IF	Citations
145	Is Hypovitaminosis D Associated with Abdominal Aortic Aneurysm, and is There a Dose–response Relationship?. European Journal of Vascular and Endovascular Surgery, 2013, 45, 657-664.	0.8	41
146	A Memory Clinic at a Geriatric Hospital: A Report on 577 Patients Assessed with the CAMDEX Over 9 Years. Australian and New Zealand Journal of Psychiatry, 2003, 37, 319-326.	1.3	40
147	B-vitamins reduce plasma levels of beta amyloid. Neurobiology of Aging, 2008, 29, 303-305.	1.5	40
148	Cardiovascular Risk Factors, Cerebrovascular Disease Burden, and Healthy Brain Aging. Clinics in Geriatric Medicine, 2010, 26, 17-27.	1.0	39
149	Two-year course of cognitive function and mood in adults with congestive heart failure and coronary artery disease: the Heart-Mind Study. International Psychogeriatrics, 2012, 24, 38-47.	0.6	39
150	Associations of insulinâ€like growth factorâ€l and its binding proteins and testosterone with frailty in older men. Clinical Endocrinology, 2013, 78, 752-759.	1.2	39
151	Vitamin D concentration and its association with past, current and future depression in older men: The Health In Men Study. Maturitas, 2015, 81, 36-41.	1.0	39
152	ASPIRIN USE, DEPRESSION, AND COGNITIVE IMPAIRMENT IN LATER LIFE: THE HEALTH IN MEN STUDY. Journal of the American Geriatrics Society, 2010, 58, 990-992.	1.3	38
153	IGF1 and its binding proteins 3 and 1 are differentially associated with metabolic syndrome in older men. European Journal of Endocrinology, 2010, 162, 249-257.	1.9	38
154	Social support and subsequent disability: it is not the size of your network that counts. Age and Ageing, 2012, 41, 674-677.	0.7	38
155	Socioeconomic disadvantage increases risk of prevalent and persistent depression in later life. Journal of Affective Disorders, 2012, 138, 322-331.	2.0	38
156	Changes in body mass in later life and incident dementia. International Psychogeriatrics, 2013, 25, 467-478.	0.6	38
157	The PACE Study: A Randomized Clinical Trial of Cognitive Activity Strategy Training for Older People with Mild Cognitive Impairment. American Journal of Geriatric Psychiatry, 2015, 23, 360-372.	0.6	38
158	Homocysteine, methylenetetrahydrofolate reductase C677T polymorphism and cognitive impairment: the health in men study. Molecular Psychiatry, 2012, 17, 559-566.	4.1	37
159	Homocysteine, Frailty, and All-Cause Mortality in Older Men: The Health in Men Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 590-598.	1.7	37
160	Association Between Homocysteine, Depression, and Cognitive Function in Community-Dwelling Older Women from Australia. Journal of the American Geriatrics Society, 2004, 52, 327-328.	1.3	36
161	â€~My independent streak may get in the way': how older adults respond to falls prevention education in hospital. BMJ Open, 2016, 6, e012363.	0.8	36
162	Relationships with serum parathyroid hormone in old institutionalized subjects. Clinical Endocrinology, 2001, 54, 583-592.	1.2	35

#	Article	IF	Citations
163	Uncommon causes of dementia: rare, but not marginal. International Psychogeriatrics, 2005, 17, S1-S2.	0.6	35
164	Associations of IGF1 and IGFBPs 1 and 3 with all-cause and cardiovascular mortality in older men: the Health In Men Study. European Journal of Endocrinology, 2011, 164, 715-723.	1.9	34
165	Dietary patterns as predictors of successful ageing. Journal of Nutrition, Health and Aging, 2014, 18, 221-227.	1.5	34
166	Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. Age and Ageing, 2018, 47, 512-519.	0.7	34
167	A multi-faceted intervention to implement guideline care and improve quality of care for older people who present to the emergency department with falls. BMC Geriatrics, $2011, 11, 6$ .	1.1	33
168	Plasma homocysteine and MTHFRC677T polymorphism as risk factors for incident dementia. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 70-75.	0.9	33
169	The longitudinal association between natural outdoor environments and mortality in 9218 older men from Perth, Western Australia. Environment International, 2019, 125, 430-436.	4.8	33
170	Prevalence of dementia among patients referred to an aged care assessment team and associated stress in their carers. Australian Journal of Public Health, 1995, 19, 275-279.	0.2	32
171	CRP 1846G>A polymorphism increases risk of frailty. Maturitas, 2012, 71, 261-266.	1.0	32
172	Plasma total homocysteine is associated with abdominal aortic aneurysm and aortic diameter in older men. Journal of Vascular Surgery, 2013, 58, 364-370.	0.6	32
173	How Many Older People Are Frail? Using Multiple Imputation to Investigate Frailty in the Population. Journal of the American Medical Directors Association, 2015, 16, 439.e1-439.e7.	1.2	32
174	Impact of Tai-Chi on Falls Among Preclinically Disabled Older People. A Randomized Controlled Trial. Journal of the American Medical Directors Association, 2015, 16, 420-426.	1.2	32
175	18F PET with florbetapir for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). The Cochrane Library, 2017, 2017, CD012216.	1.5	32
176	Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Men. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 4224-4231.	1.8	32
177	Predictors of impaired cognitive function in men over the age of 80 years: results from the Health in Men Study. Age and Ageing, 2005, 34, 77-80.	0.7	31
178	Efficacy of B Vitamins in Lowering Homocysteine in Older Men. Stroke, 2006, 37, 547-549.	1.0	31
179	A Cluster-Randomised Trial of Staff Education to Improve the Quality of Life of People with Dementia Living in Residential Care: The DIRECT Study. PLoS ONE, 2011, 6, e28155.	1.1	31
180	A risk table to assist health practitioners assess and prevent the onset of depression in later life. Preventive Medicine, 2013, 57, 878-882.	1.6	31

#	Article	IF	CITATIONS
181	Sex hormones and incident dementia in older men: The health in men study. Psychoneuroendocrinology, 2018, 98, 139-147.	1.3	31
182	The KICA Screen: The psychometric properties of a shortened version of the KICA (Kimberley Indigenous) Tj ETG	Qq0	T /Gyerlock 1
183	Homocysteine, depression and cognitive function in older adults. Journal of Affective Disorders, 2013, 151, 646-651.	2.0	30
184	Alcohol consumption and cognitive impairment in older men: A mendelian randomization study. Neurology, 2014, 82, 1038-1044.	1.5	30
185	Depression as a risk factor for cognitive impairment in later life: the Health In Men cohort study. International Journal of Geriatric Psychiatry, 2016, 31, 412-420.	1.3	30
186	Progressive impairment of testicular endocrine function in ageing men: Testosterone and dihydrotestosterone decrease, and luteinizing hormone increases, in men transitioning from the 8th to 9th decades of life. Clinical Endocrinology, 2018, 88, 88-95.	1.2	30
187	Long-term Exposure to Low Air Pollutant Concentrations and the Relationship with All-Cause Mortality and Stroke in Older Men. Epidemiology, 2019, 30, S82-S89.	1.2	30
188	Development and evaluation of an educational intervention for general practitioners and staff caring for people with dementia living in residential facilities. International Psychogeriatrics, 2011, 23, 221-229.	0.6	29
189	Impact of the Reelin signaling cascade (Ligands–Receptors–Adaptor Complex) on cognition in schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 392-404.	1.1	29
190	ACTIVEDEP: a randomised, controlled trial of a home-based exercise intervention to alleviate depression in middle-aged and older adults. British Journal of Sports Medicine, 2014, 48, 226-232.	3.1	29
191	18F PET with flutemetamol for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). The Cochrane Library, 2017, 2017, CD012884.	1.5	29
192	Subclinical thyroid dysfunction and circulating thyroid hormones are not associated with bone turnover markers or incident hip fracture in older men. Clinical Endocrinology, 2018, 89, 93-99.	1.2	29
193	Preliminary evaluation of the prevalence of falls, pain and urinary incontinence in remote living Indigenous Australians over the age of 45â€∫years. Internal Medicine Journal, 2012, 42, e102-7.	0.5	28
194	Educators' perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. BMJ Open, 2015, 5, e009780.	0.8	28
195	Diabetes, Myocardial Infarction and Stroke Are Distinct and Duration-Dependent Predictors of Subsequent Cardiovascular Events and All-Cause Mortality in Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 1038-1047.	1.8	28
196	Proportion of Undercarboxylated Osteocalcin and Serum P1NP Predict Incidence of Myocardial Infarction in Older Men. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3934-3942.	1.8	28
197	Good Spirit, Good Life: A Quality of Life Tool and Framework for Older Aboriginal Peoples. Gerontologist, The, 2021, 61, e163-e172.	2.3	28
198	Optimisation of medications used in residential aged care facilities: a systematic review and meta-analysis of randomised controlled trials. BMC Geriatrics, 2020, 20, 236.	1.1	28

#	Article	IF	Citations
199	Association of Markers of Inflammation, the Kynurenine Pathway and B Vitamins with Age and Mortality, and a Signature of Inflammaging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 826-836.	1.7	28
200	Subjective Memory Complaints With and Without Objective Memory Impairment: Relationship With Risk Factors for Dementia. American Journal of Geriatric Psychiatry, 2005, 13, 731-734.	0.6	28
201	Healthcare for older people in residential care ―who cares?. Medical Journal of Australia, 2000, 173, 77-79.	0.8	27
202	The FABS trial: A randomised control trial of the effects of a 6-month physical activity intervention on adherence and long-term physical activity and self-efficacy in older adults with memory complaints. Preventive Medicine, 2013, 57, 824-830.	1.6	27
203	Missing Voices: Profile, Extent, and 12-Month Outcomes of Nonfatal Traumatic Brain Injury in Aboriginal and Non-Aboriginal Adults in Western Australia Using Linked Administrative Records. Journal of Head Trauma Rehabilitation, 2018, 33, 412-423.	1.0	27
204	Osteocalcin and its forms across the lifespan in adult men. Bone, 2020, 130, 115085.	1.4	27
205	Coronary heart disease is associated with regional grey matter volume loss: implications for cognitive function and behaviour. Internal Medicine Journal, 2008, 38, 599-606.	0.5	26
206	The triangular association of ADH1B genetic polymorphism, alcohol consumption and the risk of depression in older men. Molecular Psychiatry, 2014, 19, 995-1000.	4.1	26
207	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. Injury Prevention, 2019, 25, 557-564.	1.2	26
208	Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1511-1517.	1.7	26
209	Risk of dementia associated with psychotic disorders in later life: the health in men study (HIMS). Psychological Medicine, 2019, 49, 232-242.	2.7	26
210	In Older Men, Lower Plasma 25-Hydroxyvitamin D Is Associated with Reduced Incidence of Prostate, but Not Colorectal or Lung Cancer. PLoS ONE, 2014, 9, e99954.	1.1	26
211	Association between hormone replacement therapy and dementia: is it time to forget?. International Psychogeriatrics, 2005, 17, 155-164.	0.6	25
212	Current experiences and educational preferences of general practitioners and staff caring for people with dementia living in residential facilities. BMC Geriatrics, 2009, 9, 36.	1.1	25
213	Assessing cognitive impairment in Indigenous Australians: Re-evaluation of the Kimberley Indigenous Cognitive Assessment in Western Australia and the Northern Territory. Australian Psychologist, 2009, 44, 54-61.	0.9	25
214	Validity of Self-Reported versus Hospital-Coded Diagnosis of Stroke: A Cross-Sectional and Longitudinal Study. Cerebrovascular Diseases, 2014, 37, 256-262.	0.8	25
215	Evidenceâ€based occupational therapy for people with dementia and their families: What clinical practice guidelines tell us and implications for practice. Australian Occupational Therapy Journal, 2017, 64, 3-10.	0.6	25
216	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. Cancer Research, 2019, 79, 274-285.	0.4	25

#	Article	IF	Citations
217	The Healthy Heartâ€Mind Trial: Randomized Controlled Trial of Melatonin for Prevention of Delirium. Journal of the American Geriatrics Society, 2020, 68, 112-119.	1.3	25
218	Latent Semantic Analysis: A New Method to Measure Prose Recall. Journal of Clinical and Experimental Neuropsychology, 2002, 24, 26-35.	0.8	24
219	DIAGNOSTIC ACCURACY OF TELEHEALTH COMMUNITY DEMENTIA ASSESSMENTS. Journal of the American Geriatrics Society, 2005, 53, 2043-2044.	1.3	24
220	Traditional Risk Factors for Incident Cardiovascular Events Have Limited Importance in Later Life Compared With the Health in Men Study Cardiovascular Risk Score. Stroke, 2011, 42, 952-959.	1.0	24
221	Insulin Resistance and Depressive Symptoms in Older Men: The Health in Men Study. American Journal of Geriatric Psychiatry, 2015, 23, 872-880.	0.6	24
222	Do australian women have greater spinal bone density than North American women?. Osteoporosis International, 1995, 5, 63-65.	1.3	23
223	Inspection time in non-demented older adults with mild cognitive impairment. Neuropsychologia, 2006, 44, 1452-1456.	0.7	23
224	Impact of Tai Chi on Impairment, Functional Limitation, and Disability Among Preclinically Disabled Older People: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1400-1407.	0.5	23
225	Hypovitaminosis D and frailty: Epiphenomenon or causal?. Maturitas, 2015, 82, 328-335.	1.0	23
226	Suicide in older men: The health in men cohort study (HIMS). Preventive Medicine, 2016, 93, 33-38.	1.6	23
227	18F PET with florbetaben for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). The Cochrane Library, 2017, 2017, CD012883.	1.5	23
228	Vitamin D insufficiency and hyperparathyroidism in Perth blood donors. Medical Journal of Australia, 2000, 172, 406-407.	0.8	22
229	The PACE Study: A randomised clinical trial of cognitive activity (CA) for older adults with mild cognitive impairment (MCI). Trials, 2009, 10, 114.	0.7	22
230	Awareness of Cognitive Deficits in Older Adults With Cognitive-impairment-no-dementia (CIND). Alzheimer Disease and Associated Disorders, 2011, 25, 24-33.	0.6	22
231	Cardiovascular Disease, Depression and Mortality: The Health In Men Study. American Journal of Geriatric Psychiatry, 2012, 20, 433-440.	0.6	22
232	Plasma Angiopoietin-1 Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. Stroke, 2014, 45, 1064-1068.	1.0	22
233	Healthy mental ageing. The Journal of the British Menopause Society, 2006, 12, 92-96.	1.3	21
234	Population rates of bone densitometry use in Australia, 2001–2005, by sex and rural versus urban location. Medical Journal of Australia, 2009, 190, 126-128.	0.8	21

#	Article	lF	Citations
235	Life style interventions to reduce the risk of dementia. Maturitas, 2009, 63, 319-322.	1.0	21
236	A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. BMJ Open, 2014, 4, e004195.	0.8	21
237	RESPONDâ€"a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for a multicentre randomised controlled trial. Injury Prevention, 2015, 21, e1-e1.	1.2	21
238	Depressive symptoms in midlife: the role of reproductive stage. Menopause, 2016, 23, 669-675.	0.8	21
239	Screening for and Managing the Person with Frailty in Primary Care: ICFSR Consensus Guidelines. Journal of Nutrition, Health and Aging, 0, , .	1.5	21
240	Sociodemographic, lifestyle and medical influences on serum testosterone and sex hormone–binding globulin in men from UK Biobank. Clinical Endocrinology, 2021, 94, 290-302.	1.2	21
241	Prevalence, associated factors, mood and cognitive outcomes of traumatic brain injury in later life: the health in men study (HIMS). International Journal of Geriatric Psychiatry, 2015, 30, 1215-1223.	1.3	20
242	Higher Dihydrotestosterone Is Associated with the Incidence of Lung Cancer in Older Men. Hormones and Cancer, 2017, 8, 119-126.	4.9	20
243	Higher IGFBP3 is associated with increased incidence of colorectal cancer in older men independently of <scp>IGF</scp> 1. Clinical Endocrinology, 2018, 88, 333-340.	1.2	20
244	Guidelines for the management of postmenopausal osteoporosis for GPs. Australian Family Physician, 2004, 33, 910-9.	0.5	20
245	Metabolic and endocrinological causes of dementia. International Psychogeriatrics, 2005, 17, S79-S92.	0.6	19
246	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. Molecular Psychiatry, 2012, 17, 1328-1339.	4.1	19
247	Study Protocol: <i>Missing Voices</i> i>a€" Communication Difficulties after Stroke and Traumatic Brain Injury in Aboriginal Australians. Brain Impairment, 2015, 16, 145-156.	0.5	19
248	A Human Variant of Glucose-Regulated Protein 94 That Inefficiently Supports IGF Production. Endocrinology, 2016, 157, 1914-1928.	1.4	19
249	Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. Health and Social Care in the Community, 2020, 28, 1710-1722.	0.7	19
250	Association Between Physiological Serum Concentration of Estrogen and the Mental Health of Community-Dwelling Postmenopausal Women Age 70 Years and Over. American Journal of Geriatric Psychiatry, 2005, 13, 142-149.	0.6	19
251	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study. Alzheimer's and Dementia, 2022, 18, 1907-1918.	0.4	19
252	'Gotta be sit down and worked out together': views of Aboriginal caregivers and service providers on ways to improve dementia care for Aboriginal Australians. Rural and Remote Health, 2011, 11, 1650.	0.4	19

#	Article	IF	CITATIONS
253	Why so negative about preventing cognitive decline and dementia? The jury has already come to the verdict for physical activity and smoking cessation. British Journal of Sports Medicine, 2011, 45, 465-467.	3.1	18
254	Associations of IGF1 and its binding proteins with abdominal aortic aneurysm and aortic diameter in older men. European Journal of Endocrinology, 2012, 166, 191-197.	1.9	18
255	HDL cholesterol and the risk of depression over 5 years. Molecular Psychiatry, 2014, 19, 637-638.	4.1	18
256	Missing voices: Profile and extent of acquired communication disorders in Aboriginal and non-Aboriginal adult stroke survivors in Western Australia using linked administrative records. International Journal of Stroke, 2016, 11, 103-116.	2.9	18
257	Depression, antidepressants and the risk of cardiovascular events and death in older men. Maturitas, 2019, 128, 4-9.	1.0	18
258	Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. Journal of the American Geriatrics Society, 2019, 67, 2274-2281.	1.3	18
259	When is Alzheimer's not dementia—Cochrane commentary on The National Institute on Ageing and Alzheimer's Association Research Framework for Alzheimer's Disease. Age and Ageing, 2019, 48, 174-177.	0.7	18
260	Let's CHAT (community health approaches to) dementia in Aboriginal and Torres Strait Islander communities: protocol for a stepped wedge cluster randomised controlled trial. BMC Health Services Research, 2020, 20, 208.	0.9	18
261	'Gotta be sit down and worked out together': views of Aboriginal caregivers and service providers on ways to improve dementia care for Aboriginal Australians. Rural and Remote Health, 0, , .	0.4	18
262	Circulating free testosterone and risk of aggressive prostate cancer: Prospective and Mendelian randomisation analyses in international consortia. International Journal of Cancer, 2022, 151, 1033-1046.	2.3	18
263	Is caring for elderly relatives with depression as stressful as caring for those with dementia? a pilot study in melbourne. International Journal of Geriatric Psychiatry, 1993, 8, 339-342.	1.3	17
264	Vascular factors in geriatric psychiatry: time to take a serious look. Current Opinion in Psychiatry, 2008, 21, 551-554.	3.1	17
265	The fitness for the Ageing Brain Study II (FABS II): protocol for a randomized controlled clinical trial evaluating the effect of physical activity on cognitive function in patients with Alzheimer's disease. Trials, 2010, 11, 120.	0.7	17
266	The B-VITAGE trial: A randomized trial of homocysteine lowering treatment of depression in later life. Trials, 2010, 11, 8.	0.7	17
267	Lower plasma testosterone or dihydrotestosterone, but not estradiol, is associated with symptoms of intermittent claudication in older men. Clinical Endocrinology, 2013, 79, 725-732.	1.2	17
268	Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. BMJ Open, 2017, 7, e013931.	0.8	17
269	Longevity Klotho gene polymorphism and the risk of dementia in older men. Maturitas, 2017, 101, 1-5.	1.0	17
270	Older men with bipolar disorder: Clinical associations with early and late onset illness. International Journal of Geriatric Psychiatry, 2018, 33, 1613-1619.	1.3	17

#	Article	IF	CITATIONS
271	Preventing Dementia: Why We Should Focus on Health Promotion Now. International Psychogeriatrics, 2003, 15, 111-119.	0.6	16
272	Assessment of the potential effect of incremental increases in folic acid intake on neural tube defects in Australia and New Zealand. Australian and New Zealand Journal of Public Health, 2006, 30, 369-374.	0.8	16
273	?Ngana minyarti? What is this?? Development of cognitive questions for the Kimberley Indigenous Cognitive Assessment. Australasian Journal on Ageing, 2007, 26, 115-119.	0.4	16
274	Homocysteine, Grey Matter and Cognitive Function in Adults with Cardiovascular Disease. PLoS ONE, 2012, 7, e33345.	1.1	16
275	Circulating insulin-like growth factors and risks of overall, aggressive and early-onset prostate cancer: a collaborative analysis of 20 prospective studies and Mendelian randomization analysis. International Journal of Epidemiology, 2023, 52, 71-86.	0.9	16
276	Cognitive activity for the treatment of older adults with mild Alzheimer's Disease (AD) - PACE AD: study protocol for a randomised controlled trial. Trials, 2011, 12, 47.	0.7	15
277	Depression Among Nonfrail Old Men Is Associated With Reduced Physical Function and Functional Capacity After 9ÂYears Follow-up: The Health in Men Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 65-69.	1.2	15
278	Risk of prevalent and incident dementia associated with insulin-like growth factor and insulin-like growth factor-binding protein 3. Molecular Psychiatry, 2018, 23, 1825-1829.	4.1	15
279	"You felt like a prisoner in your own self, trapped― the experiences of Aboriginal people with acquired communication disorders. Disability and Rehabilitation, 2021, 43, 1903-1916.	0.9	15
280	Clinical issues in aged care: Managing the interface between acute, subacute, community and residential care. Australian Health Review, 2002, 25, 136.	0.5	15
281	Reported High Salt Intake Is Associated with Increased Prevalence of Abdominal Aortic Aneurysm and Larger Aortic Diameter in Older Men. PLoS ONE, 2014, 9, e102578.	1.1	15
282	The Effect of Aging on Intact PTH and Bone Density in Women. Journal of the American Geriatrics Society, 1992, 40, 1135-1138.	1.3	14
283	Screening for pre-clinical disability in different residential settings. BMC Geriatrics, 2010, 10, 52.	1.1	14
284	Hospital costs associated with depression in a cohort of older men living in Western Australia. General Hospital Psychiatry, 2014, 36, 33-37.	1.2	14
285	â€~It promoted a positive culture around falls prevention': staff response to a patient education programme—a qualitative evaluation. BMJ Open, 2016, 6, e013414.	0.8	14
286	Potentially suboptimal prescribing of medicines for older Aboriginal Australians in remote areas. Medical Journal of Australia, 2019, 211, 119-125.	0.8	14
287	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGFâ€i, IGFâ€i, IGFBPâ€i, IGFBPâ€i and IGFBPâ€i in a pooled analysis of 16,024 men from 22 studies. International Journal of Cancer, 2019, 145, 3244-3256.	2.3	14
288	Depression Outcomes Among Patients Treated With Fluoxetine for Stroke Recovery. JAMA Neurology, 2021, 78, 1072.	4.5	14

#	Article	IF	Citations
289	Physical Health Burden Among Older Men and Women With Bipolar Disorder: Results From the Gage-Bd Collaboration. American Journal of Geriatric Psychiatry, 2022, 30, 727-732.	0.6	14
290	Dementia in residential care: education intervention trial (DIRECT); protocol for a randomised controlled trial. Trials, 2010, 11, 63.	0.7	13
291	Hip fractures among Indigenous Western Australians from 1999 to 2009. Internal Medicine Journal, 2013, 43, 1287-1292.	0.5	13
292	Hormones and Cardiovascular Disease in Older Men. Journal of the American Medical Directors Association, 2014, 15, 326-333.	1.2	13
293	Reducing depression during the menopausal transition with health coaching: Results from the healthy menopausal transition randomised controlled trial. Maturitas, 2016, 92, 41-48.	1.0	13
294	l've got to row the boat on my own, more or less': aboriginal australian experiences of traumatic brain injury. Brain Impairment, 2019, 20, 120-136.	0.5	13
295	Higher circulating androgens and higher physical activity levels are associated with less central adiposity and lower risk of cardiovascular death in older men. Clinical Endocrinology, 2019, 90, 375-383.	1.2	13
296	Hearing aids to support cognitive functions of older adults at risk of dementia: the HearCog trial-clinical protocols. BMC Geriatrics, 2020, 20, 508.	1.1	13
297	Should geriatric medicine remain a specialty? Yes. BMJ: British Medical Journal, 2008, 337, a516-a516.	2.4	13
298	Association between the Advanced Glycosylation End Product-Specific Receptor Gene and Cardiovascular Death in Older Men. PLoS ONE, 2015, 10, e0134475.	1.1	13
299	Disrupted sleep and risk of depression in later life: A prospective cohort study with extended follow up and a systematic review and meta-analysis. Journal of Affective Disorders, 2022, 309, 314-323.	2.0	13
300	Reference Ranges for Thyroid-Stimulating Hormone and Free Thyroxine in Older Men: Results From the Health In Men Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 72, glw132.	1.7	12
301	Excessive alcohol consumption increases mortality in later life: a genetic analysis of the health in men cohort study. Addiction Biology, 2017, 22, 570-578.	1.4	12
302	Development of the Aboriginal Communication Assessment After Brain Injury (ACAABI): A screening tool for identifying acquired communication disorders in Aboriginal Australians. International Journal of Speech-Language Pathology, 2017, 19, 297-308.	0.6	12
303	Highâ€Sensitivity Cardiac Troponin I Improves Cardiovascular Risk Prediction in Older Men: HIMS (The) Tj ETQq1 1	l 0.78431 1.6	.4 rgBT /Ove
304	Preventing depression among older people living in rural areas: A randomised controlled trial of behavioural activation in collaborative care. International Journal of Geriatric Psychiatry, 2021, 36, 530-539.	1.3	12
305	Inflammation-Related Marker Profiling of Dietary Patterns and All-cause Mortality in the Melbourne Collaborative Cohort Study. Journal of Nutrition, 2021, 151, 2908-2916.	1.3	12
306	Effect of testosterone deprivation on the cognitive performance of a patient with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2001, 16, 823-825.	1.3	11

#	Article	IF	CITATIONS
307	Latent Semantic Analysis: An Improved Method to Measure Cognitive Performance in Subjects of Non-English-Speaking-Background. Journal of Clinical and Experimental Neuropsychology, 2006, 28, 1381-1387.	0.8	11
308	Rating the quality of life of people with dementia living in residential care facilities in routine research practice. Age and Ageing, 2008, 38, 343-346.	0.7	11
309	Impact of behavioural risk factors on death within 10 years for women and men in their 70s: absolute risk charts. BMC Public Health, 2012, 12, 669.	1.2	11
310	Peripheral arterial disease increases the risk of subsequent hip fracture in older men: the Health in Men Study. Osteoporosis International, 2013, 24, 1683-1688.	1.3	11
311	Angiogenesis inhibition and depression in older men. Journal of Psychiatry and Neuroscience, 2014, 39, 200-205.	1.4	11
312	Grey Matter Changes Associated with Deficit Awareness in Mild Cognitive Impairment: A Voxel-Based Morphometry Study. Journal of Alzheimer's Disease, 2014, 42, 1251-1259.	1.2	11
313	Physical activity and vascular disease in a prospective cohort study of older men: The Health In Men Study (HIMS). BMC Geriatrics, 2015, 15, 164.	1.1	11
314	Reported amount of salt added to food is associated with increased all-cause and cancer-related mortality in older men in a prospective cohort study. Journal of Nutrition, Health and Aging, 2015, 19, 805-811.	1.5	11
315	A mixed methods process evaluation of a person-centred falls prevention program. BMC Health Services Research, 2019, 19, 906.	0.9	11
316	U-Shaped Association of Plasma Testosterone, and no Association of Plasma Estradiol, with Incidence of Fractures in Men. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 1489-1500.	1.8	11
317	Can testosterone replacement decrease the memory problem of old age?. Medical Hypotheses, 2003, 60, 893-896.	0.8	10
318	Are the national guidelines for health behaviour appropriate for older Australians? Evidence from the Men, Women and Ageing project. Australasian Journal on Ageing, 2011, 30, 13-16.	0.4	10
319	Diabetes and ageing in the Melbourne Collaborative Cohort Study (MCCS). Diabetes Research and Clinical Practice, 2013, 100, 398-403.	1.1	10
320	The Healthy Heart-Mind trial: melatonin for prevention of delirium following cardiac surgery: study protocol for a randomized controlled trial. Trials, 2016, 17, 55.	0.7	10
321	A randomized controlled trial of physical activity with individual goal-setting and volunteer mentors to overcome sedentary lifestyle in older adults at risk of cognitive decline: the INDIGO trial protocol. BMC Geriatrics, 2017, 17, 215.	1.1	10
322	Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. BMJ Open, 2018, 8, e020726.	0.8	10
323	Mortality in a cohort of remote-living Aboriginal Australians and associated factors. PLoS ONE, 2018, 13, e0195030.	1.1	10
324	Twelve-Month Outcomes of the AFFINITY Trial of Fluoxetine for Functional Recovery After Acute Stroke: AFFINITY Trial Steering Committee on Behalf of the AFFINITY Trial Collaboration. Stroke, 2021, 52, 2502-2509.	1.0	10

#	Article	IF	Citations
325	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. European Journal of Endocrinology, 2020, 182, 23-33.	1.9	10
326	Lungurra Ngoora - a pilot model of care for aged and disabled in a remote Aboriginal community - can it work?. Rural and Remote Health, $0$ , , .	0.4	10
327	The use of bone mass screening to prevent fractures. Medical Journal of Australia, 1991, 154, 135-140.	0.8	9
328	Perception of worsening health predicts mortality in older men: The Health in Men Study (HIMS). Archives of Gerontology and Geriatrics, 2012, 55, 363-368.	1.4	9
329	Treatment fidelity and acceptability of a cognition-focused intervention for older adults with mild cognitive impairment (MCI). International Psychogeriatrics, 2013, 25, 815-823.	0.6	9
330	The clinical value of fluid biomarkers for dementia diagnosis. Lancet Neurology, The, 2016, 15, 1204.	4.9	9
331	Older men with bipolar disorder diagnosed in early and later life: Physical health morbidity and general hospital service use. Journal of Affective Disorders, 2018, 241, 269-274.	2.0	9
332	Crossâ€sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a communityâ€based cohort of older men. Clinical Endocrinology, 2019, 90, 562-569.	1.2	9
333	Health promotion and older people: a qualitative study of general practitioners' views. Medical Journal of Australia, 1997, 167, 423-427.	0.8	8
334	Investigational treatment for vascular cognitive impairment. Expert Opinion on Investigational Drugs, 2007, 16, 647-658.	1.9	8
335	Students and Teachers' Preferences for Undergraduate Dementia Education in Western Australia. Gerontology and Geriatrics Education, 2011, 32, 273-290.	0.6	8
336	Depression, dementia and cognition in older people. Maturitas, 2014, 79, 133-135.	1.0	8
337	Ageing on <scp>H</scp> ammond <scp>I</scp> sland: Is there cause for concern in the <scp>T</scp> orres <scp>S</scp> trait? Australian Journal of Rural Health, 2016, 24, 342-343.	0.7	8
338	The KICA Carer: informant information to enhance the Kimberley Indigenous Cognitive Assessment. International Psychogeriatrics, 2016, 28, 101-107.	0.6	8
339	Falls risk assessment outcomes and factors associated with falls for older Indigenous Australians. Australian and New Zealand Journal of Public Health, 2016, 40, 553-558.	0.8	8
340	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. Atherosclerosis, 2016, 251, 19-24.	0.4	8
341	Higher thyrotropin concentration is associated with increased incidence of colorectal cancer in older men. Clinical Endocrinology, 2017, 86, 278-285.	1.2	8
342	Bone turnover markers: Defining a therapeutic target. Clinical Biochemistry, 2017, 50, 162-163.	0.8	8

#	Article	IF	Citations
343	Substance use among older adults with bipolar disorder varies according to age at first treatment contact. Journal of Affective Disorders, 2018, 239, 269-273.	2.0	8
344	Hearing loss and incident psychosis in later life: The Health in Men Study (HIMS). International Journal of Geriatric Psychiatry, 2019, 34, 408-414.	1.3	8
345	Interim guidance for healthâ€care professionals and administrators providing hospital care to adult patients with cognitive impairment, in the context of COVIDâ€19 pandemic. Australasian Journal on Ageing, 2020, 39, 283-286.	0.4	8
346	Long-term exposure to outdoor air pollution and risk factors for cardiovascular disease within a cohort of older men in Perth. PLoS ONE, 2021, 16, e0248931.	1.1	8
347	Efficacy of probucol on cognitive function in Alzheimer's disease: study protocol for a double-blind, placebo-controlled, randomised phase II trial (PIA study). BMJ Open, 2022, 12, e058826.	0.8	8
348	Two-Year Outcomes From a Cessation of Smoking Intervention in Older Adults. Journal of Smoking Cessation, 2008, 3, 101-109.	0.3	7
349	What can we learn about dementia from research in Indigenous populations?. International Psychogeriatrics, 2015, 27, 1957-1958.	0.6	7
350	Plasma free thyroxine in the upper quartile is associated with an increased incidence of major cardiovascular events in older men that do not have thyroid dysfunction according to conventional criteria. International Journal of Cardiology, 2018, 254, 316-321.	0.8	7
351	Vitamin D. Neurology, 2019, 92, 553-554.	1.5	7
352	Recruitment strategies for randomised clinical trials in elderly Australians. Medical Journal of Australia, 1997, 167, 438-439.	0.8	6
353	Long-term mortality following stroke, myocardial infarction and fractured neck of femur in Western Australia. Internal Medicine Journal, 2007, 37, 815-819.	0.5	6
354	Elevated homocysteine is associated with poorer self-perceived physical health in older men: The Health in Men Study. Maturitas, 2012, 73, 158-163.	1.0	6
355	Assessing people with dementia: the role of the aged care assessment team and memory clinics. Internal Medicine Journal, 2016, 46, 1081-1088.	0.5	6
356	Involving Primary Care Health Professionals in Geriatric Assessment. Journal of Nutrition, Health and Aging, 2018, 22, 566-568.	1.5	6
357	Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. Journal of Patient Safety, 2018, Publish Ahead of Print, e1472-e1479.	0.7	6
358	HBA1C IS ASSOCIATED WITH FRAILTY IN A GROUP OF ABORIGINAL AUSTRALIANS. Journal of Frailty & Emp; Aging, the, 2019, 8, 1-4.	0.8	6
359	The National Institute on Aging and Alzheimer's Association research framework: A commentary from the Cochrane Dementia and Cognitive Improvement Group. Alzheimer's and Dementia, 2019, 15, 179-181.	0.4	6
360	Impact of a prudent lifestyle on the clinical outcomes of older men with bipolar disorder. Aging and Mental Health, 2020, 24, 627-633.	1.5	6

#	Article	IF	CITATIONS
361	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 164-171.	1.7	6
362	Depression and the Risk of Fractures in Later Life: the Health In Men Cohort Study. Maturitas, 2021, 145, 6-11.	1.0	6
363	Associations of Osteocalcin Forms With Metabolic Syndrome and Its Individual Components in Older Men: The Health In Men Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3506-e3518.	1.8	6
364	Affective Disorders, Psychosis and Dementia in a Community Sample of Older Men with and without Parkinson's Disease. PLoS ONE, 2016, 11, e0163781.	1.1	6
365	The Australian Aged Care and Its Implications for the Korean Aging Crisis. Annals of Geriatric Medicine and Research, 2018, 22, 9-19.	0.7	6
366	The Hospital Frailty Risk Score Identifies Fewer Cases of Frailty in a Community-Based Cohort of Older Men Than the FRAIL Scale and Frailty Index. Journal of the American Medical Directors Association, 2022, 23, 1348-1353.e8.	1,2	6
367	Associations between diabetes, body mass index and frailty: The Western Australian Health In Men Study. Maturitas, 2022, 161, 58-64.	1.0	6
368	Testosterone, cognitive decline and dementia in ageing men. Reviews in Endocrine and Metabolic Disorders, 2022, 23, 1243-1257.	2.6	6
369	Behavioral Activation in Nursing Homes to Treat Depression (BAN-Dep): Results From a Clustered, Randomized, Single-Blinded, Controlled Clinical Trial. American Journal of Geriatric Psychiatry, 2022, 30, 1313-1323.	0.6	6
370	REHABILITATION FOR STROKE SURVIVORSâ€"A REVIEW. Australian and New Zealand Journal of Medicine, 1989, 19, 400-406.	0.5	5
371	Health care costs of people referred to an aged care assessment team: the effect of cognitive impairment. Australian and New Zealand Journal of Public Health, 1997, 21, 311-316.	0.8	5
372	Use of gastrostomy tubes in older Western Australians: a populationâ€based study of frequency, indications and outcomes. Medical Journal of Australia, 2009, 190, 358-361.	0.8	5
373	Response to "calcium supplements and cardiovascular risk― Journal of Bone and Mineral Research, 2011, 26, 900-901.	3.1	5
374	Memory loss. Medical Journal of Australia, 2012, 196, 114-117.	0.8	5
375	Advances in research, education and practice in geriatric medicine, 1982–2012. Australasian Journal on Ageing, 2013, 32, 35-39.	0.4	5
376	RAndomised controlled trial to imProve depression and the quality of life of people with Dementia using cognitive bias modification: RAPID study protocol. BMJ Open, 2014, 4, e005623-e005623.	0.8	5
377	Reducing depression during the menopausal transition: study protocol for a randomised controlled trial. Trials, 2014, 15, 312.	0.7	5
378	Propositional idea density in older men's written language: Findings from the HIMS study using computerised analysis. Clinical Linguistics and Phonetics, 2015, 29, 85-101.	0.5	5

#	Article	IF	Citations
379	<sup>18</sup> F PET ligands for the early diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). The Cochrane Library, 0, , .	1.5	5
380	Systolic Blood Pressure and Vascular Disease in Men Aged 65 Years and Over. Hypertension, 2017, 69, 1053-1059.	1.3	5
381	General practitioners' perceptions of their communication with Australian Aboriginal patients with acquired neurogenic communication disorders. Patient Education and Counseling, 2019, 102, 2310-2317.	1.0	5
382	Healing Right Way: study protocol for a stepped wedge cluster randomised controlled trial to enhance rehabilitation services and improve quality of life in Aboriginal Australians after brain injury. BMJ Open, 2021, 11, e045898.	0.8	5
383	The influence of opinion leaders. Australian Prescriber, 2012, 35, 74-75.	0.5	5
384	Hearing impairment and frailty in later life: The Health in Men Study (HIMS). Maturitas, 2022, 156, 30-36.	1.0	5
385	Measures Associated With Early, Late, and Persistent Clinically Significant Symptoms of Depression 1 Year After Stroke in the AFFINITY Trial. Neurology, 2022, 98, .	1.5	5
386	Guidelines for the treatment of postmenopausal osteoporosis for general practitioners. Australian Family Physician, 2002, 31, 921-8.	0.5	5
387	Jim who? Recall of national leaders by elderly people in three countries. International Journal of Geriatric Psychiatry, 1992, 7, 437-442.	1.3	4
388	Specialist multidisciplinary clinics for older people: fulfilling a need?. Medical Journal of Australia, 1998, 168, 72-73.	0.8	4
389	RESPONSE LETTER TO DR. GAU ET AL Journal of the American Geriatrics Society, 2006, 54, 1021-1022.	1.3	4
390	Cardiovascular diseases do not influence the mental health outcome of older men with depression over 6 years. Journal of Affective Disorders, 2013, 144, 248-252.	2.0	4
391	<scp>e</scp> â€ageing: Development and evaluation of a flexible online geriatric medicine educational resource for diverse learners. Australasian Journal on Ageing, 2013, 32, 222-228.	0.4	4
392	Association of Depression with Sexual and Daily Activities: A Community Study of Octogenarian Men. American Journal of Geriatric Psychiatry, 2015, 23, 234-242.	0.6	4
393	RESPOND: a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a falla $\in$ " protocol for a mixed methods programme evaluation. Injury Prevention, 2016, 22, 153-160.	1.2	4
394	Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2017, 15, 686-693.	1.7	4
395	Behavioural activation in nursing homes to treat depression (BAN-Dep): study protocol for a pragmatic randomised controlled trial. BMJ Open, 2019, 9, e032421.	0.8	4
396	Assessment, incidence and factors associated with urinary incontinence in older Aboriginal Australians. Internal Medicine Journal, 2019, 49, 1111-1118.	0.5	4

#	Article	IF	Citations
397	Brain frailty and small vessel disease for stroke outcome prediction. Neurology, 2020, 94, 191-192.	1.5	4
398	Prevalence and sites of pain in remoteâ€living older Aboriginal Australians, and associations with depressive symptoms and disability. Internal Medicine Journal, 2021, 51, 1092-1100.	0.5	4
399	Androgens In Men Study (AIMS): protocol for meta-analyses of individual participant data investigating associations of androgens with health outcomes in men. BMJ Open, 2020, 10, e034777.	0.8	4
400	A screening tool for acquired communication disorders in Aboriginal Australians after brain injury: lessons learned from the pilot phase. Aphasiology, 2020, 34, 1388-1412.	1.4	4
401	A Randomized Controlled Trial on the Effects of a 6-Month Home-Based Physical Activity Program with Individual Goal-Setting and Volunteer Mentors on Physical Activity, Adherence, and Physical Fitness in Inactive Older Adults at Risk of Cognitive Decline: The INDIGO Study. Journal of Alzheimer's Disease, 2021, 84, 207-226.	1.2	4
402	Psychological therapies for depression in older adults residing in long-term care settings. The Cochrane Library, 0, , .	1.5	4
403	Geriatric medicine and health care for older people in Australia. Age and Ageing, 2022, 51, .	0.7	4
404	Urine calcium and urine sodium concentrations are not related, after adjustment for urine magnesium. Clinical Endocrinology, 2000, 53, 235-242.	1.2	3
405	Promoting evidence-based best practices for hip fracture prevention in residential aged care. Australasian Journal on Ageing, 2006, 25, 185-190.	0.4	3
406	Intervention Research in Nursing Homes: The Rise and Rise of the Cluster Randomized Trial. Journal of the American Medical Directors Association, 2008, 9, 213-214.	1.2	3
407	Timely Diagnosis for Dementia: The Need for Specialists. Journal of the American Medical Directors Association, 2016, 17, 462-463.	1.2	3
408	Vitamin D and the endocrinology of ageing. Current Opinion in Endocrine and Metabolic Research, 2019, 5, 7-10.	0.6	3
409	The Well-Being of Carers of Older Aboriginal People Living in the Kimberley Region of Remote Western Australia: Empowerment, Depression, and Carer Burden. Journal of Applied Gerontology, 2021, 40, 693-702.	1.0	3
410	Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. Frontiers in Public Health, 2021, 9, 683723.	1.3	3
411	Effect of frailty on initiation of statins following incident acute coronary syndromes in patients aged ≥75 years. Maturitas, 2021, 153, 13-18.	1.0	3
412	Equity of access to a memory clinic in Melbourne? Nonâ€English speaking background attenders are more severely demented and have increased rates of psychiatric disorders. International Journal of Geriatric Psychiatry, 2001, 16, 327-334.	1.3	3
413	Aged care staff perceptions of an online training program for responsive behaviours of residents with dementia. Australasian Journal on Ageing, 2021, , .	0.4	3
414	Bone Turnover Markers Including Undercarboxylated Osteocalcin Are Associated With Mortality Risk in Older Men. Journal of Bone and Mineral Research, 2020, 37, 1464-1472.	3.1	3

#	Article	IF	Citations
415	Differing Methodologies Are Required to Estimate Prevalence of Dementia: Single Study Types Are No Longer Reliable. Journal of Alzheimer's Disease, 2022, 88, 943-948.	1.2	3
416	Not just a renal epidemic among Australian Aboriginals. Medical Journal of Australia, 1999, 170, 191-192.	0.8	2
417	Helping older people to remain in their own homes. Medical Journal of Australia, 2001, 174, 266-267.	0.8	2
418	Research with older people: Comparison of a General Practice and Electoral Roll Sample with the Australian National Health Survey. Australasian Journal on Ageing, 2001, 20, 79-84.	0.4	2
419	Efficacy of pharmacological treatment of dementia. Revista Brasileira De Psiquiatria, 2002, 24, 11-14.	0.9	2
420	Plenty of evidence on mandatory folate fortification. Australian and New Zealand Journal of Public Health, 2006, 30, 81-82.	0.8	2
421	Reduced awareness of executive dysfunction in Alzheimer's disease is associated with increased carer burden. International Psychogeriatrics, 2007, 19, 1173-5.	0.6	2
422	Older persons in acute hospitals awaiting transfer to a residential aged care facility. Australasian Journal on Ageing, 2011, 30, 3-4.	0.4	2
423	Reduced serum total osteocalcin is associated with metabolic syndrome in older men via waist circumference, hyperglycemia, and triglyceride levels. European Journal of Endocrinology, 2011, 164, 315.	1.9	2
424	O3â€10â€04: Adapting the Kimberly Indigenous Cognitive Assessment for Use with Indigenous Older Adults in Canada. Alzheimer's and Dementia, 2016, 12, P311.	0.4	2
425	Body Mass Index and Vascular Disease in Men Aged 65ÂYears and Over: HIMS (Health In Men Study). Journal of the American Heart Association, 2017, 6, .	1.6	2
426	Profile of diabetes in men aged 79–97 years: the Western Australian Health in Men Study. Diabetic Medicine, 2017, 34, 786-793.	1.2	2
427	P4â€135: GOOD SPIRIT, GOOD LIFE: A QUALITY OF LIFE TOOL FOR ABORIGINAL AUSTRALIANS WITH COGNITIVE IMPAIRMENT AND DEMENTIA. Alzheimer's and Dementia, 2018, 14, P1490.	0.4	2
428	Neither Hormonal Factors Nor AGEs Explain Lower Prostate Cancer Risk in Older Men With Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 6017-6024.	1.8	2
429	Fall prevention education for older people being discharged from hospital: Educators' perspectives. Health Education Journal, 2021, 80, 908-920.	0.6	2
430	Pattern of prescription of psychotropics (antipsychotics, antidepressants and benzodiazepines) in Western Australian residential aged care facilities. Internal Medicine Journal, 2021, 51, 2140-2143.	0.5	2
431	Issues in Geriatric Medicine. Australian Journal on Ageing, 1997, 16, 106-109.	0.3	1
432	Perceptions of bereavement care in consultant geriatricians and advanced trainees in geriatric medicine. Australasian Journal on Ageing, 2003, 22, 94-96.	0.4	1

#	Article	IF	CITATIONS
433	Effective Health Behavior in Older Adults. K. Warner Schaie, Howard Leventhal, and Sherry L. Willis (Eds.). New York: Springer Publishing Company, 2002, 344 pp., \$US 49.95 (hardcover) International Psychogeriatrics, 2003, 15, 312-312.	0.6	1
434	Aerobic exercise. Neurology, 2016, 87, 2072-2073.	1.5	1
435	Cochrane Dementia Group Turns 21â€"Older and (Slightly) Wiser. Journal of the American Medical Directors Association, 2017, 18, 96-98.	1.2	1
436	Differential associations of ferritin and 25â€hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. Diabetes/Metabolism Research and Reviews, 2019, 35, e3172.	1.7	1
437	Why is it so hard to organise healthcare for older people in residential aged care facilities in Australia?. Internal Medicine Journal, 2021, 51, 11-12.	0.5	1
438	Screening and assessment instruments for the detection and measurement of cognitive impairment., 2010, , 55-60.		1
439	Development of a Toolkit to support sustainable culture change in residential aged care. Australasian Journal on Ageing, 2021, 40, 77-83.	0.4	1
440	Self-reported health and older Aboriginal Australians – healing, balance, connection, and inner spirit are important learnings for all of us. International Psychogeriatrics, 2020, 32, 1267-1270.	0.6	1
441	Evolution of trauma care and the trauma registry in the West Australian health system. Journal of Trauma and Injury, 2022, 35, 71-75.	0.2	1
442	Hodkinson Scale and Predicting Performance. Journal of the American Geriatrics Society, 1988, 36, 1072-1072.	1.3	0
443	Cancer Screening for the Elderly: is it Too Late?. Australian Journal on Ageing, 1995, 14, 56-56.	0.3	0
444	Tackling elder abuse: the GP's role. Medical Journal of Australia, 1997, 166, 115-115.	0.8	0
445	Systematic reviews and geriatric interventions – the need for scientific methodology. Australian and New Zealand Journal of Medicine, 1999, 29, 814-816.	0.5	0
446	The Handbook of Geriatric Assessment, 4th edition Editors: J. J. GALLO, H. R. BOGNER, T. FULMER AND G. J. PAVEZA Sudbury, Massachusetts: Jones and Bartlett Publishers, 2006, U.S.\$66.95 Hardback, 471 pp. ISBN-10 0 7637 3056 4. International Psychogeriatrics, 2006, , 1.	0.6	0
447	The Handbook of Geriatric Assessment, 4th edition Editors: J. J. GALLO, H. R. BOGNER, T. FULMER AND G. J. PAVEZA Sudbury, Massachusetts: Jones and Bartlett Publishers, 2006, U.S.\$66.95 Hardback, 471 pp. ISBN-10 0 7637 3056 4. International Psychogeriatrics, 2007, 19, 796-797.	0.6	0
448	F3-02-03: Predictors of Dementia and Mortality in Indigenous Australians., 2016, 12, P271-P272.		0
449	Using Evidence to Guide the Diagnosis and Management of People With Dementia. Journal of the American Medical Directors Association, 2017, 18, 905-907.	1.2	0
450	O1â€11â€04: HEARING LOSS IN OLDER MEN AND RISK OF DEMENTIA. Alzheimer's and Dementia, 2018, 14, P24	8.0.4	0

#	Article	IF	Citations
451	Assessing the Penetrance of Dementia Services. Healthcare (Switzerland), 2019, 7, 81.	1.0	0
452	Response to Letter to the Editor: "Advanced Glycation End Products and esRAGE Are Associated With Bone Turnover and Incidence of Hip Fracture in Older Menâ€. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 684-685.	1.8	0
453	Dementia in LATE Life – Where to from here?. Maturitas, 2020, 131, 87-88.	1.0	0
454	Strong Carers, Strong Communities: a cluster randomised controlled trial to improve wellbeing of family carers of older people in remote Aboriginal communities. Rural and Remote Health, 2021, 21, 6078.	0.4	0
455	876Association of blood markers of inflammation, vitamin status and the kynurenine pathway with age and all-cause mortality. International Journal of Epidemiology, 2021, 50, .	0.9	0
456	Prevalence and Predictors of Sexual Dysfunction in Older Men., 2011, , P1-341-P1-341.		0
457	Health care costs of people referred to an aged care assessment team: the effect of cognitive impairment. Australian and New Zealand Journal of Public Health, 1977, 21, 311-316.	0.8	0
458	Why is the use of inappropriate medicines so high in Aboriginal Australians?. International Psychogeriatrics, 2021, , 1-5.	0.6	0
459	Patient Controlled Analgesia and its effect on postoperative outcomes in an older cohort of patients undergoing orthopaedic procedures: A retrospective observational study. Journal of Perioperative Practice, 0, , 175045892211014.	0.3	0