
Frank Bellivier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4148551/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994. | 21.4 | 2,067 |
| 2 | Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803. | 21.4 | 1,191 |
| 3 | Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11. | 28.9 | 935 |
| 4 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829. | 21.4 | 629 |
| 5 | Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. Cell, 2018, 173, 1705-1715.e16. | 28.9 | 623 |
| 6 | Impaired Decision Making in Suicide Attempters. American Journal of Psychiatry, 2005, 162, 304-310. | 7.2 | 457 |
| 7 | Repair of the lower and middle parts of the face by composite tissue allotransplantation in a patient with massive plexiform neurofibroma: a 1-year follow-up study. Lancet, The, 2008, 372, 639-645. | 13.7 | 329 |
| 8 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. Lancet, The, 2016, 387, 1085-1093. | 13.7 | 306 |
| 9 | Psychiatric genetics: search for phenotypes. Trends in Neurosciences, 1998, 21, 102-105. | 8.6 | 303 |
| 10 | Age at onset in bipolar affective disorders: a review. Bipolar Disorders, 2005, 7, 111-118. | 1.9 | 266 |
| 11 | Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. American Journal of Human Genetics, 2011, 88, 372-381. | 6.2 | 257 |
| 12 | Early and late onset bipolar disorders: two different forms of manic-depressive illness?. Journal of Affective Disorders, 2000, 58, 215-221. | 4.1 | 255 |
| 13 | Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. Molecular Psychiatry, 2018, 23, 133-142. | 7.9 | 247 |
| 14 | Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. American Journal of Human Genetics, 2015, 96, 283-294. | 6.2 | 225 |
| 15 | The role of childhood trauma in bipolar disorders. International Journal of Bipolar Disorders, 2016, 4, 2. | 2.2 | 219 |
| 16 | ALGOS: the development of a randomized controlled trial testing a case management algorithm designed to reduce suicide risk among suicide attempters. BMC Psychiatry, 2011, 11, 1. | 2.6 | 211 |
| 17 | Age at Onset in Bipolar I Affective Disorder: Further Evidence for Three Subgroups. American Journal of Psychiatry, 2003, 160, 999-1001. | 7.2 | 206 |
| 18 | Beyond genetics: childhood affective trauma in bipolar disorder. Bipolar Disorders, 2008, 10, 867-876. | 1.9 | 202 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Executive dysfunctions as potential markers of familial vulnerability to bipolar disorder and schizophrenia. Psychiatry Research, 2004, 121, 207-217. | 3.3 | 198 |
| 20 | Association Between the Tryptophan Hydroxylase Gene and Manic-depressive Illness. Archives of General Psychiatry, 1998, 55, 33. | 12.3 | 189 |
| 21 | Affective lability and affect intensity as core dimensions of bipolar disorders during euthymic period. Psychiatry Research, 2008, 159, 1-6. | 3.3 | 185 |
| 22 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394. | 2.9 | 182 |
| 23 | Feasibility, Reproducibility, Risks and Benefits of Face Transplantation: A Prospective Study of Outcomes. American Journal of Transplantation, 2011, 11, 367-378. | 4.7 | 181 |
| 24 | Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. Acta Psychiatrica Scandinavica, 2013, 127, 136-144. | 4.5 | 181 |
| 25 | Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. Journal of Clinical Psychiatry, 2013, 74, 991-998. | 2.2 | 175 |
| 26 | Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. Acta Psychiatrica Scandinavica, 2015, 131, 89-99. | 4.5 | 168 |
| 27 | Seasonality and bipolar disorder: A systematic review, from admission rates to seasonality of symptoms. Journal of Affective Disorders, 2014, 168, 210-223. | 4.1 | 164 |
| 28 | Cortical folding abnormalities in schizophrenia patients with resistant auditory hallucinations. NeuroImage, 2008, 39, 927-935. | 4.2 | 156 |
| 29 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS ONE, 2013, 8, e65636. | 2.5 | 156 |
| 30 | Admixture Analysis of Age at Onset in Bipolar I Affective Disorder. Archives of General Psychiatry, 2001, 58, 510-512. | 12.3 | 147 |
| 31 | Genetics of circadian rhythms and mood spectrum disorders. European Neuropsychopharmacology, 2011, 21, S676-S682. | 0.7 | 144 |
| 32 | Possible association between serotonin transporter gene polymorphism and violent suicidal behavior in mood disorders. Biological Psychiatry, 2000, 48, 319-322. | 1.3 | 143 |
| 33 | Association between the TPH gene A218C polymorphism and suicidal behavior: A metaâ€analysis. American Journal of Medical Genetics Part A, 2004, 124B, 87-91. | 2.4 | 134 |
| 34 | Preferential association between childhood emotional abuse and bipolar disorder. Journal of Traumatic Stress, 2010, 23, 376-383. | 1.8 | 129 |
| 35 | Insomnia and hypersomnia in major depressive episode: Prevalence, sociodemographic characteristics and psychiatric comorbidity in a population-based study. Journal of Affective Disorders, 2018, 226, 132-141. | 4.1 | 129 |
| 36 | Association Between Bipolar Disorder and Monoamine Oxidase A Gene Polymorphisms: Results of a Multicenter Study. American Journal of Psychiatry, 2000, 157, 948-955. | 7.2 | 125 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression. Neuroscience Letters, 1998, 255, 143-146. | 2.1 | 123 |
| 38 | Bipolar Patients With Suicidal Behavior. Journal of Clinical Psychiatry, 2004, 65, 1035-1039. | 2.2 | 120 |
| 39 | Prefrontal cortex dysfunction in patients with suicidal behavior. Psychological Medicine, 2007, 37, 411. | 4.5 | 118 |
| 40 | Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biological Psychiatry, 2022, 91, 313-327. | 1.3 | 114 |
| 41 | Clinical Expression of Bipolar Disorder Type I as a Function of Age and Polarity at Onset. Journal of Clinical Psychiatry, 2012, 73, e561-e566. | 2.2 | 113 |
| 42 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. JAMA Psychiatry, 2018, 75, 65-74. | 11.0 | 102 |
| 43 | Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. Genes, Brain and Behavior, 2008, 7, 314-322. | 2.2 | 99 |
| 44 | Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. Journal of Affective Disorders, 2014, 158, 1-7. | 4.1 | 98 |
| 45 | "Where Do Auditory Hallucinations Come From?"A Brain Morphometry Study of Schizophrenia Patients With Inner or Outer Space Hallucinations. Schizophrenia Bulletin, 2011, 37, 212-221. | 4.3 | 97 |
| 46 | Risk factors for treatment resistance in unipolar depression: A systematic review. Journal of Affective Disorders, 2015, 171, 137-141. | 4.1 | 95 |
| 47 | Influence of prefrontal target region on the efficacy of repetitive transcranial magnetic stimulation in patients with medication-resistant depression: a [18F]-fluorodeoxyglucose PET and MRI study. International Journal of Neuropsychopharmacology, 2010, 13, 45. | 2.1 | 93 |
| 48 | Sociodemographic and psychopathological risk factors in repeated suicide attempts: Gender differences in a prospective study. Journal of Affective Disorders, 2012, 136, 35-43. | 4.1 | 93 |
| 49 | Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. Pharmacogenomics Journal, 2003, 3, 101-104. | 2.0 | 92 |
| 50 | Cerebellar volume in schizophrenia and bipolar I disorder with and without psychotic features. Acta Psychiatrica Scandinavica, 2015, 131, 223-233. | 4.5 | 92 |
| 51 | Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. European Psychiatry, 2007, 22, 455-461. | 0.2 | 91 |
| 52 | Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. Human Molecular Genetics, 2012, 21, 4030-4037. | 2.9 | 90 |
| 53 | Common variant at 16p11.2 conferring risk of psychosis. Molecular Psychiatry, 2014, 19, 108-114. | 7.9 | 85 |
| 54 | Suicide attempts and the tryptophan hydroxylase gene. Molecular Psychiatry, 2001, 6, 268-273. | 7.9 | 84 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Inter-hemispheric asymmetry of motor corticospinal excitability in major depression studied by transcranial magnetic stimulation. Journal of Psychiatric Research, 2008, 42, 389-398. | 3.1 | 84 |
| 56 | The influence of four serotoninâ€related genes on decisionâ€making in suicide attempters. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 615-624. | 1.7 | 78 |
| 57 | Serotonin transporter gene may be involved in short-term risk of subsequent suicide attempts. Biological Psychiatry, 2004, 55, 46-51. | 1.3 | 77 |
| 58 | Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. Journal of Physiology (Paris), 2013, 107, 278-285. | 2.1 | 77 |
| 59 | Residual symptoms and specific functional impairments in euthymic patients with bipolar disorder. Bipolar Disorders, 2016, 18, 164-173. | 1.9 | 77 |
| 60 | Clinical management and burden of bipolar disorder: results from a multinational longitudinal study (WAVE-bd). International Journal of Neuropsychopharmacology, 2013, 16, 1719-1732. | 2.1 | 76 |
| 61 | Sleep- and circadian rhythm–associated pathways as therapeutic targets in bipolar disorder. Expert Opinion on Therapeutic Targets, 2015, 19, 747-763. | 3.4 | 75 |
| 62 | Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. World Journal of Biological Psychiatry, 2017, 18, 5-28. | 2.6 | 75 |
| 63 | Association of manic-depressive illness with tyrosine hydroxylase microsatellite marker. Lancet, The, 1995, 345, 932. | 13.7 | 73 |
| 64 | Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. Psychological Medicine, 2017, 47, 902-912. | 4.5 | 73 |
| 65 | Familial Aggregation of Delusional Proneness in Schizophrenia and Bipolar Pedigrees. American Journal of Psychiatry, 2003, 160, 1313-1319. | 7.2 | 72 |
| 66 | Association between circadian genes, bipolar disorders and chronotypes. Chronobiology International, 2014, 31, 807-814. | 2.0 | 71 |
| 67 | A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. Molecular Psychiatry, 2010, 15, 748-755. | 7.9 | 70 |
| 68 | Circadian biomarkers, circadian genes and bipolar disorders. Journal of Physiology (Paris), 2011, 105, 183-189. | 2.1 | 70 |
| 69 | Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory metaâ€analysis. Acta Psychiatrica Scandinavica, 2014, 130, 342-353. | 4.5 | 69 |
| 70 | Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. Molecular Psychiatry, 2006, 11, 685-694. | 7.9 | 68 |
| 71 | Executive deficits in psychotic and bipolar disorders – Implications for our understanding of schizoaffective disorder. European Psychiatry, 2008, 23, 20-25. | 0.2 | 68 |
| 72 | Suicidal attempts in bipolar disorder: results from an observational study (EMBLEM). Bipolar Disorders, 2011, 13, 377-386. | 1.9 | 67 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. Chronobiology International, 2014, 31, 698-704. | 2.0 | 64 |
| 74 | Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. Psychological Medicine, 2014, 44, 1653-1662. | 4.5 | 61 |
| 75 | White matter alterations in bipolar disorder: potential for drug discovery and development. Bipolar Disorders, 2014, 16, 97-112. | 1.9 | 61 |
| 76 | Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. Molecular Psychiatry, 2014, 19, 452-461. | 7.9 | 61 |
| 77 | Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. Biological Psychiatry, 2022, 91, 102-117. | 1.3 | 61 |
| 78 | Hemodialysis for acute renal failure in patients with hematologic malignancies. Critical Care Medicine, 1991, 19, 346-351. | 0.9 | 60 |
| 79 | Association between brainâ€derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. Bipolar Disorders, 2008, 10, 580-587. | 1.9 | 60 |
| 80 | Serotonin transporter gene and manic depressive illness: An association study. Biological Psychiatry, 1997, 41, 750-752. | 1.3 | 59 |
| 81 | Age at onset in bipolar I affective disorder in the USA and Europe. World Journal of Biological Psychiatry, 2014, 15, 369-376. | 2.6 | 59 |
| 82 | The absence of VGLUT3 predisposes to cocaine abuse by increasing dopamine and glutamate signaling in the nucleus accumbens. Molecular Psychiatry, 2015, 20, 1448-1459. | 7.9 | 59 |
| 83 | Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. Journal of Affective Disorders, 2019, 244, 1-8. | 4.1 | 59 |
| 84 | Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. Journal of Affective Disorders, 2013, 144, 240-247. | 4.1 | 57 |
| 85 | Adolescents and young adults who are not in employment, education, or training. BMJ, The, 2013, 347, f5270-f5270. | 6.0 | 57 |
| 86 | Transcranial direct-current stimulation (tDCS) for bipolar depression: A systematic review and meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 78, 123-131. | 4.8 | 57 |
| 87 | Melatonin and Melatonin Agonists as Adjunctive Treatments in Bipolar Disorders. Current Pharmaceutical Design, 2015, 21, 3352-3358. | 1.9 | 57 |
| 88 | Familial resemblance for executive functions in families of schizophrenic and bipolar patients. Psychiatry Research, 2006, 144, 131-138. | 3.3 | 56 |
| 89 | Genetic association study of circadian genes with seasonal pattern in bipolar disorders. Scientific Reports, 2015, 5, 10232. | 3.3 | 56 |
| 90 | Serious suicide attempts in outpatients with multiple substance use disorders. Drug and Alcohol Dependence, 2017, 181, 63-70. | 3.2 | 56 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. BMC Psychiatry, 2019, 19, 262. | 2.6 | 56 |
| 92 | Combined Effect of TLR2 Gene Polymorphism and Early Life Stress on the Age at Onset of Bipolar Disorders. PLoS ONE, 2015, 10, e0119702. | 2.5 | 56 |
| 93 | COMT but not serotoninâ€related genes modulates the influence of childhood abuse on anger traits. Genes, Brain and Behavior, 2010, 9, 193-202. | 2.2 | 55 |
| 94 | Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. Journal of Affective Disorders, 2016, 200, 159-164. | 4.1 | 55 |
| 95 | Temperament in bipolar illness: impact on prognosis. Journal of Affective Disorders, 1999, 56, 103-108. | 4.1 | 53 |
| 96 | Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder. Neuroscience Letters, 2002, 334, 17-20. | 2.1 | 53 |
| 97 | Admixture analysis of age at onset in schizophrenia. Schizophrenia Research, 2004, 71, 35-41. | 2.0 | 53 |
| 98 | Polymorphism of Toll-like receptor 4 gene in bipolar disorder. Journal of Affective Disorders, 2014, 152-154, 395-402. | 4.1 | 53 |
| 99 | Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. Journal of Affective Disorders, 2015, 172, 375-380. | 4.1 | 53 |
| 100 | Anhedonia in schizophrenia: a distinct familial subtype?. Schizophrenia Research, 2003, 61, 59-66. | 2.0 | 52 |
| 101 | Schizotypal dimensions: An intermediate phenotype associated with the COMT high activity allele. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 64-68. | 1.7 | 52 |
| 102 | Extracellular Signal-Regulated Protein Kinases 1 and 2 Activation by Addictive Drugs: A Signal Toward Pathological Adaptation. Biological Psychiatry, 2014, 76, 917-926. | 1.3 | 52 |
| 103 | Characteristics and profiles of bipolar I patients according to age-at-onset: Findings from an admixture analysis. Journal of Affective Disorders, 2013, 150, 993-1000. | 4.1 | 51 |
| 104 | Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. Chronobiology International, 2013, 30, 1101-1107. | 2.0 | 51 |
| 105 | Residual depressive symptoms, sleep disturbance and perceived cognitive impairment as determinants of functioning in patients with bipolar disorder. Journal of Affective Disorders, 2017, 210, 280-286. | 4.1 | 50 |
| 106 | Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. European Psychiatry, 2012, 27, 570-576. | 0.2 | 49 |
| 107 | Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. World Journal of Biological Psychiatry, 2017, 18, 492-505. | 2.6 | 48 |
| 108 | Age at onset and gender resemblance in bipolar siblings. Psychiatry Research, 1998, 81, 125-131. | 3.3 | 46 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Social phobia is associated with suicide attempt history in bipolar inpatients. Bipolar Disorders, 2007, 9, 713-721. | 1.9 | 46 |
| 110 | Cortical folding difference between patients with earlyâ€onset and patients with intermediateâ€onset bipolar disorder. Bipolar Disorders, 2009, 11, 361-370. | 1.9 | 46 |
| 111 | Anxiety disorders in 318 bipolar patients: prevalence and impact on illness severity and response to mood stabilizer. Journal of Clinical Psychiatry, 2003, 64, 331-5. | 2.2 | 46 |
| 112 | Baseline Brain Metabolism in Resistant Depression and Response to Transcranial Magnetic Stimulation. Neuropsychopharmacology, 2011, 36, 2710-2719. | 5.4 | 45 |
| 113 | Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2013, 151, 1009-1015. | 4.1 | 45 |
| 114 | Clinical factors associated with lithium response in bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 524-530. | 2.3 | 45 |
| 115 | Lithium response in bipolar disorders and core clock genes expression. World Journal of Biological Psychiatry, 2018, 19, 619-632. | 2.6 | 45 |
| 116 | Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): Toward the identification of homogeneous subgroups of suicidal behaviors. Journal of Affective Disorders, 2010, 121, 80-87. | 4.1 | 44 |
| 117 | Chronotypes of Bipolar Patients in Remission: Validation of the French Version of the Circadian Type Inventory in the FACE-BD Sample. Chronobiology International, 2013, 30, 1042-1049. | 2.0 | 44 |
| 118 | The neurobiology of adaptation to seasons: Relevance and correlations in bipolar disorders. Chronobiology International, 2018, 35, 1335-1353. | 2.0 | 44 |
| 119 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. Molecular Psychiatry, 2021, 26, 2457-2470. | 7.9 | 44 |
| 120 | Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. Journal of Affective Disorders, 2014, 167, 104-111. | 4.1 | 43 |
| 121 | Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. Journal of Psychiatric Research, 2017, 95, 37-45. | 3.1 | 43 |
| 122 | Bipolar Disorder: The Role of the Kynurenine and Melatonergic Pathways. Current Pharmaceutical Design, 2016, 22, 987-1012. | 1.9 | 43 |
| 123 | Apolipoprotein E gene polymorphism in early and late onset bipolar patients. Neuroscience Letters, 1997, 233, 45-48. | 2.1 | 42 |
| 124 | Schizophrenia, antipsychotics and diabetes: Genetic aspects. European Psychiatry, 2005, 20, S335-S339. | 0.2 | 42 |
| 125 | Admixture analysis of age at first suicide attempt. Journal of Psychiatric Research, 2009, 43, 895-900. | 3.1 | 42 |
| 126 | Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. Journal of Affective Disorders, 2019. 244. 33-41. | 4.1 | 42 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). European Psychiatry, 2002, 17, 379-383. | 0.2 | 41 |
| 128 | Cognitive profiles in euthymic patients with bipolar disorders: results from the FACEâ€BD cohort. Bipolar Disorders, 2017, 19, 146-153. | 1.9 | 41 |
| 129 | Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. International Journal of Bipolar Disorders, 2019, 7, 20. | 2.2 | 41 |
| 130 | Is processing speed a valid cognitive endophenotype for bipolar disorder?. Journal of Affective Disorders, 2012, 139, 98-101. | 4.1 | 39 |
| 131 | Impact of sunlight on the age of onset of bipolar disorder. Bipolar Disorders, 2012, 14, 654-663. | 1.9 | 39 |
| 132 | Influence of light exposure during early life on the age of onset of bipolar disorder. Journal of Psychiatric Research, 2015, 64, 1-8. | 3.1 | 39 |
| 133 | Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. Journal of Affective Disorders, 2016, 198, 230-236. | 4.1 | 39 |
| 134 | Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. Acta Psychiatrica Scandinavica, 2017, 135, 319-327. | 4.5 | 39 |
| 135 | CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. American Journal of Medical Genetics Part A, 1998, 81, 338-341. | 2.4 | 38 |
| 136 | Combination Therapy for Manic Phases: A Critical Review of a Common Practice. CNS Neuroscience and Therapeutics, 2012, 18, 957-964. | 3.9 | 38 |
| 137 | DNA Methylation as a Biomarker of Treatment Response Variability in Serious Mental Illnesses: A Systematic Review Focused on Bipolar Disorder, Schizophrenia, and Major Depressive Disorder. International Journal of Molecular Sciences, 2018, 19, 3026. | 4.1 | 38 |
| 138 | Lack of influence of COMT and NET genes variants on executive functions in schizophrenic and bipolar patients, their first-degree relatives and controls. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 504-512. | 1.7 | 37 |
| 139 | An <scp>ASMT</scp> variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. Genes, Brain and Behavior, 2014, 13, 299-304. | 2.2 | 37 |
| 140 | Circadian genes and lithium response in bipolar disorders: associations with <scp>PPARGC1A</scp> (<scp>PGC</scp> â€l <i>α</i>) and <scp>RORA</scp> . Genes, Brain and Behavior, 2016, 15, 660-668. | 2.2 | 37 |
| 141 | Cortical folding in patients with bipolar disorder or unipolar depression. Journal of Psychiatry and Neuroscience, 2009, 34, 127-35. | 2.4 | 37 |
| 142 | Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. Australian and New Zealand Journal of Psychiatry, 2015, 49, 898-905. | 2.3 | 35 |
| 143 | Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. Journal of Affective Disorders, 2015, 183, 113-118. | 4.1 | 35 |
| 144 | Active and placebo transcranial magnetic stimulation effects on external and internal auditory hallucinations of schizophrenia. Acta Psychiatrica Scandinavica, 2017, 135, 228-238. | 4.5 | 35 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. Journal of Affective Disorders, 2014, 165, 135-141. | 4.1 | 34 |
| 146 | Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. Acta Psychiatrica Scandinavica, 2015, 131, 129-138. | 4.5 | 34 |
| 147 | Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. PLoS ONE, 2014, 9, e104326. | 2.5 | 34 |
| 148 | HTR2C (cys23ser) polymorphism influences early onset in bipolar patients in a large European multicenter association study. Molecular Psychiatry, 2007, 12, 797-798. | 7.9 | 33 |
| 149 | Residual symptoms and functional performance in a large sample of euthymic bipolar patients in France (the OPTHYMUM study). Journal of Affective Disorders, 2014, 159, 94-102. | 4.1 | 33 |
| 150 | Course of residual symptoms according to the duration of euthymia in remitted bipolar patients. Acta Psychiatrica Scandinavica, 2016, 134, 57-64. | 4.5 | 33 |
| 151 | Biomarkers of bipolar disorder specific or shared with schizophrenia. Frontiers in Bioscience - Elite, 2013, E5, 845-863. | 1.8 | 33 |
| 152 | Suicidal disorders: A nosological entity per se?. American Journal of Medical Genetics, Part C: Seminars in Medical Genetics, 2005, 133C, 3-7. | 1.6 | 31 |
| 153 | Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. Journal of Affective Disorders, 2020, 267, 258-263. | 4.1 | 31 |
| 154 | The HLA-G low expressor genotype is associated with protection against bipolar disorder. Human Immunology, 2013, 74, 593-597. | 2.4 | 30 |
| 155 | Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. British Journal of Psychiatry, 2017, 211, 381-387. | 2.8 | 30 |
| 156 | Can the response to mood stabilizers be predicted in bipolar disorder. Frontiers in Bioscience - Elite, 2014, E6, 120-138. | 1.8 | 30 |
| 157 | Circadian abnormalities as markers of susceptibility in bipolar disorders. Frontiers in Bioscience - Scholar, 2014, S6, 120-137. | 2.1 | 29 |
| 158 | Toxoplasma gondii exposure may modulate the influence of TLR2 genetic variation on bipolar disorder: a gene–environment interaction study. International Journal of Bipolar Disorders, 2016, 4, 11. | 2.2 | 29 |
| 159 | Postâ€ŧraumatic stress disorder in Stevens–Johnson syndrome and toxic epidermal necrolysis: prevalence and risk factors. A prospective study of 31 patients. British Journal of Dermatology, 2019, 180, 1206-1213. | 1.5 | 29 |
| 160 | Childhood maltreatment and polygenic risk in bipolar disorders. Bipolar Disorders, 2020, 22, 174-181. | 1.9 | 29 |
| 161 | Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. European Psychiatry, 2015, 30, 99-105. | 0.2 | 28 |
| 162 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. Frontiers in Psychiatry, 2018, 9, 207. | 2.6 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Association between the PPP3CC gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. Behavioral and Brain Functions, 2008, 4, 2. | 3.3 | 27 |
| 164 | Circadian biomarkers in patients with bipolar disorder: promising putative predictors of lithium response. International Journal of Bipolar Disorders, 2014, 2, 28. | 2.2 | 27 |
| 165 | Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. Journal of Affective Disorders, 2016, 194, 120-127. | 4.1 | 27 |
| 166 | Binge eating behaviours in bipolar disorders. Journal of Affective Disorders, 2018, 225, 482-488. | 4.1 | 27 |
| 167 | The value of navigation-guided rTMS for the treatment of depression: An illustrative case. Neurophysiologie Clinique, 2007, 37, 265-271. | 2.2 | 26 |
| 168 | Links between sleep and body mass index in bipolar disorders: An exploratory study. European Psychiatry, 2015, 30, 89-93. | 0.2 | 26 |
| 169 | Cannabis use disorder is associated with greater illness severity in tobacco smoking patients with bipolar disorder. Journal of Affective Disorders, 2016, 190, 286-293. | 4.1 | 26 |
| 170 | Outcomes for bipolar patients assessed in the French expert center network: A 2â€year followâ€up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACEâ€BD]). Bipolar Disorders, 2017, 19, 651-660. | 1.9 | 25 |
| 171 | Association between solar insolation and a history of suicide attempts in bipolar I disorder. Journal of Psychiatric Research, 2019, 113, 1-9. | 3.1 | 25 |
| 172 | Association between anhedonia and suicidal events in patients with mood disorders: A 3â€year prospective study. Depression and Anxiety, 2021, 38, 17-27. | 4.1 | 25 |
| 173 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. Translational Psychiatry, 2021, 11, 606. | 4.8 | 25 |
| 174 | Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. European Psychiatry, 2001, 16, 289-292. | 0.2 | 24 |
| 175 | Solar insolation in springtime influences age of onset of bipolar I disorder. Acta Psychiatrica Scandinavica, 2017, 136, 571-582. | 4.5 | 24 |
| 176 | Modifiable and non-modifiable factors associated with functional impairment during the inter-episodic periods of bipolar disorder. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 749-755. | 3.2 | 24 |
| 177 | An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. Bipolar Disorders, 2020, 22, 255-265. | 1.9 | 24 |
| 178 | Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. American Journal of Medical Genetics Part A, 2004, 129B, 29-33. | 2.4 | 23 |
| 179 | A cannabinoid receptor 1 polymorphism is protective against major depressive disorder in methadoneâ€maintained outpatients. American Journal on Addictions, 2015, 24, 613-620. | 1.4 | 23 |
| 180 | Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. Frontiers in Psychiatry, 2018, 9, 360. | 2.6 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. British Journal of Psychiatry, 2021, 218, 80-87. | 2.8 | 23 |
| 182 | Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. Journal of Psychiatric Research, 2017, 84, 73-79. | 3.1 | 22 |
| 183 | Neuropsychological functioning, age, and medication adherence in bipolar disorder. PLoS ONE, 2017, 12, e0184313. | 2.5 | 22 |
| 184 | Disruption of Conscious Access in Psychosis Is Associated with Altered Structural Brain Connectivity. Journal of Neuroscience, 2021, 41, 513-523. | 3.6 | 22 |
| 185 | The DRD2 gene and the risk for alcohol dependence in bipolar patients. European Psychiatry, 2000, 15, 103-108. | 0.2 | 21 |
| 186 | Alcohol use disorders are associated with increased affective lability in bipolar disorder. Journal of Affective Disorders, 2017, 208, 316-324. | 4.1 | 21 |
| 187 | Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. Journal of Affective Disorders, 2019, 256, 348-357. | 4.1 | 21 |
| 188 | A DNA methylation signature discriminates between excellent and non-response to lithium in patients with bipolar disorder type 1. Scientific Reports, 2020, 10, 12239. | 3.3 | 21 |
| 189 | Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. Molecular Neurobiology, 2016, 53, 6608-6619. | 4.0 | 20 |
| 190 | Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. Bipolar Disorders, 2019, 21, 68-75. | 1.9 | 20 |
| 191 | Accumulation of Lithium in the Hippocampus of Patients With Bipolar Disorder: A Lithium-7 Magnetic Resonance Imaging Study at 7 Tesla. Biological Psychiatry, 2020, 88, 426-433. | 1.3 | 20 |
| 192 | Characterisation of age and polarity at onset in bipolar disorder. British Journal of Psychiatry, 2021, 219, 659-669. | 2.8 | 20 |
| 193 | No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. Bipolar Disorders, 2007, 9, 706-712. | 1.9 | 19 |
| 194 | Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. Journal of Affective Disorders, 2015, 184, 60-66. | 4.1 | 19 |
| 195 | Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. European Psychiatry, 2017, 45, 190-197. | 0.2 | 19 |
| 196 | A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. Journal of Affective Disorders, 2018, 227, 713-720. | 4.1 | 19 |
| 197 | Emotional hyperâ€reactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. Acta Psychiatrica Scandinavica, 2018, 138, 348-359. | 4.5 | 19 |
| 198 | Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. Psychological Medicine, 2019, 49, 519-527. | 4.5 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-------------|-------------|
| 199 | Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) Tj ETQq1 1 0.784 | 13142gBT /(| Overbock 10 |
| 200 | Psychological and psychiatric aspects of face transplantation: Lessons learned from the long-term follow-up of six patients. Journal of Psychosomatic Research, 2019, 119, 42-49. | 2.6 | 19 |
| 201 | A preliminary study on early onset schizophrenia and bipolar disorder: large polyglutamine expansions are not involved. Psychiatry Research, 1997, 72, 141-144. | 3.3 | 18 |
| 202 | Serotonin transporter gene polymorphisms and affective disorder-related phenotypes. Current Opinion in Psychiatry, 2002, 15, 49-58. | 6.3 | 18 |
| 203 | Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. Acta Psychiatrica Scandinavica, 2015, 132, 218-225. | 4.5 | 18 |
| 204 | Utility of CSF biomarkers in psychiatric disorders: a national multicentre prospective study. Alzheimer's Research and Therapy, 2016, 8, 27. | 6.2 | 18 |
| 205 | Influence of lithium on sleep and chronotypes in remitted patients with bipolar disorder. Journal of Affective Disorders, 2016, 204, 32-39. | 4.1 | 18 |
| 206 | Affect lability predicts occurrence of suicidal ideation in bipolar patients: a twoâ€year prospective study. Acta Psychiatrica Scandinavica, 2017, 135, 460-469. | 4.5 | 18 |
| 207 | Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. Journal of Affective Disorders, 2017, 208, 62-67. | 4.1 | 18 |
| 208 | HLA genetics in bipolar disorder. Acta Psychiatrica Scandinavica, 2018, 138, 464-471. | 4.5 | 18 |
| 209 | Patients' Perspectives on Residual Symptoms in Bipolar Disorder. Journal of Nervous and Mental Disease, 2014, 202, 550-555. | 1.0 | 17 |
| 210 | Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. Scientific Reports, 2015, 5, 16301. | 3.3 | 17 |
| 211 | Variability of response to methadone: genome-wide DNA methylation analysis in two independent cohorts. Epigenomics, 2016, 8, 181-195. | 2.1 | 17 |
| 212 | Amygdala and regional volumes in treatment-resistant versus nontreatment-resistant depression patients. Depression and Anxiety, 2017, 34, 1065-1071. | 4.1 | 17 |
| 213 | Allostatic load, emotional hyperâ€reactivity, and functioning in individuals with bipolar disorder. Bipolar Disorders, 2020, 22, 711-721. | 1.9 | 17 |
| 214 | Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. European Neuropsychopharmacology, 2020, 36, 121-136. | 0.7 | 17 |
| 215 | European collaborative study of earlyâ€onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1425-1433. | 1.7 | 16 |
| 216 | Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. Chronobiology International, 2020, 37, 712-722. | 2.0 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Childhood maltreatment and clinical severity of treatmentâ€resistant depression in a French cohort of outpatients (FACEâ€DR): Oneâ€year followâ€up. Depression and Anxiety, 2020, 37, 365-374. | 4.1 | 16 |
| 218 | Shape analysis of the cingulum, uncinate and arcuate fasciculi in patients with bipolar disorder. Journal of Psychiatry and Neuroscience, 2017, 42, 27-36. | 2.4 | 16 |
| 219 | Neurocognitive performance as an endophenotype for bipolar disorder. Frontiers in Bioscience - Elite, 2014, E6, 89-103. | 1.8 | 15 |
| 220 | Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. Australian and New Zealand Journal of Psychiatry, 2017, 51, 788-798. | 2.3 | 15 |
| 221 | A reâ€examination of antidepressant treatmentâ€emergent mania in bipolar disorders: evidence of gender differences. Acta Psychiatrica Scandinavica, 2017, 135, 479-488. | 4.5 | 15 |
| 222 | Nutritional Status During Inpatient Alcohol Detoxification. Alcohol and Alcoholism, 2018, 53, 64-70. | 1.6 | 15 |
| 223 | Population pharmacokinetics of oral baclofen at steadyâ€state in alcoholicâ€dependent adult patients. Fundamental and Clinical Pharmacology, 2018, 32, 239-248. | 1.9 | 15 |
| 224 | Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. Psychological Medicine, 2021, 51, 1201-1210. | 4.5 | 15 |
| 225 | Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. International Journal of Bipolar Disorders, 2020, 8, 40. | 2.2 | 15 |
| 226 | Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. Chronobiology International, 2017, 34, 1114-1124. | 2.0 | 14 |
| 227 | Gender-specific study of recurrent suicide attempts in outpatients with multiple substance use disorders. Journal of Affective Disorders, 2018, 241, 546-553. | 4.1 | 14 |
| 228 | Genetic heterogeneity according to age at onset in bipolar disorder: A combined positional cloning and candidate gene approach. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 653-659. | 1.7 | 13 |
| 229 | Affect intensity measure in bipolar disorders: A multidimensional approach. Journal of Affective Disorders, 2014, 157, 8-13. | 4.1 | 13 |
| 230 | Genetic association between a â€~standing' variant of NOD2 and bipolar disorder. Immunobiology, 2014, 219, 766-771. | 1.9 | 13 |
| 231 | Teasing apart Bipolar III: The causes and consequences of a Treatment-Emergent Affective Switch (TEAS) into mania. Australian and New Zealand Journal of Psychiatry, 2015, 49, 866-868. | 2.3 | 13 |
| 232 | Feasibility and Acceptability of the â€~HABIT' Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. Clinical Psychology and Psychotherapy, 2017, 24, 887-898. | 2.7 | 13 |
| 233 | Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. Journal of Affective Disorders, 2017, 208, 406-413. | 4.1 | 13 |
| 234 | Which actigraphic variables optimally characterize the sleepâ€wake cycle of individuals with bipolar disorders?. Acta Psychiatrica Scandinavica, 2019, 139, 269-279. | 4.5 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Can network analysis shed light on predictors of lithium response in bipolar I disorder?. Acta Psychiatrica Scandinavica, 2020, 141, 522-533. | 4.5 | 13 |
| 236 | An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. International Journal of Bipolar Disorders, 2020, 8, 37. | 2.2 | 13 |
| 237 | Effect of early trauma on the sleep quality of euthymic bipolar patients. Journal of Affective Disorders, 2016, 206, 261-267. | 4.1 | 12 |
| 238 | Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. Chronobiology International, 2020, 37, 101-110. | 2.0 | 12 |
| 239 | Characterization of depressed bipolar patients with current suicidal ideation. Australian and New Zealand Journal of Psychiatry, 2021, 55, 289-304. | 2.3 | 12 |
| 240 | Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. Journal of Affective Disorders, 2021, 282, 812-819. | 4.1 | 12 |
| 241 | Methodological problems in meta-analysis of association studies between bipolar affective disorder and the tyrosine hydroxylase gene. , 1998, 81, 349-350. | | 11 |
| 242 | Aripiprazole in patients with bipolar mania and beyond: an update of practical guidance. Current Medical Research and Opinion, 2011, 27, 2285-2299. | 1.9 | 11 |
| 243 | Self-reported cue-induced physical symptoms of craving as an indicator of cocaine dependence. American Journal on Addictions, 2015, 24, 740-743. | 1.4 | 11 |
| 244 | Impact of a <i>cis</i> -associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. British Journal of Psychiatry, 2016, 208, 128-137. | 2.8 | 11 |
| 245 | Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). Frontiers in Psychiatry, 2017, 8, 244. | 2.6 | 11 |
| 246 | Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. Psychiatry Investigation, 2018, 15, 1188-1202. | 1.6 | 11 |
| 247 | Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. Journal of Affective Disorders, 2019, 253, 203-209. | 4.1 | 11 |
| 248 | Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. Psychotherapy and Psychosomatics, 2019, 88, 45-47. | 8.8 | 11 |
| 249 | Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. Journal of Affective Disorders, 2020, 263, 228-235. | 4.1 | 11 |
| 250 | Nonâ€alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACEâ€BD cohort. Acta Psychiatrica Scandinavica, 2021, 143, 82-91. | 4.5 | 11 |
| 251 | Prediction of lithium response using genomic data. Scientific Reports, 2021, 11, 1155. | 3.3 | 11 |
| 252 | Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. Journal of Psychiatric Research, 2021, 135, 20-27. | 3.1 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | An ecological study of objective rest–activity markers of lithium response in bipolar-I-disorder. Psychological Medicine, 2020, , 1-9. | 4.5 | 11 |
| 254 | Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. British Journal of Psychiatry, 2022, 220, 219-228. | 2.8 | 11 |
| 255 | Markers of Individual Drug Metabolism: Towards the Development of a Personalized Antidepressant Prescription. Current Drug Metabolism, 2015, 16, 17-45. | 1.2 | 10 |
| 256 | Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. Chronobiology International, 2017, 34, 845-854. | 2.0 | 10 |
| 257 | Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. Acta Psychiatrica Scandinavica, 2018, 138, 155-162. | 4.5 | 10 |
| 258 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. Scientific Reports, 2021, 11, 17823. | 3.3 | 10 |
| 259 | Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. International Journal of Bipolar Disorders, 2020, 8, 34. | 2.2 | 10 |
| 260 | Treating mood disorders in patients with a history of intestinal surgery. International Clinical Psychopharmacology, 2015, 30, 119-128. | 1.7 | 9 |
| 261 | Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. Acta Psychiatrica Scandinavica, 2015, 131, 400-400. | 4.5 | 9 |
| 262 | Lithium response in bipolar disorder: No difference in GADL1 gene expression between cell lines from excellent-responders and non-responders. Psychiatry Research, 2017, 251, 217-220. | 3.3 | 9 |
| 263 | Investigation of lithium distribution in the rat brain <i>ex vivo</i> using lithiumâ€7 magnetic resonance spectroscopy and imaging at 17.2ÂT. NMR in Biomedicine, 2017, 30, e3770. | 2.8 | 9 |
| 264 | Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. Molecular Neurobiology, 2017, 54, 5166-5176. | 4.0 | 9 |
| 265 | Clinical characteristics of obstructive sleep apnea in bipolar disorders. Journal of Affective Disorders, 2019, 245, 1-7. | 4.1 | 9 |
| 266 | Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. Journal of Affective Disorders, 2020, 264, 318-323. | 4.1 | 9 |
| 267 | Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. Australian and New Zealand Journal of Psychiatry, 2020, 54, 985-996. | 2.3 | 9 |
| 268 | Association between childhood maltreatment and the clinical course of bipolar disorders: A survival analysis of mood recurrences. Acta Psychiatrica Scandinavica, 2022, 145, 373-383. | 4.5 | 9 |
| 269 | Genetics of emotional reactivity in bipolar disorders. Journal of Affective Disorders, 2015, 188, 101-106. | 4.1 | 8 |
| 270 | Using admixture analysis to examine birthâ€cohort effects on age at onset of bipolar disorder. Acta Psychiatrica Scandinavica, 2016, 133, 205-213. | 4.5 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Pharmacoepigenomics of opiates and methadone maintenance treatment: current data and perspectives. Pharmacogenomics, 2017, 18, 1359-1372. | 1.3 | 8 |
| 272 | Association between CRP genetic diversity and bipolar disorder comorbid complications. International Journal of Bipolar Disorders, 2018, 6, 4. | 2.2 | 8 |
| 273 | Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. Epidemiology and Psychiatric Sciences, 2020, 29, e144. | 3.9 | 8 |
| 274 | Cerebrospinal Fluid Biomarkers in Patients With Alcohol Use Disorder and Persistent Cognitive Impairment. Alcoholism: Clinical and Experimental Research, 2021, 45, 561-565. | 2.4 | 8 |
| 275 | Can actigraphy be used to define lithium response dimensions in bipolar disorders?. Journal of Affective Disorders, 2021, 283, 402-409. | 4.1 | 8 |
| 276 | Influence of childhood maltreatment on prevalence, onset, and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders. European Psychiatry, 2022, 65, 1-32. | 0.2 | 8 |
| 277 | Lost property? Legal compensation for destroyed sperm: a reflection and comparison drawing on UK and French perspectives. Journal of Medical Ethics, 2011, 37, 747-751. | 1.8 | 7 |
| 278 | OPRM1 polymorphism and lifetime suicide attempts among stabilized, methadone-maintained outpatients. Psychiatry Research, 2014, 218, 259-260. | 3.3 | 7 |
| 279 | Childhood trauma are not associated with the intensity of transient cocaine induced psychotic symptoms. Psychiatry Research, 2015, 228, 941-944. | 3.3 | 7 |
| 280 | Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. Australian and New Zealand Journal of Psychiatry, 2017, 51, 382-392. | 2.3 | 7 |
| 281 | Ageâ€atâ€onset subsets of bipolar I disorders: A critical insight into admixture analyses. International Journal of Methods in Psychiatric Research, 2017, 26, . | 2.1 | 7 |
| 282 | Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). BMC Pharmacology & Toxicology, 2017, 18, 70. | 2.4 | 7 |
| 283 | Network of co-expressed circadian genes, childhood maltreatment and sleep quality in bipolar disorders. Chronobiology International, 2021, 38, 986-993. | 2.0 | 7 |
| 284 | The role of brain barriers in the neurokinetics and pharmacodynamics of lithium. Pharmacological Research, 2021, 166, 105480. | 7.1 | 7 |
| 285 | Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 114, 110479. | 4.8 | 7 |
| 286 | Olfactory Reference Syndrome: An Unusual Delusion in a Patient With Parkinson's Disease. Journal of Neuropsychiatry and Clinical Neurosciences, 2012, 24, E2-E2. | 1.8 | 6 |
| 287 | Anticonvulsants and suicide attempts in bipolar I disorders. Acta Psychiatrica Scandinavica, 2017, 135, 470-478. | 4.5 | 6 |
| 288 | Response to Lithium in Patients with Bipolar Disorder: What are Psychiatrists' Experiences and Practices Compared to Literature Review?. Pharmacopsychiatry, 2019, 52, 70-77. | 3.3 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Childhood maltreatment and HPA axis gene expression in bipolar disorders: A gene network analysis. Psychoneuroendocrinology, 2020, 120, 104753. | 2.7 | 6 |
| 290 | Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. Journal of Affective Disorders, 2020, 276, 963-969. | 4.1 | 6 |
| 291 | Translational study of the whole transcriptome in rats and genetic polymorphisms in humans identifies LRP1B and VPS13A as key genes involved in tolerance to cocaine-induced motor disturbances. Translational Psychiatry, 2020, 10, 381. | 4.8 | 6 |
| 292 | Alterations in nicotinic receptor alpha5 subunit gene differentially impact early and later stages of cocaine addiction: a translational study in transgenic rats and patients. Progress in Neurobiology, 2021, 197, 101898. | 5.7 | 6 |
| 293 | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26. | 2.2 | 6 |
| 294 | Key findings on bipolar disorders from the longitudinal FondaMental Advanced Center of Expertise-Bipolar Disorder (FACE-BD) cohort. Journal of Affective Disorders, 2022, 307, 149-156. | 4.1 | 6 |
| 295 | Hospital Stay and Engagement in Outpatient Followâ€Up After Alcohol Emergency Detox: A 1â€Year Comparison Study. Alcoholism: Clinical and Experimental Research, 2016, 40, 418-421. | 2.4 | 5 |
| 296 | Secular trends in the age at onset of bipolar I disorder – Support for birth cohort effects from interational, multi-centre clinical observational studies. European Psychiatry, 2018, 52, 61-67. | 0.2 | 5 |
| 297 | Increased plasma levels of high mobility group box 1 protein in patients with bipolar disorder: A pilot study. Journal of Neuroimmunology, 2019, 334, 576993. | 2.3 | 5 |
| 298 | Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. Translational Psychiatry, 2020, 10, 124. | 4.8 | 5 |
| 299 | The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. Journal of Affective Disorders, 2021, 287, 196-203. | 4.1 | 5 |
| 300 | Mini review: Recent advances on epigenetic effects of lithium. Neuroscience Letters, 2021, 761, 136116. | 2.1 | 5 |
| 301 | Childhood Trauma and the Severity of past Suicide Attempts in Outpatients with Cocaine use Disorders. Substance Abuse, 2022, 43, 623-632. | 2.3 | 5 |
| 302 | Methylomic Biomarkers of Lithium Response in Bipolar Disorder: A Proof of Transferability Study. Pharmaceuticals, 2022, 15, 133. | 3.8 | 5 |
| 303 | Anxiety disorders are associated with early onset of heroin use and rapid transition to dependence in methadone maintained patients. Psychiatry Research, 2016, 245, 423-426. | 3.3 | 4 |
| 304 | Relevance of treated cocaine users' retrospective memory of first cocaine use. Psychiatry Research, 2018, 264, 210-216. | 3.3 | 4 |
| 305 | Lithium effects on serine-threonine kinases activity: High throughput kinomic profiling of lymphoblastoid cell lines from excellent-responders and non-responders bipolar patients. World Journal of Biological Psychiatry, 2020, 21, 317-324. | 2.6 | 4 |
| 306 | Clustering suicidal phenotypes and genetic associations with brain-derived neurotrophic factor in patients with substance use disorders. Translational Psychiatry, 2021, 11, 72. | 4.8 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. PLoS ONE, 2021, 16, e0250148. | 2.5 | 4 |
| 308 | Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort✰. Journal of Affective Disorders, 2021, 286, 309-319. | 4.1 | 4 |
| 309 | Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. International Journal of Bipolar Disorders, 2021, 9, 29. | 2.2 | 4 |
| 310 | Genetic association studies. Definition of cases and controls. Methods in Molecular Medicine, 2003, 77, 127-41. | 0.8 | 4 |
| 311 | Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. Frontiers in Psychiatry, 2022, 13, 813256. | 2.6 | 4 |
| 312 | Predictive value of baseline resistance in early response to antidepressants. Journal of Affective Disorders, 2014, 161, 127-135. | 4.1 | 3 |
| 313 | Are empty methadone bottles empty? An analytic study. Harm Reduction Journal, 2014, 11, 20. | 3.2 | 3 |
| 314 | TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. Journal of Neuroimmunology, 2017, 305, 96-101. | 2.3 | 3 |
| 315 | Use of immediate release melatonin in psychiatry: BMI impacts the daily-dose. L'Encephale, 2021, 47, 96-101. | 0.9 | 3 |
| 316 | Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 827-838. | 3.2 | 3 |
| 317 | Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. Psychoneuroendocrinology, 2021, 131, 105327. | 2.7 | 3 |
| 318 | Direct medical cost of bipolar disorder: Insights from the FACE-BD longitudinal cohort. Journal of Affective Disorders, 2022, 306, 223-231. | 4.1 | 3 |
| 319 | Chronic Lithium Therapy and Urine-Concentrating Ability in Individuals With Bipolar Disorder: Association Between Daily Dose and Resistance to Vasopressin and Polyuria. Kidney International Reports, 2022, 7, 1557-1564. | 0.8 | 3 |
| 320 | Serotonin transporter gene polymorphism and psychiatric disorders in NF1 patients. American Journal of Medical Genetics Part A, 2001, 105, 758-760. | 2.4 | 2 |
| 321 | Facteurs de vulnérabilité génétique des troubles bipolaires. Annales Medico-Psychologiques, 2009, 167, 796-802. | 0.4 | 2 |
| 322 | Santé physique et troubles bipolaires. Annales Medico-Psychologiques, 2012, 170, 56-61. | 0.4 | 2 |
| 323 | Traitements non pharmacologiques des troubles bipolaires. Annales Medico-Psychologiques, 2012, 170, 667-673. | 0.4 | 2 |
| 324 | Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. Chronobiology International, 2019, 36, 1124-1130. | 2.0 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------|
| 325 | Population pharmacokinetic modeling of sustained release lithium in the serum, erythrocytes and urine of patients with bipolar disorder. European Journal of Clinical Pharmacology, 2019, 75, 519-528. | 1.9 | 2 |
| 326 | COPD Positive Screening with Spirometry Increases Motivation to Quit Tobacco Smoking in an Addiction Treatment Center. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2020, 17, 240-244. | 1.6 | 2 |
| 327 | A Comparison of Different Approaches to Clinical Phenotyping of Lithium Response: A Proof of Principle Study Employing Genetic Variants of Three Candidate Circadian Genes. Pharmaceuticals, 2021, 14, 1072. | 3.8 | 2 |
| 328 | Which Actigraphy Dimensions Predict Longitudinal Outcomes in Bipolar Disorders?. Journal of Clinical Medicine, 2022, 11, 2204. | 2.4 | 2 |
| 329 | Genetic Association Studies: Definition of Cases and Controls. , 2003, , 127-142. | | 1 |
| 330 | P.2.e.010 Observational, multinational study of bipolar I and II disorders (WAVE-bd): comparison of clinical data between France and other countries. European Neuropsychopharmacology, 2012, 22, S281-S282. | 0.7 | 1 |
| 331 | Transient Cocaine-Induced Chest Pain. Journal of Addiction Medicine, 2014, 8, 111-115. | 2.6 | 1 |
| 332 | The RANZCP mood disorders guidelines: An easy step-by-step toolbox for daily practice. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1014-1015. | 2.3 | 1 |
| 333 | Make lithium great again – Precisely!. Bipolar Disorders, 2021, 23, 209-210. | 1.9 | 1 |
| 334 | Blood-brain barrier's interplay with peripheral and central inflammation as a pathophysiological mechanism of bipolar disorders. , 2021, , 143-153. | | 1 |
| 335 | Biomarkers to predict staging and treatment response in opioid dependence: A narrative review. Drug Development Research, 2021, 82, 668-677. | 2.9 | 1 |
| 336 | Chapter 5.2 Defining phenotypes for psychiatric genetics. Handbook of Behavioral Neuroscience, 1999, 13, 773-782. | 0.0 | 0 |
| 337 | Comorbid addiction in bipolar affective disorder. Neuropsychiatry, 2012, 2, 531-541. | 0.4 | 0 |
| 338 | Variabilité de la réponse au lithium. Annales Medico-Psychologiques, 2014, 172, 199-201. | 0.4 | 0 |
| 339 | Obesity, mixed, and bipolar features in major depression: Should we identify the usual suspects or also look for covert mediators?. Bipolar Disorders, 2018, 20, 772-773. | 1.9 | 0 |
| 340 | White matter structure abnormalities in bipolar disorders: Towards a traumatic dysconnectivity in the brain?. Bipolar Disorders, 2020, 22, 757-758. | 1.9 | 0 |
| 341 | El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. European Psychiatry (Ed) Tj ETQq | 1 1 0.7843 0.0 | 14 rgBT /Ove |
| 342 | La búsqueda de sensaciones bipolar se asocia con una propensión al abuso más bien que a caracterÃsticas temperamentales. European Psychiatry (Ed Española), 2001, 8, 531-535. | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Temperamento en la esquizofrenia: un estudio del Cuestionario Tridimensional de la Personalidad (TPQ). European Psychiatry (Ed Española), 2003, 10, 243-247. | 0.0 | 0 |
| 344 | Diagnósticos psiquiátricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. European Psychiatry (Ed Española), 2008, 15, 23-30. | 0.0 | 0 |
| 345 | Chapitre 10. Alcool. , 2014, , 169-191. | | 0 |
| 346 | Lithium: The Key Antisuicide Agent. , 2016, , 303-311. | | 0 |
| 347 | Is Usability Engineering Anticipation Possible during the Initial Research Actions? An Example with the R-Link in Vitro Self-monitoring Device. , 2022, , . | | 0 |
| | | | |