Ahmet Turan Isik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/415209/publications.pdf

Version: 2024-02-01

151 papers 3,494 citations

201674 27 h-index 52 g-index

165 all docs 165
docs citations

165 times ranked 4473 citing authors

#	Article	IF	CITATIONS
1	Inflammation and frailty in the elderly: A systematic review and meta-analysis. Ageing Research Reviews, 2016, 31, 1-8.	10.9	659
2	Oxidative stress and frailty: A systematic review and synthesis of the best evidence. Maturitas, 2017, 99, 66-72.	2.4	160
3	Inflammation,ÂFrailtyÂandÂCardiovascularÂDisease. Advances in Experimental Medicine and Biology, 2020, 1216, 55-64.	1.6	130
4	The effects of sitagliptin, a DPP-4 inhibitor, on cognitive functions in elderly diabetic patients with or without Alzheimer's disease. Diabetes Research and Clinical Practice, 2017, 123, 192-198.	2.8	125
5	Bidirectional relationship between caregiver burden and neuropsychiatric symptoms in patients with Alzheimer's disease: A narrative review. International Journal of Geriatric Psychiatry, 2019, 34, 1326-1334.	2.7	106
6	Validity of the Mini-Nutritional Assessment Scale for Evaluating Frailty Status in Older Adults. Journal of the American Medical Directors Association, 2019, 20, 183-187.	2.5	96
7	Late onset Alzheimer's disease in older people. Clinical Interventions in Aging, 2010, 5, 307.	2.9	89
8	Costs of medication in older patients: before and after comprehensive geriatric assessment. Clinical Interventions in Aging, 2018, Volume 13, 607-613.	2.9	89
9	Validity and Reliability of Geriatric Depression Scale - 15 (Short Form) in Turkish older adults. İstanbul Kuzey Klinikleri, 2017, 5, 216-220.	0.3	86
10	Frequency and coincidence of geriatric syndromes according to age groups: single-center experience in Turkey between 2013 and 2017. Clinical Interventions in Aging, 2018, Volume 13, 1899-1905.	2.9	84
11	Vitamin B12 deficiency might be related to sarcopenia in older adults. Experimental Gerontology, 2017, 95, 136-140.	2.8	71
12	Survival time and differences between dementia with Lewy bodies and Alzheimer's disease following diagnosis: A meta-analysis of longitudinal studies. Ageing Research Reviews, 2019, 50, 72-80.	10.9	70
13	Curcumin ameliorates impaired insulin/IGF signalling and memory deficit in a streptozotocin-treated rat model. Age, 2009, 31, 39-49.	3.0	63
14	<p>Mini Nutritional Assessment Scale-Short Form can be useful for frailty screening in older adults</p> . Clinical Interventions in Aging, 2019, Volume 14, 693-699.	2.9	55
15	The effect of activated protein C on experimental acute necrotizing pancreatitis. Critical Care, 2005, 9, R184.	5.8	49
16	Trospium and cognition in patients with Late Onset Alzheimer Disease. Journal of Nutrition, Health and Aging, 2009, 13, 672-676.	3.3	46
17	Cardiovascular Outcomes of Cholinesterase Inhibitors in Individuals with Dementia: A Metaâ€Analysis and Systematic Review. Journal of the American Geriatrics Society, 2018, 66, 1805-1811.	2.6	46
18	Relationship Between Cannabis Use and Erectile Dysfunction: A Systematic Review and Meta-Analysis. American Journal of Men's Health, 2019, 13, 155798831989246.	1.6	42

#	Article	IF	CITATIONS
19	Does vitamin D deficiency increase orthostatic hypotension risk in the elderly patients?. Archives of Gerontology and Geriatrics, 2014, 59, 74-77.	3.0	38
20	Relationship Between Nutritional Status and Insomnia Severity inÂOlder Adults. Journal of the American Medical Directors Association, 2019, 20, 1593-1598.	2.5	37
21	Acetylcholinesterase inhibitors are associated with weight loss in older people with dementia: a systematic review and meta-analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 1368-1374.	1.9	36
22	Which is preferable for orthostatic hypotension diagnosis in older adults: active standing test or head-up tilt table test?. Clinical Interventions in Aging, 2017, Volume 12, 207-212.	2.9	35
23	Cardiac Safety of Donepezil in Elderly Patients with Alzheimer Disease. Internal Medicine, 2012, 51, 575-578.	0.7	34
24	Uric acid may be protective against cognitive impairment in older adults, but only in those without cardiovascular risk factors. Experimental Gerontology, 2017, 89, 15-19.	2.8	32
25	Hypovitaminosis D and orthostatic hypotension. Journal of Hypertension, 2016, 34, 1036-1043.	0.5	31
26	Which Cholinesterase Inhibitor is the Safest for the Heart in Elderly Patients With Alzheimer's Disease?. American Journal of Alzheimer's Disease and Other Dementias, 2012, 27, 171-174.	1.9	30
27	A comparison of the prevalence of orthostatic hypotension between older patients with Alzheimer's Disease, Lewy body dementia, and without dementia. Experimental Gerontology, 2019, 124, 110628.	2.8	30
28	Nocturia and its clinical implications in older women. Archives of Gerontology and Geriatrics, 2019, 85, 103917.	3.0	29
29	Attended With and Head-Turning Sign can be clinical markers of cognitive impairment in older adults. International Psychogeriatrics, 2017, 29, 1763-1769.	1.0	28
30	Factors that Increase Risk of Falling in Older Men according to Four Different Clinical Methods. Experimental Aging Research, 2020, 46, 83-92.	1.2	28
31	The Saint Louis University Mental Status Examination Is Better than the Mini-Mental State Examination to Determine the Cognitive Impairment in Turkish Elderly People. Journal of the American Medical Directors Association, 2016, 17, 370.e11-370.e15.	2.5	27
32	Validation of population-based cutoffs for low muscle mass and strength in a population of Turkish elderly adults. Aging Clinical and Experimental Research, 2020, 32, 1749-1755.	2.9	27
33	The Relationship Between Dementia Subtypes and Nutritional Parameters in Older Adults. Journal of the American Medical Directors Association, 2020, 21, 1430-1435.	2.5	27
34	Allopurinol in Rat Chronic Pancreatitis. Pancreas, 2007, 35, 366-371.	1.1	26
35	Decreased Basal Metabolic Rate Can Be an Objective Marker for Sarcopenia and Frailty in Older Males. Journal of the American Medical Directors Association, 2019, 20, 58-63.	2.5	24
36	Assessment of factors that increase risk of falling in older women by four different clinical methods. Aging Clinical and Experimental Research, 2020, 32, 483-490.	2.9	24

#	Article	IF	Citations
37	What is the relationship between frailty and orthostatic hypotension in older adults?. Journal of Geriatric Cardiology, 2019, 16, 272-279.	0.2	24
38	A comparison of end-stage renal disease and Alzheimer's disease in the elderly through a comprehensive geriatric assessment. International Urology and Nephrology, 2014, 46, 1627-1632.	1.4	23
39	When should orthostatic blood pressure changes be evaluated in elderly: 1st, 3rd or 5th minute?. Archives of Gerontology and Geriatrics, 2016, 65, 199-203.	3.0	23
40	The relationship between polypharmacy and trajectories of cognitive decline in people with dementia: A large representative cohort study. Experimental Gerontology, 2019, 120, 62-67.	2.8	22
41	Antioxidant Treatment with Taurine Ameliorates Chronic Pancreatitis in an Experimental Rat Model. Pancreas, 2006, 33, 77-81.	1.1	21
42	Is there any relation between insulin resistance and cognitive function in the elderly?. International Psychogeriatrics, 2007, 19, 745-756.	1.0	21
43	Triple test, a diagnostic observation, can detect cognitive impairment in older adults. Psychogeriatrics, 2018, 18, 98-105.	1.2	21
44	Pet ownership and symptoms of depression: A prospective study of older adults. Journal of Affective Disorders, 2020, 264, 35-39.	4.1	21
45	Relationship between sarcopenia and orthostatic hypotension. Age and Ageing, 2020, 49, 959-965.	1.6	21
46	The AD8 (Dementia Screening Interview) is a valid and reliable screening scale not only for dementia but also for mild cognitive impairment in the Turkish geriatric outpatients. International Psychogeriatrics, 2019, 31, 223-229.	1.0	20
47	The Outcomes Of Serial Cerebrospinal Fluid Removal In Elderly Patients With Idiopathic Normal Pressure Hydrocephalus. Clinical Interventions in Aging, 2019, Volume 14, 2063-2069.	2.9	20
48	Cognitive and metabolic outcomes of vildagliptin addition to the therapy in patients with type 2 diabetes mellitus: 26 week follow-up study. Archives of Gerontology and Geriatrics, 2020, 88, 104013.	3.0	20
49	Long-term effects of vitamin D deficiency on gait and balance in the older adults. Clinical Nutrition, 2020, 39, 3756-3762.	5.0	20
50	Evaluation of the effects of galantamine on cardiac function in elderly patients with Alzheimer's disease. American Journal of Geriatric Pharmacotherapy, 2010, 8, 454-459.	3.0	19
51	Effects of acetylcholinesterase inhibitors on nutritional status in elderly patients with dementia: A 6-month follow-up study. Journal of Nutrition, Health and Aging, 2016, 20, 398-403.	3.3	19
52	The evaluation and design of a short depression screening tool in Turkish older adults. International Psychogeriatrics, 2018, 30, 1541-1548.	1.0	19
53	Sleep Quality, Duration, and Associated Sexual Function at Older Age: Findings from the English Longitudinal Study of Ageing. Journal of Sexual Medicine, 2019, 16, 427-433.	0.6	17
54	Trends and prevalence of nocturia among US adults, 2005–2016. International Urology and Nephrology, 2020, 52, 805-813.	1.4	17

#	Article	IF	CITATIONS
55	Orthostatic hypotension and health outcomes: an umbrella review of observational studies. European Geriatric Medicine, 2019, 10, 863-870.	2.8	16
56	Covid-19 Infection in Older Adults: A Geriatrician's Perspective. Clinical Interventions in Aging, 2020, Volume 15, 1067-1069.	2.9	16
57	The relationship between age and carotid artery intima-media thickness, hemoglobin A1c in nondiabetic, healthy geriatric population. Archives of Gerontology and Geriatrics, 2005, 41, 113-119.	3.0	15
58	Predictivity of the comorbidity indices for geriatric syndromes. BMC Geriatrics, 2022, 22, 440.	2.7	15
59	Effects of Acetylcholinesterase Inhibitors on Balance and Gait Functions and Orthostatic Hypotension in Elderly Patients With Alzheimer Disease. American Journal of Alzheimer's Disease and Other Dementias, 2016, 31, 580-584.	1.9	13
60	The effects of support groups on dementia caregivers: A mixed method study. Geriatric Nursing, 2018, 39, 151-156.	1.9	13
61	Hyperbaric oxygen-induced changes in bacterial translocation and acinar ultrastructure in rat acute necrotizing pancreatitis. Journal of Gastroenterology, 2005, 40, 980-986.	5.1	12
62	Validity of the Kihon Checklist for evaluating frailty status in Turkish older adults. Geriatrics and Gerontology International, 2019, 19, 616-621.	1.5	12
63	Vitamin B12 and folate deficiencies are not associated with nutritional or weight status in older adults. Experimental Gerontology, 2019, 116, 1-6.	2.8	12
64	The Effects of Early Vitamin B12 Replacement Therapy on The Cognitive and Functional Status of Elderly Subjects. Journal of Microbiology and Biotechnology, 2010, 20, 120-124.	2.1	11
65	Association between serum vitamin B12 levels and frailty in older adults. İstanbul Kuzey Klinikleri, 2017, 4, 22-28.	0.3	11
66	Ethnic Differences in Magnesium Intake in U.S. Older Adults: Findings from NHANES 2005–2016. Nutrients, 2018, 10, 1901.	4.1	11
67	Triple Test Plus Rapid Cognitive Screening Test: A Combination of Clinical Signs and A Tool for Cognitive Assessment in Older Adults. Diagnostics, 2019, 9, 97.	2.6	11
68	Quality of life and factors affecting it in patients with Alzheimer's disease: a cross-sectional study. Health and Quality of Life Outcomes, 2020, 18, 304.	2.4	11
69	The relationship between chronic diseases and number of sexual partners: an exploratory analysis. BMJ Sexual and Reproductive Health, 2020, 46, 100-107.	1.7	11
70	Orthostatic hypotension in patients with Alzheimer's disease: a meta-analysis of prospective studies. Neurological Sciences, 2022, 43, 999-1006.	1.9	11
71	Improvement of nutritional status enhances cognitive and physical functions in older adults with orthostatic hypotension. Nutrition, 2021, 90, 111261.	2.4	11
72	Sarcopenia is as common in older patients with dementia with Lewy bodies as it is in those with Alzheimer's disease. Geriatrics and Gerontology International, 2022, 22, 418-424.	1.5	11

#	Article	IF	CITATIONS
73	Acetylcholinesterase inhibition and insulin resistance in late onset Alzheimer's disease. International Psychogeriatrics, 2009, 21, 1127-1133.	1.0	10
74	Which Rivastigmine Formula is Better for Heart in Elderly Patients With Alzheimer's Disease. American Journal of Alzheimer's Disease and Other Dementias, 2014, 29, 735-738.	1.9	10
75	The association between fear of falling and orthostatic hypotension in older adults. Aging Clinical and Experimental Research, 2021, 33, 3199-3204.	2.9	10
76	Rationally decreasing the number of drugs seems to be a useful therapeutic approach in older adults: 6-month follow-up study. Archives of Gerontology and Geriatrics, 2021, 96, 104472.	3.0	10
77	Effect of Vitamin D on Cognitive Functions in Older Adults: 24-Week Follow-Up Study. American Journal of Alzheimer's Disease and Other Dementias, 2019, 34, 112-117.	1.9	9
78	Validity and Reliability of Rapid Cognitive Screening Test for Turkish Older Adults. Journal of Nutrition, Health and Aging, 2019, 23, 68-72.	3.3	9
79	Validation of population-based cut-offs for low muscle mass and strength. European Geriatric Medicine, 2020, 11, 713-714.	2.8	8
80	The relationship between osteoporosis and sarcopenia, according to EWGSOP-2 criteria, in outpatient elderly. Journal of Bone and Mineral Metabolism, 2021, 39, 684-692.	2.7	8
81	The Evaluation of Relationship Between Polypharmacy and Anticholinergic Burden Scales. İstanbul Kuzey Klinikleri, 2020, 8, 139-144.	0.3	8
82	The Relationship between the Most Common Subtypes of Dementia and Orthostatic Hypotension in Older Adults. Dementia and Geriatric Cognitive Disorders, 2020, 49, 628-635.	1.5	8
83	A Comparison of Cerebrospinal Fluid Beta-Amyloid and Tau in Idiopathic Normal Pressure Hydrocephalus and Neurodegenerative Dementias. Clinical Interventions in Aging, 2022, Volume 17, 467-477.	2.9	8
84	Vitamin B12 and folic acid levels are not related to length of stay in elderly inpatients. Nutrition, 2013, 29, 757-759.	2.4	7
85	Neuroleptic malignant syndrome associated with only one dose of metoclopramide in an older adult. Geriatrics and Gerontology International, 2017, 17, 1232-1233.	1.5	7
86	Nutritional profiles of older adults according the Mini-Nutritional Assessment. Aging Clinical and Experimental Research, 2020, 32, 673-680.	2.9	7
87	Postural blood pressure changes in the elderly: orthostatic hypotension and hypertension. Blood Pressure Monitoring, 2020, 25, 267-270.	0.8	7
88	Abuse/Misuse of Prescription Medications in Older Adults. Clinics in Geriatric Medicine, 2022, 38, 85-97.	2.6	7
89	An Increased Anticholinergic Drug Burden Index Score Negatively Affect Nutritional Status in Older Patients Without Dementia. Frontiers in Nutrition, 2022, 9, 789986.	3.7	7
90	Severe Hyponatremia Due to Escitalopram Treatment in an Elderly Adult with Alzheimer's Disease. Journal of the American Geriatrics Society, 2014, 62, 2462-2463.	2.6	6

#	Article	IF	Citations
91	Vitamin B ₁₂ deficiency can be a cause of acute reversible parkinsonism and cognitive impairment in older adults. Geriatrics and Gerontology International, 2018, 18, 650-651.	1.5	6
92	DPP4 inhibitors as a potential therapeutic option for sarcopenia: A 6-month follow-up study in diabetic older patients. Experimental Gerontology, 2022, 164, 111832.	2.8	6
93	aChE and BuChE inhibition by rivastigmin have no effect on peripheral insulin resistance in elderly patients with Alzheimer disease. Journal of Nutrition, Health and Aging, 2012, 16, 139-141.	3.3	5
94	Ogilvie's syndrome in an elderly patient with multi-system atrophy. Clinical Autonomic Research, 2013, 23, 155-156.	2.5	5
95	Asymptomatic Bradycardia Due to Rivastigmine in an Elderly Adult with Lewy Body Dementia. Journal of the American Geriatrics Society, 2015, 63, 2648-2650.	2.6	5
96	Neuroleptic Malignant Syndrome in an Elderly Patient With Normal Pressure Hydrocephalus Overlapping Corticobasal Degeneration. American Journal of Alzheimer's Disease and Other Dementias, 2015, 30, 417-420.	1.9	5
97	Mesenchymal stem cell therapy for the streptozotocin-induced neurodegeneration in rats. Neurological Research, 2016, 38, 364-372.	1.3	5
98	The applause sign in elderly patients with idiopathic normal pressure hydrocephalus. Applied Neuropsychology Adult, 2020, , 1-6.	1.2	5
99	The importance of brain banking for dementia practice: the first experience of Turkey. Cell and Tissue Banking, 2020, 21, 367-375.	1.1	5
100	Current Concepts in the Diagnosis, Pathophysiology, and Treatment of Delirium: A European Perspective. Current Geriatrics Reports, 2015, 4, 284-289.	1.1	4
101	Prospective associations between alcohol use, binge drinking and sexual activity in older adults: the English Longitudinal Study Of Ageing. Psychology and Sexuality, 2021, 12, 193-201.	1.9	4
102	An elderly patient with Alzheimer's disease, normal pressure hydrocephalus and traumatic brain injury: presented with behavioral symptoms similar to behavioral variant frontotemporal dementia. International Journal of Neuroscience, 2019, 129, 623-626.	1.6	4
103	<p>The Effect of Theracurmin on Cognitive Function in an Older Patient with Chemobrain</p> . Clinical Interventions in Aging, 2020, Volume 15, 691-693.	2.9	4
104	Different hand-grip strength cut-offs to define sarcopenia in Turkish population. Aging Clinical and Experimental Research, 2021, 33, 209-210.	2.9	4
105	Theracurmin Supplementation May be a Therapeutic Option for Older Patients with Alzheimer's Disease: A 6-Month Retrospective Follow-Up Study. Current Alzheimer Research, 2021, 18, 1087-1092.	1.4	4
106	MIRIZZI SYNDROME CAUSING DELIRIUM IN AN ELDERLY PATIENT. Journal of the American Geriatrics Society, 2009, 57, 362-364.	2.6	3
107	Intracranial Hypotension-Like Syndrome After a Spinal Tap Test Performed for Idiopathic Normal Pressure Hydrocephalus. American Journal of Alzheimer's Disease and Other Dementias, 2015, 30, 569-572.	1.9	3
108	Comment on "Cut-off points to identify sarcopenia according to European Working Group on Sarcopenia in Older People (EWGSOP) definition― Clinical Nutrition, 2016, 35, 1586.	5.0	3

#	Article	IF	Citations
109	Validity and Reliability of "AM SADâ€; a Short Geriatric Depression Screening Tool, in Turkish Elderly People. Journal of Microbiology and Biotechnology, 2016, 26, 175-180.	2.1	3
110	Factors affecting sensitivity and specificity of head-turning sign in the studies. International Psychogeriatrics, 2018, 30, 1571-1572.	1.0	3
111	Delirium associated with only one dose of zopiclone in an older adult. Psychogeriatrics, 2018, 18, 321-323.	1.2	3
112	Ogilvie's syndrome presented with delirium in an older patient with renal cell carcinoma and multiple myeloma. Turkish Journal of Gastroenterology, 2010, 21, 192-193.	1.1	3
113	Determination of an Optimal Frailty Cutoff Score of Tilburg Frailty Indicator and Frailty Associated Factors in Community-Dwelling Turkish Older Adults. Annals of Geriatric Medicine and Research, 2021, 25, 294-300.	1.8	3
114	<scp>Antidepressantâ€induced</scp> serotonin syndrome in older patients: a <scp>crossâ€sectional</scp> study. Psychogeriatrics, 2022, 22, 502-508.	1.2	3
115	Muscle Strength Seems to be Related to The Functional Status and Severity of Dementia in Older Adults with Alzheimer's Disease. Current Aging Science, 2023, 16, 75-83.	1.2	3
116	Challenges experienced by elderly people in nursing homes due to the coronavirus disease 2019 pandemic. Psychogeriatrics, 2020, 20, 914-915.	1.2	2
117	Orthostatic Hypotension in Elderly Patients with Essential Tremor. Clinical Interventions in Aging, 2021, Volume 16, 155-160.	2.9	2
118	Yaşlılarda depresyon düşme sıklığı ile ilişkilendirilebilir mi?. Geriatrik Bilimler Dergisi, 0, , .	0.2	2
119	Pituitary insufficiency: A cause of hypoglycemia in an elderly diabetic patient. Geriatrics and Gerontology International, 2012, 12, 752-753.	1.5	1
120	The Volume Prediction on the Experimental Design Hippocampus Using Stereological Method. Journal of Craniofacial Surgery, 2014, 25, 1501-1503.	0.7	1
121	Delirium Superimposed on Dementia. , 2018, , 39-48.		1
122	Pathogenesis of Delirium. , 2018, , 7-18.		1
123	Approach to the Elderly Patient with Delirium: Geriatrician's Perspective. , 2018, , 49-57.		1
124	Dementia-Related Results of "Costs of Medication in Older Patients: Before and After Comprehensive Geriatric Assessmentâ€. American Journal of Alzheimer's Disease and Other Dementias, 2018, 33, 497-499.	1.9	1
125	Thiazide therapy is not related to any changes in cognitive function in older hypertensive patients with or without dementia: a 26â€week followâ€up study. Psychogeriatrics, 2019, 19, 16-22.	1.2	1
126	Response to the Comment on "Validity of the Kihon Checklist for evaluating frailty status in Turkish older adultsâ€. Geriatrics and Gerontology International, 2020, 20, 265-265.	1.5	1

#	Article	IF	Citations
127	Reply to comment on â€An elderly patient with Alzheimer's disease, normal pressure hydrocephalus and traumatic brain injury: presented with behavioral symptoms similar to behavioral variant frontotemporal dementia?. International Journal of Neuroscience, 2021, 131, 317-318.	1.6	1
128	Ogilvie's syndrome presented with delirium in an older lady with corticobasal syndrome. Palliative and Supportive Care, 2021, 19, 631-633.	1.0	1
129	An elderly patient with Charles Bonnet Syndrome misdiagnosed as Lewy Body Dementia. Acta Neurologica Belgica, 2020, 120, 1011-1013.	1.1	1
130	GERİATRİK ERKEKLERDE NOKTURİ VE AYRINTILI GERİATRİK DEĞERLENDİRME PARAMETRELERİ. Geriatr Dergisi, 0, , .	ik Bilimler 0.2	1
131	<scp>E</scp> stimation of glomerular filtration rate among elderly patients. Geriatrics and Gerontology International, 2013, 13, 814-815.	1.5	O
132	P3-395: ORTHOSTATIC HYPOTENSION AND LONG-TERM EFFECTS OF ACHEIS ON THE ORTHOSTATIC HYPOTENSION IN ELDERLY PATIENTS WITH ALZHEIMER DISEASE. , 2014, 10, P774-P774.		0
133	P1-287: Effects of acetylcholinesterase inhibitors on nutritional status inÂelderly patients with dementia: A 6-month follow-up study. , 2015, 11, P464-P465.		O
134	Comments on "Relationship between cardiac autonomic function and cognitive function in Alzheimer's disease― Geriatrics and Gerontology International, 2017, 17, 2283-2284.	1.5	0
135	Comment on "nutritional status and all-cause mortality in older adults with acute coronary syndrome― Clinical Nutrition, 2019, 38, 2958-2959.	5.0	O
136	Response to the Comment on "Decreased Basal Metabolic Rate Can Be an Objective Marker for Sarcopenia and Frailty in Older Males― Journal of the American Medical Directors Association, 2019, 20, 919-920.	2.5	0
137	Pressure Injury., 2019,, 77-77.		O
138	Comment on "Polypharmacy and Kidney Function in Community-Dwelling Adults Age 60ÂYears and Older: A Prospective Observational Study― Journal of the American Medical Directors Association, 2020, 21, 128-129.	2.5	0
139	Response to "India and Turkey: An underlying common genetic ancestry― European Geriatric Medicine, 2020, 11, 883-884.	2.8	O
140	Comment on "The concept of frailty should not be limited to malnutrition― Clinical Nutrition, 2020, 39, 1974.	5.0	0
141	Micronutrient deficiencies may be associated with both cognitive impairment and chemotherapy toxicity in geriatric oncologic patients. Journal of Geriatric Oncology, 2020, 11, 902-903.	1.0	O
142	Comment on "Comparison of the Accuracy of Short Cognitive Screens Among Adults With Cognitive Complaints in Turkey― Alzheimer Disease and Associated Disorders, 2021, 35, 188-188.	1.3	0
143	Nutritional Status Might Be Related to Physical Performance and Functionality in Older Adults. Osmangazİ Journal of Medicine, 0, , .	0.1	O
144	Düşük Serum Albümin Düzeyi Geriatrik Sendromlar İçin Risk Faktörü Olabilir mi?. Osmangazİ Jo Medicine, 0, , .	urnal of	O

#	Article	IF	CITATIONS
145	Geriatric Emergency and Prehospital Care. , 2019, , 147-147.		O
146	Orthostatic Hypotension: A New Geriatric Syndrome., 2021,, 7-11.		0
147	Orthostatic Hypotension in Neurodegenerative Diseases. , 2021, , 73-87.		0
148	Effect of galantamine on platelet functions in healthy elderly people. Indian Journal of Medical Research, 2013, 137, 977-80.	1.0	0
149	Psychometric properties of the Turkish version of the scale for positive aspects of caregiving experience. Perspectives in Psychiatric Care, 2021, , .	1.9	0
150	Theracurmin may be a therapeutic option for elderly patients with Alzheimer's disease: A 6â€month retrospective followâ€up study. Alzheimer's and Dementia, 2021, 17, .	0.8	0
151	Prediction of probable sarcopenia with an alternative method: plantar flexion strength. Postgraduate Medicine, 2022, , 1-7.	2.0	0