

# Young Joo Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4153872/publications.pdf>

Version: 2024-02-01

256  
papers

9,644  
citations

39113

52  
h-index

66518

82  
g-index

276  
all docs

276  
docs citations

276  
times ranked

12906  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenic Obesity: Prevalence and Association With Metabolic Syndrome in the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Diabetes Care</i> , 2010, 33, 1652-1654.	4.3	471
2	The association of the <i>BRAF</i> <sup>V600E</sup> mutation with prognostic factors and poor clinical outcome in papillary thyroid cancer. <i>Cancer</i> , 2012, 118, 1764-1773.	2.0	368
3	Comprehensive Analysis of the Transcriptional and Mutational Landscape of Follicular and Papillary Thyroid Cancers. <i>PLoS Genetics</i> , 2016, 12, e1006239.	1.5	265
4	The Mitogenic and Antiapoptotic Actions of Ghrelin in 3T3-L1 Adipocytes. <i>Molecular Endocrinology</i> , 2004, 18, 2291-2301.	3.7	197
5	Plasma Resistin Concentrations Measured by Enzyme-Linked Immunosorbent Assay Using a Newly Developed Monoclonal Antibody Are Elevated in Individuals with Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 150-156.	1.8	196
6	Changes in the Clinicopathological Characteristics and Outcomes of Thyroid Cancer in Korea over the Past Four Decades. <i>Thyroid</i> , 2013, 23, 797-804.	2.4	167
7	Integrative analysis of genomic and transcriptomic characteristics associated with progression of aggressive thyroid cancer. <i>Nature Communications</i> , 2019, 10, 2764.	5.8	166
8	Bisphenol A Impairs Mitochondrial Function in the Liver at Doses below the No Observed Adverse Effect Level. <i>Journal of Korean Medical Science</i> , 2012, 27, 644.	1.1	163
9	Prognostic effects of <i>TERT</i> promoter mutations are enhanced by coexistence with <i>BRAF</i> or <i>RAS</i> mutations and strengthen the risk prediction by the ATA or TNM staging system in differentiated thyroid cancer patients. <i>Cancer</i> , 2016, 122, 1370-1379.	2.0	147
10	Cancers with Higher Density of Tumor-Associated Macrophages Were Associated with Poor Survival Rates. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 318-324.	0.4	137
11	Elevated risk of papillary thyroid cancer in Korean patients with Hashimoto's thyroiditis. <i>Head and Neck</i> , 2011, 33, 691-695.	0.9	124
12	Effects of Coexistent <i>BRAF</i> <sup>V600E</sup> and <i>TERT</i> Promoter Mutations on Poor Clinical Outcomes in Papillary Thyroid Cancer: A Meta-Analysis. <i>Thyroid</i> , 2017, 27, 651-660.	2.4	122
13	Analysis of differential BRAFV600E mutational status in multifocal papillary thyroid carcinoma. <i>Cancer</i> , 2006, 107, 1831-1838.	2.0	120
14	Prevalence and risk factors of osteoporosis in Korea: A community-based cohort study with lumbar spine and hip bone mineral density. <i>Bone</i> , 2010, 47, 378-387.	1.4	116
15	Efficacy and Safety of Radiofrequency Ablation for Treatment of Locally Recurrent Thyroid Cancers Smaller than 2 cm. <i>Radiology</i> , 2015, 276, 909-918.	3.6	108
16	Thyroglobulin in Washout Fluid From Lymph Node Fine-needle Aspiration Biopsy in Papillary Thyroid Cancer: Large-scale Validation of the Cutoff Value to Determine Malignancy and Evaluation of Discrepant Results. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1061-1068.	1.8	97
17	Subclinical Hypothyroidism and the Risk of Cardiovascular Disease and All-Cause Mortality: A Meta-Analysis of Prospective Cohort Studies. <i>Thyroid</i> , 2018, 28, 1101-1110.	2.4	97
18	Long-term oral exposure to bisphenol A induces glucose intolerance and insulin resistance. <i>Journal of Endocrinology</i> , 2015, 226, 35-42.	1.2	93

#	ARTICLE	IF	CITATIONS
19	Polymorphism in the Promoter and Exon 1 of the Cytotoxic T Lymphocyte Antigen-4 Gene Associated with Autoimmune Thyroid Disease in Koreans. <i>Thyroid</i> , 2000, 10, 453-459.	2.4	91
20	Subclinical hypothyroidism (SCH) is not associated with metabolic derangement, cognitive impairment, depression or poor quality of life (QoL) in elderly subjects. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, e68-e73.	1.4	90
21	Genetic Polymorphisms in Peroxisome Proliferator-Activated Receptor $\alpha$ Associated With Obesity. <i>Diabetes</i> , 2004, 53, 847-851.	0.3	89
22	Clinical Features and Prognostic Factors for Survival in Patients with Poorly Differentiated Thyroid Carcinoma and Comparison to the Patients with the Aggressive Variants of Papillary Thyroid Carcinoma. <i>Endocrine Journal</i> , 2007, 54, 265-274.	0.7	84
23	A C/T Polymorphism in the 5' Untranslated Region of the CD40 Gene is Associated with Graves' Disease in Koreans. <i>Thyroid</i> , 2003, 13, 919-925.	2.4	83
24	Accumulation of autophagosomes contributes to enhanced amyloidogenic APP processing under insulin-resistant conditions. <i>Autophagy</i> , 2012, 8, 1842-1844.	4.3	82
25	Lower bone mineral density is associated with higher coronary calcification and coronary plaque burdens by multidetector row coronary computed tomography in pre- and postmenopausal women. <i>Clinical Endocrinology</i> , 2009, 71, 644-651.	1.2	81
26	Long-Term Prognosis of Differentiated Thyroid Cancer with Lung Metastasis in Korea and Its Prognostic Factors. <i>Thyroid</i> , 2014, 24, 277-286.	2.4	80
27	The Long-Term Outcomes of the Second Generation of Familial Nonmedullary Thyroid Carcinoma Are More Aggressive than Sporadic Cases. <i>Thyroid</i> , 2012, 22, 356-362.	2.4	79
28	Diagnostic Value of Galectin-3, HBME-1, Cytokeratin 19, High Molecular Weight Cytokeratin, Cyclin D1 and p27kip1 in the Differential Diagnosis of Thyroid Nodules. <i>Journal of Korean Medical Science</i> , 2007, 22, 621.	1.1	78
29	Prevalence and Risk Factors of Subclinical Thyroid Disease. <i>Endocrinology and Metabolism</i> , 2014, 29, 20.	1.3	77
30	Association between perfluoroalkyl substances exposure and thyroid function in adults: A meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0197244.	1.1	76
31	Phosphorylation of the Hinge Domain of the Nuclear Hormone Receptor LHR-1 Stimulates Transactivation. <i>Journal of Biological Chemistry</i> , 2006, 281, 7850-7855.	1.6	74
32	The role of ultrasound findings in the management of thyroid nodules with atypia or follicular lesions of undetermined significance. <i>Clinical Endocrinology</i> , 2014, 80, 735-742.	1.2	74
33	Diabetes Mellitus and Risk of Thyroid Cancer: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e98135.	1.1	73
34	Plasma vaspin concentrations are elevated in metabolic syndrome in men and are correlated with coronary atherosclerosis in women. <i>Clinical Endocrinology</i> , 2011, 75, 628-635.	1.2	70
35	Effects of bisphenol A on cardiovascular disease: An epidemiological study using National Health and Nutrition Examination Survey 2003-2016 and meta-analysis. <i>Science of the Total Environment</i> , 2021, 763, 142941.	3.9	70
36	Prevalence of thyroid nodules and their associated clinical parameters: a large-scale, multicenter-based health checkup study. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 753-762.	0.7	70

#	ARTICLE	IF	CITATIONS
37	Papillary microcarcinoma in comparison with larger papillary thyroid carcinoma in BRAF <sup>V600E</sup> mutation, clinicopathological features, and immunohistochemical findings. <i>Head and Neck</i> , 2010, 32, 38-45.	0.9	69
38	Altered APP Processing in Insulin-Resistant Conditions Is Mediated by Autophagosome Accumulation via the Inhibition of Mammalian Target of Rapamycin Pathway. <i>Diabetes</i> , 2012, 61, 3126-3138.	0.3	69
39	Association Between Diethylhexyl Phthalate Exposure and Thyroid Function: A Meta-Analysis. <i>Thyroid</i> , 2019, 29, 183-192.	2.4	68
40	Positive regulation of osteogenesis by bile acid through FXR. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2109-2121.	3.1	67
41	Mutation Profile of Well-Differentiated Thyroid Cancer in Asians. <i>Endocrinology and Metabolism</i> , 2015, 30, 252.	1.3	66
42	Bisphenols and Thyroid Hormone. <i>Endocrinology and Metabolism</i> , 2019, 34, 340.	1.3	66
43	Genome-Wide Association Studies of Autoimmune Thyroid Diseases, Thyroid Function, and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2018, 33, 175.	1.3	65
44	Genome-wide association and expression quantitative trait loci studies identify multiple susceptibility loci for thyroid cancer. <i>Nature Communications</i> , 2017, 8, 15966.	5.8	64
45	Associations between Hashimoto Thyroiditis and Clinical Outcomes of Papillary Thyroid Cancer: A Meta-Analysis of Observational Studies. <i>Endocrinology and Metabolism</i> , 2018, 33, 473.	1.3	64
46	Serum FGF <sub>21</sub> concentration is associated with hypertriglyceridaemia, hyperinsulinaemia and pericardial fat accumulation, independently of obesity, but not with current coronary artery status. <i>Clinical Endocrinology</i> , 2014, 80, 57-64.	1.2	63
47	Loss of orphan receptor small heterodimer partner sensitizes mice to liver injury from obstructive cholestasis. <i>Hepatology</i> , 2008, 47, 1578-1586.	3.6	62
48	S100A4 expression is associated with lymph node metastasis in papillary microcarcinoma of the thyroid. <i>Modern Pathology</i> , 2008, 21, 748-755.	2.9	62
49	Changes of Clinicopathologic Characteristics and Survival Outcomes of Anaplastic and Poorly Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 404-413.	2.4	62
50	NTRK and RET fusion-directed therapy in pediatric thyroid cancer yields a tumor response and radioiodine uptake. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	62
51	High Plasma Retinol Binding Protein-4 and Low Plasma Adiponectin Concentrations Are Associated with Severity of Glucose Intolerance in Women with Previous Gestational Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3142-3148.	1.8	60
52	Interaction of BRAF-induced ETS factors with mutant TERT promoter in papillary thyroid cancer. <i>Endocrine-Related Cancer</i> , 2019, 26, 629-641.	1.6	60
53	Subclinical Hypothyroidism Might Increase the Risk of Transient Atrial Fibrillation After Coronary Artery Bypass Grafting. <i>Annals of Thoracic Surgery</i> , 2009, 87, 1846-1852.	0.7	59
54	Serum fibroblast growth factor <sub>21</sub> concentration is associated with residual renal function and insulin resistance in end-stage renal disease patients receiving long-term peritoneal dialysis. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1656-1662.	1.5	59

#	ARTICLE	IF	CITATIONS
55	Factors Affecting the Locoregional Recurrence of Conventional Papillary Thyroid Carcinoma After Surgery: A Retrospective Analysis of 3381 Patients. <i>Annals of Surgical Oncology</i> , 2015, 22, 3543-3549.	0.7	58
56	A Possible Association Between Thyroid Cancer and Breast Cancer. <i>Thyroid</i> , 2015, 25, 1330-1338.	2.4	57
57	Pediatric Patients With Multifocal Papillary Thyroid Cancer Have Higher Recurrence Rates Than Adult Patients: A Retrospective Analysis of a Large Pediatric Thyroid Cancer Cohort Over 33 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1619-1629.	1.8	55
58	Longitudinal Assessment of Quality of Life According to Treatment Options in Low-Risk Papillary Thyroid Microcarcinoma Patients: Active Surveillance or Immediate Surgery (Interim Analysis of Tj ETQq0 0 0 rgBT Overlock 10 Tf 50 61)	1.0	50
59	Associations of urinary concentrations of phthalate metabolites, bisphenol A, and parabens with obesity and diabetes mellitus in a Korean adult population: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>Environment International</i> , 2021, 146, 106227.	4.8	55
60	Effect of Seasonal Changes on the Transition Between Subclinical Hypothyroid and Euthyroid Status. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3420-3429.	1.8	54
61	Relationship between muscle mass and physical performance: is it the same in older adults with weak muscle strength?. <i>Age and Ageing</i> , 2012, 41, 799-803.	0.7	52
62	Lower-But-Normal Serum TSH level Is Associated With the Development or Progression of Cognitive Impairment in Elderly: Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 424-432.	1.8	51
63	Preoperative Predictive Factors for Parathyroid Carcinoma in Patients with Primary Hyperparathyroidism. <i>Journal of Korean Medical Science</i> , 2012, 27, 890.	1.1	50
64	SUMO-Specific Protease 2 (SEN2) Is an Important Regulator of Fatty Acid Metabolism in Skeletal Muscle. <i>Diabetes</i> , 2015, 64, 2420-2431.	0.3	50
65	High serum adiponectin concentration and low body mass index are significantly associated with increased all-cause and cardiovascular mortality in an elderly cohort, "adiponectin paradox". The Korean Longitudinal Study on Health and Aging (KLoSHA). <i>International Journal of Cardiology</i> , 2015, 183, 91-97.	0.8	48
66	The Expression of Tumor-Associated Macrophages in Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2013, 28, 192.	1.3	47
67	The Frequency and Clinical Implications of the BRAF <sup>V600E</sup> Mutation in Papillary Thyroid Cancer Patients in Korea Over the Past Two Decades. <i>Endocrinology and Metabolism</i> , 2014, 29, 505.	1.3	47
68	CXCL16 positively correlated with M2-macrophage infiltration, enhanced angiogenesis, and poor prognosis in thyroid cancer. <i>Scientific Reports</i> , 2019, 9, 13288.	1.6	46
69	Dissociation of diabetes and obesity in mice lacking orphan nuclear receptor small heterodimer partner. <i>Journal of Lipid Research</i> , 2011, 52, 2234-2244.	2.0	44
70	Chronic Exposure to Bisphenol A can Accelerate Atherosclerosis in High-Fat-Fed Apolipoprotein E Knockout Mice. <i>Cardiovascular Toxicology</i> , 2014, 14, 120-128.	1.1	44
71	CXCL16 signaling mediated macrophage effects on tumor invasion of papillary thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2016, 23, 113-124.	1.6	44
72	Thyroid Cancer Treatment Choice: A Pilot Study of a Tool to Facilitate Conversations with Patients with Papillary Microcarcinomas Considering Treatment Options. <i>Thyroid</i> , 2018, 28, 1325-1331.	2.4	42

#	ARTICLE	IF	CITATIONS
73	Visceral Fatness and Insulin Sensitivity in Women With a Previous History of Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2007, 30, 348-353.	4.3	40
74	Plasma adiponectin elevation in elderly individuals with subsyndromal depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 948-955.	1.3	40
75	Clinical Characteristics of Subtypes of Follicular Variant Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 311-318.	2.4	40
76	Association of HLA-DR and -DQ Genes with Graves Disease in Koreans. <i>Human Immunology</i> , 2005, 66, 740-746.	1.2	39
77	Retinol Binding Protein-4 Elevation Is Associated with Serum Thyroid-Stimulating Hormone Level Independently of Obesity in Elderly Subjects with Normal Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2313-2318.	1.8	39
78	Identification of Novel Autoantibodies in Type 1 Diabetic Patients Using a High-Density Protein Microarray. <i>Diabetes</i> , 2014, 63, 3022-3032.	0.3	39
79	Therapeutic potential of metformin in papillary thyroid cancer in vitro and in vivo. <i>Molecular and Cellular Endocrinology</i> , 2014, 393, 24-29.	1.6	39
80	Postoperative biochemical remission of serum calcitonin is the best predictive factor for recurrence-free survival of medullary thyroid cancer: a large-scale retrospective analysis over 30 years. <i>Clinical Endocrinology</i> , 2016, 84, 587-597.	1.2	38
81	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2010, 25, 270.	1.3	37
82	Genomic Characterization of Differentiated Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2019, 34, 1.	1.3	37
83	Anemia and activities of daily living in the Korean urban elderly population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Annals of Hematology</i> , 2013, 92, 59-65.	0.8	36
84	Increased intracellular Ca <sup>2+</sup> concentrations prevent membrane localization of PH domains through the formation of Ca <sup>2+</sup> -phosphoinositides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11926-11931.	3.3	36
85	Epitope Heterogeneity of Thyroid-Stimulating Antibodies Predicts Long-Term Outcome in Graves'™ Patients Treated with Antithyroid Drugs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 117-124.	1.8	35
86	Regulation of Signal Transducer and Activator of Transcription 1 (STAT1) and STAT1-Dependent Genes by RET/PTC (Rearranged in Transformation/Papillary Thyroid Carcinoma) Oncogenic Tyrosine Kinases. <i>Molecular Endocrinology</i> , 2004, 18, 2672-2684.	3.7	35
87	Subclinical Hypothyroidism has Little Influences on Muscle Mass or Strength in Elderly People. <i>Journal of Korean Medical Science</i> , 2010, 25, 1176.	1.1	35
88	Study Protocol of Multicenter Prospective Cohort Study of Active Surveillance on Papillary Thyroid Microcarcinoma (MAeSTro). <i>Endocrinology and Metabolism</i> , 2018, 33, 278.	1.3	35
89	The Prevalence and Clinical Significance of Blocking Thyrotropin Receptor Antibodies in Untreated Hyperthyroid Graves' Disease. <i>Thyroid</i> , 2000, 10, 579-586.	2.4	34
90	Recurrence and Survival After Gross Total Removal of Resectable Undifferentiated or Poorly Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 1259-1268.	2.4	34

#	ARTICLE	IF	CITATIONS
91	A mitochondrial proteome profile indicative of type 2 diabetes mellitus in skeletal muscles. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-14.	3.2	34
92	Association of exposure to polycyclic aromatic hydrocarbons and heavy metals with thyroid hormones in general adult population and potential mechanisms. <i>Science of the Total Environment</i> , 2021, 762, 144227.	3.9	34
93	Postoperative Thyroid-Stimulating Hormone Levels Did Not Affect Recurrence after Thyroid Lobectomy in Patients with Papillary Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2019, 34, 150.	1.3	33
94	The effect of TSH-suppression on vertebral trabecular bone scores in patients with differentiated thyroid carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2740.	1.8	32
95	Exposure to polycyclic aromatic hydrocarbons and volatile organic compounds is associated with a risk of obesity and diabetes mellitus among Korean adults: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113886.	2.1	32
96	Standard immunohistochemistry efficiently screens for anaplastic lymphoma kinase rearrangements in differentiated thyroid cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 55-63.	1.6	31
97	Annual Average Changes in Adult Obesity as a Risk Factor for Papillary Thyroid Cancer. <i>Medicine (United States)</i> , 2016, 95, e2893.	0.4	31
98	Interaction between Cigarette Smoking and Iodine-intake and Their Impact on Thyroid Function. <i>Clinical Endocrinology</i> , 2010, 73, 264-70.	1.2	30
99	Impact of subclinical hypothyroidism on the coronary artery disease in apparently healthy subjects. <i>European Journal of Endocrinology</i> , 2011, 165, 115-121.	1.9	30
100	Proangiogenic TIE2+/CD31+ Macrophages Are the Predominant Population of Tumor-Associated Macrophages Infiltrating Metastatic Lymph Nodes. <i>Molecules and Cells</i> , 2013, 36, 432-438.	1.0	30
101	Dickkopf-1 inhibits thyroid cancer cell survival and migration through regulation of $\beta$ -catenin/E-cadherin signaling. <i>Molecular and Cellular Endocrinology</i> , 2013, 366, 90-98.	1.6	30
102	A genome-wide association study on thyroid function and anti-thyroid peroxidase antibodies in Koreans. <i>Human Molecular Genetics</i> , 2014, 23, 4433-4442.	1.4	30
103	Plasma FGF21 levels are increased in patients with hypothyroidism independently of lipid profile. <i>Endocrine Journal</i> , 2013, 60, 977-983.	0.7	29
104	The risk of second primary malignancy is increased in differentiated thyroid cancer patients with a cumulative $>131$ I dose over 37 GBq. <i>Clinical Endocrinology</i> , 2015, 83, 117-123.	1.2	29
105	Predominant <i>DICER1</i> Pathogenic Variants in Pediatric Follicular Thyroid Carcinomas. <i>Thyroid</i> , 2020, 30, 1120-1131.	2.4	29
106	Follicular and Hurthle cell carcinoma of the thyroid in iodine-sufficient area: retrospective analysis of Korean multicenter data. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 325.	0.7	29
107	Investigation of Sarcopenia and Its Association with Cardiometabolic Risk Factors in Elderly Subjects. <i>Journal of the Korean Geriatrics Society</i> , 2010, 14, 121-130.	0.3	29
108	The Effect of Long-Term Thyroid-Stimulating Hormone Suppressive Therapy on the Cognitive Function of Elderly Patients With Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3782-3789.	1.8	28

#	ARTICLE	IF	CITATIONS
109	Aberrant Thyroid-Stimulating Hormone Receptor Signaling Increases VEGF-A and CXCL8 Secretion of Thyroid Cancer Cells, Contributing to Angiogenesis and Tumor Growth. <i>Clinical Cancer Research</i> , 2019, 25, 414-425.	3.2	28
110	Long-term Recurrence of Small Papillary Thyroid Cancer and Its Risk Factors in a Korean Multicenter Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2287.	1.8	27
111	Loss-of-function of IFT88 determines metabolic phenotypes in thyroid cancer. <i>Oncogene</i> , 2018, 37, 4455-4474.	2.6	27
112	Extent of surgery did not affect recurrence during 7â€‘years followâ€‘up in papillary thyroid cancer sized 1â€‘4â€‘cm: Preliminary results. <i>Clinical Endocrinology</i> , 2017, 87, 80-86.	1.2	26
113	Changes in the clinicopathological characteristics and genetic alterations of follicular thyroid cancer. <i>European Journal of Endocrinology</i> , 2017, 177, 465-473.	1.9	26
114	Thyroxine-binding globulin, peripheral deiodinase activity, and thyroid autoantibody status in association of phthalates and phenolic compounds with thyroid hormones in adult population. <i>Environment International</i> , 2020, 140, 105783.	4.8	26
115	Lead, mercury, and cadmium exposures are associated with obesity but not with diabetes mellitus: Korean National Environmental Health Survey (KoNEHS) 2015â€‘2017. <i>Environmental Research</i> , 2022, 204, 111888.	3.7	26
116	Tumor Size and Age Predict the Risk of Malignancy in HÃ¼rthle Cell Neoplasm of the Thyroid and Can Therefore Guide the Extent of Initial Thyroid Surgery. <i>Thyroid</i> , 2010, 20, 1229-1234.	2.4	25
117	Rg3 Improves Mitochondrial Function and the Expression of Key Genes Involved in Mitochondrial Biogenesis in C2C12 Myotubes. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 406.	1.8	25
118	The Second Antithyroid Drug Treatment Is Effective in Relapsed Graves' Disease Patients: A Median 11-Year Follow-Up Study. <i>Thyroid</i> , 2017, 27, 491-496.	2.4	25
119	Ghrelin enhances the proliferating effect of thyroid stimulating hormone in FRTL-5 thyroid cells. <i>Molecular and Cellular Endocrinology</i> , 2008, 285, 19-25.	1.6	24
120	Optimal cut points of waist circumference (WC) and visceral fat area (VFA) predicting for metabolic syndrome (MetS) in elderly population in the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e29-e34.	1.4	24
121	The Association between Type 2 Diabetes Mellitus and Thyroid Cancer. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-8.	1.0	24
122	A Novel Orally Active Inverse Agonist of Estrogen-related Receptor Gamma (ERRÎ³), DN200434, A Booster of NIS in Anaplastic Thyroid Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 5069-5081.	3.2	24
123	Prevalence of Stroke and Transient Ischemic Attack in Korean Elders. <i>Stroke</i> , 2009, 40, 966-969.	1.0	23
124	Opposing regulation of cytochrome P450 expression by CAR and PXR in hypothyroid mice. <i>Toxicology and Applied Pharmacology</i> , 2012, 263, 131-137.	1.3	23
125	Decreased Expression of Hepatic Low-Density Lipoprotein Receptorâ€‘Related Protein 1 in Hypothyroidism: A Novel Mechanism of Atherogenic Dyslipidemia in Hypothyroidism. <i>Thyroid</i> , 2013, 23, 1057-1065.	2.4	23
126	Secular trends in the prognostic factors for papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2014, 171, 667-675.	1.9	23



#	ARTICLE	IF	CITATIONS
127	The effect of thyroid stimulating hormone suppressive therapy on bone geometry in the hip area of patients with differentiated thyroid carcinoma. <i>Bone</i> , 2016, 83, 104-110.	1.4	23
128	Transcriptome Network Analysis Reveals Aging-Related Mitochondrial and Proteasomal Dysfunction and Immune Activation in Human Thyroid. <i>Thyroid</i> , 2018, 28, 656-666.	2.4	23
129	Effect of Initial Treatment Choice on 2-year Quality of Life in Patients with Low-risk Papillary Thyroid Microcarcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 724-735.	1.8	23
130	High-phytate/low-calcium diet is a risk factor for crystal nephropathies, renal phosphate wasting, and bone loss. <i>ELife</i> , 2020, 9, .	2.8	23
131	Macrophage Densities Correlated with CXCR4 Chemokine Receptor 4 Expression and Related with Poor Survival in Anaplastic Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2016, 31, 469.	1.3	22
132	Thyroid-stimulating hormone improves insulin sensitivity in skeletal muscle cells via cAMP/PKA/CREB pathway-dependent upregulation of insulin receptor substrate-1 expression. <i>Molecular and Cellular Endocrinology</i> , 2016, 436, 50-58.	1.6	22
133	Case of complete recovery of pancytopenia after treatment of hypopituitarism. <i>Annals of Hematology</i> , 2004, 83, 309-312.	0.8	21
134	Expression of Indoleamine 2,3-Dioxygenase and Infiltration of FOXP3+ Regulatory T Cells Are Associated with Aggressive Features of Papillary Thyroid Microcarcinoma. <i>Thyroid</i> , 2014, 24, 1232-1240.	2.4	21
135	F-box only protein 9 is an E3 ubiquitin ligase of PPAR $\gamma$ . <i>Experimental and Molecular Medicine</i> , 2016, 48, e234-e234.	3.2	21
136	Comprehensive Transcriptomic and Genomic Profiling of Subtypes of Follicular Variant of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 1468-1478.	2.4	21
137	Recent Improvements in Genomic and Transcriptomic Understanding of Anaplastic and Poorly Differentiated Thyroid Cancers. <i>Endocrinology and Metabolism</i> , 2020, 35, 44.	1.3	21
138	SUMO-specific protease 2 mediates leptin-induced fatty acid oxidation in skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , 2019, 95, 27-35.	1.5	20
139	Sexuality and Related Factors of Postmenopausal Korean Women. <i>Taehan Kanho Hakhoe Chi</i> , 2003, 33, 457.	0.1	19
140	Susceptible Alleles of the CD40 and CTLA-4 Genes Are Not Associated with the Relapse after Antithyroid Withdrawal in Graves' Disease. <i>Thyroid</i> , 2007, 17, 1229-1234.	2.4	19
141	Radioactive Iodine Therapy Did Not Significantly Increase the Incidence and Recurrence of Subsequent Breast Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3486-3493.	1.8	19
142	Relation of Subclinical Hypothyroidism is Associated With Cardiovascular Events and All-Cause Mortality in Adults With High Cardiovascular Risk. <i>American Journal of Cardiology</i> , 2018, 122, 571-577.	0.7	19
143	Lesion-Based Evaluation Predicts Treatment Response to Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Cancer: A Korean Multicenter Retrospective Study. <i>Thyroid</i> , 2019, 29, 1811-1819.	2.4	19
144	Adenosyl-L-methionine ameliorates TNF $\alpha$ -induced insulin resistance in 3T3-L1 adipocytes. <i>Experimental and Molecular Medicine</i> , 2010, 42, 345.	3.2	18

#	ARTICLE	IF	CITATIONS
145	Dietary evaluation of a low-iodine diet in Korean thyroid cancer patients preparing for radioactive iodine therapy in an iodine-rich region. <i>Nutrition Research and Practice</i> , 2016, 10, 167.	0.7	18
146	Case-€“Control Study of Papillary Thyroid Carcinoma on Urinary and Dietary Iodine Status in South Korea. <i>World Journal of Surgery</i> , 2018, 42, 1424-1431.	0.8	18
147	Tumor doubling time predicts response to sorafenib in radioactive iodine-refractory differentiated thyroid cancer. <i>Endocrine Journal</i> , 2019, 66, 597-604.	0.7	18
148	The Orphan Nuclear Receptor SHP Attenuates Renal Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 2162-2170.	3.0	17
149	An Iodine Database for Common Korean Foods and the Association between Iodine Intake and Thyroid Disease in Korean Adults. <i>International Journal of Thyroidology</i> , 2015, 8, 170.	0.1	17
150	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011, 54, 8.	0.0	17
151	A case of mediastinal ectopic thyroid presenting with a paratracheal mass. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 361.	0.7	17
152	Two Cases of Methimazole-Induced Insulin Autoimmune Syndrome in Graves' Disease. <i>Endocrinology and Metabolism</i> , 2013, 28, 55.	1.3	16
153	Subclinical hypothyroidism in addition to common risk scores for prediction of cardiovascular disease: a 10-year community-based cohort study. <i>European Journal of Endocrinology</i> , 2014, 171, 649-657.	1.9	16
154	Malignancy Rate in Sonographically Suspicious Thyroid Nodules of Less than a Centimeter in Size Does Not Decrease with Decreasing Size. <i>Journal of Korean Medical Science</i> , 2011, 26, 237.	1.1	15
155	Serum thyroglobulin level after radioiodine therapy (Day 3) to predict successful ablation of thyroid remnant in postoperative thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2015, 29, 184-189.	1.2	15
156	Therapeutic Potential of Dickkopf-1 in Wild-Type BRAF Papillary Thyroid Cancer via Regulation of $\beta$ -Catenin/E-cadherin Signaling. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1641-E1649.	1.8	14
157	Associations of urinary sodium levels with overweight and central obesity in a population with a sodium intake. <i>BMC Nutrition</i> , 2018, 4, 47.	0.6	14
158	Association between Iodine Intake, Thyroid Function, and Papillary Thyroid Cancer: A Case-Control Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 790-799.	1.3	14
159	Clinical Feasibility of Monitoring Resting Heart Rate Using a Wearable Activity Tracker in Patients With Thyrotoxicosis: Prospective Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e159.	1.8	14
160	Trends in the Diagnosis and Treatment of Patients with Medullary Thyroid Carcinoma in Korea. <i>Endocrinology and Metabolism</i> , 2020, 35, 811-819.	1.3	14
161	Active Surveillance Versus Immediate Surgery for Low-Risk Papillary Thyroid Microcarcinoma Patients in South Korea: A Cost-Minimization Analysis from the MAeSTro Study. <i>Thyroid</i> , 2022, 32, 648-656.	2.4	14
162	Malignancy rate of Bethesda category III thyroid nodules according to ultrasound risk stratification system and cytological subtype. <i>Medicine (United States)</i> , 2020, 99, e18780.	0.4	13

#	ARTICLE	IF	CITATIONS
163	Clinical Feasibility of Continuously Monitored Data for Heart Rate, Physical Activity, and Sleeping by Wearable Activity Trackers in Patients with Thyrotoxicosis: Protocol for a Prospective Longitudinal Observational Study. <i>JMIR Research Protocols</i> , 2018, 7, e49.	0.5	13
164	Expression of Thyroid Stimulating Hormone Receptor mRNA in Mouse C2C12 Skeletal Muscle Cells. <i>Endocrinology and Metabolism</i> , 2013, 28, 119.	1.3	12
165	Radiofrequency ablation for treatment of locally recurrent thyroid cancer presenting as a metastatic lymph node with dense macrocalcification. <i>Medicine (United States)</i> , 2018, 97, e0003.	0.4	12
166	Effects of Pioglitazone on Nonalcoholic Fatty Liver Disease in the Absence of Constitutive Androstane Receptor Expression. <i>PPAR Research</i> , 2018, 2018, 1-10.	1.1	12
167	Changes in Body Compositions and Basal Metabolic Rates during Treatment of Gravesâ€™ Disease. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-8.	0.6	12
168	Genomic and Transcriptomic Characteristics According to Size of Papillary Thyroid Microcarcinoma. <i>Cancers</i> , 2020, 12, 1345.	1.7	12
169	Adolescent overweight and obesity and the risk of papillary thyroid cancer in adulthood: a large-scale case-control study. <i>Scientific Reports</i> , 2020, 10, 5000.	1.6	12
170	Metformin Reduces Thyroid Cancer Tumor Growth in the Metastatic Niche of Bone by Inhibiting Osteoblastic RANKL Productions. <i>Thyroid</i> , 2021, 31, 760-771.	2.4	12
171	Trends in Pediatric Thyroid Cancer Incidence, Treatment, and Clinical Course in Korea During 2004â€“2016: A Nationwide Population-Based Study. <i>Thyroid</i> , 2021, 31, 902-911.	2.4	12
172	DEHP Down-Regulates Tshr Gene Expression in Rat Thyroid Tissues and FRTL-5 Rat Thyrocytes: A Potential Mechanism of Thyroid Disruption. <i>Endocrinology and Metabolism</i> , 2021, 36, 447-454.	1.3	12
173	The Presence of Thyroid-Stimulation Blocking Antibody Prevents High Bone Turnover in Untreated Premenopausal Patients with Gravesâ€™ Disease. <i>PLoS ONE</i> , 2015, 10, e0144599.	1.1	12
174	Externalized phosphatidylinositides on apoptotic cells are eat-me signals recognized by CD14. <i>Cell Death and Differentiation</i> , 2022, 29, 1423-1432.	5.0	12
175	A Multicenter, Randomized, Controlled Trial for Assessing the Usefulness of Suppressing Thyroid Stimulating Hormone Target Levels after Thyroid Lobectomy in Low to Intermediate Risk Thyroid Cancer Patients (MASTER): A Study Protocol. <i>Endocrinology and Metabolism</i> , 2021, 36, 574-581.	1.3	11
176	Association of Hyperthyroidism and Thyroid Autoantibodies with Moyamoya Disease and Its Stroke Event: A Population-based Case-control Study and Meta-analysis. <i>Neurologia Medico-Chirurgica</i> , 2018, 58, 116-123.	1.0	11
177	The Effects of PPAR Agonists on Atherosclerosis and Nonalcoholic Fatty Liver Disease in ApoE <sup>-/-</sup> /FXR <sup>-/-</sup> Mice. <i>Endocrinology and Metabolism</i> , 2021, 36, 1243-1253.	1.3	11
178	Endothelial Function is Not Changed during Short-Term Withdrawal of Thyroxine in Patients with Differentiated Thyroid Cancer and Low Cardiovascular Risk. <i>Yonsei Medical Journal</i> , 2010, 51, 492.	0.9	10
179	Carotid Intimal-Medial Thickness Is Not Increased in Women with Previous Gestational Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 497.	1.8	10
180	Therapeutic Plasmapheresis Enabling Radioactive Iodine Treatment in a Patient with Thyrotoxicosis. <i>Journal of Korean Medical Science</i> , 2015, 30, 1531.	1.1	10

#	ARTICLE	IF	CITATIONS
181	Influence of thyroid dysfunction on serum levels of angiopoietin-like protein 6. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 1279-1283.	1.5	10
182	Graves' Patient with Thymic Expression of Thyrotropin Receptors and Dynamic Changes in Thymic Hyperplasia Proportional to Graves' Disease Activity. <i>Yonsei Medical Journal</i> , 2016, 57, 795.	0.9	10
183	Feasibility of sentinel lymph node dissection using Tc-99m phytate in papillary thyroid carcinoma. <i>Annals of Surgical Treatment and Research</i> , 2017, 93, 240.	0.4	10
184	Subclinical Hypothyroidism and Coronary Revascularization After Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2018, 122, 1862-1870.	0.7	10
185	Persistent/Recurrent Differentiated Thyroid Cancer: Clinical and Radiological Characteristics of Persistent Disease and Clinical Recurrence Based on Computed Tomography Analysis. <i>Thyroid</i> , 2018, 28, 1490-1499.	2.4	10
186	Mechanisms of TERT Reactivation and Its Interaction with BRAFV600E. <i>Endocrinology and Metabolism</i> , 2020, 35, 515-525.	1.3	10
187	Protocol of a Thyroid Cancer Longitudinal Study (T-CALOS): a prospective, clinical and epidemiological study in Korea. <i>BMJ Open</i> , 2015, 5, e007234-e007234.	0.8	9
188	Genome-Wide Association Study Reveals Distinct Genetic Susceptibility of Thyroid Nodules From Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4384-4394.	1.8	9
189	Increased expression of thyroid hormone receptor alpha and estrogen receptor alpha in breast cancer associated with thyroid cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1316-1323.	0.5	9
190	Subclinical Hypothyroidism Affects the Long-Term Outcomes of Patients Who Undergo Coronary Artery Bypass Grafting Surgery but Not Heart Valve Surgery. <i>Endocrinology and Metabolism</i> , 2020, 35, 308-318.	1.3	9
191	SEN2 regulates mitochondrial function and insulin secretion in pancreatic $\beta$ cells. <i>Experimental and Molecular Medicine</i> , 2022, 54, 72-80.	3.2	9
192	F-box only protein 9 is required for adipocyte differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2013, 435, 239-243.	1.0	8
193	In Vivo Deletion of CAR Resulted in High Bone Mass Phenotypes in Male Mice. <i>Journal of Cellular Physiology</i> , 2014, 229, 561-571.	2.0	8
194	The orphan nuclear receptor small heterodimer partner is required for thiazolidinedione effects in leptin-deficient mice. <i>Journal of Biomedical Science</i> , 2015, 22, 30.	2.6	8
195	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 389.	0.1	8
196	Associations between thyroid hormone levels and regional fat accumulation in euthyroid men. <i>European Journal of Endocrinology</i> , 2013, 168, 805-810.	1.9	7
197	Loss of ER $\alpha$ expression in papillary thyroid carcinoma is associated with recurrence in young female. <i>Clinical Endocrinology</i> , 2015, 82, 300-306.	1.2	7
198	Expression of Class III Beta-Tubulin Is Associated with Invasive Potential and Poor Prognosis in Thyroid Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 3830.	1.0	7

#	ARTICLE	IF	CITATIONS
199	Acute High-Dose and Chronic Lifetime Exposure to Alcohol Consumption and Differentiated Thyroid Cancer: T-CALOS Korea. PLoS ONE, 2016, 11, e0151562.	1.1	7
200	Menstrual Cycle Characteristics and Premenstrual Syndrome Prevalence Based on the Daily Record of Severity of Problems in Korean Young Adult Women. Journal of Korean Academy of Nursing, 2020, 50, 147.	0.3	7
201	SEN2 suppresses browning of white adipose tissues by de-conjugating SUMO from C/EBP $\beta$ . Cell Reports, 2022, 38, 110408.	2.9	7
202	Transcriptomic Analysis of Papillary Thyroid Cancer: A Focus on Immune-Subtyping, Oncogenic Fusion, and Recurrence. Clinical and Experimental Otorhinolaryngology, 2022, 15, 183-193.	1.1	7
203	A Cross-Sectional Survey of Patient Treatment Choice in a Multicenter Prospective Cohort Study on Active Surveillance of Papillary Thyroid Microcarcinoma (MAeSTro). Thyroid, 2022, 32, 772-780.	2.4	7
204	Insulin Secretion and Incretin Hormone Concentration in Women with Previous Gestational Diabetes Mellitus. Diabetes and Metabolism Journal, 2011, 35, 58.	1.8	6
205	Retinoid X Receptor $\beta$ Overexpression Alleviates Mitochondrial Dysfunction-induced Insulin Resistance through Transcriptional Regulation of Insulin Receptor Substrate 1. Molecules and Cells, 2015, 38, 356-361.	1.0	6
206	Genotypic characteristics and their association with phenotypic characteristics of hereditary medullary thyroid carcinoma in Korea. Surgery, 2018, 164, 312-318.	1.0	6
207	Measurements of Bone Health after Thyroid-Stimulating Suppression Therapy in Postmenopausal Women with Differentiated Thyroid Carcinoma: Bone Mineral Density versus the Trabecular Bone Score. Journal of Clinical Medicine, 2021, 10, 1964.	1.0	6
208	Clinicopathological Characteristics and Recurrence-Free Survival of Rare Variants of Papillary Thyroid Carcinomas in Korea: A Retrospective Study. Endocrinology and Metabolism, 2021, 36, 619-627.	1.3	6
209	Thyroid nodules in childhood-onset Hashimoto's thyroiditis: Frequency, risk factors, follow-up course and genetic alterations of thyroid cancer. Clinical Endocrinology, 2021, 95, 638-648.	1.2	6
210	Detection of Survivin and COX-2 in Thyroid Carcinoma: Anaplastic Carcinoma Shows Overexpression of Nuclear Survivin and Low COX-2 Expression. Korean Journal of Pathology, 2012, 46, 55.	1.2	6
211	Diagnosing thyroid nodules with atypia of undetermined significance/follicular lesion of undetermined significance cytology with the deep convolutional neural network. Scientific Reports, 2021, 11, 20048.	1.6	6
212	Orphan nuclear receptor small heterodimer partner inhibits angiotensin II-stimulated PAI-1 expression in vascular smooth muscle cells. Experimental and Molecular Medicine, 2010, 42, 21.	3.2	5
213	Medullary Thyroid Carcinoma with Ectopic Adrenocorticotrophic Hormone Syndrome. Endocrinology and Metabolism, 2014, 29, 96.	1.3	5
214	Incidental thyroid cancer detected by 18F-FDG PET. Nuclear Medicine Communications, 2014, 35, 453-458.	0.5	5
215	The Impact of Low Adherence to the Low-iodine Diet on the Efficacy of the Radioactive Iodine Ablation Therapy. Clinical Nutrition Research, 2015, 4, 267.	0.5	5
216	Differences in Physicians' and Patients' Perception of Acute Hypothyroid Symptoms Induced by Thyroid Hormone Withdrawal in Thyroid Cancer Patients: A Multicenter Survey in Korea. European Thyroid Journal, 2015, 4, 48-54.	1.2	5

#	ARTICLE	IF	CITATIONS
217	Active and Passive Smoking, BRAFV600E Mutation Status, and the Risk of Papillary Thyroid Cancer: A Large-Scale Case-Control and Case-Only Study. <i>Cancer Research and Treatment</i> , 2019, 51, 1392-1399.	1.3	5
218	Is Maintaining Thyroid-Stimulating Hormone Effective in Patients Undergoing Thyroid Lobectomy for Low-Risk Differentiated Thyroid Cancer? A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 1470.	1.7	5
219	Risk of Adverse Pregnancy Outcomes in Young Women with Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 2382.	1.7	5
220	Performance Evaluation of the GlucoDr Plus Glucometer. <i>Diabetes Technology and Therapeutics</i> , 2010, 12, 307-312.	2.4	4
221	Recombinant human thyrotropin- $\alpha$ stimulated thyroglobulin level at the time of radioactive iodine ablation is an independent prognostic marker of differentiated thyroid carcinoma in the setting of prophylactic central neck dissection. <i>Clinical Endocrinology</i> , 2016, 85, 459-465.	1.2	4
222	Rare Manifestations of Anaplastic Thyroid Carcinoma: the Role of BRAF Mutation Analysis. <i>Journal of Korean Medical Science</i> , 2017, 32, 1721.	1.1	4
223	Star-Shaped Intense Uptake of $^{131}\text{I}$ on Whole Body Scans Can Reflect Good Therapeutic Effects of Low-Dose Radioactive Iodine Treatment of 1.1 GBq. <i>Endocrinology and Metabolism</i> , 2018, 33, 228.	1.3	4
224	Validity and Reliability of the Korean Version of the Hyperthyroidism Symptom Scale. <i>Endocrinology and Metabolism</i> , 2018, 33, 70.	1.3	4
225	Decreased Expression of Ileal Thyroid Hormone Transporters in a Hypothyroid Patient: A Case Report. <i>Frontiers in Endocrinology</i> , 2021, 12, 664839.	1.5	4
226	Exposure to Bisphenol A, S, and F and its Association with Obesity and Diabetes Mellitus in General Adults of Korea: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>Exposure and Health</i> , 2023, 15, 53-67.	2.8	4
227	Thyroid Hormone Regulates the mRNA Expression of Small Heterodimer Partner through Liver Receptor Homolog-1. <i>Endocrinology and Metabolism</i> , 2015, 30, 584.	1.3	3
228	Best Achievements in Clinical Thyroidology in 2020. <i>Endocrinology and Metabolism</i> , 2021, 36, 30-35.	1.3	3
229	Effect of Multiple Exposure to Perfluorinated Chemicals on Thyroid Function among Adults in the US: The National Health and Nutrition Examination Survey 2007-2008 and 2011-2012. <i>International Journal of Thyroidology</i> , 2020, 13, 19-29.	0.1	3
230	Effect of Thyroid Hormone to the Expression of Bile Salt Export Pump. <i>Endocrinology and Metabolism</i> , 2011, 26, 232.	1.3	3
231	Sex, menopause, and age differences in the associations of persistent organic pollutants with thyroid hormones, thyroxine-binding globulin, and peripheral deiodinase activity: A cross-sectional study of the general Korean adult population. <i>Environmental Research</i> , 2022, 212, 113143.	3.7	3
232	Effects of Maternal Iodine Status during Pregnancy and Lactation on Maternal Thyroid Function and Offspring Growth and Development: A Prospective Study Protocol for the Ideal Breast Milk Cohort. <i>Endocrinology and Metabolism</i> , 2018, 33, 395.	1.3	2
233	Diagnostic value of computed tomography combined with ultrasonography in detecting cervical recurrence in patients with thyroid cancer. <i>Head and Neck</i> , 2019, 41, 1206-1212.	0.9	2
234	Secular Trends in Ablation Therapy for Graves' Disease: An Analysis of a 15-Year Experience at a Tertiary Hospital in South Korea. <i>Journal of Clinical Medicine</i> , 2021, 10, 1629.	1.0	2

#	ARTICLE	IF	CITATIONS
235	Association between Apolipoprotein E Polymorphism and Type 2 Diabetes in Subjects Aged 65 or Over. Korean Diabetes Journal, 2008, 32, 30.	0.8	2
236	Small heterodimer partner (SHP) deficiency protects myocardia from lipid accumulation in high fat diet-fed mice. PLoS ONE, 2017, 12, e0186021.	1.1	1
237	Secular Trends for Diagnostic Motives and Environmental Risk Factors in Thyroid Cancer Using Questionnaire Survey. International Journal of Thyroidology, 2017, 10, 82.	0.1	1
238	Expression of Sodium-Iodide Symporter Depending on Mutational Status and Lymphocytic Thyroiditis in Papillary Thyroid Carcinoma. International Journal of Thyroidology, 2018, 11, 152.	0.1	1
239	Ten Years of the Korean Thyroid Association: Achievement and Future. International Journal of Thyroidology, 2018, 11, 1.	0.1	1
240	Mediastinal Uptake Misinterpreted as Metastasis in Papillary Thyroid Cancer. Journal of Korean Endocrine Society, 2007, 22, 460.	0.1	1
241	Enhancement of Osteogenic Differentiation by Combination Treatment with 5-azacytidine and Thyroid-Stimulating Hormone in Human Osteoblast Cells. International Journal of Thyroidology, 2017, 10, 71.	0.1	1
242	Abstract 3398: The genomic and transcriptomic analysis of nine widely invasive follicular thyroid carcinomas (wiFTC) in Korean patients. , 2017, , .		1
243	Monogenic Thyroid Disorder. Journal of Korean Thyroid Association, 2012, 5, 83.	0.2	0
244	Two Cases of Non-Small Cell Lung Cancer Masquerading as Metastatic Papillary Thyroid Cancer. Journal of Korean Thyroid Association, 2012, 5, 157.	0.2	0
245	A Case of Ectopic ACTH Syndrome Associated with Metastatic Prostate Cancer. Endocrinology and Metabolism, 2012, 27, 237.	1.3	0
246	Adverse Events of Tyrosine Kinase Inhibitors in Patients with Advanced Thyroid Cancer. International Journal of Thyroidology, 2018, 11, 61.	0.1	0
247	Diagnosis and treatment of low-risk papillary thyroid microcarcinoma. Journal of the Korean Medical Association, 2018, 61, 232.	0.1	0
248	Cavernous sinus dural arteriovenous fistula managed by the inferior ophthalmic vein compression. Canadian Journal of Ophthalmology, 2018, 53, e247-e249.	0.4	0
249	Clinical factors predicting the successful discontinuation of hormone replacement therapy in patients diagnosed with primary hypothyroidism. PLoS ONE, 2020, 15, e0233596.	1.1	0
250	Best Achievements in Translational and Basic Thyroidology in 2020. Endocrinology and Metabolism, 2021, 36, 36-40.	1.3	0
251	Comparison of Diagnostic Performance in Thyroid Nodules on US: Deep Convolutional Neural Network Models vs Endocrinologists With Various Experiences. Journal of the Endocrine Society, 2021, 5, A859-A859.	0.1	0
252	Clinical Characteristics and Prognosis of Differentiated Thyroid Carcinoma with Small Foci of Anaplastic Transformation. International Journal of Thyroidology, 2017, 10, 96.	0.1	0

#	ARTICLE	IF	CITATIONS
253	A Phase II Multi-Center, Non-Randomized, Parallel Group, Non-Inferiority Study to Compare the Efficacy of No Radioactive Iodine Remnant Ablation to Remnant Ablation Treatment in Low- to Intermediate-Risk of Papillary Thyroid Cancer: The MOREthyroid Trial Protocol. <i>Endocrinology and Metabolism</i> , 2020, 35, 571-577.	1.3	0
254	Changes of Nodular Size and Its Risk Factors in Iodine-Sufficient Area: a Retrospective Cohort Analysis of 7753 Thyroid Nodules. <i>International Journal of Thyroidology</i> , 2020, 13, 118-127.	0.1	0
255	Thyroid and Gut Microbiome. <i>International Journal of Thyroidology</i> , 2021, 14, 117-126.	0.1	0
256	Transarterial Radioembolization as an Effective Local Treatment Modality for Liver Metastasis of Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2022, , .	1.3	0