

Young Joo Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4153872/publications.pdf>

Version: 2024-02-01

256
papers

9,644
citations

39113

52
h-index

66518

82
g-index

276
all docs

276
docs citations

276
times ranked

12906
citing authors

#	ARTICLE	IF	CITATIONS
1	Exposure to Bisphenol A, S, and F and its Association with Obesity and Diabetes Mellitus in General Adults of Korea: Korean National Environmental Health Survey (KoNEHS) 2015–2017. <i>Exposure and Health</i> , 2023, 15, 53-67.	2.8	4
2	Lead, mercury, and cadmium exposures are associated with obesity but not with diabetes mellitus: Korean National Environmental Health Survey (KoNEHS) 2015–2017. <i>Environmental Research</i> , 2022, 204, 111888.	3.7	26
3	Exposure to polycyclic aromatic hydrocarbons and volatile organic compounds is associated with a risk of obesity and diabetes mellitus among Korean adults: Korean National Environmental Health Survey (KoNEHS) 2015–2017. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113886.	2.1	32
4	Externalized phosphatidylinositides on apoptotic cells are eat-me signals recognized by CD14. <i>Cell Death and Differentiation</i> , 2022, 29, 1423-1432.	5.0	12
5	SEN2 regulates mitochondrial function and insulin secretion in pancreatic β cells. <i>Experimental and Molecular Medicine</i> , 2022, 54, 72-80.	3.2	9
6	SEN2 suppresses browning of white adipose tissues by de-conjugating SUMO from C/EBP β . <i>Cell Reports</i> , 2022, 38, 110408.	2.9	7
7	Is Maintaining Thyroid-Stimulating Hormone Effective in Patients Undergoing Thyroid Lobectomy for Low-Risk Differentiated Thyroid Cancer? A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 1470.	1.7	5
8	Transcriptomic Analysis of Papillary Thyroid Cancer: A Focus on Immune-Subtyping, Oncogenic Fusion, and Recurrence. <i>Clinical and Experimental Otorhinolaryngology</i> , 2022, 15, 183-193.	1.1	7
9	Sex, menopause, and age differences in the associations of persistent organic pollutants with thyroid hormones, thyroxine-binding globulin, and peripheral deiodinase activity: A cross-sectional study of the general Korean adult population. <i>Environmental Research</i> , 2022, 212, 113143.	3.7	3
10	Transarterial Radioembolization as an Effective Local Treatment Modality for Liver Metastasis of Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2022, , .	1.3	0
11	Risk of Adverse Pregnancy Outcomes in Young Women with Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Cancers</i> , 2022, 14, 2382.	1.7	5
12	Active Surveillance Versus Immediate Surgery for Low-Risk Papillary Thyroid Microcarcinoma Patients in South Korea: A Cost-Minimization Analysis from the MAeSTro Study. <i>Thyroid</i> , 2022, 32, 648-656.	2.4	14
13	A Cross-Sectional Survey of Patient Treatment Choice in a Multicenter Prospective Cohort Study on Active Surveillance of Papillary Thyroid Microcarcinoma (MAeSTro). <i>Thyroid</i> , 2022, 32, 772-780.	2.4	7
14	Associations of urinary concentrations of phthalate metabolites, bisphenol A, and parabens with obesity and diabetes mellitus in a Korean adult population: Korean National Environmental Health Survey (KoNEHS) 2015–2017. <i>Environment International</i> , 2021, 146, 106227.	4.8	55
15	Effects of bisphenol A on cardiovascular disease: An epidemiological study using National Health and Nutrition Examination Survey 2003–2016 and meta-analysis. <i>Science of the Total Environment</i> , 2021, 763, 142941.	3.9	70
16	Metformin Reduces Thyroid Cancer Tumor Growth in the Metastatic Niche of Bone by Inhibiting Osteoblastic RANKL Productions. <i>Thyroid</i> , 2021, 31, 760-771.	2.4	12
17	Effect of Initial Treatment Choice on 2-year Quality of Life in Patients with Low-risk Papillary Thyroid Microcarcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 724-735.	1.8	23
18	Association of exposure to polycyclic aromatic hydrocarbons and heavy metals with thyroid hormones in general adult population and potential mechanisms. <i>Science of the Total Environment</i> , 2021, 762, 144227.	3.9	34

#	ARTICLE	IF	CITATIONS
19	Trends in Pediatric Thyroid Cancer Incidence, Treatment, and Clinical Course in Korea During 2004–2016: A Nationwide Population-Based Study. <i>Thyroid</i> , 2021, 31, 902-911.	2.4	12
20	Best Achievements in Clinical Thyroidology in 2020. <i>Endocrinology and Metabolism</i> , 2021, 36, 30-35.	1.3	3
21	Best Achievements in Translational and Basic Thyroidology in 2020. <i>Endocrinology and Metabolism</i> , 2021, 36, 36-40.	1.3	0
22	DEHP Down-Regulates Tshr Gene Expression in Rat Thyroid Tissues and FRTL-5 Rat Thyrocytes: A Potential Mechanism of Thyroid Disruption. <i>Endocrinology and Metabolism</i> , 2021, 36, 447-454.	1.3	12
23	Secular Trends in Ablation Therapy for Graves' Disease: An Analysis of a 15-Year Experience at a Tertiary Hospital in South Korea. <i>Journal of Clinical Medicine</i> , 2021, 10, 1629.	1.0	2
24	Measurements of Bone Health after Thyroid-Stimulating Suppression Therapy in Postmenopausal Women with Differentiated Thyroid Carcinoma: Bone Mineral Density versus the Trabecular Bone Score. <i>Journal of Clinical Medicine</i> , 2021, 10, 1964.	1.0	6
25	Decreased Expression of Ileal Thyroid Hormone Transporters in a Hypothyroid Patient: A Case Report. <i>Frontiers in Endocrinology</i> , 2021, 12, 664839.	1.5	4
26	Comparison of Diagnostic Performance in Thyroid Nodules on US: Deep Convolutional Neural Network Models vs Endocrinologists With Various Experiences. <i>Journal of the Endocrine Society</i> , 2021, 5, A859-A859.	0.1	0
27	A Multicenter, Randomized, Controlled Trial for Assessing the Usefulness of Suppressing Thyroid Stimulating Hormone Target Levels after Thyroid Lobectomy in Low to Intermediate Risk Thyroid Cancer Patients (MASTER): A Study Protocol. <i>Endocrinology and Metabolism</i> , 2021, 36, 574-581.	1.3	11
28	Increased expression of thyroid hormone receptor alpha and estrogen receptor alpha in breast cancer associated with thyroid cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1316-1323.	0.5	9
29	Clinicopathological Characteristics and Recurrence-Free Survival of Rare Variants of Papillary Thyroid Carcinomas in Korea: A Retrospective Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 619-627.	1.3	6
30	Thyroid nodules in childhood-onset Hashimoto's thyroiditis: Frequency, risk factors, follow-up course and genetic alterations of thyroid cancer. <i>Clinical Endocrinology</i> , 2021, 95, 638-648.	1.2	6
31	Association between Iodine Intake, Thyroid Function, and Papillary Thyroid Cancer: A Case-Control Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 790-799.	1.3	14
32	NTRK and RET fusion-directed therapy in pediatric thyroid cancer yields a tumor response and radioiodine uptake. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	62
33	Diagnosing thyroid nodules with atypia of undetermined significance/follicular lesion of undetermined significance cytology with the deep convolutional neural network. <i>Scientific Reports</i> , 2021, 11, 20048.	1.6	6
34	Thyroid and Gut Microbiome. <i>International Journal of Thyroidology</i> , 2021, 14, 117-126.	0.1	0
35	The Effects of PPAR Agonists on Atherosclerosis and Nonalcoholic Fatty Liver Disease in ApoE ^{-/-} /FXR ^{-/-} Mice. <i>Endocrinology and Metabolism</i> , 2021, 36, 1243-1253.	1.3	11
36	Malignancy rate of Bethesda category III thyroid nodules according to ultrasound risk stratification system and cytological subtype. <i>Medicine (United States)</i> , 2020, 99, e18780.	0.4	13

#	ARTICLE	IF	CITATIONS
37	Expression of Class III Beta-Tubulin Is Associated with Invasive Potential and Poor Prognosis in Thyroid Carcinoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 3830.	1.0	7
38	Predominant <i>DICER1</i> Pathogenic Variants in Pediatric Follicular Thyroid Carcinomas. <i>Thyroid</i> , 2020, 30, 1120-1131.	2.4	29
39	Clinical factors predicting the successful discontinuation of hormone replacement therapy in patients diagnosed with primary hypothyroidism. <i>PLoS ONE</i> , 2020, 15, e0233596.	1.1	0
40	Thyroxine-binding globulin, peripheral deiodinase activity, and thyroid autoantibody status in association of phthalates and phenolic compounds with thyroid hormones in adult population. <i>Environment International</i> , 2020, 140, 105783.	4.8	26
41	Genomic and Transcriptomic Characteristics According to Size of Papillary Thyroid Microcarcinoma. <i>Cancers</i> , 2020, 12, 1345.	1.7	12
42	Adolescent overweight and obesity and the risk of papillary thyroid cancer in adulthood: a large-scale case-control study. <i>Scientific Reports</i> , 2020, 10, 5000.	1.6	12
43	Effect of Multiple Exposure to Perfluorinated Chemicals on Thyroid Function among Adults in the US: The National Health and Nutrition Examination Survey 2007-2008 and 2011-2012. <i>International Journal of Thyroidology</i> , 2020, 13, 19-29.	0.1	3
44	Mechanisms of TERT Reactivation and Its Interaction with BRAFV600E. <i>Endocrinology and Metabolism</i> , 2020, 35, 515-525.	1.3	10
45	Recent Improvements in Genomic and Transcriptomic Understanding of Anaplastic and Poorly Differentiated Thyroid Cancers. <i>Endocrinology and Metabolism</i> , 2020, 35, 44.	1.3	21
46	Trends in the Diagnosis and Treatment of Patients with Medullary Thyroid Carcinoma in Korea. <i>Endocrinology and Metabolism</i> , 2020, 35, 811-819.	1.3	14
47	Menstrual Cycle Characteristics and Premenstrual Syndrome Prevalence Based on the Daily Record of Severity of Problems in Korean Young Adult Women. <i>Journal of Korean Academy of Nursing</i> , 2020, 50, 147.	0.3	7
48	High-phytate/low-calcium diet is a risk factor for crystal nephropathies, renal phosphate wasting, and bone loss. <i>ELife</i> , 2020, 9, .	2.8	23
49	Subclinical Hypothyroidism Affects the Long-Term Outcomes of Patients Who Undergo Coronary Artery Bypass Grafting Surgery but Not Heart Valve Surgery. <i>Endocrinology and Metabolism</i> , 2020, 35, 308-318.	1.3	9
50	A Phase II Multi-Center, Non-Randomized, Parallel Group, Non-Inferiority Study to Compare the Efficacy of No Radioactive Iodine Remnant Ablation to Remnant Ablation Treatment in Low- to Intermediate-Risk of Papillary Thyroid Cancer: The MOREthyroid Trial Protocol. <i>Endocrinology and Metabolism</i> , 2020, 35, 571-577.	1.3	0
51	Changes of Nodular Size and Its Risk Factors in Iodine-Sufficient Area: a Retrospective Cohort Analysis of 7753 Thyroid Nodules. <i>International Journal of Thyroidology</i> , 2020, 13, 118-127.	0.1	0
52	Lesion-Based Evaluation Predicts Treatment Response to Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Cancer: A Korean Multicenter Retrospective Study. <i>Thyroid</i> , 2019, 29, 1811-1819.	2.4	19
53	CXCL16 positively correlated with M2-macrophage infiltration, enhanced angiogenesis, and poor prognosis in thyroid cancer. <i>Scientific Reports</i> , 2019, 9, 13288.	1.6	46
54	Integrative analysis of genomic and transcriptomic characteristics associated with progression of aggressive thyroid cancer. <i>Nature Communications</i> , 2019, 10, 2764.	5.8	166

#	ARTICLE	IF	CITATIONS
55	Longitudinal Assessment of Quality of Life According to Treatment Options in Low-Risk Papillary Thyroid Microcarcinoma Patients: Active Surveillance or Immediate Surgery (Interim Analysis of Tj ETQq1 1 0.784314 rgBT / Overlock 10	1.4	10
56	A Novel Orally Active Inverse Agonist of Estrogen-related Receptor Gamma (ERR γ), DN200434, A Booster of NIS in Anaplastic Thyroid Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 5069-5081.	3.2	24
57	Tumor doubling time predicts response to sorafenib in radioactive iodine-refractory differentiated thyroid cancer. <i>Endocrine Journal</i> , 2019, 66, 597-604.	0.7	18
58	SUMO-specific protease 2 mediates leptin-induced fatty acid oxidation in skeletal muscle. <i>Metabolism: Clinical and Experimental</i> , 2019, 95, 27-35.	1.5	20
59	Genomic Characterization of Differentiated Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2019, 34, 1.	1.3	37
60	Diagnostic value of computed tomography combined with ultrasonography in detecting cervical recurrence in patients with thyroid cancer. <i>Head and Neck</i> , 2019, 41, 1206-1212.	0.9	2
61	Association Between Diethylhexyl Phthalate Exposure and Thyroid Function: A Meta-Analysis. <i>Thyroid</i> , 2019, 29, 183-192.	2.4	68
62	Aberrant Thyroid-Stimulating Hormone Receptor Signaling Increases VEGF-A and CXCL8 Secretion of Thyroid Cancer Cells, Contributing to Angiogenesis and Tumor Growth. <i>Clinical Cancer Research</i> , 2019, 25, 414-425.	3.2	28
63	Interaction of BRAF-induced ETS factors with mutant TERT promoter in papillary thyroid cancer. <i>Endocrine-Related Cancer</i> , 2019, 26, 629-641.	1.6	60
64	Postoperative Thyroid-Stimulating Hormone Levels Did Not Affect Recurrence after Thyroid Lobectomy in Patients with Papillary Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2019, 34, 150.	1.3	33
65	Bisphenols and Thyroid Hormone. <i>Endocrinology and Metabolism</i> , 2019, 34, 340.	1.3	66
66	Active and Passive Smoking, BRAFV600E Mutation Status, and the Risk of Papillary Thyroid Cancer: A Large-Scale Case-Control and Case-Only Study. <i>Cancer Research and Treatment</i> , 2019, 51, 1392-1399.	1.3	5
67	Radiofrequency ablation for treatment of locally recurrent thyroid cancer presenting as a metastatic lymph node with dense macrocalcification. <i>Medicine (United States)</i> , 2018, 97, e0003.	0.4	12
68	Clinical Characteristics of Subtypes of Follicular Variant Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 311-318.	2.4	40
69	Transcriptome Network Analysis Reveals Aging-Related Mitochondrial and Proteasomal Dysfunction and Immune Activation in Human Thyroid. <i>Thyroid</i> , 2018, 28, 656-666.	2.4	23
70	Case-Control Study of Papillary Thyroid Carcinoma on Urinary and Dietary Iodine Status in South Korea. <i>World Journal of Surgery</i> , 2018, 42, 1424-1431.	0.8	18
71	Expression of Sodium-Iodide Symporter Depending on Mutational Status and Lymphocytic Thyroiditis in Papillary Thyroid Carcinoma. <i>International Journal of Thyroidology</i> , 2018, 11, 152.	0.1	1
72	Ten Years of the Korean Thyroid Association: Achievement and Future. <i>International Journal of Thyroidology</i> , 2018, 11, 1.	0.1	1

#	ARTICLE	IF	CITATIONS
73	Associations of urinary sodium levels with overweight and central obesity in a population with a sodium intake. <i>BMC Nutrition</i> , 2018, 4, 47.	0.6	14
74	Adverse Events of Tyrosine Kinase Inhibitors in Patients with Advanced Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2018, 11, 61.	0.1	0
75	Star-Shaped Intense Uptake of ¹³¹ I on Whole Body Scans Can Reflect Good Therapeutic Effects of Low-Dose Radioactive Iodine Treatment of 1.1 GBq. <i>Endocrinology and Metabolism</i> , 2018, 33, 228.	1.3	4
76	Diagnosis and treatment of low-risk papillary thyroid microcarcinoma. <i>Journal of the Korean Medical Association</i> , 2018, 61, 232.	0.1	0
77	Associations between Hashimoto Thyroiditis and Clinical Outcomes of Papillary Thyroid Cancer: A Meta-Analysis of Observational Studies. <i>Endocrinology and Metabolism</i> , 2018, 33, 473.	1.3	64
78	A mitochondrial proteome profile indicative of type 2 diabetes mellitus in skeletal muscles. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-14.	3.2	34
79	Effects of Maternal Iodine Status during Pregnancy and Lactation on Maternal Thyroid Function and Offspring Growth and Development: A Prospective Study Protocol for the Ideal Breast Milk Cohort. <i>Endocrinology and Metabolism</i> , 2018, 33, 395.	1.3	2
80	Subclinical Hypothyroidism and Coronary Revascularization After Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2018, 122, 1862-1870.	0.7	10
81	Effects of Pioglitazone on Nonalcoholic Fatty Liver Disease in the Absence of Constitutive Androstane Receptor Expression. <i>PPAR Research</i> , 2018, 2018, 1-10.	1.1	12
82	Validity and Reliability of the Korean Version of the Hyperthyroidism Symptom Scale. <i>Endocrinology and Metabolism</i> , 2018, 33, 70.	1.3	4
83	Persistent/Recurrent Differentiated Thyroid Cancer: Clinical and Radiological Characteristics of Persistent Disease and Clinical Recurrence Based on Computed Tomography Analysis. <i>Thyroid</i> , 2018, 28, 1490-1499.	2.4	10
84	Comprehensive Transcriptomic and Genomic Profiling of Subtypes of Follicular Variant of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 1468-1478.	2.4	21
85	Relation of Subclinical Hypothyroidism is Associated With Cardiovascular Events and All-Cause Mortality in Adults With High Cardiovascular Risk. <i>American Journal of Cardiology</i> , 2018, 122, 571-577.	0.7	19
86	Genotypic characteristics and their association with phenotypic characteristics of hereditary medullary thyroid carcinoma in Korea. <i>Surgery</i> , 2018, 164, 312-318.	1.0	6
87	Association between perfluoroalkyl substances exposure and thyroid function in adults: A meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0197244.	1.1	76
88	Changes in Body Compositions and Basal Metabolic Rates during Treatment of Graves's™ Disease. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-8.	0.6	12
89	Subclinical Hypothyroidism and the Risk of Cardiovascular Disease and All-Cause Mortality: A Meta-Analysis of Prospective Cohort Studies. <i>Thyroid</i> , 2018, 28, 1101-1110.	2.4	97
90	Genome-Wide Association Studies of Autoimmune Thyroid Diseases, Thyroid Function, and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2018, 33, 175.	1.3	65

#	ARTICLE	IF	CITATIONS
91	Cavernous sinus dural arteriovenous fistula managed by the inferior ophthalmic vein compression. Canadian Journal of Ophthalmology, 2018, 53, e247-e249.	0.4	0
92	Study Protocol of Multicenter Prospective Cohort Study of Active Surveillance on Papillary Thyroid Microcarcinoma (MAeSTro). Endocrinology and Metabolism, 2018, 33, 278.	1.3	35
93	Loss-of-function of IFT88 determines metabolic phenotypes in thyroid cancer. Oncogene, 2018, 37, 4455-4474.	2.6	27
94	Genome-Wide Association Study Reveals Distinct Genetic Susceptibility of Thyroid Nodules From Thyroid Cancer. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 4384-4394.	1.8	9
95	Thyroid Cancer Treatment Choice: A Pilot Study of a Tool to Facilitate Conversations with Patients with Papillary Microcarcinomas Considering Treatment Options. Thyroid, 2018, 28, 1325-1331.	2.4	42
96	Association of Hyperthyroidism and Thyroid Autoantibodies with Moyamoya Disease and Its Stroke Event: A Population-based Case-control Study and Meta-analysis. Neurologia Medico-Chirurgica, 2018, 58, 116-123.	1.0	11
97	Clinical Feasibility of Monitoring Resting Heart Rate Using a Wearable Activity Tracker in Patients With Thyrotoxicosis: Prospective Longitudinal Observational Study. JMIR MHealth and UHealth, 2018, 6, e159.	1.8	14
98	Clinical Feasibility of Continuously Monitored Data for Heart Rate, Physical Activity, and Sleeping by Wearable Activity Trackers in Patients with Thyrotoxicosis: Protocol for a Prospective Longitudinal Observational Study. JMIR Research Protocols, 2018, 7, e49.	0.5	13
99	Prevalence of thyroid nodules and their associated clinical parameters: a large-scale, multicenter-based health checkup study. Korean Journal of Internal Medicine, 2018, 33, 753-762.	0.7	70
100	Long-term Recurrence of Small Papillary Thyroid Cancer and Its Risk Factors in a Korean Multicenter Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2287.	1.8	27
101	The effect of TSH-suppression on vertebral trabecular bone scores in patients with differentiated thyroid carcinoma. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2740.	1.8	32
102	Effects of Coexistent <i>BRAF</i> ^{V600E} and <i>TERT</i> Promoter Mutations on Poor Clinical Outcomes in Papillary Thyroid Cancer: A Meta-Analysis. Thyroid, 2017, 27, 651-660.	2.4	122
103	Extent of surgery did not affect recurrence during 7 years follow-up in papillary thyroid cancer sized 1 cm: Preliminary results. Clinical Endocrinology, 2017, 87, 80-86.	1.2	26
104	The Second Antithyroid Drug Treatment Is Effective in Relapsed Graves' Disease Patients: A Median 11-Year Follow-Up Study. Thyroid, 2017, 27, 491-496.	2.4	25
105	Increased intracellular Ca ²⁺ concentrations prevent membrane localization of PH domains through the formation of Ca ²⁺ -phosphoinositides. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 11926-11931.	3.3	36
106	Changes in the clinicopathological characteristics and genetic alterations of follicular thyroid cancer. European Journal of Endocrinology, 2017, 177, 465-473.	1.9	26
107	Genome-wide association and expression quantitative trait loci studies identify multiple susceptibility loci for thyroid cancer. Nature Communications, 2017, 8, 15966.	5.8	64
108	Rare Manifestations of Anaplastic Thyroid Carcinoma: the Role of BRAF Mutation Analysis. Journal of Korean Medical Science, 2017, 32, 1721.	1.1	4

#	ARTICLE	IF	CITATIONS
109	Feasibility of sentinel lymph node dissection using Tc-99m phytate in papillary thyroid carcinoma. <i>Annals of Surgical Treatment and Research</i> , 2017, 93, 240.	0.4	10
110	The Association between Type 2 Diabetes Mellitus and Thyroid Cancer. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-8.	1.0	24
111	Small heterodimer partner (SHP) deficiency protects myocardia from lipid accumulation in high fat diet-fed mice. <i>PLoS ONE</i> , 2017, 12, e0186021.	1.1	1
112	Secular Trends for Diagnostic Motives and Environmental Risk Factors in Thyroid Cancer Using Questionnaire Survey. <i>International Journal of Thyroidology</i> , 2017, 10, 82.	0.1	1
113	Clinical Characteristics and Prognosis of Differentiated Thyroid Carcinoma with Small Foci of Anaplastic Transformation. <i>International Journal of Thyroidology</i> , 2017, 10, 96.	0.1	0
114	Enhancement of Osteogenic Differentiation by Combination Treatment with 5-azacytidine and Thyroid-Stimulating Hormone in Human Osteoblast Cells. <i>International Journal of Thyroidology</i> , 2017, 10, 71.	0.1	1
115	Abstract 3398: The genomic and transcriptomic analysis of nine widely invasive follicular thyroid carcinomas (wiFTC) in Korean patients. , 2017, , .		1
116	Macrophage Densities Correlated with CXCR4 Chemokine Receptor 4 Expression and Related with Poor Survival in Anaplastic Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2016, 31, 469.	1.3	22
117	Dietary evaluation of a low-iodine diet in Korean thyroid cancer patients preparing for radioactive iodine therapy in an iodine-rich region. <i>Nutrition Research and Practice</i> , 2016, 10, 167.	0.7	18
118	Rg3 Improves Mitochondrial Function and the Expression of Key Genes Involved in Mitochondrial Biogenesis in C2C12 Myotubes. <i>Diabetes and Metabolism Journal</i> , 2016, 40, 406.	1.8	25
119	Graves' Patient with Thymic Expression of Thyrotropin Receptors and Dynamic Changes in Thymic Hyperplasia Proportional to Graves' Disease Activity. <i>Yonsei Medical Journal</i> , 2016, 57, 795.	0.9	10
120	Postoperative biochemical remission of serum calcitonin is the best predictive factor for recurrence-free survival of medullary thyroid cancer: a large-scale retrospective analysis over 30 years. <i>Clinical Endocrinology</i> , 2016, 84, 587-597.	1.2	38
121	Prognostic effects of <i>TERT</i> promoter mutations are enhanced by coexistence with <i>BRAF</i> or <i>RAS</i> mutations and strengthen the risk prediction by the ATA or TNM staging system in differentiated thyroid cancer patients. <i>Cancer</i> , 2016, 122, 1370-1379.	2.0	147
122	F-box only protein 9 is an E3 ubiquitin ligase of PPAR γ . <i>Experimental and Molecular Medicine</i> , 2016, 48, e234-e234.	3.2	21
123	Thyroid-stimulating hormone improves insulin sensitivity in skeletal muscle cells via cAMP/PKA/CREB pathway-dependent upregulation of insulin receptor substrate-1 expression. <i>Molecular and Cellular Endocrinology</i> , 2016, 436, 50-58.	1.6	22
124	Recurrence and Survival After Gross Total Removal of Resectable Undifferentiated or Poorly Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 1259-1268.	2.4	34
125	Recombinant human thyrotropin-stimulated thyroglobulin level at the time of radioactive iodine ablation is an independent prognostic marker of differentiated thyroid carcinoma in the setting of prophylactic central neck dissection. <i>Clinical Endocrinology</i> , 2016, 85, 459-465.	1.2	4
126	Annual Average Changes in Adult Obesity as a Risk Factor for Papillary Thyroid Cancer. <i>Medicine (United States)</i> , 2016, 95, e2893.	0.4	31

#	ARTICLE	IF	CITATIONS
127	Changes of Clinicopathologic Characteristics and Survival Outcomes of Anaplastic and Poorly Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2016, 26, 404-413.	2.4	62
128	The effect of thyroid stimulating hormone suppressive therapy on bone geometry in the hip area of patients with differentiated thyroid carcinoma. <i>Bone</i> , 2016, 83, 104-110.	1.4	23
129	CXCL16 signaling mediated macrophage effects on tumor invasion of papillary thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2016, 23, 113-124.	1.6	44
130	Comprehensive Analysis of the Transcriptional and Mutational Landscape of Follicular and Papillary Thyroid Cancers. <i>PLoS Genetics</i> , 2016, 12, e1006239.	1.5	265
131	Acute High-Dose and Chronic Lifetime Exposure to Alcohol Consumption and Differentiated Thyroid Cancer: T-CALOS Korea. <i>PLoS ONE</i> , 2016, 11, e0151562.	1.1	7
132	The orphan nuclear receptor small heterodimer partner is required for thiazolidinedione effects in leptin-deficient mice. <i>Journal of Biomedical Science</i> , 2015, 22, 30.	2.6	8
133	The risk of second primary malignancy is increased in differentiated thyroid cancer patients with a cumulative ¹³¹I dose over 37 <sc>GB</sc>q. <i>Clinical Endocrinology</i> , 2015, 83, 117-123.	1.2	29
134	The Impact of Low Adherence to the Low-iodine Diet on the Efficacy of the Radioactive Iodine Ablation Therapy. <i>Clinical Nutrition Research</i> , 2015, 4, 267.	0.5	5
135	Therapeutic Plasmapheresis Enabling Radioactive Iodine Treatment in a Patient with Thyrotoxicosis. <i>Journal of Korean Medical Science</i> , 2015, 30, 1531.	1.1	10
136	Thyroid Hormone Regulates the mRNA Expression of Small Heterodimer Partner through Liver Receptor Homolog-1. <i>Endocrinology and Metabolism</i> , 2015, 30, 584.	1.3	3
137	An Iodine Database for Common Korean Foods and the Association between Iodine Intake and Thyroid Disease in Korean Adults. <i>International Journal of Thyroidology</i> , 2015, 8, 170.	0.1	17
138	Mutation Profile of Well-Differentiated Thyroid Cancer in Asians. <i>Endocrinology and Metabolism</i> , 2015, 30, 252.	1.3	66
139	Cancers with Higher Density of Tumor-Associated Macrophages Were Associated with Poor Survival Rates. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 318-324.	0.4	137
140	Efficacy and Safety of Radiofrequency Ablation for Treatment of Locally Recurrent Thyroid Cancers Smaller than 2 cm. <i>Radiology</i> , 2015, 276, 909-918.	3.6	108
141	Long-term oral exposure to bisphenol A induces glucose intolerance and insulin resistance. <i>Journal of Endocrinology</i> , 2015, 226, 35-42.	1.2	93
142	Differences in Physicians' and Patients' Perception of Acute Hypothyroid Symptoms Induced by Thyroid Hormone Withdrawal in Thyroid Cancer Patients: A Multicenter Survey in Korea. <i>European Thyroid Journal</i> , 2015, 4, 48-54.	1.2	5
143	Serum thyroglobulin level after radioiodine therapy (Day 3) to predict successful ablation of thyroid remnant in postoperative thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2015, 29, 184-189.	1.2	15
144	High serum adiponectin concentration and low body mass index are significantly associated with increased all-cause and cardiovascular mortality in an elderly cohort, "adiponectin paradox". The Korean Longitudinal Study on Health and Aging (KLoSHA). <i>International Journal of Cardiology</i> , 2015, 183, 91-97.	0.8	48

#	ARTICLE	IF	CITATIONS
145	Pediatric Patients With Multifocal Papillary Thyroid Cancer Have Higher Recurrence Rates Than Adult Patients: A Retrospective Analysis of a Large Pediatric Thyroid Cancer Cohort Over 33 Years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1619-1629.	1.8	55
146	Retinoid X Receptor β Overexpression Alleviates Mitochondrial Dysfunction-induced Insulin Resistance through Transcriptional Regulation of Insulin Receptor Substrate 1. <i>Molecules and Cells</i> , 2015, 38, 356-361.	1.0	6
147	Factors Affecting the Locoregional Recurrence of Conventional Papillary Thyroid Carcinoma After Surgery: A Retrospective Analysis of 3381 Patients. <i>Annals of Surgical Oncology</i> , 2015, 22, 3543-3549.	0.7	58
148	SUMO-Specific Protease 2 (SEN2) Is an Important Regulator of Fatty Acid Metabolism in Skeletal Muscle. <i>Diabetes</i> , 2015, 64, 2420-2431.	0.3	50
149	Influence of thyroid dysfunction on serum levels of angiotensin-like protein 6. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 1279-1283.	1.5	10
150	A Possible Association Between Thyroid Cancer and Breast Cancer. <i>Thyroid</i> , 2015, 25, 1330-1338.	2.4	57
151	Radioactive Iodine Therapy Did Not Significantly Increase the Incidence and Recurrence of Subsequent Breast Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3486-3493.	1.8	19
152	Protocol of a Thyroid Cancer Longitudinal Study (T-CALOS): a prospective, clinical and epidemiological study in Korea. <i>BMJ Open</i> , 2015, 5, e007234-e007234.	0.8	9
153	Standard immunohistochemistry efficiently screens for anaplastic lymphoma kinase rearrangements in differentiated thyroid cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 55-63.	1.6	31
154	Loss of ER β expression in papillary thyroid carcinoma is associated with recurrence in young female. <i>Clinical Endocrinology</i> , 2015, 82, 300-306.	1.2	7
155	The Presence of Thyroid-Stimulation Blocking Antibody Prevents High Bone Turnover in Untreated Premenopausal Patients with Graves' Disease. <i>PLoS ONE</i> , 2015, 10, e0144599.	1.1	12
156	Prevalence and Risk Factors of Subclinical Thyroid Disease. <i>Endocrinology and Metabolism</i> , 2014, 29, 20.	1.3	77
157	Medullary Thyroid Carcinoma with Ectopic Adrenocorticotropic Hormone Syndrome. <i>Endocrinology and Metabolism</i> , 2014, 29, 96.	1.3	5
158	The Frequency and Clinical Implications of the BRAF ^{V600E} Mutation in Papillary Thyroid Cancer Patients in Korea Over the Past Two Decades. <i>Endocrinology and Metabolism</i> , 2014, 29, 505.	1.3	47
159	Secular trends in the prognostic factors for papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2014, 171, 667-675.	1.9	23
160	A genome-wide association study on thyroid function and anti-thyroid peroxidase antibodies in Koreans. <i>Human Molecular Genetics</i> , 2014, 23, 4433-4442.	1.4	30
161	Therapeutic Potential of Dickkopf-1 in Wild-Type BRAF Papillary Thyroid Cancer via Regulation of β -Catenin/E-cadherin Signaling. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1641-E1649.	1.8	14
162	The role of ultrasound findings in the management of thyroid nodules with atypia or follicular lesions of undetermined significance. <i>Clinical Endocrinology</i> , 2014, 80, 735-742.	1.2	74

#	ARTICLE	IF	CITATIONS
163	In Vivo Deletion of CAR Resulted in High Bone Mass Phenotypes in Male Mice. <i>Journal of Cellular Physiology</i> , 2014, 229, 561-571.	2.0	8
164	Long-Term Prognosis of Differentiated Thyroid Cancer with Lung Metastasis in Korea and Its Prognostic Factors. <i>Thyroid</i> , 2014, 24, 277-286.	2.4	80
165	Incidental thyroid cancer detected by 18F-FDG PET. <i>Nuclear Medicine Communications</i> , 2014, 35, 453-458.	0.5	5
166	Subclinical hypothyroidism in addition to common risk scores for prediction of cardiovascular disease: a 10-year community-based cohort study. <i>European Journal of Endocrinology</i> , 2014, 171, 649-657.	1.9	16
167	Chronic Exposure to Bisphenol A can Accelerate Atherosclerosis in High-Fat-Fed Apolipoprotein E Knockout Mice. <i>Cardiovascular Toxicology</i> , 2014, 14, 120-128.	1.1	44
168	Lower-But-Normal Serum TSH level Is Associated With the Development or Progression of Cognitive Impairment in Elderly: Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 424-432.	1.8	51
169	The Effect of Long-Term Thyroid-Stimulating Hormone Suppressive Therapy on the Cognitive Function of Elderly Patients With Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3782-3789.	1.8	28
170	Expression of Indoleamine 2,3-Dioxygenase and Infiltration of FOXP3+ Regulatory T Cells Are Associated with Aggressive Features of Papillary Thyroid Microcarcinoma. <i>Thyroid</i> , 2014, 24, 1232-1240.	2.4	21
171	Identification of Novel Autoantibodies in Type 1 Diabetic Patients Using a High-Density Protein Microarray. <i>Diabetes</i> , 2014, 63, 3022-3032.	0.3	39
172	Therapeutic potential of metformin in papillary thyroid cancer in vitro and in vivo. <i>Molecular and Cellular Endocrinology</i> , 2014, 393, 24-29.	1.6	39
173	Serum <sc>FGF</sc>21 concentration is associated with hypertriglyceridaemia, hyperinsulinaemia and pericardial fat accumulation, independently of obesity, but not with current coronary artery status. <i>Clinical Endocrinology</i> , 2014, 80, 57-64.	1.2	63
174	Diabetes Mellitus and Risk of Thyroid Cancer: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e98135.	1.1	73
175	Follicular and Hurthle cell carcinoma of the thyroid in iodine-sufficient area: retrospective analysis of Korean multicenter data. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 325.	0.7	29
176	Effect of Seasonal Changes on the Transition Between Subclinical Hypothyroid and Euthyroid Status. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3420-3429.	1.8	54
177	Anemia and activities of daily living in the Korean urban elderly population: Results from the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Annals of Hematology</i> , 2013, 92, 59-65.	0.8	36
178	Proangiogenic TIE2+/CD31+ Macrophages Are the Predominant Population of Tumor-Associated Macrophages Infiltrating Metastatic Lymph Nodes. <i>Molecules and Cells</i> , 2013, 36, 432-438.	1.0	30
179	Positive regulation of osteogenesis by bile acid through FXR. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 2109-2121.	3.1	67
180	F-box only protein 9 is required for adipocyte differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2013, 435, 239-243.	1.0	8

#	ARTICLE	IF	CITATIONS
181	Dickkopf-1 inhibits thyroid cancer cell survival and migration through regulation of β -catenin/E-cadherin signaling. <i>Molecular and Cellular Endocrinology</i> , 2013, 366, 90-98.	1.6	30
182	Thyroglobulin in Washout Fluid From Lymph Node Fine-needle Aspiration Biopsy in Papillary Thyroid Cancer: Large-scale Validation of the Cutoff Value to Determine Malignancy and Evaluation of Discrepant Results. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1061-1068.	1.8	97
183	Changes in the Clinicopathological Characteristics and Outcomes of Thyroid Cancer in Korea over the Past Four Decades. <i>Thyroid</i> , 2013, 23, 797-804.	2.4	167
184	Decreased Expression of Hepatic Low-Density Lipoprotein Receptor-Related Protein 1 in Hypothyroidism: A Novel Mechanism of Atherogenic Dyslipidemia in Hypothyroidism. <i>Thyroid</i> , 2013, 23, 1057-1065.	2.4	23
185	Associations between thyroid hormone levels and regional fat accumulation in euthyroid men. <i>European Journal of Endocrinology</i> , 2013, 168, 805-810.	1.9	7
186	Plasma FGF21 levels are increased in patients with hypothyroidism independently of lipid profile. <i>Endocrine Journal</i> , 2013, 60, 977-983.	0.7	29
187	Expression of Thyroid Stimulating Hormone Receptor mRNA in Mouse C2C12 Skeletal Muscle Cells. <i>Endocrinology and Metabolism</i> , 2013, 28, 119.	1.3	12
188	The Expression of Tumor-Associated Macrophages in Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2013, 28, 192.	1.3	47
189	Two Cases of Methimazole-Induced Insulin Autoimmune Syndrome in Graves' Disease. <i>Endocrinology and Metabolism</i> , 2013, 28, 55.	1.3	16
190	A case of mediastinal ectopic thyroid presenting with a paratracheal mass. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 361.	0.7	17
191	Bisphenol A Impairs Mitochondrial Function in the Liver at Doses below the No Observed Adverse Effect Level. <i>Journal of Korean Medical Science</i> , 2012, 27, 644.	1.1	163
192	Accumulation of autophagosomes contributes to enhanced amyloidogenic APP processing under insulin-resistant conditions. <i>Autophagy</i> , 2012, 8, 1842-1844.	4.3	82
193	The Long-Term Outcomes of the Second Generation of Familial Nonmedullary Thyroid Carcinoma Are More Aggressive than Sporadic Cases. <i>Thyroid</i> , 2012, 22, 356-362.	2.4	79
194	Altered APP Processing in Insulin-Resistant Conditions Is Mediated by Autophagosome Accumulation via the Inhibition of Mammalian Target of Rapamycin Pathway. <i>Diabetes</i> , 2012, 61, 3126-3138.	0.3	69
195	Relationship between muscle mass and physical performance: is it the same in older adults with weak muscle strength?. <i>Age and Ageing</i> , 2012, 41, 799-803.	0.7	52
196	Opposing regulation of cytochrome P450 expression by CAR and PXR in hypothyroid mice. <i>Toxicology and Applied Pharmacology</i> , 2012, 263, 131-137.	1.3	23
197	Monogenic Thyroid Disorder. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 83.	0.2	0
198	Two Cases of Non-Small Cell Lung Cancer Masquerading as Metastatic Papillary Thyroid Cancer. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 157.	0.2	0

#	ARTICLE	IF	CITATIONS
199	Preoperative Predictive Factors for Parathyroid Carcinoma in Patients with Primary Hyperparathyroidism. <i>Journal of Korean Medical Science</i> , 2012, 27, 890.	1.1	50
200	A Case of Ectopic ACTH Syndrome Associated with Metastatic Prostate Cancer. <i>Endocrinology and Metabolism</i> , 2012, 27, 237.	1.3	0
201	The association of the <i>BRAF</i> ^{V600E} mutation with prognostic factors and poor clinical outcome in papillary thyroid cancer. <i>Cancer</i> , 2012, 118, 1764-1773.	2.0	368
202	Optimal cut points of waist circumference (WC) and visceral fat area (VFA) predicting for metabolic syndrome (MetS) in elderly population in the Korean Longitudinal Study on Health and Aging (KLoSHA). <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e29-e34.	1.4	24
203	Plasma adiponectin elevation in elderly individuals with subsyndromal depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 948-955.	1.3	40
204	Detection of Survivin and COX-2 in Thyroid Carcinoma: Anaplastic Carcinoma Shows Overexpression of Nuclear Survivin and Low COX-2 Expression. <i>Korean Journal of Pathology</i> , 2012, 46, 55.	1.2	6
205	Insulin Secretion and Incretin Hormone Concentration in Women with Previous Gestational Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 58.	1.8	6
206	Carotid Intimal-Medial Thickness Is Not Increased in Women with Previous Gestational Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 497.	1.8	10
207	Malignancy Rate in Sonographically Suspicious Thyroid Nodules of Less than a Centimeter in Size Does Not Decrease with Decreasing Size. <i>Journal of Korean Medical Science</i> , 2011, 26, 237.	1.1	15
208	Plasma vaspin concentrations are elevated in metabolic syndrome in men and are correlated with coronary atherosclerosis in women. <i>Clinical Endocrinology</i> , 2011, 75, 628-635.	1.2	70
209	Elevated risk of papillary thyroid cancer in Korean patients with Hashimoto's thyroiditis. <i>Head and Neck</i> , 2011, 33, 691-695.	0.9	124
210	Dissociation of diabetes and obesity in mice lacking orphan nuclear receptor small heterodimer partner. <i>Journal of Lipid Research</i> , 2011, 52, 2234-2244.	2.0	44
211	Impact of subclinical hypothyroidism on the coronary artery disease in apparently healthy subjects. <i>European Journal of Endocrinology</i> , 2011, 165, 115-121.	1.9	30
212	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011, 54, 8.	0.0	17
213	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 389.	0.1	8
214	Effect of Thyroid Hormone to the Expression of Bile Salt Export Pump. <i>Endocrinology and Metabolism</i> , 2011, 26, 232.	1.3	3
215	Papillary microcarcinoma in comparison with larger papillary thyroid carcinoma in <i>BRAF</i> ^{V600E} mutation, clinicopathological features, and immunohistochemical findings. <i>Head and Neck</i> , 2010, 32, 38-45.	0.9	69
216	Serum fibroblast growth factor-21 concentration is associated with residual renal function and insulin resistance in end-stage renal disease patients receiving long-term peritoneal dialysis. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1656-1662.	1.5	59

#	ARTICLE	IF	CITATIONS
217	Subclinical hypothyroidism (SCH) is not associated with metabolic derangement, cognitive impairment, depression or poor quality of life (QoL) in elderly subjects. Archives of Gerontology and Geriatrics, 2010, 50, e68-e73.	1.4	90
218	Interaction between Cigarette Smoking and Iodine-intake and Their Impact on Thyroid Function. Clinical Endocrinology, 2010, 73, 264-70.	1.2	30
219	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. Endocrinology and Metabolism, 2010, 25, 270.	1.3	37
220	Endothelial Function is Not Changed during Short-Term Withdrawal of Thyroxine in Patients with Differentiated Thyroid Cancer and Low Cardiovascular Risk. Yonsei Medical Journal, 2010, 51, 492.	0.9	10
221	Subclinical Hypothyroidism has Little Influences on Muscle Mass or Strength in Elderly People. Journal of Korean Medical Science, 2010, 25, 1176.	1.1	35
222	Tumor Size and Age Predict the Risk of Malignancy in H ¹⁴ arthle Cell Neoplasm of the Thyroid and Can Therefore Guide the Extent of Initial Thyroid Surgery. Thyroid, 2010, 20, 1229-1234.	2.4	25
223	Orphan nuclear receptor small heterodimer partner inhibits angiotensin II-stimulated PAI-1 expression in vascular smooth muscle cells. Experimental and Molecular Medicine, 2010, 42, 21.	3.2	5
224	Sarcopenic Obesity: Prevalence and Association With Metabolic Syndrome in the Korean Longitudinal Study on Health and Aging (KLoSHA). Diabetes Care, 2010, 33, 1652-1654.	4.3	471
225	Prevalence and risk factors of osteoporosis in Korea: A community-based cohort study with lumbar spine and hip bone mineral density. Bone, 2010, 47, 378-387.	1.4	116
226	Performance Evaluation of the GlucoDr Plus Glucometer. Diabetes Technology and Therapeutics, 2010, 12, 307-312.	2.4	4
227	Adenosyl-L-methionine ameliorates TNF α -induced insulin resistance in 3T3-L1 adipocytes. Experimental and Molecular Medicine, 2010, 42, 345.	3.2	18
228	Investigation of Sarcopenia and Its Association with Cardiometabolic Risk Factors in Elderly Subjects. Journal of the Korean Geriatrics Society, 2010, 14, 121-130.	0.3	29
229	Prevalence of Stroke and Transient Ischemic Attack in Korean Elders. Stroke, 2009, 40, 966-969.	1.0	23
230	The Orphan Nuclear Receptor SHP Attenuates Renal Fibrosis. Journal of the American Society of Nephrology: JASN, 2009, 20, 2162-2170.	3.0	17
231	Lower bone mineral density is associated with higher coronary calcification and coronary plaque burdens by multidetector row coronary computed tomography in pre- and postmenopausal women. Clinical Endocrinology, 2009, 71, 644-651.	1.2	81
232	Subclinical Hypothyroidism Might Increase the Risk of Transient Atrial Fibrillation After Coronary Artery Bypass Grafting. Annals of Thoracic Surgery, 2009, 87, 1846-1852.	0.7	59
233	Loss of orphan receptor small heterodimer partner sensitizes mice to liver injury from obstructive cholestasis. Hepatology, 2008, 47, 1578-1586.	3.6	62
234	S100A4 expression is associated with lymph node metastasis in papillary microcarcinoma of the thyroid. Modern Pathology, 2008, 21, 748-755.	2.9	62

#	ARTICLE	IF	CITATIONS
235	Ghrelin enhances the proliferating effect of thyroid stimulating hormone in FRTL-5 thyroid cells. <i>Molecular and Cellular Endocrinology</i> , 2008, 285, 19-25.	1.6	24
236	High Plasma Retinol Binding Protein-4 and Low Plasma Adiponectin Concentrations Are Associated with Severity of Glucose Intolerance in Women with Previous Gestational Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3142-3148.	1.8	60
237	Retinol Binding Protein-4 Elevation Is Associated with Serum Thyroid-Stimulating Hormone Level Independently of Obesity in Elderly Subjects with Normal Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2313-2318.	1.8	39
238	Association between Apolipoprotein E Polymorphism and Type 2 Diabetes in Subjects Aged 65 or Over. <i>Korean Diabetes Journal</i> , 2008, 32, 30.	0.8	2
239	Visceral Fatness and Insulin Sensitivity in Women With a Previous History of Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2007, 30, 348-353.	4.3	40
240	Clinical Features and Prognostic Factors for Survival in Patients with Poorly Differentiated Thyroid Carcinoma and Comparison to the Patients with the Aggressive Variants of Papillary Thyroid Carcinoma. <i>Endocrine Journal</i> , 2007, 54, 265-274.	0.7	84
241	Susceptible Alleles of the CD40 and CTLA-4 Genes Are Not Associated with the Relapse after Antithyroid Withdrawal in Graves' Disease. <i>Thyroid</i> , 2007, 17, 1229-1234.	2.4	19
242	Diagnostic Value of Galectin-3, HBME-1, Cytokeratin 19, High Molecular Weight Cytokeratin, Cyclin D1 and p27kip1 in the Differential Diagnosis of Thyroid Nodules. <i>Journal of Korean Medical Science</i> , 2007, 22, 621.	1.1	78
243	Mediastinal Uptake Misinterpreted as Metastasis in Papillary Thyroid Cancer. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 460.	0.1	1
244	Analysis of differential BRAFV600E mutational status in multifocal papillary thyroid carcinoma. <i>Cancer</i> , 2006, 107, 1831-1838.	2.0	120
245	Phosphorylation of the Hinge Domain of the Nuclear Hormone Receptor LRH-1 Stimulates Transactivation. <i>Journal of Biological Chemistry</i> , 2006, 281, 7850-7855.	1.6	74
246	Association of HLA-DR and -DQ Genes with Graves Disease in Koreans. <i>Human Immunology</i> , 2005, 66, 740-746.	1.2	39
247	Regulation of Signal Transducer and Activator of Transcription 1 (STAT1) and STAT1-Dependent Genes by RET/PTC (Rearranged in Transformation/Papillary Thyroid Carcinoma) Oncogenic Tyrosine Kinases. <i>Molecular Endocrinology</i> , 2004, 18, 2672-2684.	3.7	35
248	Plasma Resistin Concentrations Measured by Enzyme-Linked Immunosorbent Assay Using a Newly Developed Monoclonal Antibody Are Elevated in Individuals with Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 150-156.	1.8	196
249	Genetic Polymorphisms in Peroxisome Proliferator-Activated Receptor α Associated With Obesity. <i>Diabetes</i> , 2004, 53, 847-851.	0.3	89
250	Case of complete recovery of pancytopenia after treatment of hypopituitarism. <i>Annals of Hematology</i> , 2004, 83, 309-312.	0.8	21
251	The Mitogenic and Antiapoptotic Actions of Ghrelin in 3T3-L1 Adipocytes. <i>Molecular Endocrinology</i> , 2004, 18, 2291-2301.	3.7	197
252	A C/T Polymorphism in the 5' Untranslated Region of the CD40 Gene is Associated with Graves' Disease in Koreans. <i>Thyroid</i> , 2003, 13, 919-925.	2.4	83

#	ARTICLE	IF	CITATIONS
253	Epitope Heterogeneity of Thyroid-Stimulating Antibodies Predicts Long-Term Outcome in Graves'™ Patients Treated with Antithyroid Drugs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 117-124.	1.8	35
254	Sexuality and Related Factors of Postmenopausal Korean Women. <i>Taehan Kanho Hakhoe Chi</i> , 2003, 33, 457.	0.1	19
255	Polymorphism in the Promoter and Exon 1 of the Cytotoxic T Lymphocyte Antigen-4 Gene Associated with Autoimmune Thyroid Disease in Koreans. <i>Thyroid</i> , 2000, 10, 453-459.	2.4	91
256	The Prevalence and Clinical Significance of Blocking Thyrotropin Receptor Antibodies in Untreated Hyperthyroid Graves' Disease. <i>Thyroid</i> , 2000, 10, 579-586.	2.4	34