Hugo E M Vereecke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4161962/publications.pdf

Version: 2024-02-01

49 papers

2,546 citations

218677 26 h-index 223800 46 g-index

49 all docs

49 docs citations

49 times ranked

1524 citing authors

#	Article	IF	CITATIONS
1	Utility of the SmartPilotÂ $^{\odot}$ View advisory screen to improve anaesthetic drug titration and postoperative outcomes in clinical practice: a two-centre prospective observational trial. British Journal of Anaesthesia, 2022, 128, 959-970.	3.4	5
2	General Purpose Pharmacokinetic-Pharmacodynamic Models for Target-Controlled Infusion of Anaesthetic Drugs: A Narrative Review. Journal of Clinical Medicine, 2022, 11, 2487.	2.4	10
3	Nociception level-guided fentanyl titration: potential impact of multimodal anaesthesia and false positives. Comment on Br J Anaesth 2020; 125: 1070–8. British Journal of Anaesthesia, 2021, 126, e64-e65.	3.4	1
4	Administration of anesthetic drugs according to pharmacological principles: are we heading in the right direction?. Journal of Clinical Monitoring and Computing, 2019, 33, 945-947.	1.6	2
5	Novel drug-independent sedation level estimation based on machine learning of quantitative frontal electroencephalogram features in healthy volunteers. British Journal of Anaesthesia, 2019, 123, 479-487.	3.4	15
6	Population Pharmacodynamics of Propofol and Sevoflurane in Healthy Volunteers Using a Clinical Score and the Patient State Index. Anesthesiology, 2019, 131, 1223-1238.	2.5	17
7	Test of neural inertia in humans during general anaesthesia. British Journal of Anaesthesia, 2018, 120, 525-536.	3.4	41
8	Pharmacokinetic Pharmacodynamic Perspective on the Detection of Signs of Neural Inertia in Humans. Anesthesiology, 2018, 129, 373-375.	2.5	5
9	Tracking Electroencephalographic Changes Using Distributions of Linear Models: Application to Propofol-Based Depth of Anesthesia Monitoring. IEEE Transactions on Biomedical Engineering, 2017, 64, 870-881.	4.2	9
10	Pharmacokinetic and pharmacodynamic interactions in anaesthesia. A review of current knowledge and how it can be used to optimize anaesthetic drug administration. British Journal of Anaesthesia, 2017, 118, 44-57.	3.4	52
11	Dexmedetomidine pharmacodynamics in healthy volunteers: 2. Haemodynamic profile. British Journal of Anaesthesia, 2017, 119, 211-220.	3.4	50
12	Dexmedetomidine pharmacokinetic–pharmacodynamic modelling in healthy volunteers: 1. Influence of arousal on bispectral index and sedation. British Journal of Anaesthesia, 2017, 119, 200-210.	3.4	61
13	An Allometric Model of Remifentanil Pharmacokinetics and Pharmacodynamics. Anesthesiology, 2017, 126, 1005-1018.	2.5	87
14	Model-based drug administration. Current Opinion in Anaesthesiology, 2016, 29, 475-481.	2.0	16
15	The History of Target-Controlled Infusion. Anesthesia and Analgesia, 2016, 122, 56-69.	2.2	105
16	Performance of the Eleveld pharmacokinetic model to titrate propofol in an obese Japanese patient population. European Journal of Anaesthesiology, 2016, 33, 58.	1.7	7
17	Comparisons of Electroencephalographically Derived Measures of Hypnosis and Antinociception in Response to Standardized Stimuli During Target-Controlled Propofol-Remifentanil Anesthesia. Anesthesia and Analgesia, 2016, 122, 382-392.	2.2	28
18	Neural mass model-based tracking of anesthetic brain states. Neurolmage, 2016, 133, 438-456.	4.2	37

#	Article	IF	CITATIONS
19	Probability to tolerate laryngoscopy and noxious stimulation response index as general indicators of the anaesthetic potency of sevoflurane, propofol, and remifentanil. British Journal of Anaesthesia, 2016, 116, 624-631.	3.4	26
20	Propofol Breath Monitoring as a Potential Tool to Improve the Prediction of Intraoperative Plasma Concentrations. Clinical Pharmacokinetics, 2016, 55, 849-859.	3.5	30
21	Development of an Optimized Pharmacokinetic Model of Dexmedetomidine Using Target-controlled Infusion in Healthy Volunteers. Anesthesiology, 2015, 123, 357-367.	2.5	77
22	Analysis of Remifentanil with Liquid Chromatography-Tandem Mass Spectrometry and an Extensive Stability Investigation in EDTA Whole Blood and Acidified EDTA Plasma. Anesthesia and Analgesia, 2015, 120, 1235-1241.	2,2	14
23	Differential effects of phenylephrine and norepinephrine on peripheral tissue oxygenation during general anaesthesia. European Journal of Anaesthesiology, 2015, 32, 571-580.	1.7	39
24	A Novel Design for Steerable Instruments Based on Laser-Cut Nitinol. Surgical Innovation, 2014, 21, 303-311.	0.9	14
25	Accuracy of the Composite Variability Index as a Measure of the Balance Between Nociception and Antinociception During Anesthesia. Anesthesia and Analgesia, 2014, 119, 288-301.	2.2	42
26	A Response Surface Model Approach for Continuous Measures of Hypnotic and Analgesic Effect during Sevoflurane–Remifentanil Interaction. Anesthesiology, 2014, 120, 1390-1399.	2.5	25
27	Interaction between Nitrous Oxide, Sevoflurane, and Opioids. Anesthesiology, 2013, 118, 894-902.	2.5	19
28	Sevoflurane Remifentanil Interaction. Anesthesiology, 2012, 116, 311-323.	2.5	53
29	Auto-mutual information function of the EEG as a measure of depth of anesthesia., 2011, 2011, 2574-7.		5
30	An Evaluation of Using Population Pharmacokinetic Models to Estimate Pharmacodynamic Parameters for Propofol and Bispectral Index in Children. Anesthesiology, 2011, 115, 83-93.	2.5	72
31	A hitchâ€hiker's guide to the intravenous PK/PD galaxy. Paediatric Anaesthesia, 2011, 21, 915-918.	1.1	4
32	Pressure monitoring during neuroendoscopy: new insights. British Journal of Anaesthesia, 2011, 107, 218-224.	3.4	4
33	Optimizing intravenous drug administration by applying pharmacokinetic/pharmacodynamic concepts. British Journal of Anaesthesia, 2011, 107, 38-47.	3.4	55
34	Propofol and Remifentanil Differentially Modulate Frontal Electroencephalographic Activity. Anesthesiology, 2010, 113, 292-304.	2.5	44
35	Study of the time course of the clinical effect of propofol compared with the time course of the predicted effect-site concentration: performance of three pharmacokinetic–dynamic models. British Journal of Anaesthesia, 2010, 104, 452-458.	3.4	60
36	Assessment of the depth of anesthesia based on symbolic dynamics of the EEG., 2010, 2010, 5971-4.		4

3

#	Article	IF	CITATIONS
37	Noxious Stimulation Response Index. Anesthesiology, 2010, 112, 872-880.	2.5	60
38	Depth of Anesthesia Index using Cumulative Power Spectrum. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 15-8.	0.5	4
39	Detrended Fluctuation Analysis of EEG as a Measure of Depth of Anesthesia. IEEE Transactions on Biomedical Engineering, 2007, 54, 840-846.	4.2	116
40	Cerebral State Index during Propofol Anesthesia. Anesthesiology, 2006, 105, 28-36.	2.5	598
41	The Effects of Ketamine and Rocuronium on the A-Line \hat{A}^{\otimes} Auditory Evoked Potential Index, Bispectral Index, and Spectral Entropy Monitor during Steady State Propofol and Remifentanil Anesthesia. Anesthesiology, 2006, 105, 1122-1134.	2.5	23
42	Sequential off-pump coronary artery bypass and liver transplantation. Transplant International, 2006, 19, 432-434.	1.6	10
43	New Composite Index Based on Midlatency Auditory Evoked Potential and Electroencephalographic Parameters to Optimize Correlation with Propofol Effect Site Concentration. Anesthesiology, 2005, 103, 500-507.	2.5	39
44	A Prospective Randomized Trial Comparing the 1-Stage with the 2-Stage Implantation of a Pulse Generator in Patients with Pelvic Floor Dysfunction Selected for Sacral Nerve Stimulation. European Urology, 2004, 45, 649-654.	1.9	100
45	Remifentanil used to supplement propofol does not improve quality of sedation during spontaneous respiration. Journal of Clinical Anesthesia, 2004, 16, 237-243.	1.6	57
46	Spectral Entropy as an Electroencephalographic Measure of Anesthetic Drug Effect. Anesthesiology, 2004, 101, 34-42.	2.5	153
47	A comparison of bispectral index and ARX-derived auditory evoked potential index in measuring the clinical interaction between ketamine and propofol anaesthesia. Anaesthesia, 2003, 58, 957-961.	3.8	80
48	Ability of the Bispectral Index, Autoregressive Modelling with Exogenous Input-derived Auditory Evoked Potentials, and Predicted Propofol Concentrations to Measure Patient Responsiveness during Anesthesia with Propofol and Remifentanil. Anesthesiology, 2003, 99, 802-812.	2.5	171
49	Recent Advances in Composite AEP/EEG Indices for Estimating Hypnotic Depth during General Anesthesia., 0,, 535-553.		O