Edward J Boyko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4164988/publications.pdf

Version: 2024-02-01

402 papers 32,808 citations

93 h-index 165 g-index

410 all docs

410 docs citations

410 times ranked

32372 citing authors

#	Article	IF	CITATIONS
1	Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins: evidence for independent roles of age and sex. Diabetologia, 2003, 46, 459-469.	6.3	1,272
2	Brief questions to identify patients with inadequate health literacy. Family Medicine, 2004, 36, 588-94.	0.5	1,143
3	Cerebrospinal fluid leptin levels: Relationship to plasma levels and to adiposity in humans. Nature Medicine, 1996, 2, 589-593.	30.7	922
4	Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings. Diabetes Care, 1999, 22, 157-162.	8.6	916
5	A prospective study of risk factors for diabetic foot ulcer. The Seattle Diabetic Foot Study. Diabetes Care, 1999, 22, 1036-1042.	8.6	563
6	Alcohol Use and Alcohol-Related Problems Before and After Military Combat Deployment. JAMA - Journal of the American Medical Association, 2008, 300, 663.	7.4	541
7	Visceral adiposity and risk of type 2 diabetes: a prospective study among Japanese Americans Diabetes Care, 2000, 23, 465-471.	8.6	513
8	Oral Disposition Index Predicts the Development of Future Diabetes Above and Beyond Fasting and 2-h Glucose Levels. Diabetes Care, 2009, 32, 335-341.	8.6	457
9	Lower-extremity amputation in diabetes. The independent effects of peripheral vascular disease, sensory neuropathy, and foot ulcers. Diabetes Care, 1999, 22, 1029-1035.	8.6	441
10	Quantification of the relationship between insulin sensitivity and beta-cell function in human subjects. Evidence for a hyperbolic function. Diabetes, 1993, 42, 1663-1672.	0.6	384
11	Diabetes complications severity index and risk of mortality, hospitalization, and healthcare utilization. American Journal of Managed Care, 2008, 14, 15-23.	1.1	377
12	Diet and Exercise Among Adults With Type 2 Diabetes: Findings from the Third National Health and Nutrition Examination Survey (NHANES III). Diabetes Care, 2002, 25, 1722-1728.	8.6	368
13	The Concurrent Accumulation of Intra-Abdominal and Subcutaneous Fat Explains the Association Between Insulin Resistance and Plasma Leptin Concentrations. Diabetes, 2002, 51, 1005-1015.	0.6	362
14	Trajectories of trauma symptoms and resilience in deployed US military service members: Prospective cohort study. British Journal of Psychiatry, 2012, 200, 317-323.	2.8	338
15	The Independent Contributions of Diabetic Neuropathy and Yasculopatny in Foot Ulceration: How great are the risks?. Diabetes Care, 1995, 18, 216-219.	8.6	335
16	Risk Factors Associated With Suicide in Current and Former US Military Personnel. JAMA - Journal of the American Medical Association, 2013, 310, 496.	7.4	325
17	Risk Factors for Diabetic Peripheral Sensory Neuropathy: Results of the Seattle Prospective Diabetic Foot Study. Diabetes Care, 1997, 20, 1162-1167.	8.6	316
18	Prediction of Diabetic Foot Ulcer Occurrence Using Commonly Available Clinical Information: The Seattle Diabetic Foot Study. Diabetes Care, 2006, 29, 1202-1207.	8.6	312

#	Article	IF	CITATIONS
19	Racial Differences in Diabetic Nephropathy, Cardiovascular Disease, and Mortality in a National Population of Veterans. Diabetes Care, 2003, 26, 2392-2399.	8.6	300
20	The Prevalence and Predictors of Elevated Serum Aminotransferase Activity in the United States in 1999-2002. American Journal of Gastroenterology, 2006, 101, 76-82.	0.4	286
21	Gestational Diabetes Mellitus Increases the Risk of Cardiovascular Disease in Women With a Family History of Type 2 Diabetes. Diabetes Care, 2006, 29, 2078-2083.	8.6	284
22	Is central obesity associated with cirrhosis-related death or hospitalization? A population-based, cohort study. Clinical Gastroenterology and Hepatology, 2005, 3, 67-74.	4.4	283
23	IDF diabetes Atlas: Global estimates of undiagnosed diabetes in adults for 2021. Diabetes Research and Clinical Practice, 2022, 183, 109118.	2.8	282
24	Current Challenges and Opportunities in the Prevention and Management of Diabetic Foot Ulcers. Diabetes Care, 2018, 41, 645-652.	8.6	278
25	Type 2 Diabetes Prevalence in Asian Americans: Results of a national health survey. Diabetes Care, 2004, 27, 66-69.	8.6	272
26	Visceral adiposity and incident coronary heart disease in Japanese-American men. The 10-year follow-up results of the Seattle Japanese-American Community Diabetes Study Diabetes Care, 1999, 22, 1808-1812.	8.6	270
27	Association of Bioavailable, Free, and Total Testosterone With Insulin Resistance: Influence of sex hormone-binding globulin and body fat. Diabetes Care, 2004, 27, 861-868.	8.6	270
28	Predeployment Sleep Duration and Insomnia Symptoms as Risk Factors for New-Onset Mental Health Disorders Following Military Deployment. Sleep, 2013, 36, 1009-1018.	1.1	265
29	Three-Year Incidence of Low Back Pain in an Initially Asymptomatic Cohort. Spine, 2005, 30, 1541-1548.	2.0	263
30	Attitudes toward Assisted Suicide and Euthanasia among Physicians in Washington State. New England Journal of Medicine, 1994, 331, 89-94.	27.0	250
31	Visceral Adiposity Is an Independent Predictor of Incident Hypertension in Japanese Americans. Annals of Internal Medicine, 2004, 140, 992.	3.9	234
32	Millennium Cohort: enrollment begins a 21-year contribution to understanding the impact of military service. Journal of Clinical Epidemiology, 2007, 60, 181-191.	5.0	234
33	Sleep Patterns Before, During, and After Deployment to Iraq and Afghanistan. Sleep, 2010, 33, 1615-1622.	1.1	231
34	Association between baseline plasma leptin levels and subsequent development of diabetes in Japanese Americans. Diabetes Care, 1999, 22, 65-70.	8.6	227
35	Risk of Ulcerative Colitis among Former and Current Cigarette Smokers. New England Journal of Medicine, 1987, 316, 707-710.	27.0	226
36	Outcomes of infants born to mothers with inflammatory bowel disease: a population-based cohort study. American Journal of Gastroenterology, 2002, 97, 641-648.	0.4	225

#	Article	IF	Citations
37	Diagnosing Pneumonia by Physical Examination. Archives of Internal Medicine, 1999, 159, 1082.	3.8	224
38	Adipokines, Inflammation, and Visceral Adiposity across the Menopausal Transition: A Prospective Study. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 1104-1110.	3.6	223
39	Predictive factors for diabetic foot ulceration: a systematic review. Diabetes/Metabolism Research and Reviews, 2012, 28, 574-600.	4.0	219
40	Guidelines on diagnosis, prognosis, and management of peripheral artery disease in patients with foot ulcers and diabetes (IWGDF 2019 update). Diabetes/Metabolism Research and Reviews, 2020, 36, e3276.	4.0	214
41	Intramuscular testosterone esters and plasma lipids in hypogonadal men: a meta-analysis. American Journal of Medicine, 2001, 111, 261-269.	1.5	212
42	Etiology of the Metabolic Syndrome: Potential Role of Insulin Resistance, Leptin Resistance, and Other Players. Annals of the New York Academy of Sciences, 1999, 892, 25-44.	3.8	208
43	Elevated serum alanine aminotransferase activity and calculated risk of coronary heart disease in the United States. Hepatology, 2006, 43, 1145-1151.	7.3	207
44	A Prospective Study of Depression Following Combat Deployment in Support of the Wars in Iraq and Afghanistan. American Journal of Public Health, 2010, 100, 90-99.	2.7	197
45	Elevated prevalence of hepatitis C infection in users of United States veterans medical centers. Hepatology, 2005, 41, 88-96.	7.3	196
46	Visceral Adiposity and the Risk of Impaired Glucose Tolerance: A prospective study among Japanese Americans. Diabetes Care, 2003, 26, 650-655.	8.6	191
47	Low serum testosterone level as a predictor of increased visceral fat in Japanese-American men. International Journal of Obesity, 2000, 24, 485-491.	3.4	186
48	The independent contribution of diabetic foot ulcer on lower extremity amputation and mortality risk. Journal of Diabetes and Its Complications, 2014, 28, 632-638.	2.3	186
49	Minimum Waist and Visceral Fat Values for Identifying Japanese Americans at Risk for the Metabolic Syndrome. Diabetes Care, 2007, 30, 120-127.	8.6	178
50	Visceral Adiposity, Not Abdominal Subcutaneous Fat Area, Is Associated With an Increase in Future Insulin Resistance in Japanese Americans. Diabetes, 2008, 57, 1269-1275.	0.6	177
51	Visceral abdominal fat accumulation predicts the conversion of metabolically healthy obese subjects to an unhealthy phenotype. International Journal of Obesity, 2015, 39, 1365-1370.	3.4	172
52	The prevalence of cirrhosis and hepatocellular carcinoma in patients with human immunodeficiency virus infection. Hepatology, 2013, 57, 249-257.	7.3	171
53	Observational research â€" opportunities and limitations. Journal of Diabetes and Its Complications, 2013, 27, 642-648.	2.3	161
54	Effects of Ethnicity and Nephropathy on Lower-Extremity Amputation Risk Among Diabetic Veterans. Diabetes Care, 2003, 26, 495-501.	8.6	160

#	Article	IF	CITATIONS
55	The contribution of insulin-dependent and insulin-independent glucose uptake to intravenous glucose tolerance in healthy human subjects. Diabetes, 1994, 43, 587-592.	0.6	154
56	Progressive Loss of β-Cell Function Leads to Worsening Glucose Tolerance in First-Degree Relatives of Subjects With Type 2 Diabetes. Diabetes Care, 2007, 30, 677-682.	8.6	152
57	Guidelines on the classification of diabetic foot ulcers (IWGDF 2019). Diabetes/Metabolism Research and Reviews, 2020, 36, e3273.	4.0	151
58	Predictors of urinary tract infection after menopause: A prospective study. American Journal of Medicine, 2004, 117, 903-911.	1.5	146
59	Risk of Urinary Tract Infection and Asymptomatic Bacteriuria among Diabetic and Nondiabetic Postmenopausal Women. American Journal of Epidemiology, 2005, 161, 557-564.	3.4	145
60	IWGDF guidance on the diagnosis, prognosis and management of peripheral artery disease in patients with foot ulcers in diabetes. Diabetes/Metabolism Research and Reviews, 2016, 32, 37-44.	4.0	145
61	Diabetes and the Risk of Acute Urinary Tract Infection Among Postmenopausal Women. Diabetes Care, 2002, 25, 1778-1783.	8.6	144
62	Continuous relationships between non-diabetic hyperglycaemia and both cardiovascular disease and all-cause mortality: the Australian Diabetes, Obesity, and Lifestyle (AusDiab) study. Diabetologia, 2009, 52, 415-424.	6.3	142
63	Association Between Insulin Resistance and Lean Mass Loss and Fat Mass Gain in Older Men without Diabetes Mellitus. Journal of the American Geriatrics Society, 2011, 59, 1217-1224.	2.6	142
64	Binding the Elderly: A Prospective Study of the Use of Mechanical Restraints in an Acute Care Hospital. Journal of the American Geriatrics Society, 1987, 35, 290-296.	2.6	140
65	Newly Reported Respiratory Symptoms and Conditions Among Military Personnel Deployed to Iraq and Afghanistan: A Prospective Population-based Study. American Journal of Epidemiology, 2009, 170, 1433-1442.	3.4	139
66	Effects of Cigarette Smoking on the Clinical Course of Ulcerative Colitis. Scandinavian Journal of Gastroenterology, 1988, 23, 1147-1152.	1.5	134
67	Earlier Appearance of Impaired Insulin Secretion Than of Visceral Adiposity in the Pathogenesis of NIDDM: 5-Year Follow-up of Initially Nondiabetic Japanese-American Men. Diabetes Care, 1995, 18, 747-753.	8.6	134
68	Lower Prevalence of Impaired Glucose Tolerance and Diabetes Associated With Daily Seal Oil or Salmon Consumption among Alaska Natives. Diabetes Care, 1994, 17, 1498-1501.	8.6	133
69	Insulin Sensitizers May Attenuate Lean Mass Loss in Older Men With Diabetes. Diabetes Care, 2011, 34, 2381-2386.	8.6	131
70	Prevalence and Determinants of Vaginal Flora Alterations in Postmenopausal Women. Journal of Infectious Diseases, 2003, 188, 1054-1058.	4.0	128
71	Nonâ€alcoholic fatty liver disease as an independent manifestation of the metabolic syndrome: Results of a <scp>US</scp> national survey in three ethnic groups. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 664-670.	2.8	128
72	Risk Factors for Urinary Tract Infections in Postmenopausal Women. Archives of Internal Medicine, 2004, 164, 989.	3.8	127

#	Article	IF	CITATIONS
73	The Millennium Cohort Study: A 21-Year Prospective Cohort Study of 140,000 Military Personnel. Military Medicine, 2002, 167, 483-488.	0.8	126
74	Reduced insulin secretion: an independent predictor of body weight gain Journal of Clinical Endocrinology and Metabolism, 1995, 80, 1571-1576.	3.6	122
75	Risk of Diabetes in U.S. Military Service Members in Relation to Combat Deployment and Mental Health. Diabetes Care, 2010, 33, 1771-1777.	8.6	122
76	Visceral Adiposity and the Prevalence of Hypertension in Japanese Americans. Circulation, 2003, 108, 1718-1723.	1.6	121
77	Effectiveness of revascularization of the ulcerated foot in patients with diabetes and peripheral artery disease: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 136-144.	4.0	116
78	Reliability of F-Scan In-Shoe Measurements of Plantar Pressure. Foot and Ankle International, 1998, 19, 668-673.	2.3	115
79	The Association between Health Insurance Coverage and Diabetes Care; Data from the 2000 Behavioral Risk Factor Surveillance System. Health Services Research, 2005, 40, 361-372.	2.0	114
80	The Vietnam Era Twin Registry. Twin Research and Human Genetics, 2002, 5, 476-481.	1.0	112
81	Physical Examination and Chronic Lower-Extremity Ischemia. Archives of Internal Medicine, 1998, 158, 1357.	3.8	111
82	Optimum BMI Cut Points to Screen Asian Americans for Type 2 Diabetes. Diabetes Care, 2015, 38, 814-820.	8.6	108
83	Ruling Out or Ruling In Disease with the Most sensitiue or Specific Diagnostic Test. Medical Decision Making, 1994, 14, 175-179.	2.4	104
84	Diagnostic utility of the history and physical examination for peripheral vascular disease among patients with diabetes mellitus. Journal of Clinical Epidemiology, 1997, 50, 659-668.	5.0	104
85	Impact of new diagnostic criteria for diabetes on different populations. Diabetes Care, 1999, 22, 762-766.	8.6	104
86	Insulin Resistance Predicts Mortality in Nondiabetic Individuals in the U.S Diabetes Care, 2010, 33, 1179-1185.	8.6	104
87	Mortality Risk in Older Men Associated with Changes in Weight, Lean Mass, and Fat Mass. Journal of the American Geriatrics Society, 2011, 59, 233-240.	2.6	104
88	Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration. Diabetes Care, 2004, 27, 1774-1782.	8.6	103
89	Association between serum uric acid level and chronic liver disease in the United States. Hepatology, 2010, 52, 578-589.	7. 3	102
90	Urinary Incontinence and Diabetes in Postmenopausal Women. Diabetes Care, 2005, 28, 1730-1738.	8.6	101

#	Article	IF	Citations
91	Biomechanical Differences Among Pes Cavus, Neutrally Aligned, and Pes Planus Feet in Subjects with Diabetes. Foot and Ankle International, 2003, 24, 845-850.	2.3	99
92	Performance of prognostic markers in the prediction of wound healing or amputation among patients with foot ulcers in diabetes: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 128-135.	4.0	99
93	Diabetes and diabetes risk factors in second- and third-generation Japanese Americans in Seattle, Washington. Diabetes Research and Clinical Practice, 1994, 24, S43-S52.	2.8	98
94	Challenges of self-reported medical conditions and electronic medical records among members of a large military cohort. BMC Medical Research Methodology, 2008, 8, 37.	3.1	98
95	Diabetic foot ulcer incidence in relation to plantar pressure magnitude and measurement location. Journal of Diabetes and Its Complications, 2013, 27, 621-626.	2.3	98
96	Comparison of a Clinical Model, the Oral Glucose Tolerance Test, and Fasting Glucose for Prediction of Type 2 Diabetes Risk in Japanese Americans. Diabetes Care, 2003, 26, 758-763.	8.6	95
97	Obesity and COPD: Associated Symptoms, Health-related Quality of Life, and Medication Use. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2011, 8, 275-284.	1.6	95
98	Evidence That Plasma Leptin and Insulin Levels are Associated With Body Adiposity Via Different Mechanisms. Diabetes Care, 1997, 20, 1476-1481.	8.6	94
99	Racial and Ethnic Variations in Albuminuria in the US Third National Health and Nutrition Examination Survey (NHANES III) Population: Associations With Diabetes and Level of CKD. American Journal of Kidney Diseases, 2006, 48, 720-726.	1.9	94
100	Central Obesity as a Precursor to the Metabolic Syndrome in the AusDiab Study and Mauritius. Obesity, 2008, 16, 2707-2716.	3.0	94
101	Reassessing the role of QTc in the diagnosis of autonomic failure among patients with diabetes: a meta-analysis Diabetes Care, 2000, 23, 241-247.	8.6	93
102	Assessing nonresponse bias at follow-up in a large prospective cohort of relatively young and mobile military service members. BMC Medical Research Methodology, 2010, 10, 99.	3.1	92
103	Risk stratification systems for diabetic foot ulcers: a systematic review. Diabetologia, 2011, 54, 1190-1199.	6.3	92
104	Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program Outcomes Study. Annals of Internal Medicine, 2019, 170, 682.	3.9	92
105	Dietary Change and Obesity Associated with Glucose Intolerance in Alaska Natives. Journal of the American Dietetic Association, 1995, 95, 676-682.	1.1	91
106	Features of the metabolic syndrome predict higher risk of diabetes and impaired glucose tolerance: a prospective study in Mauritius. Diabetes Care, 2000, 23, 1242-1248.	8.6	90
107	Racial and Ethnic Differences in Microalbuminuria Prevalence in a Diabetes Population. Journal of the American Society of Nephrology: JASN, 2005, 16, 219-228.	6.1	90
108	A comparison of the PRIME-MD PHQ-9 and PHQ-8 in a large military prospective study, the Millennium Cohort Study. Journal of Affective Disorders, 2013, 148, 77-83.	4.1	90

#	Article	IF	Citations
109	Reduced insulin secretion: an independent predictor of body weight gain. Journal of Clinical Endocrinology and Metabolism, 1995, 80, 1571-1576.	3.6	90
110	Clinical correlates of plantar pressure among diabetic veterans. Diabetes Care, 1999, 22, 965-972.	8.6	89
111	Change in Visceral Adiposity Independently Predicts a Greater Risk of Developing Type 2 Diabetes Over 10 Years in Japanese Americans. Diabetes Care, 2013, 36, 289-293.	8.6	89
112	Circulating early- and mid-pregnancy microRNAs and risk of gestational diabetes. Diabetes Research and Clinical Practice, 2017, 132, 1-9.	2.8	89
113	Association between Use of Spermicide-coated Condoms and Escherichia coli Urinary Tract infection in Young Women. American Journal of Epidemiology, 1996, 144, 512-520.	3.4	86
114	Limb- and Person-Level Risk Factors for Lower-Limb Amputation in the Prospective Seattle Diabetic Foot Study. Diabetes Care, 2018, 41, 891-898.	8.6	86
115	Longâ€Term Effectiveness of Screening for Hearing Loss: The Screening for Auditory Impairment—Which Hearing Assessment Test (SAIâ€WHAT) Randomized Trial. Journal of the American Geriatrics Society, 2010, 58, 427-434.	2.6	84
116	Patterns of Insulin Concentration During the OGTT Predict the Risk of Type 2 Diabetes in Japanese Americans. Diabetes Care, 2013, 36, 1229-1235.	8.6	84
117	Multicenter, Head-to-Head, Real-World Validation Study of Seven Automated Artificial Intelligence Diabetic Retinopathy Screening Systems. Diabetes Care, 2021, 44, 1168-1175.	8.6	84
118	The association between health insurance coverage and diabetes care; data from the 2000 Behavioral Risk Factor Surveillance System. Health Services Research, 2005, 40, 361-72.	2.0	83
119	Disordered Eating and Weight Changes After Deployment: Longitudinal Assessment of a Large US Military Cohort. American Journal of Epidemiology, 2008, 169, 415-427.	3.4	82
120	Prospective study of autonomic neuropathy as a predictor of mortality in patients with diabetes. Diabetes Research and Clinical Practice, 2002, 58, 131-138.	2.8	81
121	Diabetes Mellitus and Urinary Tract Infection: Epidemiology, Pathogenesis and Proposed Studies in Animal Models. Journal of Urology, 2009, 182, S51-6.	0.4	80
122	Standard definitions of overweight and central adiposity for determining diabetes risk in Japanese Americans. American Journal of Clinical Nutrition, 2001, 74, 101-107.	4.7	78
123	Sleep Characteristics, Mental Health, and Diabetes Risk. Diabetes Care, 2013, 36, 3154-3161.	8.6	78
124	Newly Reported Hypertension After Military Combat Deployment in a Large Population-Based Study. Hypertension, 2009, 54, 966-973.	2.7	77
125	Evaluation of a Weight Management Program for Veterans. Preventing Chronic Disease, 2012, 9, E99.	3.4	76
126	Susceptibility to Development of Central Adiposity Among Populations. Obesity, 1995, 3, 179S-186S.	4.0	75

#	Article	IF	CITATIONS
127	Association of Interleukin 6 Receptor Variant With Cardiovascular Disease Effects of Interleukin 6 Receptor Blocking Therapy. JAMA Cardiology, 2018, 3, 849.	6.1	75
128	Prevalence of Radiographic Foot Abnormalities in Patients with Diabetes. Foot and Ankle International, 1997, 18, 342-346.	2.3	74
129	Responsiveness of the SF-36 among veterans with diabetes mellitus. Journal of Diabetes and Its Complications, 2000, 14, 31-39.	2.3	74
130	Chronology and determinants of tissue repair in diabetic lower-extremity ulcers. Diabetes, 1991, 40, 1305-1313.	0.6	74
131	Interventions in the management of infection in the foot in diabetes: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 145-153.	4.0	72
132	Increased Risk of Inflammatory Bowel Disease Associated with Oral Contraceptive Use. American Journal of Epidemiology, 1994, 140, 268-278.	3.4	71
133	Diabetic foot ulcer classifications: A critical review. Diabetes/Metabolism Research and Reviews, 2020, 36, e3272.	4.0	70
134	Improvement of BMI, Body Composition, and Body Fat Distribution With Lifestyle Modification in Japanese Americans With Impaired Glucose Tolerance. Diabetes Care, 2002, 25, 1504-1510.	8.6	69
135	Contribution of metabolic factors to alanine aminotransferase activity in persons with other causes of liver disease. Gastroenterology, 2005, 128, 627-635.	1.3	68
136	Urinary Incontinence and Urinary Tract Infection. Obstetrics and Gynecology, 2008, 111, 317-323.	2.4	68
137	Body Mass Index Is Associated with Increased Creatinine Clearance by a Mechanism Independent of Body Fat Distribution. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3781-3788.	3.6	68
138	Prospectively Assessed Posttraumatic Stress Disorder and Associated Physical Activity. Public Health Reports, 2011, 126, 371-383.	2.5	68
139	Pathophysiologic Differences Among Asians, Native Hawaiians, and Other Pacific Islanders and Treatment Implications. Diabetes Care, 2012, 35, 1189-1198.	8.6	68
140	Impact of Combat Deployment and Posttraumatic Stress Disorder on Newly Reported Coronary Heart Disease Among US Active Duty and Reserve Forces. Circulation, 2014, 129, 1813-1820.	1.6	67
141	The Evidence for an Obesity Paradox in Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2018, 42, 179.	4.7	67
142	Type 2 diabetes and the metabolic syndrome in Japanese Americans. Diabetes Research and Clinical Practice, 2000, 50, S73-S76.	2.8	66
143	Leptin and other components of the Metabolic Syndrome in Mauritiusâ€"a factor analysis. International Journal of Obesity, 2001, 25, 126-131.	3.4	65
144	Effects of Sex and Hormone Replacement Therapy Use on the Prevalence of Isolated Impaired Fasting Glucose and Isolated Impaired Glucose Tolerance in Subjects With a Family History of Type 2 Diabetes. Diabetes, 2006, 55, 3529-3535.	0.6	65

#	Article	IF	Citations
145	Intra-abdominal fat accumulation predicts the development of the metabolic syndrome in non-diabetic Japanese-Americans. Diabetologia, 2007, 50, 1156-1160.	6.3	64
146	Foot ulcer risk and location in relation to prospective clinical assessment of foot shape and mobility among persons with diabetes. Diabetes Research and Clinical Practice, 2008, 82, 226-232.	2.8	64
147	Greater hand-grip strength predicts a lower risk of developing type 2 diabetes over 10 years in leaner Japanese Americans. Diabetes Research and Clinical Practice, 2011, 92, 261-264.	2.8	64
148	Assessment of Vital Status in Department of Veterans Affairs National Databases. Annals of Epidemiology, 2001, 11, 286-291.	1.9	63
149	Validation of methods for assessing cardiovascular disease using electronic health data in a cohort of Veterans with diabetes. Pharmacoepidemiology and Drug Safety, 2016, 25, 467-471.	1.9	63
150	Reduced amylin release is a characteristic of impaired glucose tolerance and type 2 diabetes in Japanese Americans. Diabetes, 1998, 47, 640-645.	0.6	61
151	A Reduced-Fat Diet and Aerobic Exercise in Japanese Americans With Impaired Glucose Tolerance Decreases Intra-Abdominal Fat and Improves Insulin Sensitivity but not A-Cell Function. Diabetes, 2005, 54, 340-347.	0.6	61
152	Effects of Long-term Metformin and Lifestyle Interventions on Cardiovascular Events in the Diabetes Prevention Program and Its Outcome Study. Circulation, 2022, 145, 1632-1641.	1.6	60
153	Reference test errors bias the evaluation of diagnostic tests for ischemic heart disease. Journal of General Internal Medicine, 1988, 3, 476-481.	2.6	59
154	Prevalence and trends of insulin resistance, impaired fasting glucose, and diabetes. Journal of Diabetes and Its Complications, 2007, 21, 363-370.	2.3	59
155	Effectiveness of bedside investigations to diagnose peripheral artery disease among people with diabetes mellitus: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 119-127.	4.0	59
156	Diabetes in Nonveterans, Veterans, and Veterans Receiving Department of Veterans Affairs Health Care. Diabetes Care, 2004, 27, B3-B9.	8.6	58
157	Relationship of proinsulin and insulin with noninsulin-dependent diabetes mellitus and coronary heart disease in Japanese-American men: impact of obesity-clinical research center study Journal of Clinical Endocrinology and Metabolism, 1995, 80, 1399-1406.	3.6	57
158	Effect of Regional Fat Distribution and Prader-Willi Syndrome on Plasma Leptin Levels 1. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 566-570.	3.6	57
159	Predictors of Urinary Incontinence in a Prospective Cohort of Postmenopausal Women. Obstetrics and Gynecology, 2006, 108, 855-862.	2.4	57
160	Mental Health and Comorbidities in U.S. Military Members. Military Medicine, 2016, 181, 537-545.	0.8	57
161	Associations Among Visceral Fat, All-Cause Mortality, and Obesity-Related Mortality in Japanese Americans. Diabetes Care, 2012, 35, 296-298.	8.6	56
162	Risk factors for nosocomial urinary tract–related bacteremia: A case-control study. American Journal of Infection Control, 2006, 34, 401-407.	2.3	55

#	Article	IF	Citations
163	Vaginal symptoms in postmenopausal women. Menopause, 2010, 17, 121-126.	2.0	55
164	Bodybuilding, Energy, and Weight-Loss Supplements Are Associated WithÂDeployment and Physical Activity in U.S. Military Personnel. Annals of Epidemiology, 2012, 22, 318-330.	1.9	54
165	Increased Visceral Adipose Tissue Is an Independent Predictor for Future Development of Atherogenic Dyslipidemia. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 678-685.	3.6	54
166	Preinjury Psychiatric Status, Injury Severity, and Postdeployment Posttraumatic Stress Disorder <alt-title>Physical Injury and PTSD</alt-title> . Archives of General Psychiatry, 2011, 68, 496.	12.3	53
167	Risk Factors for Lower Extremity Tendinopathies in Military Personnel. Orthopaedic Journal of Sports Medicine, 2013, 1, 232596711349270.	1.7	53
168	Longitudinal associations between incident lumbar spine MRI findings and chronic low back pain or radicular symptoms: retrospective analysis of data from the longitudinal assessment of imaging and disability of the back (LAIDBACK). BMC Musculoskeletal Disorders, 2014, 15, 152.	1.9	53
169	The Effects of Exposure to Documented Open-Air Burn Pits on Respiratory Health Among Deployers of the Millennium Cohort Study. Journal of Occupational and Environmental Medicine, 2012, 54, 708-716.	1.7	52
170	Use of Spermicide-Coated Condoms and Other Risk Factors for Urinary Tract Infection Caused by Staphylococcus saprophyticus. Archives of Internal Medicine, 1998, 158, 281.	3.8	51
171	Modifiable risk factors for chronic back pain: insights using the co-twin control design. Spine Journal, 2017, 17, 4-14.	1.3	50
172	The millennium Cohort Study: a 21-year prospective cohort study of 140,000 military personnel. Military Medicine, 2002, 167, 483-8.	0.8	50
173	Sexual Intercourse and Risk of Symptomatic Urinary Tract Infection in Post-Menopausal Women. Journal of General Internal Medicine, 2008, 23, 595-599.	2.6	49
174	Fasting tests of insulin secretion and sensitivity predict future prediabetes in Japanese with normal glucose tolerance. Journal of Diabetes Investigation, 2010, 1, 191-195.	2.4	49
175	Racial and ethnic differences in incident myocardial infarction in end-stage renal disease patients: The USRDS. Kidney International, 2006, 69, 1691-1698.	5.2	48
176	Mortality among veterans with type 2 diabetes initiating metformin, sulfonylurea or rosiglitazone monotherapy. Diabetologia, 2013, 56, 1934-1943.	6.3	48
177	Electrocardiographic QT Interval Prolongation and Risk of Primary Cardiac Arrest in Diabetic Patients. Diabetes Care, 2005, 28, 2045-2047.	8.6	47
178	The correlation of paraoxonase (PON1) activity with lipid and lipoprotein levels differs with vascular disease status. Journal of Lipid Research, 2005, 46, 1888-1895.	4.2	47
179	Metabolic Consequences of Obstructive Sleep Apnea Especially Pertaining to Diabetes Mellitus and Insulin Sensitivity. Diabetes and Metabolism Journal, 2019, 43, 144.	4.7	47
180	Weight change following US military service. International Journal of Obesity, 2013, 37, 244-253.	3.4	46

#	Article	IF	CITATIONS
181	Characteristics of Uninsured Americans with Chronic Kidney Disease. Journal of General Internal Medicine, 2009, 24, 917-922.	2.6	45
182	Hearing loss associated with US military combat deployment. Noise and Health, 2015, 17, 34.	0.5	45
183	A High-Carbohydrate, High-Fiber, Low-Fat Diet Results in Weight Loss among Adults at High Risk of Type 2 Diabetes. Journal of Nutrition, 2017, 147, jn252395.	2.9	44
184	Insulin, C-Peptide, and Leptin Concentrations Predict Increased Visceral Adiposity at 5- and 10-Year Follow-Ups in Nondiabetic Japanese Americans. Diabetes, 2005, 54, 985-990.	0.6	43
185	Neighborhood Poverty and Kidney Transplantation Among US Asians and Pacific Islanders with Endâ€Stage Renal Disease. American Journal of Transplantation, 2008, 8, 2402-2409.	4.7	43
186	Fasting and Post-Glucose Load Measures of Insulin Resistance and Risk of Ischemic Stroke in Older Adults. Stroke, 2011, 42, 3347-3351.	2.0	43
187	HbA1c, fasting and 2Âh plasma glucose in current, ex- and never-smokers: a meta-analysis. Diabetologia, 2014, 57, 30-39.	6.3	43
188	The Epidemiology of Irritable Bowel Syndrome in the US Military: Findings from the Millennium Cohort Study. American Journal of Gastroenterology, 2016, 111, 93-104.	0.4	43
189	Demographic and occupational predictors of early response to a mailed invitation to enroll in a longitudinal health study. BMC Medical Research Methodology, 2007, 7, 6.	3.1	42
190	Clinical Significance of Postvoid Residual Volume in Older Ambulatory Women. Journal of the American Geriatrics Society, 2011, 59, 1452-1458.	2.6	42
191	Association of Visceral Fat and Liver Fat With Hyperuricemia. Arthritis Care and Research, 2016, 68, 553-561.	3.4	42
192	Proinsulin as a marker for the development of NIDDM in Japanese-American men. Diabetes, 1995, 44, 173-179.	0.6	42
193	Gender Differences in Demographic and Health Characteristics of the Million Veteran Program Cohort. Women's Health Issues, 2019, 29, S56-S66.	2.0	41
194	COVID-19 Vaccination Effectiveness Against Infection or Death in a National U.S. Health Care System. Annals of Internal Medicine, 2022, 175, 352-361.	3.9	41
195	Hypertension in Alaska natives: Association with overweight, glucose intolerance, diet and mechanized activity. Ethnicity and Health, 1997, 2, 267-275.	2.5	40
196	Effect of Regional Fat Distribution and Prader-Willi Syndrome on Plasma Leptin Levels. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 566-570.	3.6	40
197	Predicting Impaired Glucose Tolerance Using Common Clinical Information. Diabetes Care, 2003, 26, 2058-2062.	8.6	39
198	Health impact of US military service in a large population-based military cohort: findings of the Millennium Cohort Study, 2001-2008. BMC Public Health, 2011, 11, 69.	2.9	39

#	Article	IF	CITATIONS
199	Physical activity barriers and enablers in older Veterans with lower-limb amputation. Journal of Rehabilitation Research and Development, 2014, 51, 895-906.	1.6	39
200	Longitudinal Associations Among Posttraumatic Stress Disorder, Disordered Eating, and Weight Gain in Military Men and Women. American Journal of Epidemiology, 2016, 184, 33-47.	3.4	39
201	Impact of Islet Autoimmunity on the Progressive β-Cell Functional Decline in Type 2 Diabetes. Diabetes Care, 2014, 37, 3286-3293.	8.6	39
202	Type 2 Diabetes Prevalence in Asian Subjects: Response to McNeely and Boyko. Diabetes Care, 2004, 27, 1251-1252.	8.6	38
203	A case-control study of endoscopy and mortality from adenocarcinoma of the esophagus or gastric cardia in persons with GERD. Gastrointestinal Endoscopy, 2003, 57, 823-829.	1.0	37
204	Insulin Resistance is the Best Predictor of the Metabolic Syndrome in Subjects With a Firstâ€Degree Relative With Type 2 Diabetes. Obesity, 2010, 18, 1781-1787.	3.0	37
205	Risk factors for type 2 diabetes: Lessons learned from Japanese Americans in Seattle. Journal of Diabetes Investigation, 2012, 3, 212-224.	2.4	37
206	Prospective post-traumatic stress disorder symptom trajectories in active duty and separated military personnel. Journal of Psychiatric Research, 2017, 89, 55-64.	3.1	37
207	Worldwide estimates of incidence of type 2 diabetes in children and adolescents in 2021. Diabetes Research and Clinical Practice, 2022, 185, 109785.	2.8	37
208	Race, Treatment, and Survival of Veterans With Cancer of the Distal Esophagus and Gastric Cardia. Medical Care, 2002, 40, I-14-I-26.	2.4	36
209	All-Cause Mortality Risk Among a National Sample of Individuals With Diabetes. Diabetes Care, 2010, 33, 2360-2364.	8.6	36
210	Preventive Care in Relation to Obesity. American Journal of Preventive Medicine, 2011, 41, 465-472.	3.0	36
211	Smokeless tobacco use related to military deployment, cigarettes and mental health symptoms in a large, prospective cohort study among US service members. Addiction, 2012, 107, 983-994.	3.3	36
212	Change in Intra-Abdominal Fat Predicts the Risk of Hypertension in Japanese Americans. Hypertension, 2015, 66, 134-140.	2.7	36
213	Low Plasma Adiponectin Concentrations Predict Increases in Visceral Adiposity and Insulin Resistance. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4626-4633.	3 . 6	36
214	Type and Location of Injection Drug Use-Related Soft Tissue Infections Predict Hospitalization. Journal of Urban Health, 2003, 80, 127-136.	3.6	35
215	Epidemiology of inflammatory bowel disease among participants of the Millennium Cohort: incidence, deploymentâ& related risk factors, and antecedent episodes of infectious gastroenteritis. Alimentary Pharmacology and Therapeutics, 2017, 45, 1115-1127.	3.7	35
216	Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans. Diabetes and Metabolism Journal, 2018, 42, 488.	4.7	35

#	Article	IF	Citations
217	The use of risk factors in medical diagnosis: Opportunities and cautions. Journal of Clinical Epidemiology, 1990, 43, 851-858.	5.0	34
218	Breast cancer screening by Asian-American women in a managed care environment. American Journal of Preventive Medicine, 1999, 17, 55-61.	3.0	34
219	Self-Reported Health Symptoms and Conditions Among Complementary and Alternative Medicine Users in a Large Military Cohort. Annals of Epidemiology, 2009, 19, 613-622.	1.9	34
220	Mortality Associated with Metformin Versus Sulfonylurea Initiation: A Cohort Study of Veterans with Diabetes and Chronic Kidney Disease. Journal of General Internal Medicine, 2018, 33, 155-165.	2.6	33
221	Risk factors for acquiring pneumococcal infections. Archives of Internal Medicine, 1986, 146, 2179-2185.	3.8	33
222	Changes in Visceral Adiposity, Subcutaneous Adiposity, and Sex Hormones in the Diabetes Prevention Program. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3381-3389.	3.6	32
223	DASH Score and Subsequent Risk of Coronary Artery Disease: The Findings From Million Veteran Program. Journal of the American Heart Association, 2018, 7, .	3.7	32
224	Peripheral arterial disease in a multiethnic national sample: the role of conventional risk factors and allostatic load. Ethnicity and Disease, 2007, 17, 669-75.	2.3	32
225	A Randomized Controlled Trial of a Clinic-Based Support Staff Intervention to Increase the Rate of Fecal Occult Blood Test Ordering. Preventive Medicine, 2000, 30, 244-251.	3.4	31
226	Postâ€traumatic stress disorder predicts future weight change in the Millennium Cohort Study. Obesity, 2015, 23, 886-892.	3.0	31
227	Relationships between requests for psychiatric consultations and psychiatric diagnoses in long-term-care facilities. American Journal of Psychiatry, 1991, 148, 898-903.	7.2	30
228	The impact of prior deployment experience on civilian employment after military service. Occupational and Environmental Medicine, 2013, 70, 408-417.	2.8	30
229	Risk factors for relapse to problem drinking among current and former US military personnel: A prospective study of the Millennium Cohort. Drug and Alcohol Dependence, 2015, 148, 93-101.	3.2	30
230	Skin temperature in the neuropathic diabetic foot. Journal of Diabetes and Its Complications, 2001, 15, 260-264.	2.3	29
231	Visceral adiposity, not abdominal subcutaneous fat area, is associated with high blood pressure in Japanese men: the Ohtori study. Hypertension Research, 2011, 34, 565-572.	2.7	29
232	Geographic Variation in Black–White Differences in End-of-Life Care for Patients with ESRD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1171-1178.	4.5	29
233	The development and validation of a multivariable prognostic model to predict foot ulceration in diabetes using a systematic review and individual patient data metaâ€analyses. Diabetic Medicine, 2018, 35, 1480-1493.	2.3	29
234	Relationship of medial arterial calcinosis to autonomic neuropathy and adverse outcomes in a diabetic veteran population. Journal of Diabetes and Its Complications, 2002, 16, 165-171.	2.3	28

#	Article	IF	Citations
235	Health care utilization among complementary and alternative medicine users in a large military cohort. BMC Complementary and Alternative Medicine, 2011, 11, 27.	3.7	28
236	Longitudinal Investigation of Smoking Initiation and Relapse Among Younger and Older US Military Personnel. American Journal of Public Health, 2015, 105, 1220-1229.	2.7	28
237	Increased Incidence of Infections in Intravenous Drug Users. Infection Control and Hospital Epidemiology, 1989, 10, 211-215.	1.8	27
238	Effects of menopause and hormone replacement therapy on the associations of hyperuricemia with mortality. Atherosclerosis, 2013, 226, 220-227.	0.8	27
239	Effectiveness of bedside investigations to diagnose peripheral artery disease among people with diabetes mellitus: A systematic review. Diabetes/Metabolism Research and Reviews, 2020, 36, e3277.	4.0	27
240	Do We Know What Homeostasis Model Assessment Measures?: If not, does it matter?. Diabetes Care, 2007, 30, 2725-2728.	8.6	26
241	Relationship between serum circulating insulinâ€like growth factorâ€1 and liver fat in the <scp>U</scp> nited <scp>S</scp> tates. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 589-596.	2.8	26
242	Diabetes-related comorbidities in Asian Americans. Journal of Diabetes and Its Complications, 2005, 19, 101-106.	2.3	25
243	Two-hour glucose predicts the development of hypertension over 5 years: the AusDiab study. Journal of Human Hypertension, 2008, 22, 168-176.	2.2	25
244	Headache Disorders in the Millennium Cohort: Epidemiology and Relations With Combat Deployment. Headache, 2011, 51, 1098-1111.	3.9	25
245	Prospective Assessment of Chronic Multisymptom Illness Reporting Possibly Associated with Open-Air Burn Pit Smoke Exposure in Iraq. Journal of Occupational and Environmental Medicine, 2012, 54, 682-688.	1.7	25
246	Posttraumatic Stress Disorder and Depression Among U.S. Military Health Care Professionals Deployed in Support of Operations in Iraq and Afghanistan. Journal of Traumatic Stress, 2012, 25, 616-623.	1.8	25
247	Comparison of relationships between four common anthropometric measures and incident diabetes. Diabetes Research and Clinical Practice, 2017, 132, 36-44.	2.8	24
248	Risk of Foot Ulcer and Lower-Extremity Amputation Among Participants in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study. Diabetes Care, 2022, 45, 357-364.	8.6	24
249	Latent class analysis of the metabolic syndrome. Diabetes Research and Clinical Practice, 2010, 89, 88-93.	2.8	23
250	Intra-abdominal fat accumulation is greatest at younger ages in Japanese-American adults. Diabetes Research and Clinical Practice, 2010, 89, 58-64.	2.8	23
251	Chronic Multisymptom Illness: A Comparison of Iraq and Afghanistan Deployers With Veterans of the 1991 Gulf War. American Journal of Epidemiology, 2014, 180, 1176-1187.	3.4	23
252	The Feasibility of Using Largeâ€6cale Text Mining to Detect Adverse Childhood Experiences in a VAâ€Treated Population. Journal of Traumatic Stress, 2015, 28, 505-514.	1.8	23

#	Article	IF	Citations
253	Alcohol Consumption and Risk of Coronary Artery Disease (from the Million Veteran Program). American Journal of Cardiology, 2018, 121, 1162-1168.	1.6	23
254	The Role of Age in Susceptibility to Pneumococcal Infections. Age and Ageing, 1992, 21, 357-361.	1.6	22
255	Tissue Oxygenation and Skin Blood Flow in the Diabetic Foot: Responses to Cutaneous Warming. Foot and Ankle International, 2001, 22, 711-714.	2.3	22
256	Evaluation of a modified version of the Posttraumatic Growth Inventory-Short Form. BMC Medical Research Methodology, 2017, 17, 69.	3.1	22
257	A systematic review with meta-analysis of the impact of access and quality of diabetic foot care delivery in preventing lower extremity amputation. Journal of Diabetes and Its Complications, 2021, 35, 107837.	2.3	22
258	Profile of two cohorts: UK and US prospective studies of military health. International Journal of Epidemiology, 2012, 41, 1272-1282.	1.9	21
259	Lower-limb amputation and body weight changes in men. Journal of Rehabilitation Research and Development, 2015, 52, 159-170.	1.6	21
260	Differential Association Between HDL Subclasses and the Development of Type 2 Diabetes in a Prospective Study of Japanese Americans. Diabetes Care, 2015, 38, 2100-2105.	8.6	21
261	Increased Incidence of Infections in Intravenous Drug Users. Infection Control and Hospital Epidemiology, 1989, 10, 211-215.	1.8	21
262	Community patterns of transdermal nicotine use and provider counseling. Journal of General Internal Medicine, 1995, 10, 656-662.	2.6	20
263	Genetic Variation and Obesity in Australian Women: A Prospective Study. Obesity, 2001, 9, 733-740.	4.0	20
264	Age-specific trends in cardiovascular mortality rates in the Netherlands between 1980 and 2009. European Journal of Epidemiology, 2011, 26, 369-373.	5.7	20
265	Longitudinal Assessment of Mental Disorders, Smoking, and Hazardous Drinking Among a Population-Based Cohort of US Service Members. Journal of Addiction Medicine, 2014, 8, 271-281.	2.6	20
266	New-Onset Asthma and Combat Deployment: Findings From the Millennium Cohort Study. American Journal of Epidemiology, 2018, 187, 2136-2144.	3.4	20
267	Metabolic Clusters and Outcomes in Older Adults: The Cardiovascular Health Study. Journal of the American Geriatrics Society, 2018, 66, 289-296.	2.6	19
268	Subcutaneous thigh fat area is unrelated to risk of type 2 diabetes in a prospective study of Japanese Americans. Diabetologia, 2011, 54, 2795-2800.	6.3	18
269	Determination of Optimal Sample Size for Quantification of \hat{i}^2 -Cell Area, Amyloid Area and \hat{i}^2 -Cell Apoptosis in Isolated Islets. Journal of Histochemistry and Cytochemistry, 2015, 63, 663-673.	2.5	18
270	Deployment, combat, and risk of multiple physical symptoms in the US military: aÂprospective cohort study. Annals of Epidemiology, 2016, 26, 122-128.	1.9	18

#	Article	IF	CITATIONS
271	The Millennium Cohort Study: The first 20 years of research dedicated to understanding the long-term health of US Service Members and Veterans. Annals of Epidemiology, 2022, 67, 61-72.	1.9	18
272	Newly Reported Lupus and Rheumatoid Arthritis in Relation to Deployment Within Proximity to a Documented Open-Air Burn Pit in Iraq. Journal of Occupational and Environmental Medicine, 2012, 54, 698-707.	1.7	17
273	Novel common and rare genetic determinants of paraoxonase activity: FTO, SERPINA12, and ITGAL. Journal of Lipid Research, 2013, 54, 552-560.	4.2	17
274	Increased plasma leptin levels are associated with fat accumulation in Japanese Americans. Diabetes, 1998, 47, 239-243.	0.6	17
275	Weather and Occurrence of Eclampsia. International Journal of Epidemiology, 1988, 17, 582-588.	1.9	16
276	A Method to Describe Physician Decision Thresholds and Its Application in Examining the Diagnosis of Coronary Artery Disease Based on Exercise Treadmill Testing. Medical Decision Making, 1992, 12, 204-212.	2.4	16
277	Association between analgesic use and inflammatory bowel disease (IBD) flares: A retrospective cohort study. Gastroenterology, 2000, 118, A581.	1.3	16
278	Adipocytokines as features of the metabolic syndrome determined using confirmatory factor analysis. Annals of Epidemiology, 2013, 23, 415-421.	1.9	16
279	Impact of differences in glucose tolerance on the prevalence of a negative insulinogenic index. Journal of Diabetes and Its Complications, 2013, 27, 158-161.	2.3	16
280	Changes in Meeting Physical Activity Guidelines After Discharge From the Military. Journal of Physical Activity and Health, 2015, 12, 666-674.	2.0	16
281	Weight Change Trajectories After Incident Lower-Limb Amputation. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1-7.e1.	0.9	16
282	Association of Combat Experiences With Suicide Attempts Among Active-Duty US Service Members. JAMA Network Open, 2021, 4, e2036065.	5.9	16
283	Changes in the associations of race and rurality with SARS-CoV-2 infection, mortality, and case fatality in the United States from February 2020 to March 2021: A population-based cohort study. PLoS Medicine, 2021, 18, e1003807.	8.4	16
284	Paradoxical Transcutaneous Oxygen Response to Cutaneous Warming on the Plantar Foot Surface: A Caution for Interpretation of Plantar Foot TcPO2 Measurements. Foot and Ankle International, 1995, 16, 787-791.	2.3	15
285	The Association Between Birth Weight and Visceral Fat in Middle-age Adults*. Obesity, 2007, 15, 816-819.	3.0	15
286	Effects of ethnicity on diabetes incidence and prevention: results of the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) trial. Diabetic Medicine, 2010, 27, 1226-1232.	2.3	15
287	Metformin and Colorectal Cancer Risk in Diabetic Patients. Diabetes Care, 2011, 34, 2336-2337.	8.6	15
288	Protocol for a systematic review and individual patient data meta-analysis of prognostic factors of foot ulceration in people with diabetes: the international research collaboration for the prediction of diabetic foot ulcerations (PODUS). BMC Medical Research Methodology, 2013, 13, 22.	3.1	15

#	Article	IF	CITATIONS
289	A prospective study of glycemia, body size, insulin resistance and the risk of hypertension in Mauritius. Journal of Hypertension, 2008, 26, 1742-1749.	0.5	14
290	Exploratory factor analysis of self-reported symptoms in a large, population-based military cohort. BMC Medical Research Methodology, 2010, 10, 94.	3.1	14
291	Pilot randomized trial of a telephone-delivered physical activity and weight management intervention for individuals with lower extremity amputation. Disability and Health Journal, 2019, 12, 43-50.	2.8	14
292	Longitudinal Investigation of Military-specific Factors Associated With Continued Unhealthy Alcohol Use Among a Large US Military Cohort. Journal of Addiction Medicine, 2020, 14, e53-e63.	2.6	14
293	Nocardia Asteroides Cervical Osteomyelitis in an Immunocompetent Host. Otolaryngology - Head and Neck Surgery, 1988, 99, 334-337.	1.9	13
294	Screening for Auditory Impairment — Which Hearing Assessment Test (SAI-WHAT): RCT design and baseline characteristics. Contemporary Clinical Trials, 2007, 28, 303-315.	1.8	13
295	Does abnormal insulin action or insulin secretion explain the increase in prevalence of impaired glucose metabolism with age in populations of different ethnicities?. Diabetes/Metabolism Research and Reviews, 2010, 26, 245-253.	4.0	13
296	A Polygenic Lipodystrophy Genetic Risk Score Characterizes Risk Independent of BMI in the Diabetes Prevention Program. Journal of the Endocrine Society, 2019, 3, 1663-1677.	0.2	13
297	Impaired counterregulatory responses to hypoglycaemia following oral glucose in adults with cystic fibrosis. Diabetologia, 2020, 63, 1055-1065.	6.3	13
298	Risk of Congestive Heart Failure in an Elderly Population Treated with Peripheral Alpha-1 Antagonists. Journal of the American Geriatrics Society, 2004, 52, 1648-1654.	2.6	12
299	Early mortality experience in a large military cohort and a comparison of mortality data sources. Population Health Metrics, 2010, 8, 15.	2.7	12
300	ACCORD Glycemia Results Continue to Puzzle. Diabetes Care, 2010, 33, 1149-1150.	8.6	12
301	Physical activity and associations with computed tomography–detected lumbar zygapophyseal joint osteoarthritis. Spine Journal, 2015, 15, 42-49.	1.3	12
302	Patterns of Smoking and Unhealthy Alcohol Use Following Sexual Trauma Among U.S. Service Members. Journal of Traumatic Stress, 2017, 30, 502-511.	1.8	12
303	Sex Hormones and Measures of Kidney Function in the Diabetes Prevention Program Outcomes Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1171-1180.	3.6	12
304	Risk of Ipsilateral Reamputation Following an Incident Toe Amputation Among U.S. Military Veterans With Diabetes, 2005–2016. Diabetes Care, 2020, 43, 1033-1040.	8.6	12
305	Short Report: Circulating microRNAs are associated with incident diabetes over 10 years in Japanese Americans. Scientific Reports, 2020, 10, 6509.	3.3	12
306	Diabetes Research in the Department of Veterans Affairs. Diabetes Care, 2004, 27, B95-B98.	8.6	11

#	Article	IF	Citations
307	Superiority of the Modification of Diet in Renal Disease equation over the Cockcroft–Gault equation in screening for impaired kidney function in Japanese Americans. Diabetes Research and Clinical Practice, 2007, 77, 320-326.	2.8	11
308	Predictors of End-stage Renal Disease in the Urban Poor. Journal of Health Care for the Poor and Underserved, 2013, 24, 1686-1700.	0.8	11
309	Weight change after initiation of oral hypoglycemic monotherapy for diabetes predicts 5-year mortality: An observational study. Diabetes Research and Clinical Practice, 2017, 123, 181-191.	2.8	11
310	Effects of combination of change in visceral fat and thigh muscle mass on the development of type 2 diabetes. Diabetes Research and Clinical Practice, 2017, 134, 131-138.	2.8	11
311	Risk factors for adverse outcomes among 35 879 veterans with and without diabetes after diagnosis with COVID-19. BMJ Open Diabetes Research and Care, 2021, 9, e002252.	2.8	11
312	Does Diabetes Always Confer Coronary Heart Disease Risk Equivalent to a Prior Myocardial Infarction?: Implications for prevention. Diabetes Care, 2011, 34, 782-784.	8.6	10
313	Preventive services in veterans in relation to disability. Journal of Rehabilitation Research and Development, 2012, 49, 339.	1.6	10
314	Arm length is associated with type 2 diabetes mellitus in Japanese-Americans. Diabetologia, 2012, 55, 1679-1684.	6.3	10
315	Associations between lipodystrophy or antiretroviral medications and cirrhosis in patients with HIV infection or HIV/HCV coinfection. European Journal of Gastroenterology and Hepatology, 2015, 27, 577-584.	1.6	10
316	Weight loss intention, dietary behaviors, and barriers to dietary change in veterans with lower extremity amputations. Disability and Health Journal, 2015, 8, 325-335.	2.8	10
317	Greater visceral abdominal fat is associated with a lower probability of conversion of prehypertension to normotension. Journal of Hypertension, 2017, 35, 1213-1218.	0.5	10
318	Comparing self-reported physical activity and sedentary time to objective fitness measures in a military cohort. Journal of Science and Medicine in Sport, 2019, 22, 59-64.	1.3	10
319	Associations Between Racial and Ethnic Groups and Foot Self-Inspection in People With Diabetes. Diabetes Care, 2020, 43, 956-963.	8.6	10
320	Effects of Exercise and Nutrition on Memory in Japanese Americans With Impaired Glucose Tolerance. Diabetes Care, 2006, 29, 135-136.	8.6	10
321	Fasting Insulin Level Underestimates Risk of Non-Insulin-dependent Diabetes Mellitus Due to Confounding by Insulin Secretion. American Journal of Epidemiology, 1997, 145, 18-23.	3.4	9
322	Associations Between Compulsory Physical Activity During Military Service and Activity in Later Adulthood Among Male Veterans Compared With Nonveterans. Journal of Physical Activity and Health, 2013, 10, 784-791.	2.0	9
323	Factors associated with maintenance of body mass index in the Jackson Heart Study: A prospective cohort study secondary analysis. Preventive Medicine, 2017, 100, 95-100.	3.4	9
324	Higher High Density Lipoprotein 2 (HDL2) to Total HDL Cholesterol Ratio Is Associated with a Lower Risk for Incident Hypertension. Diabetes and Metabolism Journal, 2019, 43, 114.	4.7	9

#	Article	IF	CITATIONS
325	Post-traumatic Stress Disorder Symptoms are Associated With Incident Chronic Back Pain. Spine, 2019, 44, 1220-1227.	2.0	9
326	Prevalence of rheumatoid arthritis and hepatitis C in those age 60 and older in a US population based study. Journal of Rheumatology, 2003, 30, 455-8.	2.0	9
327	Disability among US Army Veterans vaccinated against anthrax. Vaccine, 2012, 30, 6150-6156.	3.8	8
328	Changes in regional body composition over 8 years in a randomized lifestyle trial: The look AHEAD study. Obesity, 2016, 24, 1899-1905.	3.0	8
329	Smoking and drinking behaviors of military spouses: Findings from the Millennium Cohort Family Study. Addictive Behaviors, 2018, 77, 121-130.	3.0	8
330	Change in visceral adiposity is an independent predictor of future arterial pulse pressure. Journal of Hypertension, 2018, 36, 299-305.	0.5	8
331	Canagliflozin should be prescribed with caution to individuals with type 2 diabetes and high risk of amputation. Diabetologia, 2019, 62, 900-904.	6.3	8
332	Response to Comment on Lee et al. Multicenter, Head-to-Head, Real-World Validation Study of Seven Automated Artificial Intelligence Diabetic Retinopathy Screening Systems. Diabetes Care 2021;44:1168–1175. Diabetes Care, 2021, 44, e108-e109.	8.6	8
333	Apolipoprotein B Levels Predict Future Development of Hypertension Independent of Visceral Adiposity and Insulin Sensitivity. Endocrinology and Metabolism, 2020, 35, 351-358.	3.0	8
334	Diabetes in the Department of Veterans Affairs. Diabetes Care, 2004, 27, B1-B2.	8.6	7
335	Longitudinal Assessment of Self-Reported Recent Back Pain and Combat Deployment in the Millennium Cohort Study. Spine, 2016, 41, 1754-1763.	2.0	7
336	Design and validation of a novel estimator of visceral adipose tissue area and comparison to existing adiposity surrogates. Journal of Diabetes and Its Complications, 2018, 32, 1062-1067.	2.3	7
337	Healthy behaviors and incidence of overweight and obesity in military veterans. Annals of Epidemiology, 2019, 39, 26-32.e1.	1.9	7
338	How to use clinical signs and symptoms to estimate the probability of limb ischaemia in patients with a diabetic foot ulcer. Diabetes/Metabolism Research and Reviews, 2020, 36, e3241.	4.0	7
339	Datapoints: Suicide Rates in the Washington State Veteran Population. Psychiatric Services, 2008, 59, 1245-1245.	2.0	7
340	The Vietnam Era Twin Registry. Twin Research and Human Genetics, 2002, 5, 476-481.	1.0	7
341	Data Resource Profile: Self-reported data in the Million Veteran Program: survey development and insights from the first 850â€\$736 participants. International Journal of Epidemiology, 2023, 52, e1-e17.	1.9	7
342	Re: "Psychiatric Diagnoses in Historic and Contemporary Military Cohorts: Combat Deployment and the Healthy Warrior Effect". American Journal of Epidemiology, 2008, 168, 1094-1095.	3.4	6

#	Article	IF	Citations
343	Datapoints: Suicide Rates in the Washington State Veteran Population. Psychiatric Services, 2008, 59, 1245-1245.	2.0	6
344	A Prospective Study of Lupus and Rheumatoid Arthritis in Relation to Deployment in Support of Iraq and Afghanistan: The Millennium Cohort Study. Autoimmune Diseases, 2011, 2011, 1-13.	0.6	6
345	A comparison of mental health outcomes in persons entering U.S. military service before and after September 11, 2001. Journal of Traumatic Stress, 2012, 25, 17-24.	1.8	6
346	The Association of Predeployment and Deployment-Related Factors on Dimensions of Postdeployment Wellness in U.S. Military Service Members. American Journal of Health Promotion, 2013, 28, e56-e66.	1.7	6
347	Deployment-Related Depression Screening, 2001–2008. American Journal of Preventive Medicine, 2014, 47, 531-540.	3.0	6
348	Posttraumatic Stress Disorder Symptom Association With Subsequent Risky and Problem Drinking Initiation. Journal of Addiction Medicine, 2018, 12, 353-362.	2.6	6
349	The Epidemiology of Diabetic Neuropathy. , 2007, , 7-30.		5
350	Influenza Vaccination Rates of Children in Households with High-Risk Adults. Public Health Reports, 2010, 125, 192-198.	2.5	5
351	Suicides Among Military Personnel—Reply. JAMA - Journal of the American Medical Association, 2013, 310, 2565.	7.4	5
352	Do medical conditions predispose to the development of chronic back pain? A longitudinal co-twin control study of middle-aged males with 11-year follow-up. BMC Musculoskeletal Disorders, 2018, 19, 362.	1.9	5
353	Change in CT-measured abdominal subcutaneous and visceral but not thigh fat areas predict future insulin sensitivity. Diabetes Research and Clinical Practice, 2019, 154, 17-26.	2.8	5
354	Prevalence of Hepatitis B Virus Exposure in the Veterans Health Administration and Association With Military-Related Risk Factors. Clinical Gastroenterology and Hepatology, 2020, 18, 954-962.e6.	4.4	5
355	Comparison of twenty indices of insulin sensitivity in predicting type 2 diabetes in Japanese Americans: The Japanese American Community Diabetes Study. Journal of Diabetes and Its Complications, 2020, 34, 107731.	2.3	5
356	How patients interpret early signs of foot problems and reasons for delays in care: Findings from interviews with patients who have undergone toe amputations. PLoS ONE, 2021, 16, e0248310.	2.5	5
357	Differences in cause of death of Washington State veterans who did and did not use Department of Veterans Affairs healthcare services. Journal of Rehabilitation Research and Development, 2006, 43, 825.	1.6	5
358	Accuracy of QTcand QTI for Detection of Autonomic Dysfunction. Annals of Noninvasive Electrocardiology, 1999, 4, 257-266.	1.1	4
359	Review: glycated haemoglobin A1c and fasting plasma glucose screening tests have similar sensitivities and specificities for early detection of type 2 diabetes. Evidence-Based Medicine, 2007, 12, 152-152.	0.6	4
360	Insulin Sensitivity and Insulin Secretion Determined by Homeostasis Model Assessment and Risk of Diabetes in a Multiethnic Cohort of Women: the Women's Health Initiative Observational Study. Diabetes Care, 2007, 30, e110-e110.	8.6	4

#	Article	IF	CITATIONS
361	Reply. Hepatology, 2013, 57, 2545-2545.	7.3	4
362	U.S. Naval and Marine Corps Occupations, Posttraumatic Stress Disorder, Depression Risk, and Absenteeism. Journal of Workplace Behavioral Health, 2014, 29, 91-112.	1.4	4
363	World Diabetes Congress Vancouver 2015: Public Health and Epidemiology Stream. Diabetes Research and Clinical Practice, 2015, 109, 450.	2.8	4
364	Leptin and Adiponectin Concentrations Independently Predict Future Accumulation of Visceral Fat in Nondiabetic Japanese Americans. Obesity, 2021, 29, 233-239.	3.0	4
365	Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program Outcome Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4746-e4765.	3.6	4
366	Diabetes Prevalence in North America and Caribbean Region in 2017 and 2045. Diabetes, 2018, 67, .	0.6	4
367	Intra-Abdominal Fat and High Density Lipoprotein Cholesterol Are Associated in a Non-Linear Pattern in Japanese-Americans. Diabetes and Metabolism Journal, 2020, 44, 277.	4.7	4
368	Oral Disposition Index Predicts the Development of Future Diabetes Above and Beyond Fasting and 2-h Glucose Levels. Diabetes Care, 2009, 32, e87-e87.	8.6	3
369	Baseline estradiol concentration in community-dwelling Japanese American men is not associated with intra-abdominal fat accumulation over 10 years. Obesity Research and Clinical Practice, 2016, 10, 624-632.	1.8	3
370	Predictors of Incident Type 2 Diabetes Mellitus in Japanese Americans with Normal Fasting Glucose Level. Diabetes and Metabolism Journal, 2018, 42, 198.	4.7	3
371	Longitudinal Examination of the Influence of Individual Posttraumatic Stress Disorder Symptoms and Clusters of Symptoms on the Initiation of Cigarette Smoking. Journal of Addiction Medicine, 2018, 12, 363-372.	2.6	3
372	Characteristics and Clinical Course of Diabetes of the Exocrine Pancreas: A Nationwide Population-Based Cohort Study. Diabetes Care, 2022, 45, 1141-1150.	8.6	3
373	RE: "NONSPECIFIC INFLAMMATORY BOWEL DISEASE AND SMOKING― American Journal of Epidemiology, 1988, 127, 696-697.	3.4	2
374	IDF plans dynamic 2019 congress. Diabetes Research and Clinical Practice, 2019, 150, 342-343.	2.8	2
375	Lower High-Density Lipoprotein Cholesterol Concentration Is Independently Associated with Greater Future Accumulation of Intra-Abdominal Fat. Endocrinology and Metabolism, 2021, 36, 835-844.	3.0	2
376	Outcomes of infants born to mothers with inflammatory bowel disease: a population-based cohort study. American Journal of Gastroenterology, 2002, 97, 641-648.	0.4	2
377	Adiposity, related biomarkers, and type 2 diabetes after gestational diabetes: The Diabetes Prevention Program. Obesity, 2021, , .	3.0	2
378	Plasma amino acid profile, a biomarker for visceral adipose tissue that can substitute for waist circumference in Japanese Americans. Obesity Research and Clinical Practice, 2021, 15, 557-563.	1.8	2

#	Article	IF	Citations
379	Work-up bias as an explanation for variations in sensitivity and specificity. Journal of General Internal Medicine, 1989, 4, 177-177.	2.6	1
380	Leukocyte Esterase Tests Detect Pyuria, Not Bacteriuria. Annals of Internal Medicine, 1993, 118, 230.	3.9	1
381	Predictors of urinary tract infection after menopause: A prospective study. American Journal of Medicine, 2005, 118, 930-931.	1.5	1
382	Epidemiology of Peripheral Vascular Disease. , 2005, , 419-430.		1
383	Is It Time to Take a Different Approach to Screening People at High Risk for Type 1 Diabetes?. Diabetes Care, 2009, 32, 966-967.	8.6	1
384	Utility of Homeostasis Model Assessment of Â-Cell Function in Predicting Diabetes in 12,924 Healthy Koreans: Response to Sung, Reaven, and Kim. Diabetes Care, 2010, 33, e71-e71.	8.6	1
385	Natural history of impaired glucose tolerance in Japanese Americans: Change in visceral adiposity is associated with remission from impaired glucose tolerance to normal glucose tolerance. Diabetes Research and Clinical Practice, 2018, 142, 303-311.	2.8	1
386	Response: Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in Japanese Americans (<i>Diabetes Metab J</i> 2018;42:488–95). Diabetes and Metabolism Journal, 2019, 43, 125.	4.7	1
387	Longitudinal changes in plasma sex hormone concentrations correlate with changes in CTâ€measured regional adiposity among Japanese American men over 10Âyears. Clinical Endocrinology, 2020, 93, 555-563.	2.4	1
388	Causation Research on Diabetic Foot Complicationsâ€"What I Learned From Roger Pecoraro: The 2021 Roger E. Pecoraro Award Lecture. Diabetes Care, 2021, 44, 2205-2211.	8.6	1
389	Risk of Foot Ulcer and Lower Extremity Amputation among Participants in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study (DCCT/EDIC). Diabetes, 2018, 67, .	0.6	1
390	Validity of methods to identify individuals with lower extremity amputation using Department of Veterans Affairs electronic medical records. Archives of Rehabilitation Research and Clinical Translation, 2022, 4, 100182.	0.9	1
391	The Millennium Cohort Study. Military Medicine, 2002, 167, ii.	0.8	1
392	Potential problems in the use of necropsy data in epidemiologic research. Journal of General Internal Medicine, 1990, 5, 530-532.	2.6	0
393	Response to Comment on Boyko and Jensen. Do We Know What Homeostatis Model Assessment Measures? If Not, Does It Matter? Diabetes Care 2007;30:2725–2728. Diabetes Care, 2015, 38, e214-e214.	8.6	0
394	All-cause mortality in patients on sulfonylurea monotherapy. Diabetes Research and Clinical Practice, 2020, 160, 107666.	2.8	0
395	Long-term Fasting Glycemic Variability and Microvascular Complications in Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2822-e2824.	3.6	0
396	Comparison of Diagnostic Accuracy for Lower-Extremity Amputation Codes During the ICD-9 and ICD-10 Eras in a High-Risk Population of Patients With Diabetes. Diabetes Care, 2021, 44, e48-e49.	8.6	0

#	Article	IF	CITATIONS
397	The Epidemiology of Peripheral Vascular Disease. , 0, , 539-563.		O
398	Abstract 2295: Association between metformin use and the risk of colorectal adenomas: A systematic review and meta-analysis. , $2017, \dots$		0
399	Dietary Animal and Saturated Fat Predict Future Visceral Fat Accumulation in Japanese Americans. Diabetes, 2018, 67, 198-LB.	0.6	O
400	Sex Hormones and Development of Chronic Kidney Disease in the Diabetes Prevention Program Outcomes Study (DPPOS). Diabetes, 2018, 67, 1574-P.	0.6	O
401	Leptin Concentration Predicts Future Metabolic Syndrome Risk in Japanese Americans Independent of Body Composition. Diabetes, 2018, 67, .	0.6	O
402	Association of Visceral Fat and Liver Fat, Not Thigh Muscle Area nor Attenuation, with the Incidence of Type 2 Diabetes. Diabetes, 2018, 67, 1617-P.	0.6	0