
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4164988/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Data Resource Profile: Self-reported data in the Million Veteran Program: survey development and<br>insights from the first 850â€S736 participants. International Journal of Epidemiology, 2023, 52, e1-e17.   | 1.9 | 7         |
| 2  | Risk of Foot Ulcer and Lower-Extremity Amputation Among Participants in the Diabetes Control and<br>Complications Trial/Epidemiology of Diabetes Interventions and Complications Study. Diabetes Care,<br>2022, 45, 357-364.                           | 8.6 | 24        |
| 3  | Validity of methods to identify individuals with lower extremity amputation using Department of<br>Veterans Affairs electronic medical records. Archives of Rehabilitation Research and Clinical<br>Translation, 2022, 4, 100182.                      | 0.9 | 1         |
| 4  | IDF diabetes Atlas: Global estimates of undiagnosed diabetes in adults for 2021. Diabetes Research and Clinical Practice, 2022, 183, 109118.   | 2.8 | 282       |
| 5  | The Millennium Cohort Study: The first 20 years of research dedicated to understanding the<br>long-term health of US Service Members and Veterans. Annals of Epidemiology, 2022, 67, 61-72.  | 1.9 | 18        |
| 6  | Characteristics and Clinical Course of Diabetes of the Exocrine Pancreas: A Nationwide Population-Based Cohort Study. Diabetes Care, 2022, 45, 1141-1150.  | 8.6 | 3         |
| 7  | COVID-19 Vaccination Effectiveness Against Infection or Death in a National U.S. Health Care System.<br>Annals of Internal Medicine, 2022, 175, 352-361.   | 3.9 | 41        |
| 8  | Worldwide estimates of incidence of type 2 diabetes in children and adolescents in 2021. Diabetes Research and Clinical Practice, 2022, 185, 109785.   | 2.8 | 37        |
| 9  | Effects of Long-term Metformin and Lifestyle Interventions on Cardiovascular Events in the Diabetes Prevention Program and Its Outcome Study. Circulation, 2022, 145, 1632-1641.   | 1.6 | 60        |
| 10 | Leptin and Adiponectin Concentrations Independently Predict Future Accumulation of Visceral Fat in Nondiabetic Japanese Americans. Obesity, 2021, 29, 233-239.   | 3.0 | 4         |
| 11 | Association of Combat Experiences With Suicide Attempts Among Active-Duty US Service Members.<br>JAMA Network Open, 2021, 4, e2036065.   | 5.9 | 16        |
| 12 | How patients interpret early signs of foot problems and reasons for delays in care: Findings from interviews with patients who have undergone toe amputations. PLoS ONE, 2021, 16, e0248310.   | 2.5 | 5         |
| 13 | Long-term Fasting Glycemic Variability and Microvascular Complications in Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2822-e2824.   | 3.6 | Ο         |
| 14 | Hepatic Fat in Participants With and Without Incident Diabetes in the Diabetes Prevention Program<br>Outcome Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e4746-e4765.  | 3.6 | 4         |
| 15 | A systematic review with meta-analysis of the impact of access and quality of diabetic foot care<br>delivery in preventing lower extremity amputation. Journal of Diabetes and Its Complications, 2021, 35,<br>107837.                                 | 2.3 | 22        |
| 16 | Response to Comment on Lee et al. Multicenter, Head-to-Head, Real-World Validation Study of Seven<br>Automated Artificial Intelligence Diabetic Retinopathy Screening Systems. Diabetes Care<br>2021;44:1168–1175. Diabetes Care, 2021, 44, e108-e109. | 8.6 | 8         |
| 17 | Risk factors for adverse outcomes among 35 879 veterans with and without diabetes after diagnosis with COVID-19. BMJ Open Diabetes Research and Care, 2021, 9, e002252.  | 2.8 | 11        |
| 18 | Lower High-Density Lipoprotein Cholesterol Concentration Is Independently Associated with Greater<br>Future Accumulation of Intra-Abdominal Fat. Endocrinology and Metabolism, 2021, 36, 835-844.  | 3.0 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Causation Research on Diabetic Foot Complications—What I Learned From Roger Pecoraro: The 2021<br>Roger E. Pecoraro Award Lecture. Diabetes Care, 2021, 44, 2205-2211.  | 8.6 | 1         |
| 20 | Multicenter, Head-to-Head, Real-World Validation Study of Seven Automated Artificial Intelligence<br>Diabetic Retinopathy Screening Systems. Diabetes Care, 2021, 44, 1168-1175.  | 8.6 | 84        |
| 21 | Comparison of Diagnostic Accuracy for Lower-Extremity Amputation Codes During the ICD-9 and ICD-10 Eras in a High-Risk Population of Patients With Diabetes. Diabetes Care, 2021, 44, e48-e49.  | 8.6 | О         |
| 22 | Changes in the associations of race and rurality with SARS-CoV-2 infection, mortality, and case<br>fatality in the United States from February 2020 to March 2021: A population-based cohort study. PLoS<br>Medicine, 2021, 18, e1003807. | 8.4 | 16        |
| 23 | Adiposity, related biomarkers, and type 2 diabetes after gestational diabetes: The Diabetes Prevention Program. Obesity, 2021, , .  | 3.0 | 2         |
| 24 | Plasma amino acid profile, a biomarker for visceral adipose tissue that can substitute for waist circumference in Japanese Americans. Obesity Research and Clinical Practice, 2021, 15, 557-563.  | 1.8 | 2         |
| 25 | All-cause mortality in patients on sulfonylurea monotherapy. Diabetes Research and Clinical Practice, 2020, 160, 107666.  | 2.8 | 0         |
| 26 | Prevalence of Hepatitis B Virus Exposure in the Veterans Health Administration and Association With<br>Military-Related Risk Factors. Clinical Gastroenterology and Hepatology, 2020, 18, 954-962.e6.                                     | 4.4 | 5         |
| 27 | How to use clinical signs and symptoms to estimate the probability of limb ischaemia in patients with a diabetic foot ulcer. Diabetes/Metabolism Research and Reviews, 2020, 36, e3241.   | 4.0 | 7         |
| 28 | Longitudinal Investigation of Military-specific Factors Associated With Continued Unhealthy Alcohol<br>Use Among a Large US Military Cohort. Journal of Addiction Medicine, 2020, 14, e53-e63.  | 2.6 | 14        |
| 29 | Comparison of twenty indices of insulin sensitivity in predicting type 2 diabetes in Japanese Americans:<br>The Japanese American Community Diabetes Study. Journal of Diabetes and Its Complications, 2020, 34,<br>107731.               | 2.3 | 5         |
| 30 | Diabetic foot ulcer classifications: A critical review. Diabetes/Metabolism Research and Reviews, 2020, 36, e3272.  | 4.0 | 70        |
| 31 | Effectiveness of bedside investigations to diagnose peripheral artery disease among people with<br>diabetes mellitus: A systematic review. Diabetes/Metabolism Research and Reviews, 2020, 36, e3277.                                     | 4.0 | 27        |
| 32 | Guidelines on the classification of diabetic foot ulcers (IWGDF 2019). Diabetes/Metabolism Research and Reviews, 2020, 36, e3273.   | 4.0 | 151       |
| 33 | Risk of Ipsilateral Reamputation Following an Incident Toe Amputation Among U.S. Military Veterans<br>With Diabetes, 2005–2016. Diabetes Care, 2020, 43, 1033-1040.   | 8.6 | 12        |
| 34 | Associations Between Racial and Ethnic Groups and Foot Self-Inspection in People With Diabetes.<br>Diabetes Care, 2020, 43, 956-963.  | 8.6 | 10        |
| 35 | Longitudinal changes in plasma sex hormone concentrations correlate with changes in CTâ€measured<br>regional adiposity among Japanese American men over 10Âyears. Clinical Endocrinology, 2020, 93, 555-563.                              | 2.4 | 1         |
| 36 | Guidelines on diagnosis, prognosis, and management of peripheral artery disease in patients with foot<br>ulcers and diabetes (IWGDF 2019 update). Diabetes/Metabolism Research and Reviews, 2020, 36, e3276.                              | 4.0 | 214       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Short Report: Circulating microRNAs are associated with incident diabetes over 10 years in Japanese<br>Americans. Scientific Reports, 2020, 10, 6509.   | 3.3 | 12        |
| 38 | Impaired counterregulatory responses to hypoglycaemia following oral glucose in adults with cystic fibrosis. Diabetologia, 2020, 63, 1055-1065.   | 6.3 | 13        |
| 39 | Intra-Abdominal Fat and High Density Lipoprotein Cholesterol Are Associated in a Non-Linear Pattern<br>in Japanese-Americans. Diabetes and Metabolism Journal, 2020, 44, 277.   | 4.7 | 4         |
| 40 | Apolipoprotein B Levels Predict Future Development of Hypertension Independent of Visceral Adiposity and Insulin Sensitivity. Endocrinology and Metabolism, 2020, 35, 351-358.  | 3.0 | 8         |
| 41 | Comparing self-reported physical activity and sedentary time to objective fitness measures in a military cohort. Journal of Science and Medicine in Sport, 2019, 22, 59-64.   | 1.3 | 10        |
| 42 | Gender Differences in Demographic and Health Characteristics of the Million Veteran Program<br>Cohort. Women's Health Issues, 2019, 29, S56-S66.  | 2.0 | 41        |
| 43 | A Polygenic Lipodystrophy Genetic Risk Score Characterizes Risk Independent of BMI in the Diabetes<br>Prevention Program. Journal of the Endocrine Society, 2019, 3, 1663-1677.   | 0.2 | 13        |
| 44 | Healthy behaviors and incidence of overweight and obesity in military veterans. Annals of<br>Epidemiology, 2019, 39, 26-32.e1.  | 1.9 | 7         |
| 45 | Change in CT-measured abdominal subcutaneous and visceral but not thigh fat areas predict future insulin sensitivity. Diabetes Research and Clinical Practice, 2019, 154, 17-26.  | 2.8 | 5         |
| 46 | IDF plans dynamic 2019 congress. Diabetes Research and Clinical Practice, 2019, 150, 342-343.   | 2.8 | 2         |
| 47 | Metabolic Consequences of Obstructive Sleep Apnea Especially Pertaining to Diabetes Mellitus and<br>Insulin Sensitivity. Diabetes and Metabolism Journal, 2019, 43, 144.  | 4.7 | 47        |
| 48 | Canagliflozin should be prescribed with caution to individuals with type 2 diabetes and high risk of amputation. Diabetologia, 2019, 62, 900-904.   | 6.3 | 8         |
| 49 | Response: Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes<br>Mellitus in Japanese Americans ( <i>Diabetes Metab J</i> 2018;42:488–95). Diabetes and Metabolism<br>Journal, 2019, 43, 125. | 4.7 | 1         |
| 50 | Higher High Density Lipoprotein 2 (HDL2) to Total HDL Cholesterol Ratio Is Associated with a Lower<br>Risk for Incident Hypertension. Diabetes and Metabolism Journal, 2019, 43, 114.   | 4.7 | 9         |
| 51 | Long-Term Weight Loss With Metformin or Lifestyle Intervention in the Diabetes Prevention Program<br>Outcomes Study. Annals of Internal Medicine, 2019, 170, 682.   | 3.9 | 92        |
| 52 | Pilot randomized trial of a telephone-delivered physical activity and weight management intervention for individuals with lower extremity amputation. Disability and Health Journal, 2019, 12, 43-50.                           | 2.8 | 14        |
| 53 | Sex Hormones and Measures of Kidney Function in the Diabetes Prevention Program Outcomes Study.<br>Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1171-1180.  | 3.6 | 12        |
| 54 | Post-traumatic Stress Disorder Symptoms are Associated With Incident Chronic Back Pain. Spine, 2019,<br>44, 1220-1227.  | 2.0 | 9         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Metabolic Clusters and Outcomes in Older Adults: The Cardiovascular Health Study. Journal of the<br>American Geriatrics Society, 2018, 66, 289-296.  | 2.6 | 19        |
| 56 | Alcohol Consumption and Risk of Coronary Artery Disease (from the Million Veteran Program).<br>American Journal of Cardiology, 2018, 121, 1162-1168.   | 1.6 | 23        |
| 57 | DASH Score and Subsequent Risk of Coronary Artery Disease: The Findings From Million Veteran<br>Program. Journal of the American Heart Association, 2018, 7, .   | 3.7 | 32        |
| 58 | Limb- and Person-Level Risk Factors for Lower-Limb Amputation in the Prospective Seattle Diabetic Foot<br>Study. Diabetes Care, 2018, 41, 891-898.   | 8.6 | 86        |
| 59 | Current Challenges and Opportunities in the Prevention and Management of Diabetic Foot Ulcers.<br>Diabetes Care, 2018, 41, 645-652.  | 8.6 | 278       |
| 60 | Smoking and drinking behaviors of military spouses: Findings from the Millennium Cohort Family<br>Study. Addictive Behaviors, 2018, 77, 121-130.   | 3.0 | 8         |
| 61 | Change in visceral adiposity is an independent predictor of future arterial pulse pressure. Journal of<br>Hypertension, 2018, 36, 299-305.   | 0.5 | 8         |
| 62 | Mortality Associated with Metformin Versus Sulfonylurea Initiation: A Cohort Study of Veterans with Diabetes and Chronic Kidney Disease. Journal of General Internal Medicine, 2018, 33, 155-165.  | 2.6 | 33        |
| 63 | Association of Thigh Muscle Mass with Insulin Resistance and Incident Type 2 Diabetes Mellitus in<br>Japanese Americans. Diabetes and Metabolism Journal, 2018, 42, 488.   | 4.7 | 35        |
| 64 | Design and validation of a novel estimator of visceral adipose tissue area and comparison to existing adiposity surrogates. Journal of Diabetes and Its Complications, 2018, 32, 1062-1067.  | 2.3 | 7         |
| 65 | Do medical conditions predispose to the development of chronic back pain? A longitudinal co-twin control study of middle-aged males with 11-year follow-up. BMC Musculoskeletal Disorders, 2018, 19, 362.  | 1.9 | 5         |
| 66 | Predictors of Incident Type 2 Diabetes Mellitus in Japanese Americans with Normal Fasting Glucose<br>Level. Diabetes and Metabolism Journal, 2018, 42, 198.  | 4.7 | 3         |
| 67 | Natural history of impaired glucose tolerance in Japanese Americans: Change in visceral adiposity is associated with remission from impaired glucose tolerance to normal glucose tolerance. Diabetes Research and Clinical Practice, 2018, 142, 303-311. | 2.8 | 1         |
| 68 | The Evidence for an Obesity Paradox in Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2018,<br>42, 179.  | 4.7 | 67        |
| 69 | The development and validation of a multivariable prognostic model to predict foot ulceration in<br>diabetes using a systematic review and individual patient data metaâ€analyses. Diabetic Medicine, 2018, 35,<br>1480-1493.                            | 2.3 | 29        |
| 70 | Association of Interleukin 6 Receptor Variant With Cardiovascular Disease Effects of Interleukin 6<br>Receptor Blocking Therapy. JAMA Cardiology, 2018, 3, 849.  | 6.1 | 75        |
| 71 | Posttraumatic Stress Disorder Symptom Association With Subsequent Risky and Problem Drinking<br>Initiation. Journal of Addiction Medicine, 2018, 12, 353-362.  | 2.6 | 6         |
| 72 | Longitudinal Examination of the Influence of Individual Posttraumatic Stress Disorder Symptoms and<br>Clusters of Symptoms on the Initiation of Cigarette Smoking. Journal of Addiction Medicine, 2018, 12,<br>363-372.                                  | 2.6 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | New-Onset Asthma and Combat Deployment: Findings From the Millennium Cohort Study. American<br>Journal of Epidemiology, 2018, 187, 2136-2144.  | 3.4 | 20        |
| 74 | Diabetes Prevalence in North America and Caribbean Region in 2017 and 2045. Diabetes, 2018, 67, .  | 0.6 | 4         |
| 75 | Dietary Animal and Saturated Fat Predict Future Visceral Fat Accumulation in Japanese Americans.<br>Diabetes, 2018, 67, 198-LB.  | 0.6 | 0         |
| 76 | Risk of Foot Ulcer and Lower Extremity Amputation among Participants in the Diabetes Control and<br>Complications Trial/Epidemiology of Diabetes Interventions and Complications Study (DCCT/EDIC).<br>Diabetes, 2018, 67, .                                     | 0.6 | 1         |
| 77 | Sex Hormones and Development of Chronic Kidney Disease in the Diabetes Prevention Program Outcomes Study (DPPOS). Diabetes, 2018, 67, 1574-P.  | 0.6 | Ο         |
| 78 | Leptin Concentration Predicts Future Metabolic Syndrome Risk in Japanese Americans Independent of<br>Body Composition. Diabetes, 2018, 67, .   | 0.6 | 0         |
| 79 | Association of Visceral Fat and Liver Fat, Not Thigh Muscle Area nor Attenuation, with the Incidence of Type 2 Diabetes. Diabetes, 2018, 67, 1617-P.   | 0.6 | Ο         |
| 80 | Prospective post-traumatic stress disorder symptom trajectories in active duty and separated military personnel. Journal of Psychiatric Research, 2017, 89, 55-64.   | 3.1 | 37        |
| 81 | Epidemiology of inflammatory bowel disease among participants of the Millennium Cohort: incidence,<br>deploymentâ€related risk factors, and antecedent episodes of infectious gastroenteritis. Alimentary<br>Pharmacology and Therapeutics, 2017, 45, 1115-1127. | 3.7 | 35        |
| 82 | Greater visceral abdominal fat is associated with a lower probability of conversion of prehypertension to normotension. Journal of Hypertension, 2017, 35, 1213-1218.  | 0.5 | 10        |
| 83 | Factors associated with maintenance of body mass index in the Jackson Heart Study: A prospective cohort study secondary analysis. Preventive Medicine, 2017, 100, 95-100.  | 3.4 | 9         |
| 84 | Weight change after initiation of oral hypoglycemic monotherapy for diabetes predicts 5-year mortality: An observational study. Diabetes Research and Clinical Practice, 2017, 123, 181-191.   | 2.8 | 11        |
| 85 | Low Plasma Adiponectin Concentrations Predict Increases in Visceral Adiposity and Insulin Resistance.<br>Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4626-4633.   | 3.6 | 36        |
| 86 | A High-Carbohydrate, High-Fiber, Low-Fat Diet Results in Weight Loss among Adults at High Risk of Type<br>2 Diabetes. Journal of Nutrition, 2017, 147, jn252395.   | 2.9 | 44        |
| 87 | Effects of combination of change in visceral fat and thigh muscle mass on the development of type 2 diabetes. Diabetes Research and Clinical Practice, 2017, 134, 131-138.   | 2.8 | 11        |
| 88 | Patterns of Smoking and Unhealthy Alcohol Use Following Sexual Trauma Among U.S. Service<br>Members. Journal of Traumatic Stress, 2017, 30, 502-511.   | 1.8 | 12        |
| 89 | Comparison of relationships between four common anthropometric measures and incident diabetes.<br>Diabetes Research and Clinical Practice, 2017, 132, 36-44.   | 2.8 | 24        |
| 90 | Circulating early- and mid-pregnancy microRNAs and risk of gestational diabetes. Diabetes Research and Clinical Practice, 2017, 132, 1-9.  | 2.8 | 89        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Evaluation of a modified version of the Posttraumatic Growth Inventory-Short Form. BMC Medical<br>Research Methodology, 2017, 17, 69.  | 3.1 | 22        |
| 92  | Changes in Visceral Adiposity, Subcutaneous Adiposity, and Sex Hormones in the Diabetes Prevention<br>Program. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3381-3389.                               | 3.6 | 32        |
| 93  | Modifiable risk factors for chronic back pain: insights using the co-twin control design. Spine<br>Journal, 2017, 17, 4-14.  | 1.3 | 50        |
| 94  | Abstract 2295: Association between metformin use and the risk of colorectal adenomas: A systematic review and meta-analysis. , 2017, , .   |     | 0         |
| 95  | Mental Health and Comorbidities in U.S. Military Members. Military Medicine, 2016, 181, 537-545.   | 0.8 | 57        |
| 96  | Association of Visceral Fat and Liver Fat With Hyperuricemia. Arthritis Care and Research, 2016, 68, 553-561.  | 3.4 | 42        |
| 97  | The Epidemiology of Irritable Bowel Syndrome in the US Military: Findings from the Millennium<br>Cohort Study. American Journal of Gastroenterology, 2016, 111, 93-104.  | 0.4 | 43        |
| 98  | IWGDF guidance on the diagnosis, prognosis and management of peripheral artery disease in patients with foot ulcers in diabetes. Diabetes/Metabolism Research and Reviews, 2016, 32, 37-44.                          | 4.0 | 145       |
| 99  | Performance of prognostic markers in the prediction of wound healing or amputation among patients with foot ulcers in diabetes: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 128-135.    | 4.0 | 99        |
| 100 | Changes in regional body composition over 8 years in a randomized lifestyle trial: The look AHEAD study. Obesity, 2016, 24, 1899-1905.   | 3.0 | 8         |
| 101 | Longitudinal Assessment of Self-Reported Recent Back Pain and Combat Deployment in the Millennium<br>Cohort Study. Spine, 2016, 41, 1754-1763.   | 2.0 | 7         |
| 102 | Longitudinal Associations Among Posttraumatic Stress Disorder, Disordered Eating, and Weight Gain<br>in Military Men and Women. American Journal of Epidemiology, 2016, 184, 33-47.                                  | 3.4 | 39        |
| 103 | Validation of methods for assessing cardiovascular disease using electronic health data in a cohort of Veterans with diabetes. Pharmacoepidemiology and Drug Safety, 2016, 25, 467-471.                              | 1.9 | 63        |
| 104 | Baseline estradiol concentration in community-dwelling Japanese American men is not associated with<br>intra-abdominal fat accumulation over 10 years. Obesity Research and Clinical Practice, 2016, 10,<br>624-632. | 1.8 | 3         |
| 105 | Effectiveness of revascularization of the ulcerated foot in patients with diabetes and peripheral artery disease: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 136-144.                  | 4.0 | 116       |
| 106 | Interventions in the management of infection in the foot in diabetes: a systematic review.<br>Diabetes/Metabolism Research and Reviews, 2016, 32, 145-153.   | 4.0 | 72        |
| 107 | Effectiveness of bedside investigations to diagnose peripheral artery disease among people with<br>diabetes mellitus: a systematic review. Diabetes/Metabolism Research and Reviews, 2016, 32, 119-127.              | 4.0 | 59        |
| 108 | Increased Visceral Adipose Tissue Is an Independent Predictor for Future Development of Atherogenic<br>Dyslipidemia. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 678-685.                           | 3.6 | 54        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Deployment, combat, and risk of multiple physical symptoms in the US military: aÂprospective cohort<br>study. Annals of Epidemiology, 2016, 26, 122-128.  | 1.9 | 18        |
| 110 | Weight Change Trajectories After Incident Lower-Limb Amputation. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1-7.e1.  | 0.9 | 16        |
| 111 | Response to Comment on Boyko and Jensen. Do We Know What Homeostatis Model Assessment<br>Measures? If Not, Does It Matter? Diabetes Care 2007;30:2725–2728. Diabetes Care, 2015, 38, e214-e214.               | 8.6 | 0         |
| 112 | Postâ€ŧraumatic stress disorder predicts future weight change in the Millennium Cohort Study.<br>Obesity, 2015, 23, 886-892.  | 3.0 | 31        |
| 113 | Changes in Meeting Physical Activity Guidelines After Discharge From the Military. Journal of Physical<br>Activity and Health, 2015, 12, 666-674.   | 2.0 | 16        |
| 114 | The Feasibility of Using Largeâ€Scale Text Mining to Detect Adverse Childhood Experiences in a VAâ€Treated<br>Population. Journal of Traumatic Stress, 2015, 28, 505-514.                                     | 1.8 | 23        |
| 115 | Longitudinal Investigation of Smoking Initiation and Relapse Among Younger and Older US Military<br>Personnel. American Journal of Public Health, 2015, 105, 1220-1229.                                       | 2.7 | 28        |
| 116 | Lower-limb amputation and body weight changes in men. Journal of Rehabilitation Research and Development, 2015, 52, 159-170.  | 1.6 | 21        |
| 117 | Associations between lipodystrophy or antiretroviral medications and cirrhosis in patients with HIV infection or HIV/HCV coinfection. European Journal of Gastroenterology and Hepatology, 2015, 27, 577-584. | 1.6 | 10        |
| 118 | Hearing loss associated with US military combat deployment. Noise and Health, 2015, 17, 34.   | 0.5 | 45        |
| 119 | Risk factors for relapse to problem drinking among current and former US military personnel: A prospective study of the Millennium Cohort. Drug and Alcohol Dependence, 2015, 148, 93-101.                    | 3.2 | 30        |
| 120 | Optimum BMI Cut Points to Screen Asian Americans for Type 2 Diabetes. Diabetes Care, 2015, 38, 814-820.   | 8.6 | 108       |
| 121 | Change in Intra-Abdominal Fat Predicts the Risk of Hypertension in Japanese Americans. Hypertension, 2015, 66, 134-140.   | 2.7 | 36        |
| 122 | Determination of Optimal Sample Size for Quantification of β-Cell Area, Amyloid Area and β-Cell Apoptosis in Isolated Islets. Journal of Histochemistry and Cytochemistry, 2015, 63, 663-673.                 | 2.5 | 18        |
| 123 | Weight loss intention, dietary behaviors, and barriers to dietary change in veterans with lower extremity amputations. Disability and Health Journal, 2015, 8, 325-335.                                       | 2.8 | 10        |
| 124 | Visceral abdominal fat accumulation predicts the conversion of metabolically healthy obese subjects to an unhealthy phenotype. International Journal of Obesity, 2015, 39, 1365-1370.                         | 3.4 | 172       |
| 125 | Differential Association Between HDL Subclasses and the Development of Type 2 Diabetes in a<br>Prospective Study of Japanese Americans. Diabetes Care, 2015, 38, 2100-2105.                                   | 8.6 | 21        |
| 126 | World Diabetes Congress Vancouver 2015: Public Health and Epidemiology Stream. Diabetes Research and Clinical Practice, 2015, 109, 450.   | 2.8 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Physical activity and associations with computed tomography–detected lumbar zygapophyseal joint osteoarthritis. Spine Journal, 2015, 15, 42-49.  | 1.3 | 12        |
| 128 | Physical activity barriers and enablers in older Veterans with lower-limb amputation. Journal of Rehabilitation Research and Development, 2014, 51, 895-906.   | 1.6 | 39        |
| 129 | U.S. Naval and Marine Corps Occupations, Posttraumatic Stress Disorder, Depression Risk, and Absenteeism. Journal of Workplace Behavioral Health, 2014, 29, 91-112.  | 1.4 | 4         |
| 130 | Relationship between serum circulating insulinâ€like growth factorâ€1 and liver fat in the<br><scp>U</scp> nited <scp>S</scp> tates. Journal of Gastroenterology and Hepatology (Australia), 2014,<br>29, 589-596.   | 2.8 | 26        |
| 131 | Longitudinal Assessment of Mental Disorders, Smoking, and Hazardous Drinking Among a<br>Population-Based Cohort of US Service Members. Journal of Addiction Medicine, 2014, 8, 271-281.  | 2.6 | 20        |
| 132 | Chronic Multisymptom Illness: A Comparison of Iraq and Afghanistan Deployers With Veterans of the<br>1991 Gulf War. American Journal of Epidemiology, 2014, 180, 1176-1187.  | 3.4 | 23        |
| 133 | Impact of Combat Deployment and Posttraumatic Stress Disorder on Newly Reported Coronary Heart Disease Among US Active Duty and Reserve Forces. Circulation, 2014, 129, 1813-1820.   | 1.6 | 67        |
| 134 | The independent contribution of diabetic foot ulcer on lower extremity amputation and mortality risk. Journal of Diabetes and Its Complications, 2014, 28, 632-638.  | 2.3 | 186       |
| 135 | HbA1c, fasting and 2Âh plasma glucose in current, ex- and never-smokers: a meta-analysis. Diabetologia,<br>2014, 57, 30-39.  | 6.3 | 43        |
| 136 | Deployment-Related Depression Screening, 2001–2008. American Journal of Preventive Medicine, 2014,<br>47, 531-540.   | 3.0 | 6         |
| 137 | Longitudinal associations between incident lumbar spine MRI findings and chronic low back pain or radicular symptoms: retrospective analysis of data from the longitudinal assessment of imaging and disability of the back (LAIDBACK). BMC Musculoskeletal Disorders, 2014, 15, 152.          | 1.9 | 53        |
| 138 | Impact of Islet Autoimmunity on the Progressive β-Cell Functional Decline in Type 2 Diabetes. Diabetes<br>Care, 2014, 37, 3286-3293.   | 8.6 | 39        |
| 139 | Adipocytokines as features of the metabolic syndrome determined using confirmatory factor analysis.<br>Annals of Epidemiology, 2013, 23, 415-421.  | 1.9 | 16        |
| 140 | Mortality among veterans with type 2 diabetes initiating metformin, sulfonylurea or rosiglitazone<br>monotherapy. Diabetologia, 2013, 56, 1934-1943.   | 6.3 | 48        |
| 141 | Protocol for a systematic review and individual patient data meta-analysis of prognostic factors of foot ulceration in people with diabetes: the international research collaboration for the prediction of diabetic foot ulcerations (PODUS). BMC Medical Research Methodology, 2013, 13, 22. | 3.1 | 15        |
| 142 | Diabetic foot ulcer incidence in relation to plantar pressure magnitude and measurement location.<br>Journal of Diabetes and Its Complications, 2013, 27, 621-626.   | 2.3 | 98        |
| 143 | The prevalence of cirrhosis and hepatocellular carcinoma in patients with human immunodeficiency virus infection. Hepatology, 2013, 57, 249-257.   | 7.3 | 171       |
| 144 | Observational research — opportunities and limitations. Journal of Diabetes and Its Complications, 2013, 27, 642-648.  | 2.3 | 161       |

9

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | A comparison of the PRIME-MD PHQ-9 and PHQ-8 in a large military prospective study, the Millennium<br>Cohort Study. Journal of Affective Disorders, 2013, 148, 77-83.   | 4.1 | 90        |
| 146 | Impact of differences in glucose tolerance on the prevalence of a negative insulinogenic index.<br>Journal of Diabetes and Its Complications, 2013, 27, 158-161.  | 2.3 | 16        |
| 147 | Effects of menopause and hormone replacement therapy on the associations of hyperuricemia with mortality. Atherosclerosis, 2013, 226, 220-227.  | 0.8 | 27        |
| 148 | Nonâ€alcoholic fatty liver disease as an independent manifestation of the metabolic syndrome: Results<br>of a <scp>US</scp> national survey in three ethnic groups. Journal of Gastroenterology and<br>Hepatology (Australia), 2013, 28, 664-670. | 2.8 | 128       |
| 149 | Risk Factors for Lower Extremity Tendinopathies in Military Personnel. Orthopaedic Journal of Sports<br>Medicine, 2013, 1, 232596711349270.   | 1.7 | 53        |
| 150 | Risk Factors Associated With Suicide in Current and Former US Military Personnel. JAMA - Journal of the American Medical Association, 2013, 310, 496.   | 7.4 | 325       |
| 151 | The impact of prior deployment experience on civilian employment after military service. Occupational and Environmental Medicine, 2013, 70, 408-417.  | 2.8 | 30        |
| 152 | The Association of Predeployment and Deployment-Related Factors on Dimensions of Postdeployment<br>Wellness in U.S. Military Service Members. American Journal of Health Promotion, 2013, 28, e56-e66.  | 1.7 | 6         |
| 153 | Change in Visceral Adiposity Independently Predicts a Greater Risk of Developing Type 2 Diabetes Over<br>10 Years in Japanese Americans. Diabetes Care, 2013, 36, 289-293.  | 8.6 | 89        |
| 154 | Patterns of Insulin Concentration During the OGTT Predict the Risk of Type 2 Diabetes in Japanese<br>Americans. Diabetes Care, 2013, 36, 1229-1235.   | 8.6 | 84        |
| 155 | Geographic Variation in Black–White Differences in End-of-Life Care for Patients with ESRD. Clinical<br>Journal of the American Society of Nephrology: CJASN, 2013, 8, 1171-1178.   | 4.5 | 29        |
| 156 | Sleep Characteristics, Mental Health, and Diabetes Risk. Diabetes Care, 2013, 36, 3154-3161.  | 8.6 | 78        |
| 157 | Suicides Among Military Personnel—Reply. JAMA - Journal of the American Medical Association, 2013,<br>310, 2565.  | 7.4 | 5         |
| 158 | Weight change following US military service. International Journal of Obesity, 2013, 37, 244-253.   | 3.4 | 46        |
| 159 | Novel common and rare genetic determinants of paraoxonase activity: FTO, SERPINA12, and ITGAL.<br>Journal of Lipid Research, 2013, 54, 552-560.   | 4.2 | 17        |
| 160 | Associations Between Compulsory Physical Activity During Military Service and Activity in Later<br>Adulthood Among Male Veterans Compared With Nonveterans. Journal of Physical Activity and<br>Health, 2013, 10, 784-791.                        | 2.0 | 9         |
| 161 | Reply. Hepatology, 2013, 57, 2545-2545.   | 7.3 | 4         |
| 162 | Predictors of End-stage Renal Disease in the Urban Poor. Journal of Health Care for the Poor and<br>Underserved, 2013, 24, 1686-1700.   | 0.8 | 11        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Predeployment Sleep Duration and Insomnia Symptoms as Risk Factors for New-Onset Mental Health<br>Disorders Following Military Deployment. Sleep, 2013, 36, 1009-1018.   | 1.1 | 265       |
| 164 | Profile of two cohorts: UK and US prospective studies of military health. International Journal of Epidemiology, 2012, 41, 1272-1282.  | 1.9 | 21        |
| 165 | Preventive services in veterans in relation to disability. Journal of Rehabilitation Research and Development, 2012, 49, 339.  | 1.6 | 10        |
| 166 | Risk factors for type 2 diabetes: Lessons learned from Japanese Americans in Seattle. Journal of<br>Diabetes Investigation, 2012, 3, 212-224.  | 2.4 | 37        |
| 167 | Associations Among Visceral Fat, All-Cause Mortality, and Obesity-Related Mortality in Japanese<br>Americans. Diabetes Care, 2012, 35, 296-298.  | 8.6 | 56        |
| 168 | Pathophysiologic Differences Among Asians, Native Hawaiians, and Other Pacific Islanders and<br>Treatment Implications. Diabetes Care, 2012, 35, 1189-1198.  | 8.6 | 68        |
| 169 | Newly Reported Lupus and Rheumatoid Arthritis in Relation to Deployment Within Proximity to a<br>Documented Open-Air Burn Pit in Iraq. Journal of Occupational and Environmental Medicine, 2012, 54,<br>698-707. | 1.7 | 17        |
| 170 | Prospective Assessment of Chronic Multisymptom Illness Reporting Possibly Associated with Open-Air<br>Burn Pit Smoke Exposure in Iraq. Journal of Occupational and Environmental Medicine, 2012, 54,<br>682-688. | 1.7 | 25        |
| 171 | The Effects of Exposure to Documented Open-Air Burn Pits on Respiratory Health Among Deployers of<br>the Millennium Cohort Study. Journal of Occupational and Environmental Medicine, 2012, 54, 708-716.         | 1.7 | 52        |
| 172 | Trajectories of trauma symptoms and resilience in deployed US military service members: Prospective cohort study. British Journal of Psychiatry, 2012, 200, 317-323.   | 2.8 | 338       |
| 173 | Posttraumatic Stress Disorder and Depression Among U.S. Military Health Care Professionals<br>Deployed in Support of Operations in Iraq and Afghanistan. Journal of Traumatic Stress, 2012, 25,<br>616-623.      | 1.8 | 25        |
| 174 | Disability among US Army Veterans vaccinated against anthrax. Vaccine, 2012, 30, 6150-6156.  | 3.8 | 8         |
| 175 | Bodybuilding, Energy, and Weight-Loss Supplements Are Associated WithÂDeployment and Physical<br>Activity in U.S. Military Personnel. Annals of Epidemiology, 2012, 22, 318-330.                                 | 1.9 | 54        |
| 176 | Predictive factors for diabetic foot ulceration: a systematic review. Diabetes/Metabolism Research and Reviews, 2012, 28, 574-600.   | 4.0 | 219       |
| 177 | Evaluation of a Weight Management Program for Veterans. Preventing Chronic Disease, 2012, 9, E99.  | 3.4 | 76        |
| 178 | Arm length is associated with type 2 diabetes mellitus in Japanese-Americans. Diabetologia, 2012, 55,<br>1679-1684.  | 6.3 | 10        |
| 179 | Smokeless tobacco use related to military deployment, cigarettes and mental health symptoms in a<br>large, prospective cohort study among US service members. Addiction, 2012, 107, 983-994.                     | 3.3 | 36        |
| 180 | A comparison of mental health outcomes in persons entering U.S. military service before and after<br>September 11, 2001. Journal of Traumatic Stress, 2012, 25, 17-24.   | 1.8 | 6         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Obesity and COPD: Associated Symptoms, Health-related Quality of Life, and Medication Use. COPD:<br>Journal of Chronic Obstructive Pulmonary Disease, 2011, 8, 275-284.                                | 1.6  | 95        |
| 182 | Greater hand-grip strength predicts a lower risk of developing type 2 diabetes over 10 years in leaner<br>Japanese Americans. Diabetes Research and Clinical Practice, 2011, 92, 261-264.              | 2.8  | 64        |
| 183 | Preventive Care in Relation to Obesity. American Journal of Preventive Medicine, 2011, 41, 465-472.  | 3.0  | 36        |
| 184 | Prospectively Assessed Posttraumatic Stress Disorder and Associated Physical Activity. Public Health Reports, 2011, 126, 371-383.  | 2.5  | 68        |
| 185 | Headache Disorders in the Millennium Cohort: Epidemiology and Relations With Combat Deployment.<br>Headache, 2011, 51, 1098-1111.  | 3.9  | 25        |
| 186 | Mortality Risk in Older Men Associated with Changes in Weight, Lean Mass, and Fat Mass. Journal of<br>the American Geriatrics Society, 2011, 59, 233-240.  | 2.6  | 104       |
| 187 | Association Between Insulin Resistance and Lean Mass Loss and Fat Mass Gain in Older Men without<br>Diabetes Mellitus. Journal of the American Geriatrics Society, 2011, 59, 1217-1224.                | 2.6  | 142       |
| 188 | Clinical Significance of Postvoid Residual Volume in Older Ambulatory Women. Journal of the American Geriatrics Society, 2011, 59, 1452-1458.  | 2.6  | 42        |
| 189 | Health impact of US military service in a large population-based military cohort: findings of the<br>Millennium Cohort Study, 2001-2008. BMC Public Health, 2011, 11, 69.                              | 2.9  | 39        |
| 190 | Age-specific trends in cardiovascular mortality rates in the Netherlands between 1980 and 2009.<br>European Journal of Epidemiology, 2011, 26, 369-373.  | 5.7  | 20        |
| 191 | Risk stratification systems for diabetic foot ulcers: a systematic review. Diabetologia, 2011, 54, 1190-1199.  | 6.3  | 92        |
| 192 | Subcutaneous thigh fat area is unrelated to risk of type 2 diabetes in a prospective study of Japanese<br>Americans. Diabetologia, 2011, 54, 2795-2800.  | 6.3  | 18        |
| 193 | Health care utilization among complementary and alternative medicine users in a large military cohort. BMC Complementary and Alternative Medicine, 2011, 11, 27.                                       | 3.7  | 28        |
| 194 | Does Diabetes Always Confer Coronary Heart Disease Risk Equivalent to a Prior Myocardial Infarction?: Implications for prevention. Diabetes Care, 2011, 34, 782-784.                                   | 8.6  | 10        |
| 195 | Insulin Sensitizers May Attenuate Lean Mass Loss in Older Men With Diabetes. Diabetes Care, 2011, 34, 2381-2386.   | 8.6  | 131       |
| 196 | A Prospective Study of Lupus and Rheumatoid Arthritis in Relation to Deployment in Support of Iraq<br>and Afghanistan: The Millennium Cohort Study. Autoimmune Diseases, 2011, 2011, 1-13.             | 0.6  | 6         |
| 197 | Preinjury Psychiatric Status, Injury Severity, and Postdeployment Posttraumatic Stress<br>Disorder <alt-title>Physical Injury and PTSD</alt-title> . Archives of General Psychiatry, 2011,<br>68, 496. | 12.3 | 53        |
| 198 | Fasting and Post-Glucose Load Measures of Insulin Resistance and Risk of Ischemic Stroke in Older<br>Adults. Stroke, 2011, 42, 3347-3351.  | 2.0  | 43        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Visceral adiposity, not abdominal subcutaneous fat area, is associated with high blood pressure in<br>Japanese men: the Ohtori study. Hypertension Research, 2011, 34, 565-572.   | 2.7 | 29        |
| 200 | Metformin and Colorectal Cancer Risk in Diabetic Patients. Diabetes Care, 2011, 34, 2336-2337.  | 8.6 | 15        |
| 201 | A Prospective Study of Depression Following Combat Deployment in Support of the Wars in Iraq and<br>Afghanistan. American Journal of Public Health, 2010, 100, 90-99.   | 2.7 | 197       |
| 202 | Vaginal symptoms in postmenopausal women. Menopause, 2010, 17, 121-126.   | 2.0 | 55        |
| 203 | Sleep Patterns Before, During, and After Deployment to Iraq and Afghanistan. Sleep, 2010, 33, 1615-1622.  | 1.1 | 231       |
| 204 | Exploratory factor analysis of self-reported symptoms in a large, population-based military cohort.<br>BMC Medical Research Methodology, 2010, 10, 94.  | 3.1 | 14        |
| 205 | Assessing nonresponse bias at follow-up in a large prospective cohort of relatively young and mobile military service members. BMC Medical Research Methodology, 2010, 10, 99.  | 3.1 | 92        |
| 206 | Association between serum uric acid level and chronic liver disease in the United States. Hepatology, 2010, 52, 578-589.  | 7.3 | 102       |
| 207 | Does abnormal insulin action or insulin secretion explain the increase in prevalence of impaired glucose metabolism with age in populations of different ethnicities?. Diabetes/Metabolism Research and Reviews, 2010, 26, 245-253. | 4.0 | 13        |
| 208 | Early mortality experience in a large military cohort and a comparison of mortality data sources.<br>Population Health Metrics, 2010, 8, 15.  | 2.7 | 12        |
| 209 | Longâ€Term Effectiveness of Screening for Hearing Loss: The Screening for Auditory Impairment—Which<br>Hearing Assessment Test (SAIâ€WHAT) Randomized Trial. Journal of the American Geriatrics Society, 2010,<br>58, 427-434.      | 2.6 | 84        |
| 210 | Insulin Resistance is the Best Predictor of the Metabolic Syndrome in Subjects With a Firstâ€Degree<br>Relative With Type 2 Diabetes. Obesity, 2010, 18, 1781-1787.   | 3.0 | 37        |
| 211 | Effects of ethnicity on diabetes incidence and prevention: results of the Diabetes REduction<br>Assessment with ramipril and rosiglitazone Medication (DREAM) trial. Diabetic Medicine, 2010, 27,<br>1226-1232.                     | 2.3 | 15        |
| 212 | Influenza Vaccination Rates of Children in Households with High-Risk Adults. Public Health Reports, 2010, 125, 192-198.   | 2.5 | 5         |
| 213 | All-Cause Mortality Risk Among a National Sample of Individuals With Diabetes. Diabetes Care, 2010, 33, 2360-2364.  | 8.6 | 36        |
| 214 | ACCORD Glycemia Results Continue to Puzzle. Diabetes Care, 2010, 33, 1149-1150.   | 8.6 | 12        |
| 215 | Insulin Resistance Predicts Mortality in Nondiabetic Individuals in the U.S Diabetes Care, 2010, 33, 1179-1185.   | 8.6 | 104       |
| 216 | Risk of Diabetes in U.S. Military Service Members in Relation to Combat Deployment and Mental Health.<br>Diabetes Care, 2010, 33, 1771-1777.  | 8.6 | 122       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Utility of Homeostasis Model Assessment of Â-Cell Function in Predicting Diabetes in 12,924 Healthy<br>Koreans: Response to Sung, Reaven, and Kim. Diabetes Care, 2010, 33, e71-e71.  | 8.6 | 1         |
| 218 | Latent class analysis of the metabolic syndrome. Diabetes Research and Clinical Practice, 2010, 89, 88-93.  | 2.8 | 23        |
| 219 | Intra-abdominal fat accumulation is greatest at younger ages in Japanese-American adults. Diabetes<br>Research and Clinical Practice, 2010, 89, 58-64.  | 2.8 | 23        |
| 220 | Fasting tests of insulin secretion and sensitivity predict future prediabetes in Japanese with normal glucose tolerance. Journal of Diabetes Investigation, 2010, 1, 191-195.   | 2.4 | 49        |
| 221 | Is It Time to Take a Different Approach to Screening People at High Risk for Type 1 Diabetes?. Diabetes<br>Care, 2009, 32, 966-967.   | 8.6 | 1         |
| 222 | Newly Reported Respiratory Symptoms and Conditions Among Military Personnel Deployed to Iraq and<br>Afghanistan: A Prospective Population-based Study. American Journal of Epidemiology, 2009, 170,<br>1433-1442.             | 3.4 | 139       |
| 223 | Oral Disposition Index Predicts the Development of Future Diabetes Above and Beyond Fasting and 2-h<br>Glucose Levels. Diabetes Care, 2009, 32, 335-341.  | 8.6 | 457       |
| 224 | Oral Disposition Index Predicts the Development of Future Diabetes Above and Beyond Fasting and 2-h<br>Glucose Levels. Diabetes Care, 2009, 32, e87-e87.  | 8.6 | 3         |
| 225 | Newly Reported Hypertension After Military Combat Deployment in a Large Population-Based Study.<br>Hypertension, 2009, 54, 966-973.   | 2.7 | 77        |
| 226 | Body Mass Index Is Associated with Increased Creatinine Clearance by a Mechanism Independent of Body Fat Distribution. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3781-3788.                                 | 3.6 | 68        |
| 227 | Adipokines, Inflammation, and Visceral Adiposity across the Menopausal Transition: A Prospective Study. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 1104-1110.  | 3.6 | 223       |
| 228 | Characteristics of Uninsured Americans with Chronic Kidney Disease. Journal of General Internal Medicine, 2009, 24, 917-922.  | 2.6 | 45        |
| 229 | Continuous relationships between non-diabetic hyperglycaemia and both cardiovascular disease and<br>all-cause mortality: the Australian Diabetes, Obesity, and Lifestyle (AusDiab) study. Diabetologia, 2009,<br>52, 415-424. | 6.3 | 142       |
| 230 | Self-Reported Health Symptoms and Conditions Among Complementary and Alternative Medicine Users in a Large Military Cohort. Annals of Epidemiology, 2009, 19, 613-622.  | 1.9 | 34        |
| 231 | Diabetes Mellitus and Urinary Tract Infection: Epidemiology, Pathogenesis and Proposed Studies in<br>Animal Models. Journal of Urology, 2009, 182, S51-6.   | 0.4 | 80        |
| 232 | Sexual Intercourse and Risk of Symptomatic Urinary Tract Infection in Post-Menopausal Women.<br>Journal of General Internal Medicine, 2008, 23, 595-599.  | 2.6 | 49        |
| 233 | Central Obesity as a Precursor to the Metabolic Syndrome in the AusDiab Study and Mauritius.<br>Obesity, 2008, 16, 2707-2716.   | 3.0 | 94        |
| 234 | Challenges of self-reported medical conditions and electronic medical records among members of a<br>large military cohort. BMC Medical Research Methodology, 2008, 8, 37.   | 3.1 | 98        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Neighborhood Poverty and Kidney Transplantation Among US Asians and Pacific Islanders with<br>End‧tage Renal Disease. American Journal of Transplantation, 2008, 8, 2402-2409.   | 4.7 | 43        |
| 236 | Foot ulcer risk and location in relation to prospective clinical assessment of foot shape and mobility among persons with diabetes. Diabetes Research and Clinical Practice, 2008, 82, 226-232.  | 2.8 | 64        |
| 237 | Alcohol Use and Alcohol-Related Problems Before and After Military Combat Deployment. JAMA -<br>Journal of the American Medical Association, 2008, 300, 663.   | 7.4 | 541       |
| 238 | Visceral Adiposity, Not Abdominal Subcutaneous Fat Area, Is Associated With an Increase in Future<br>Insulin Resistance in Japanese Americans. Diabetes, 2008, 57, 1269-1275.  | 0.6 | 177       |
| 239 | Re: "Psychiatric Diagnoses in Historic and Contemporary Military Cohorts: Combat Deployment and the Healthy Warrior Effect". American Journal of Epidemiology, 2008, 168, 1094-1095.   | 3.4 | 6         |
| 240 | Disordered Eating and Weight Changes After Deployment: Longitudinal Assessment of a Large US<br>Military Cohort. American Journal of Epidemiology, 2008, 169, 415-427.   | 3.4 | 82        |
| 241 | Two-hour glucose predicts the development of hypertension over 5 years: the AusDiab study. Journal of Human Hypertension, 2008, 22, 168-176.   | 2.2 | 25        |
| 242 | Urinary Incontinence and Urinary Tract Infection. Obstetrics and Gynecology, 2008, 111, 317-323.   | 2.4 | 68        |
| 243 | Datapoints: Suicide Rates in the Washington State Veteran Population. Psychiatric Services, 2008, 59, 1245-1245.   | 2.0 | 6         |
| 244 | A prospective study of glycemia, body size, insulin resistance and the risk of hypertension in Mauritius.<br>Journal of Hypertension, 2008, 26, 1742-1749.   | 0.5 | 14        |
| 245 | Datapoints: Suicide Rates in the Washington State Veteran Population. Psychiatric Services, 2008, 59, 1245-1245.   | 2.0 | 7         |
| 246 | Diabetes complications severity index and risk of mortality, hospitalization, and healthcare utilization. American Journal of Managed Care, 2008, 14, 15-23.   | 1.1 | 377       |
| 247 | Minimum Waist and Visceral Fat Values for Identifying Japanese Americans at Risk for the Metabolic<br>Syndrome. Diabetes Care, 2007, 30, 120-127.  | 8.6 | 178       |
| 248 | Review: glycated haemoglobin A1c and fasting plasma glucose screening tests have similar sensitivities and specificities for early detection of type 2 diabetes. Evidence-Based Medicine, 2007, 12, 152-152.                             | 0.6 | 4         |
| 249 | Progressive Loss of β-Cell Function Leads to Worsening Glucose Tolerance in First-Degree Relatives of Subjects With Type 2 Diabetes. Diabetes Care, 2007, 30, 677-682.   | 8.6 | 152       |
| 250 | Insulin Sensitivity and Insulin Secretion Determined by Homeostasis Model Assessment and Risk of<br>Diabetes in a Multiethnic Cohort of Women: the Women's Health Initiative Observational Study.<br>Diabetes Care, 2007, 30, e110-e110. | 8.6 | 4         |
| 251 | Do We Know What Homeostasis Model Assessment Measures?: If not, does it matter?. Diabetes Care, 2007, 30, 2725-2728.   | 8.6 | 26        |
| 252 | Screening for Auditory Impairment — Which Hearing Assessment Test (SAI-WHAT): RCT design and baseline characteristics. Contemporary Clinical Trials, 2007, 28, 303-315.  | 1.8 | 13        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Superiority of the Modification of Diet in Renal Disease equation over the Cockcroft–Gault equation<br>in screening for impaired kidney function in Japanese Americans. Diabetes Research and Clinical<br>Practice, 2007, 77, 320-326.           | 2.8 | 11        |
| 254 | Millennium Cohort: enrollment begins a 21-year contribution to understanding the impact of military service. Journal of Clinical Epidemiology, 2007, 60, 181-191.  | 5.0 | 234       |
| 255 | The Epidemiology of Diabetic Neuropathy. , 2007, , 7-30.   |     | 5         |
| 256 | The Association Between Birth Weight and Visceral Fat in Middle-age Adults*. Obesity, 2007, 15, 816-819.   | 3.0 | 15        |
| 257 | Demographic and occupational predictors of early response to a mailed invitation to enroll in a longitudinal health study. BMC Medical Research Methodology, 2007, 7, 6.   | 3.1 | 42        |
| 258 | Prevalence and trends of insulin resistance, impaired fasting glucose, and diabetes. Journal of Diabetes and Its Complications, 2007, 21, 363-370.   | 2.3 | 59        |
| 259 | Intra-abdominal fat accumulation predicts the development of the metabolic syndrome in non-diabetic<br>Japanese-Americans. Diabetologia, 2007, 50, 1156-1160.  | 6.3 | 64        |
| 260 | Peripheral arterial disease in a multiethnic national sample: the role of conventional risk factors and allostatic load. Ethnicity and Disease, 2007, 17, 669-75.  | 2.3 | 32        |
| 261 | The Prevalence and Predictors of Elevated Serum Aminotransferase Activity in the United States in 1999-2002. American Journal of Gastroenterology, 2006, 101, 76-82.   | 0.4 | 286       |
| 262 | Risk factors for nosocomial urinary tract–related bacteremia: A case-control study. American<br>Journal of Infection Control, 2006, 34, 401-407.   | 2.3 | 55        |
| 263 | Predictors of Urinary Incontinence in a Prospective Cohort of Postmenopausal Women. Obstetrics and Gynecology, 2006, 108, 855-862.   | 2.4 | 57        |
| 264 | Racial and ethnic differences in incident myocardial infarction in end-stage renal disease patients: The<br>USRDS. Kidney International, 2006, 69, 1691-1698.  | 5.2 | 48        |
| 265 | Racial and Ethnic Variations in Albuminuria in the US Third National Health and Nutrition Examination<br>Survey (NHANES III) Population: Associations With Diabetes and Level of CKD. American Journal of<br>Kidney Diseases, 2006, 48, 720-726. | 1.9 | 94        |
| 266 | Elevated serum alanine aminotransferase activity and calculated risk of coronary heart disease in the<br>United States. Hepatology, 2006, 43, 1145-1151.   | 7.3 | 207       |
| 267 | Effects of Sex and Hormone Replacement Therapy Use on the Prevalence of Isolated Impaired Fasting<br>Glucose and Isolated Impaired Glucose Tolerance in Subjects With a Family History of Type 2 Diabetes.<br>Diabetes, 2006, 55, 3529-3535.     | 0.6 | 65        |
| 268 | Prediction of Diabetic Foot Ulcer Occurrence Using Commonly Available Clinical Information: The Seattle Diabetic Foot Study. Diabetes Care, 2006, 29, 1202-1207.   | 8.6 | 312       |
| 269 | Gestational Diabetes Mellitus Increases the Risk of Cardiovascular Disease in Women With a Family<br>History of Type 2 Diabetes. Diabetes Care, 2006, 29, 2078-2083.   | 8.6 | 284       |
| 270 | Differences in cause of death of Washington State veterans who did and did not use Department of<br>Veterans Affairs healthcare services. Journal of Rehabilitation Research and Development, 2006, 43,<br>825.                                  | 1.6 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Effects of Exercise and Nutrition on Memory in Japanese Americans With Impaired Glucose Tolerance.<br>Diabetes Care, 2006, 29, 135-136.  | 8.6 | 10        |
| 272 | Three-Year Incidence of Low Back Pain in an Initially Asymptomatic Cohort. Spine, 2005, 30, 1541-1548.   | 2.0 | 263       |
| 273 | Risk of Urinary Tract Infection and Asymptomatic Bacteriuria among Diabetic and Nondiabetic<br>Postmenopausal Women. American Journal of Epidemiology, 2005, 161, 557-564.   | 3.4 | 145       |
| 274 | The Association between Health Insurance Coverage and Diabetes Care; Data from the 2000 Behavioral<br>Risk Factor Surveillance System. Health Services Research, 2005, 40, 361-372.                                      | 2.0 | 114       |
| 275 | Diabetes-related comorbidities in Asian Americans. Journal of Diabetes and Its Complications, 2005, 19, 101-106.   | 2.3 | 25        |
| 276 | Elevated prevalence of hepatitis C infection in users of United States veterans medical centers.<br>Hepatology, 2005, 41, 88-96.   | 7.3 | 196       |
| 277 | Racial and Ethnic Differences in Microalbuminuria Prevalence in a Diabetes Population. Journal of the American Society of Nephrology: JASN, 2005, 16, 219-228.   | 6.1 | 90        |
| 278 | Urinary Incontinence and Diabetes in Postmenopausal Women. Diabetes Care, 2005, 28, 1730-1738.   | 8.6 | 101       |
| 279 | Insulin, C-Peptide, and Leptin Concentrations Predict Increased Visceral Adiposity at 5- and 10-Year<br>Follow-Ups in Nondiabetic Japanese Americans. Diabetes, 2005, 54, 985-990.                                       | 0.6 | 43        |
| 280 | Electrocardiographic QT Interval Prolongation and Risk of Primary Cardiac Arrest in Diabetic<br>Patients. Diabetes Care, 2005, 28, 2045-2047.  | 8.6 | 47        |
| 281 | The correlation of paraoxonase (PON1) activity with lipid and lipoprotein levels differs with vascular disease status. Journal of Lipid Research, 2005, 46, 1888-1895.   | 4.2 | 47        |
| 282 | A Reduced-Fat Diet and Aerobic Exercise in Japanese Americans With Impaired Glucose Tolerance<br>Decreases Intra-Abdominal Fat and Improves Insulin Sensitivity but not A-Cell Function. Diabetes, 2005,<br>54, 340-347. | 0.6 | 61        |
| 283 | Is central obesity associated with cirrhosis-related death or hospitalization? A population-based, cohort study. Clinical Gastroenterology and Hepatology, 2005, 3, 67-74.   | 4.4 | 283       |
| 284 | Predictors of urinary tract infection after menopause: A prospective study. American Journal of<br>Medicine, 2005, 118, 930-931.   | 1.5 | 1         |
| 285 | Epidemiology of Peripheral Vascular Disease. , 2005, , 419-430.  |     | 1         |
| 286 | Contribution of metabolic factors to alanine aminotransferase activity in persons with other causes of liver disease. Gastroenterology, 2005, 128, 627-635.  | 1.3 | 68        |
| 287 | The association between health insurance coverage and diabetes care; data from the 2000 Behavioral<br>Risk Factor Surveillance System. Health Services Research, 2005, 40, 361-72.                                       | 2.0 | 83        |
| 288 | Effectiveness of Diabetic Therapeutic Footwear in Preventing Reulceration. Diabetes Care, 2004, 27, 1774-1782.   | 8.6 | 103       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Risk Factors for Urinary Tract Infections in Postmenopausal Women. Archives of Internal Medicine, 2004, 164, 989.   | 3.8 | 127       |
| 290 | Type 2 Diabetes Prevalence in Asian Subjects: Response to McNeely and Boyko. Diabetes Care, 2004, 27, 1251-1252.  | 8.6 | 38        |
| 291 | Diabetes in Nonveterans, Veterans, and Veterans Receiving Department of Veterans Affairs Health Care.<br>Diabetes Care, 2004, 27, B3-B9.  | 8.6 | 58        |
| 292 | Diabetes in the Department of Veterans Affairs. Diabetes Care, 2004, 27, B1-B2.   | 8.6 | 7         |
| 293 | Diabetes Research in the Department of Veterans Affairs. Diabetes Care, 2004, 27, 895-898.  | 8.6 | 11        |
| 294 | Type 2 Diabetes Prevalence in Asian Americans: Results of a national health survey. Diabetes Care, 2004, 27, 66-69.   | 8.6 | 272       |
| 295 | Association of Bioavailable, Free, and Total Testosterone With Insulin Resistance: Influence of sex hormone-binding globulin and body fat. Diabetes Care, 2004, 27, 861-868.          | 8.6 | 270       |
| 296 | Risk of Congestive Heart Failure in an Elderly Population Treated with Peripheral Alpha-1 Antagonists.<br>Journal of the American Geriatrics Society, 2004, 52, 1648-1654.            | 2.6 | 12        |
| 297 | Predictors of urinary tract infection after menopause: A prospective study. American Journal of Medicine, 2004, 117, 903-911.   | 1.5 | 146       |
| 298 | Visceral Adiposity Is an Independent Predictor of Incident Hypertension in Japanese Americans. Annals of Internal Medicine, 2004, 140, 992.   | 3.9 | 234       |
| 299 | Brief questions to identify patients with inadequate health literacy. Family Medicine, 2004, 36, 588-94.  | 0.5 | 1,143     |
| 300 | Type and Location of Injection Drug Use-Related Soft Tissue Infections Predict Hospitalization. Journal of Urban Health, 2003, 80, 127-136.   | 3.6 | 35        |
| 301 | Prevalence and Determinants of Vaginal Flora Alterations in Postmenopausal Women. Journal of<br>Infectious Diseases, 2003, 188, 1054-1058.  | 4.0 | 128       |
| 302 | Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins:<br>evidence for independent roles of age and sex. Diabetologia, 2003, 46, 459-469. | 6.3 | 1,272     |
| 303 | A case-control study of endoscopy and mortality from adenocarcinoma of the esophagus or gastric cardia in persons with GERD. Gastrointestinal Endoscopy, 2003, 57, 823-829.           | 1.0 | 37        |
| 304 | Racial Differences in Diabetic Nephropathy, Cardiovascular Disease, and Mortality in a National<br>Population of Veterans. Diabetes Care, 2003, 26, 2392-2399.                        | 8.6 | 300       |
| 305 | Comparison of a Clinical Model, the Oral Glucose Tolerance Test, and Fasting Glucose for Prediction of Type 2 Diabetes Risk in Japanese Americans. Diabetes Care, 2003, 26, 758-763.  | 8.6 | 95        |
| 306 | Biomechanical Differences Among Pes Cavus, Neutrally Aligned, and Pes Planus Feet in Subjects with<br>Diabetes. Foot and Ankle International, 2003, 24, 845-850.                      | 2.3 | 99        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Effects of Ethnicity and Nephropathy on Lower-Extremity Amputation Risk Among Diabetic Veterans.<br>Diabetes Care, 2003, 26, 495-501.   | 8.6 | 160       |
| 308 | Visceral Adiposity and the Risk of Impaired Glucose Tolerance: A prospective study among Japanese<br>Americans. Diabetes Care, 2003, 26, 650-655.   | 8.6 | 191       |
| 309 | Predicting Impaired Glucose Tolerance Using Common Clinical Information. Diabetes Care, 2003, 26, 2058-2062.  | 8.6 | 39        |
| 310 | Visceral Adiposity and the Prevalence of Hypertension in Japanese Americans. Circulation, 2003, 108, 1718-1723.   | 1.6 | 121       |
| 311 | Prevalence of rheumatoid arthritis and hepatitis C in those age 60 and older in a US population based study. Journal of Rheumatology, 2003, 30, 455-8.                                    | 2.0 | 9         |
| 312 | Diabetes and the Risk of Acute Urinary Tract Infection Among Postmenopausal Women. Diabetes Care, 2002, 25, 1778-1783.  | 8.6 | 144       |
| 313 | Outcomes of infants born to mothers with inflammatory bowel disease: a population-based cohort study. American Journal of Gastroenterology, 2002, 97, 641-648.                            | 0.4 | 225       |
| 314 | Improvement of BMI, Body Composition, and Body Fat Distribution With Lifestyle Modification in<br>Japanese Americans With Impaired Glucose Tolerance. Diabetes Care, 2002, 25, 1504-1510. | 8.6 | 69        |
| 315 | Race, Treatment, and Survival of Veterans With Cancer of the Distal Esophagus and Gastric Cardia.<br>Medical Care, 2002, 40, I-14-I-26.   | 2.4 | 36        |
| 316 | The Vietnam Era Twin Registry. Twin Research and Human Genetics, 2002, 5, 476-481.  | 1.0 | 112       |
| 317 | Diet and Exercise Among Adults With Type 2 Diabetes: Findings from the Third National Health and Nutrition Examination Survey (NHANES III). Diabetes Care, 2002, 25, 1722-1728.           | 8.6 | 368       |
| 318 | The Concurrent Accumulation of Intra-Abdominal and Subcutaneous Fat Explains the Association Between Insulin Resistance and Plasma Leptin Concentrations. Diabetes, 2002, 51, 1005-1015.  | 0.6 | 362       |
| 319 | Prospective study of autonomic neuropathy as a predictor of mortality in patients with diabetes.<br>Diabetes Research and Clinical Practice, 2002, 58, 131-138.                           | 2.8 | 81        |
| 320 | The Millennium Cohort Study: A 21-Year Prospective Cohort Study of 140,000 Military Personnel.<br>Military Medicine, 2002, 167, 483-488.  | 0.8 | 126       |
| 321 | Relationship of medial arterial calcinosis to autonomic neuropathy and adverse outcomes in a diabetic veteran population. Journal of Diabetes and Its Complications, 2002, 16, 165-171.   | 2.3 | 28        |
| 322 | Outcomes of infants born to mothers with inflammatory bowel disease: a population-based cohort study. American Journal of Gastroenterology, 2002, 97, 641-648.                            | 0.4 | 2         |
| 323 | The Vietnam Era Twin Registry. Twin Research and Human Genetics, 2002, 5, 476-481.  | 1.0 | 7         |
| 324 | The millennium Cohort Study: a 21-year prospective cohort study of 140,000 military personnel.<br>Military Medicine, 2002, 167, 483-8.  | 0.8 | 50        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | The Millennium Cohort Study. Military Medicine, 2002, 167, ii.  | 0.8 | 1         |
| 326 | Intramuscular testosterone esters and plasma lipids in hypogonadal men: a meta-analysis. American<br>Journal of Medicine, 2001, 111, 261-269.   | 1.5 | 212       |
| 327 | Assessment of Vital Status in Department of Veterans Affairs National Databases. Annals of Epidemiology, 2001, 11, 286-291.   | 1.9 | 63        |
| 328 | Standard definitions of overweight and central adiposity for determining diabetes risk in Japanese<br>Americans. American Journal of Clinical Nutrition, 2001, 74, 101-107.                                     | 4.7 | 78        |
| 329 | Tissue Oxygenation and Skin Blood Flow in the Diabetic Foot: Responses to Cutaneous Warming. Foot and Ankle International, 2001, 22, 711-714.   | 2.3 | 22        |
| 330 | Genetic Variation and Obesity in Australian Women: A Prospective Study. Obesity, 2001, 9, 733-740.  | 4.0 | 20        |
| 331 | Leptin and other components of the Metabolic Syndrome in Mauritius—a factor analysis.<br>International Journal of Obesity, 2001, 25, 126-131.   | 3.4 | 65        |
| 332 | Skin temperature in the neuropathic diabetic foot. Journal of Diabetes and Its Complications, 2001, 15, 260-264.  | 2.3 | 29        |
| 333 | Reassessing the role of QTc in the diagnosis of autonomic failure among patients with diabetes: a meta-analysis Diabetes Care, 2000, 23, 241-247.   | 8.6 | 93        |
| 334 | Low serum testosterone level as a predictor of increased visceral fat in Japanese-American men.<br>International Journal of Obesity, 2000, 24, 485-491.   | 3.4 | 186       |
| 335 | Responsiveness of the SF-36 among veterans with diabetes mellitus. Journal of Diabetes and Its Complications, 2000, 14, 31-39.  | 2.3 | 74        |
| 336 | Features of the metabolic syndrome predict higher risk of diabetes and impaired glucose tolerance: a prospective study in Mauritius. Diabetes Care, 2000, 23, 1242-1248.  | 8.6 | 90        |
| 337 | Visceral adiposity and risk of type 2 diabetes: a prospective study among Japanese Americans Diabetes<br>Care, 2000, 23, 465-471.   | 8.6 | 513       |
| 338 | A Randomized Controlled Trial of a Clinic-Based Support Staff Intervention to Increase the Rate of<br>Fecal Occult Blood Test Ordering. Preventive Medicine, 2000, 30, 244-251.                                 | 3.4 | 31        |
| 339 | Type 2 diabetes and the metabolic syndrome in Japanese Americans. Diabetes Research and Clinical Practice, 2000, 50, S73-S76.   | 2.8 | 66        |
| 340 | Association between analgesic use and inflammatory bowel disease (IBD) flares: A retrospective cohort study. Gastroenterology, 2000, 118, A581.   | 1.3 | 16        |
| 341 | Visceral adiposity and incident coronary heart disease in Japanese-American men. The 10-year follow-up<br>results of the Seattle Japanese-American Community Diabetes Study Diabetes Care, 1999, 22, 1808-1812. | 8.6 | 270       |
| 342 | A prospective study of risk factors for diabetic foot ulcer. The Seattle Diabetic Foot Study. Diabetes<br>Care, 1999, 22, 1036-1042.  | 8.6 | 563       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Clinical correlates of plantar pressure among diabetic veterans. Diabetes Care, 1999, 22, 965-972.   | 8.6 | 89        |
| 344 | Diagnosing Pneumonia by Physical Examination. Archives of Internal Medicine, 1999, 159, 1082.  | 3.8 | 224       |
| 345 | Impact of new diagnostic criteria for diabetes on different populations. Diabetes Care, 1999, 22, 762-766.   | 8.6 | 104       |
| 346 | Causal pathways for incident lower-extremity ulcers in patients with diabetes from two settings.<br>Diabetes Care, 1999, 22, 157-162.  | 8.6 | 916       |
| 347 | Association between baseline plasma leptin levels and subsequent development of diabetes in Japanese<br>Americans. Diabetes Care, 1999, 22, 65-70.                               | 8.6 | 227       |
| 348 | Etiology of the Metabolic Syndrome: Potential Role of Insulin Resistance, Leptin Resistance, and Other<br>Players. Annals of the New York Academy of Sciences, 1999, 892, 25-44. | 3.8 | 208       |
| 349 | Accuracy of QTcand QTI for Detection of Autonomic Dysfunction. Annals of Noninvasive Electrocardiology, 1999, 4, 257-266.  | 1.1 | 4         |
| 350 | Breast cancer screening by Asian-American women in a managed care environment. American Journal<br>of Preventive Medicine, 1999, 17, 55-61.                                      | 3.0 | 34        |
| 351 | Lower-extremity amputation in diabetes. The independent effects of peripheral vascular disease, sensory neuropathy, and foot ulcers. Diabetes Care, 1999, 22, 1029-1035.         | 8.6 | 441       |
| 352 | Reduced amylin release is a characteristic of impaired glucose tolerance and type 2 diabetes in Japanese<br>Americans. Diabetes, 1998, 47, 640-645.                              | 0.6 | 61        |
| 353 | Reliability of F-Scan In-Shoe Measurements of Plantar Pressure. Foot and Ankle International, 1998, 19, 668-673.   | 2.3 | 115       |
| 354 | Use of Spermicide-Coated Condoms and Other Risk Factors for Urinary Tract Infection Caused by Staphylococcus saprophyticus. Archives of Internal Medicine, 1998, 158, 281.       | 3.8 | 51        |
| 355 | Physical Examination and Chronic Lower-Extremity Ischemia. Archives of Internal Medicine, 1998, 158, 1357.   | 3.8 | 111       |
| 356 | Increased plasma leptin levels are associated with fat accumulation in Japanese Americans. Diabetes, 1998, 47, 239-243.  | 0.6 | 17        |
| 357 | Effect of Regional Fat Distribution and Prader-Willi Syndrome on Plasma Leptin Levels1. Journal of<br>Clinical Endocrinology and Metabolism, 1997, 82, 566-570.                  | 3.6 | 57        |
| 358 | Evidence That Plasma Leptin and Insulin Levels are Associated With Body Adiposity Via Different<br>Mechanisms. Diabetes Care, 1997, 20, 1476-1481.                               | 8.6 | 94        |
| 359 | Prevalence of Radiographic Foot Abnormalities in Patients with Diabetes. Foot and Ankle<br>International, 1997, 18, 342-346.   | 2.3 | 74        |
| 360 | Hypertension in Alaska natives: Association with overweight, glucose intolerance, diet and mechanized activity. Ethnicity and Health, 1997, 2, 267-275.                          | 2.5 | 40        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 361 | Fasting Insulin Level Underestimates Risk of Non-Insulin-dependent Diabetes Mellitus Due to<br>Confounding by Insulin Secretion. American Journal of Epidemiology, 1997, 145, 18-23.   | 3.4  | 9         |
| 362 | Risk Factors for Diabetic Peripheral Sensory Neuropathy: Results of the Seattle Prospective Diabetic<br>Foot Study. Diabetes Care, 1997, 20, 1162-1167.  | 8.6  | 316       |
| 363 | Diagnostic utility of the history and physical examination for peripheral vascular disease among patients with diabetes mellitus. Journal of Clinical Epidemiology, 1997, 50, 659-668.   | 5.0  | 104       |
| 364 | Effect of Regional Fat Distribution and Prader-Willi Syndrome on Plasma Leptin Levels. Journal of<br>Clinical Endocrinology and Metabolism, 1997, 82, 566-570.   | 3.6  | 40        |
| 365 | Association between Use of Spermicide-coated Condoms and Escherichia coli Urinary Tract infection in Young Women. American Journal of Epidemiology, 1996, 144, 512-520.  | 3.4  | 86        |
| 366 | Cerebrospinal fluid leptin levels: Relationship to plasma levels and to adiposity in humans. Nature<br>Medicine, 1996, 2, 589-593.   | 30.7 | 922       |
| 367 | Paradoxical Transcutaneous Oxygen Response to Cutaneous Warming on the Plantar Foot Surface: A<br>Caution for Interpretation of Plantar Foot TcPO2 Measurements. Foot and Ankle International, 1995,<br>16, 787-791.   | 2.3  | 15        |
| 368 | Dietary Change and Obesity Associated with Glucose Intolerance in Alaska Natives. Journal of the American Dietetic Association, 1995, 95, 676-682.   | 1.1  | 91        |
| 369 | Community patterns of transdermal nicotine use and provider counseling. Journal of General<br>Internal Medicine, 1995, 10, 656-662.  | 2.6  | 20        |
| 370 | Earlier Appearance of Impaired Insulin Secretion Than of Visceral Adiposity in the Pathogenesis of<br>NIDDM: 5-Year Follow-up of Initially Nondiabetic Japanese-American Men. Diabetes Care, 1995, 18, 747-753.  | 8.6  | 134       |
| 371 | Relationship of proinsulin and insulin with noninsulin-dependent diabetes mellitus and coronary<br>heart disease in Japanese-American men: impact of obesityclinical research center study Journal of<br>Clinical Endocrinology and Metabolism, 1995, 80, 1399-1406. | 3.6  | 57        |
| 372 | The Independent Contributions of Diabetic Neuropathy and Yasculopatny in Foot Ulceration: How great are the risks?. Diabetes Care, 1995, 18, 216-219.  | 8.6  | 335       |
| 373 | Reduced insulin secretion: an independent predictor of body weight gain Journal of Clinical<br>Endocrinology and Metabolism, 1995, 80, 1571-1576.  | 3.6  | 122       |
| 374 | Susceptibility to Development of Central Adiposity Among Populations. Obesity, 1995, 3, 179S-186S.   | 4.0  | 75        |
| 375 | Reduced insulin secretion: an independent predictor of body weight gain. Journal of Clinical<br>Endocrinology and Metabolism, 1995, 80, 1571-1576.   | 3.6  | 90        |
| 376 | Proinsulin as a marker for the development of NIDDM in Japanese-American men. Diabetes, 1995, 44, 173-179.   | 0.6  | 42        |
| 377 | Increased Risk of Inflammatory Bowel Disease Associated with Oral Contraceptive Use. American<br>Journal of Epidemiology, 1994, 140, 268-278.  | 3.4  | 71        |
| 378 | Lower Prevalence of Impaired Glucose Tolerance and Diabetes Associated With Daily Seal Oil or Salmon Consumption among Alaska Natives. Diabetes Care, 1994, 17, 1498-1501.   | 8.6  | 133       |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 379 | Ruling Out or Ruling In Disease with the Most sensitiue or Specific Diagnostic Test. Medical Decision<br>Making, 1994, 14, 175-179.   | 2.4  | 104       |
| 380 | Diabetes and diabetes risk factors in second- and third-generation Japanese Americans in Seattle,<br>Washington. Diabetes Research and Clinical Practice, 1994, 24, S43-S52.  | 2.8  | 98        |
| 381 | Attitudes toward Assisted Suicide and Euthanasia among Physicians in Washington State. New England<br>Journal of Medicine, 1994, 331, 89-94.  | 27.0 | 250       |
| 382 | The contribution of insulin-dependent and insulin-independent glucose uptake to intravenous glucose tolerance in healthy human subjects. Diabetes, 1994, 43, 587-592.   | 0.6  | 154       |
| 383 | Leukocyte Esterase Tests Detect Pyuria, Not Bacteriuria. Annals of Internal Medicine, 1993, 118, 230.   | 3.9  | 1         |
| 384 | Quantification of the relationship between insulin sensitivity and beta-cell function in human subjects. Evidence for a hyperbolic function. Diabetes, 1993, 42, 1663-1672.   | 0.6  | 384       |
| 385 | The Role of Age in Susceptibility to Pneumococcal Infections. Age and Ageing, 1992, 21, 357-361.  | 1.6  | 22        |
| 386 | A Method to Describe Physician Decision Thresholds and Its Application in Examining the Diagnosis of<br>Coronary Artery Disease Based on Exercise Treadmill Testing. Medical Decision Making, 1992, 12,<br>204-212. | 2.4  | 16        |
| 387 | Relationships between requests for psychiatric consultations and psychiatric diagnoses in long-term-care facilities. American Journal of Psychiatry, 1991, 148, 898-903.  | 7.2  | 30        |
| 388 | Chronology and determinants of tissue repair in diabetic lower-extremity ulcers. Diabetes, 1991, 40, 1305-1313.   | 0.6  | 74        |
| 389 | Potential problems in the use of necropsy data in epidemiologic research. Journal of General Internal<br>Medicine, 1990, 5, 530-532.  | 2.6  | 0         |
| 390 | The use of risk factors in medical diagnosis: Opportunities and cautions. Journal of Clinical Epidemiology, 1990, 43, 851-858.  | 5.0  | 34        |
| 391 | Work-up bias as an explanation for variations in sensitivity and specificity. Journal of General Internal Medicine, 1989, 4, 177-177.   | 2.6  | 1         |
| 392 | Increased Incidence of Infections in Intravenous Drug Users. Infection Control and Hospital Epidemiology, 1989, 10, 211-215.  | 1.8  | 27        |
| 393 | Increased Incidence of Infections in Intravenous Drug Users. Infection Control and Hospital Epidemiology, 1989, 10, 211-215.  | 1.8  | 21        |
| 394 | Reference test errors bias the evaluation of diagnostic tests for ischemic heart disease. Journal of<br>General Internal Medicine, 1988, 3, 476-481.  | 2.6  | 59        |
| 395 | Effects of Cigarette Smoking on the Clinical Course of Ulcerative Colitis. Scandinavian Journal of Gastroenterology, 1988, 23, 1147-1152.   | 1.5  | 134       |
| 396 | Weather and Occurrence of Eclampsia. International Journal of Epidemiology, 1988, 17, 582-588.  | 1.9  | 16        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 397 | RE: "NONSPECIFIC INFLAMMATORY BOWEL DISEASE AND SMOKING― American Journal of Epidemiology, 1988, 127, 696-697.  | 3.4  | 2         |
| 398 | Nocardia Asteroides Cervical Osteomyelitis in an Immunocompetent Host. Otolaryngology - Head and<br>Neck Surgery, 1988, 99, 334-337.                                      | 1.9  | 13        |
| 399 | Risk of Ulcerative Colitis among Former and Current Cigarette Smokers. New England Journal of Medicine, 1987, 316, 707-710.   | 27.0 | 226       |
| 400 | Binding the Elderly: A Prospective Study of the Use of Mechanical Restraints in an Acute Care Hospital.<br>Journal of the American Geriatrics Society, 1987, 35, 290-296. | 2.6  | 140       |
| 401 | Risk factors for acquiring pneumococcal infections. Archives of Internal Medicine, 1986, 146, 2179-2185.  | 3.8  | 33        |
| 402 | The Epidemiology of Peripheral Vascular Disease. , 0, , 539-563.  |      | 0         |